

Bài 1

```
Public abstract class Hình học {  
    Public static final float PI = 3.14f;  
    Protected String ten;  
    Protected float chuVi;  
    Protected float diện tích;  
    Protected float the tích;  
    Public Hình học () {  
        }  
}
```

```
Public abstract void xuất ra ();  
Public abstract void nhập vào ();  
Public abstract void tính diện tích ();  
Public abstract void tính thể tích ();  
}
```

```
Public class Hình tròn extends Hình học {  
    Private float bán kính;  
    Public Hình tròn () {  
        Super ();  
        this.ten = "Hình tròn";  
    }  
}
```

```
Public void nhập bán kính () {  
    }  
}
```

```
Public void tính chu vi () {  
    }  
}
```



```
this.chu vi = &BanKinh;
```

```
}
```

```
Public void tinh DonTich () {
```

```
this.dientich = PT.BanKinh * BanKinh
```

```
}
```

```
Public void xuatTen ()
```

```
System.out.println ("ten:" + ten);
```

```
}
```

```
@Override
```

```
Public void in ChuVi () {
```

```
System.out.println ("Chu vi:" + chu vi);
```

```
}
```

```
Public void in DonTich () {
```

```
System.out.println ("dien tich:" + dientich);
```

```
}
```

```
@Override
```

```
Public void in TheTich () {
```

```
System.out.println ("Hình tròn không có thể tích")
```

```
}
```

```
}
```

```
Public class HìnhTru extends HìnhTron {
```



```
Private float Chieu Cao;
```

```
Public Hinh tam ( ) {
```

```
super ( );
```

```
this.ten = "Đỉnh tam";
```

```
}
```

```
Public void nhap chieu cao ( ) {
```

```
}
```

```
Public void Tinh The Tich ( ) {
```

```
}
```

```
System.out.println ("The Tich : " + theTich);
```

```
}
```

```
}
```

```
Public class Hinh Chu Nhat extends Hinh Hoc {
```

```
Private float dai;
```

```
Private float chieu;
```

```
Public Hinh Chu Nhat ( ) {
```

```
super ( );
```

```
this.ten = "Hinh Chu Nhat";
```

```
Public void nhap chieu Dai ( ) {
```

```
}
```

```
Public void nhap chieu Rong ( ) {
```

```
}
```



```
Public void tinh ChuVi () {  
    this.chuvi = 2 * (dai + rong);  
}
```

```
Public void tinh Diện Tích () {  
    this.chuvi = 2 * (dai + rong);  
}
```

```
Public void tinh Diện Tích () {  
    this.dientich = dai * rong;  
}
```

@Override

```
Public void xuất Dơn () {  
    System.out.println ("Tên + tên");  
}
```

@Override

```
Public void in chuVi () {  
    System.out.println ("ChuVi" + chuVi);  
}
```

@Override

```
Public void in Diện Tích () {  
    System.out.println ("Diện tích + diện tích");  
}
```

@Override


```

Public void in the tick () {
Public void in the tel () {
}

```

```

System.out.println ("Hok chu that khong co
the tick ");

```

```

Public class Hinh Vuong extends Hinh Chu Khong
Public Hinh Vuong () {
super ();
this.ten = "Hinh Vuong";
}

```

```

public void Napcan () {
}

```

Bài 2.

```

Public abstract class Person {
Private String name;
Private String address;
Public Person (String name; String address) {
this.name = name;
this.address = address;
}
public void Set Name (String Name) {
this.name = name;
}
}

```



```

Public void setName (String name) {
    this.name = name;
}

Public String getName () {
    Return name;
}

Public void setAddress (String address) {
    this.address = address;
}

Public abstract void display ();
}

Public class Employee extends Person {
    Private int salary;
    Public Employee (String name, String address,
    int salary) {
        super (name, address);
        this.salary = salary;
    }

    @Override
    Public void display () {
        System.out.println ("Employee Name : " + getName()

```



```
System.out.println("Employee address: " + getAddress());  
System.out.println("Employee salary: " + salary);
```

```
public class Customer extends Person {  
    private int balance;  
    public Customer(String name, String address,  
        int balance) {  
        super(name, address);  
        this.balance = balance;  
    }  
}
```

@ Override

```
public void display() {  
    System.out.println("Customer Name: " + getName());  
    System.out.println("Customer address: " + getAddress());  
    System.out.println("Customer Balance: " + Balance);  
}
```

Bài 5

```
public class HangSanXuat {  
    private String tenHangSanXuat;  
    private String tenQuocGia;
```



```
public HangSanXuat (String ten Hang San Xuat, String ten Quoc Gia) {  
    this.ten HangSanXuat = ten Hang San Xuat;  
    this.ten Quoc Gia = ten Quoc Gia;  
}
```

```
public String get Ten Hang San Xuat () {  
    return ten Hang San Xuat;  
}
```

```
public abstract class PhuongTen Di chuyen {  
    protected String ten PhuongTen;  
    protected String ten Hang San Xuat;  
    protected String ten Quoc Gia;  
    public abstract String get Ten Hang San Xuat ();  
}
```

```
public void bat Dau () {  
    System.out.println ("Phuong ten bat dau.");  
}
```

```
public void Tong Toc () {  
    System.out.println ("Phuong ten tong toc.");  
}
```

```
public void dung lai () {  
    System.out.println ("Phuong ten dung lai.");  
}
```