

VD

BT1

```
public class Animal {
```

```
    public String makeSound() {
```

```
        return "Tiếng kêu của động vật";
```

```
    }
```


// Lớp con Pig

```
public class Pig extends Animal {
```

 (a) Override

```
    public String makeSound() {  
        return "u u";  
    }
```

```
}
```

// Lớp con Dog

```
public class Dog extends Animal {
```

 (a) Override

```
    public String makeSound() {  
        return "gâu gâu";  
    }
```

```
}
```

// Lớp con Cat

```
public class Cat extends Animal {
```

 (a) Override

```
    public String makeSound() {  
        return "meo meo";  
    }
```

```
}
```

```
}
```

// Lớp con Bird

```
public class Bird extends Animal {
```

 (a) Override

```
    public String makeSound() {
```


return "of of";

```
public class Main {
    public static void main (String [] args) {
        Pig pig = new Pig ("Heo con");
        Dog dog = new Dog ("Cho uong");
        Cat cat = new Cat ("Meo Muop");
        Bird bird = new Bird ("Chim se");
```

```
        pig.makeSound();
        dog.makeSound();
        cat.makeSound();
        bird.makeSound();
```

(BT 2)

```
public class XeDap {
    public void run () {
        System.out.println("Xe dap chay bang  
suc nguoi.");
    }
}
```

```
public class XeDapDien extends XeDap {
```


③ Overview

```
public void run() {
```

```
    System.out.println("Xe dap dien chay bang  
    dong co dien");  
}
```

```
public class BaiTapXe {
```

```
    public static void main (String[] args) {
```

```
        XeDap XeDapThuong = new XeDap();
```

```
        XeDapDien XeDapDienMai = new XeDapDien();
```

```
        System.out.print("Hanh va cua xe dap thuong:");
```

```
        xeDapThuong.run();
```

```
        System.out.print("Hanh va cua xe dap dien:");
```

```
        xeDapDienMai.run();  
    }  
}
```


BT3

Bonds

SB I

+ get Rate Of Interest
() : double

IC IC

+ get Rate Of Interest() : double

AXIS

+ getRateOfInterest()

```
class Bank {
```

```
    public double getRateOfInterest() {
```

```
        return 0;
```

```
    }
```

```
}
```

```
class SBI extends Bank {
```

```
    @Override
```

```
    public double getRateOfInterest() {
```

```
        return 8.0;
```

```
    }
```

```
class ICICI extends Bank {
```

```
    @Override
```

```
    public double getRateOfInterest() {
```

```
        return 7.0;
```

```
class AXIS extends Bank {
```

```
    @Override
```

```
    public double getRateOfInterest() {
```

```
        return 9.0;
```

```
    }
```



```

public class main {
    public static void main(String [] args) {
        SBI s = new SBI();
        ICICI c = new ICICI();
        AXIS a = new AXIS();
        System.out.println("Lai Suat SBI : " +
            s.getRateOfInterest() + "%");
        System.out.println("Lai Suat ICICI : " +
            c.getRateOfInterest());
        System.out.println("Lai Suat AXIS : " +
            a.getRateOfInterest());
    }
}

```