

B1, Chúng ta có Interface Mail chứa các method, send Mail(), log().

- class MailImpl sẽ implements Mail và triển khai các Method mà Mail khai báo

Gửi

```
Interface Mail {  
    void sendMail();  
    void log();  
}
```

```
class MailImpl implements Mail {
```

```
    @Override
```

```
    public void sendMail() {
```

```
        System.out.println("Đang gửi mail ...");
```

```
    }
```

```
    @Override
```

```
    public void log() {
```

```
        System.out.println("Đang ghi log ...");
```

```
    }
```

```
}
```

```
class Main {
```

```
    public static void main(String[] args) {  
        MailImpl mail = new MailImpl();  
        mail.sendMail();  
        mail.log();  
    }
```



HÒA BÌNH

Q2

```
Public interface Shape {  
    String Color = "red";  
    void draw();  
}
```

```
Public class Rectangle implements Shape {
```

```
    private double width;
```

```
    private double height;
```

```
    public Rectangle (double width, double height) {
```

```
        this.width = width;
```

```
        this.height = height;
```

```
    }
```

```
    @Override
```

```
    public double getArea () {
```

```
        return width * height;
```

```
    }
```

```
    @Override
```

```
    public double getPerimeter () {
```

```
        return 2 * (width + height);
```

```
    }
```

```
    @Override
```



```
Public class Circle implements Shape {
```

```
@Override
```

```
public void draw() {
```

```
System.out.println("Draw" + color + "circle");
```

```
}
```

```
}
```

```
Public class ShapeApp {
```

```
public static void main(String[] args) {
```

```
Shape rect = new Rectangle();
```

```
rect.draw();
```

```
System.out.println(".....");
```

```
Shape circle = new Circle();
```

```
circle.draw();
```

```
}
```

```
}
```

BTb

```
Public class HangSanXuat {
```

```
private String tenHangSanXuat;
```

```
private String tenQuocGia;
```

```
Public HangSanXuat(String tenHangSanXuat, String tenQuocGia)
```

```
{
```

```
this.tenHangSanXuat = tenHangSanXuat;
```

```
this.tenQuocGia = tenQuocGia;
```

```
}
```



```
Public String getTenHaySanXuat () {
```

```
    Return tenHaySanXuat;
```

```
}
```

```
Public void setTenHaySanXuat (String tenHaySanXuat) {
```

```
    this.tenHaySanXuat = tenHaySanXuat;
```

```
}
```

```
Public String getTenQuocGia () {
```

```
    Return TenQuocGia;
```

```
}
```

```
Public void setTenQuocGia (String tenQuocGia) {
```

```
    this.tenQuocGia = tenQuocGia;
```

```
}
```

```
}
```

```
Public abstract class PhuongTienDiChuyen {
```

```
    protected String loaiPhuongTien;
```

```
    protected HaySanXuat haySanXuat;
```

```
// Public String layTenHaySanXuat () {
```

```
    Return haySanXuat.getTenHaySanXuat();
```

```
}
```

```
Public String void batDau () {
```

```
    System.out.println ("Bắt đầu di chuyển");
```

```
}
```



```
Public void TangToc () {  
    System.out.println ("Tăng Tốc");  
}
```

```
Public void dung lai () {  
    System.out.println ("Dừng lại");  
}
```

```
Public abstract double layVanToc();  
{
```

```
Public class MayBay extends PhuongTien Di Chuyen {  
    private String loaiNhiemVu;  
    Public void CatCanh () {  
        System.out.println ("Cắt Cánh");  
    }
```

```
    Public void halanh () {  
        System.out.println ("Hạ Cánh");  
    }
```

@Override

```
    Public double layVanToc () {  
        Return 800.0;  
    }
```

```
{
```



```

public class Xeoto extends PhuongTienDiChuyen {
    private String loaiPhienBan;

    @Override
    public double layToc() {
        return 120.0;
    }
}

```

```

public class XeDap extends PhuongTienDiChuyen {
    @Override
    public double layToc() {
        return 20.0;
    }
}

```

```

// BT 4
public class Car {
    private String color;
    private double speed;
    public void accelerate() {
    }

    public String getColor() {
        return color;
    }
}

```



```

Public class Bmw extend Car {
    Public void accelerate () {
    }
    Public String toString () {
        Return "Bmw [color = " + get Color () + ", speed = " +
+ get Speed () + " ] ";
    }
}

```

```

Public class Civic extends Car {
    Public void accelerate () {
    }
    Public String toString () {
        Return "Civic [color = " + get Color () + ", speed = " +
get speed () + " ] ";
    }
}

```