Bài 1:

```
public class Circle {

    private double radius = 1.0;
    private String color = "red";

    public Circle () {
    }

    public Circle (double radius) {
        this. radius = radius; }
    public Circle (double radius, String color) {
        this. radius = radius;
        this. color = color;
    }
    public double getRadius () {
        return radius;
    }
    public void setRadius (double radius) {
        this. radius = radius;
    }
    public String getColor () {
        return color;
    }
    public void setColor (String color) {
        this. color = color;
    }
    public double getArea () {
        return Math. PI * radius * radius;
    public String toString () {
        return "Circle [radius = " + radius + ", color = " +
color + "]";
    }
}
```

KLONG

Scanned with CamScanner

Bài 2:

```
public class Rectangle {
    private int length;
    private int width;

public Rectangle ( ) {


}

public Rectangle (int length, int width) {
    this. length = length;
    this. width = width;
}

public int getLength ( ) {
    return length;
}
public void setLength (int Length) {
    this. length = length;
}
public int getWidth ( ) {
    return Width;
}
public void setWidth (int Width) {
    this. width = width;
}

public int getArea ( ) {
    return this. length * this. width;
}


public String toString ( ) {
    return "Rectangle [length = " + length + ", width " +
width + "]";
}
```

KI.ONG

Scanned with CamScanner

```
public class Main {
    public static void Main ( String [] args) {
        Rectangle rectangle1 = new Rectangle ( );
        rectangle1. setlength (10);
        rectangle1. setwidth (13);
        System. out. println (rectangle1. toString ( )];
        System. out. println (" Area : "+rectangle1. getArea());
    }
}
```

Scanned with CamScanner

Bài 3:

```
public class Employee {
    private int id;
    private String firstName;
    private int salary;

    public Employee (int id, String firstName, String
lastname, int salary) {
        this.id = id;
        this.firstname = firstName;
        this lastName = lastName,
        this.salary = salary;
    }

    public int getId() { return id; }
    public String getFirstName() { return firstName; }
    public String getLastName() { return lastName; }
    public int getSalary() { return salary; }

    public String getFullName() {
        return lastName + " " + firstName;
    }
    public void setSalary (int salary) {
        this.salary = salary;
    }
    public int getAnnualSalary() {
        return salary * 12;
    }
    public int upToSalary (int percent) {
        this.salary = salary + (salary * percent) / 100;
        return this.salary;
    }
    public String toString() {
        return "Employee [id = " + id + ", name = " +
getfullName() + ", salary = " + salary + "]";
    }
}
```

KLONG

Scanned with CamScanner

Bài 4:

```
public class Account {
    private int id;
    private String name;
    private int balance;

    public Account( int id, String name, int balance ){
        this.id = id;
        this.name = name;
        this.balance = balance;
    }

    public int getID() { return id; }
    public String getName() { return name; }
    public int getBalance() { return balance; }

    public void creadit (int amount) {
        if (amount > 0) {
            this.balance += amount;
        } else {
            System.out.println("số tiền nạp phải là số dương");
        }
        return this.balance;
    }

    public void debit (int amount) {
        if (amount <= balance) {
            this.balance -= amount;
        } else {
            System.out.println("số tiền thanh toán vượt quá
số dư. Thanh toán ko thành công.");
        }
        return this.balance;
    }

    public void transferTo (Account account, int amount) {
        if (amount > this.balance) {
```

KLONG

Scanned with CamScanner

```
        System.out.println("Chuyen tien khong thanh cong");
    } else {
        this.balance -= amount;
        account.credit(amount);
    }
}
public class AccountMain {
    public static void Main(String[] args) {
        Employee employee = new Employee(1, "Truong", "An",
10000000);
        System.out.println(employee.getFullName());
        System.out.println(employee.getAnnualSalary());
        System.out.println(employee.toString());
        System.out.println("Salary up to: " + employee.
upToSalary(10));
    }
}
```

Bài 5:

```
public class Date {
  private int day;
  private int month;
  private int year;
  public Date(int day, int month, int year) {
    this.day = day;
    this.month = month;
    this.year = year;
  }
  public int getDay() { return day; }
  public int getMonth() { return month; }
  public int getYear() { return year; }
  public void setday(int day) { this.day = day; }
  public void setMonth(int month) { this.month = month; }
  public void setYear(int year) { this.year = year; }

  public boolean isLeapYear() {
```

KLONG

Scanned with CamScanner

```
        if ((year %400 == 0) || (year %4 == 0 && year %
100 != 0)) {
            return true;
        }
        return false;
    }
    public String toString ( ) {
        return String . format("%02d/%02d/%04d", day,
month, year);
    }
    public static void main (String [] args) {
        Date d = new Date ( );
        System.out. println (" Ngày đã tạo :" + d .toString( ));
        System . out. println ("Năm" +d. getYear ( )+ " có phải
năm nhuận không ?" +d. isLeapYear( ));
    }
}
```

KLONG

Scanned with CamScanner