e) Static int TimMin (int [] a) {
int min = a[0];
for (int i = 1; i < a.length;
i++) {
if (a[i] < min) min = a[i];
TX = i;
}
return min;
}

f) Tìm vị trí phần tử lớn nhất (f)
Static void
ViTriPhanTuMax (int [] a) {
int max = TimMax (a);
System.out.println("Vị trí các phần tử Max:")
for (int i = 0; i < a.length; i++) {
if (a[i] == max) {
System.out.print("i +");
}
}
}

g) Sắp xếp mảng tăng dần (g)
Static void SapXepTangDan (int [] a)
{

HÒA BÌNH

Scanned by TapScanner

MSSV 1350080332

c. Tìm vị trí của một số nguyên x trong mảng.

```
static int TimVTMX (int [] a, int x)
{
        int x = 0
    for (int i = 0; i < a.length; i++)
        if (a[i] == x) = a LVTX
System.out.print (i + " ");
}
```

d) Giá trị lớn nhất trong mảng

```
~~Tim Max (x)),~~
~~System.out.print ("~~
static int TimMax (int [] a) {
    int max = a[0];
    for (int i = 1; i < a.length; i++) {
        if (a[i] > max) {
            max = a[i];
        }
    }
    return max;
}
```

HÒA BÌNH

Scanned by TapScanner

Bài tập: Viết chương trình thực hiện các yêu cầu sau

a) ~~static~~ nhập mảng 1 chiều các số nguyên

```
static void Nhap Mang (int [] a)
{
    Scanner banphim = new scanner (System
.in);
    for (int i = 0; i < a.length; i++)
        System.out.print("a[" + i + "] =")
        a[i] = banphim.nextInt();
    }
}
```

b) ~~public class Xuat Mang~~

```
{
    ~~public~~
    static void Xuat Mang (int [] a) {
a.length; i++) {
        System.out.print(a[i] + "\t");
    }
    System.out.println(~~a[i] +~~ ());
}
}
```

HÒA BÌNH

Scanned by TapScanner

```
for (int i = 0; i < a.length - 1; i++)
    for (int j = i + 1; j < a.length; j
{
    if (a[i] > a[j]) {
        int temp = a[i];
        a[i] = a[j]
        a[j] = temp;
    }
}
}
}
```

Scanned by TapScanner