


Bài 2



```
import java.util.Scanner;
abstract class Xe {
    protected String kienSo;
    protected String mauXe;
    protected String nhanhHieu;
    public Xe() { }
}
```

```
public Xe (String bienSo, String mauXe, String nhanHieu) {
```

```
    this.bienSo = bienSo;
```

```
    this.mauXe = mauXe;
```

```
    this.nhanHieu = nhanHieu
```

```
}
```

```
public void nhap () {
```

```
    System.out.println("Nhap bien so :");
```

```
    bienSo = sc.nextLine();
```

```
    System.out.println("Nhap Mau Xe :");
```

```
    mauXe = sc.nextLine();
```

```
    System.out.println("Nhap nhan hieu :");
```

```
    nhanHieu = sc.nextLine();
```

```
}
```

```
public void xuat () {
```

```
    System.out.println("Bien so : " + bienSo);
```

```
    " (" + " " + mauXe);
```

```
    " (" + " " + nhanHieu);
```

```
public abstract double tinhTien ();
```

```
class XeBuyt extends Xe {
```

```
    private String soTuyen;
```

```

private double doDaihoTrinh;
@Override
public void nhap() {
    super.nhap();
    System.out.println("So tuyen:");
    soTuyen = sc.nextLine();
    System.out.println("Lo Trinh:");
    doDaihoTrinh = sc.nextLine();
}

```

```

@Override
public void xuat() {
    super.xuat();
    System.out.println("So tuyen: " + soTuyen);
    System.out.println("Lo Trinh: " + doDaihoTrinh);
}

```

```

@Override
public double tinhTien() {
    if (doDaihoTrinh > 20)
        return 10000;
    else
        return 5000;
}

```



```

    }
    class XeTai extends Xe {
        private double trongTai;
        @Override
        public void nhap () {
            super.nhap ();
            System.out.println("trọng tải");
            trongTai = sc.nextDouble();
        }
    }

```

```

        @Override
        public void xuat () {
            super.xuat ();
            System.out.println(" " + trongTai);
        }
    }

```

```

        @Override
        public double tinhTien () {
            if (trongTai < 3)
                return 15000;
            else
                return 30000;
        }
    }

```

```

public class Test {
    public static void main (String [] args) {
        System.out.println ("Nhập số lượng xe:");
        int n = sc.nextInt();
        sc.nextLine();
        Xe[] ds = new Xe[n];
        for (int i = 0; i < n; i++) {
            System.out.println ("    " + (i+1));
            "    (" 1. xe buyt ");
            "    (" 2. xe tai ");
            int chon = sc.nextInt();
            sc.nextLine();
            if (chon == 1)
                ds[i] = new XeBuyt();
            else
                ds[i] = new XeTai();
            ds[i].nhap();
        }
        double tong = 0;
        for (int i = 0; i < n; i++) {
            tong += ds[i].tinhTien();
        }
    }
}

```

```
System.out.println("... " + tong);
```

```
}  
}
```