# Project 3

Jacob Abel

November 27, 2017

#### **Contents**

Purpose	3
Problem Specification	3
Disassembly and Initial Analysis	3
Design Process	3
Implementation	3
Validation	3
Conclusion	3
Appendix A: Simulation Waveforms	4

List of Tables	
1 Step 1: Initial Instruction Disassembly	3
List of Figures	

#### Purpose

### **Problem Specification**

### **Disassembly and Initial Analysis**

Memory Address	Machine Code	Instruction (Values in decimal)
0	1400	XOR R0, R0, R0
1	2100	LD R0, R0, M[A]
2	8443	ADI R0, 3
3	0480	ADD R0, R0, R2
4	00E0	MOV R4, R3
5	0290	INC R2, R2
6	0ADA	SUB R3, R2, R3
7	0C48	DEC R1, R1
8	C00A	BRZ R1, R0
9	C1C4	BRZ R0, R7
A	02D8	INC R3, R3
В	0C48	DEC R1, R1
С	1A41	SR R1, R1
D	C20A	BRN R1, R0
Е	E000	JMP R0

Table 1: Step 1: Initial Instruction Disassembly

### **Design Process**

### **Implementation**

#### Validation

#### Conclusion

## **Appendix A: Simulation Waveforms**

