



Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER





Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STRAIGHT WB, ELASTIC BACK
-Faced, cut on straight grain, clean finished interlined on front only
-1/8" SN/CS top/btm
-Encased elastic from SS to SS at back
-Elastic caught in top/btm stitch

SCOOP/SLANT POCKETS
-Clean finish pocket opg edge w/ pocket bag, 1/4" 2N/LS
-Bartacks at opening corners
-Facing has overedge finish, SN/LS to pocket bag
-1 piece pkt bag is folded at CF and french seamed.

COIN PKT
-1/4" SN/LS on sides
-Overedge btm to pkt facing
-Dbl turn, clean finish hem w/ 1/4" 2N/LS
-Horizontal bartacks at opening corners


FLY
- J-Stitch is 1/4" 2N/LS
- 1/16" SN/LS at fly edge
- Front rise 2N/LS extends 1/2" past btm of J-Stitch, horizontal bartack at end
- Vertical bartack on J-stitch at inner stitch as shown on sketch

FRONT RISE
-Overedge and set together w/ SN/LS
-1/4" 2N/LS, SA to WL


INSEAM
-5T/Safety (ISO 516) together
-1/8" SN/CS, SA towards front

HEM
-Dbl turn back hem w/ 3/8" SN/LS

WB CLOSURE
- 1 Keyhole BH w/ button centered on WB



CORD STITCH
-1/16" SN/LS towards back
-Vertical bartack at btm
-Stitch length/grade follow front pkt bag at SS



BELT LOOPS
- 1/4" 2NBtmCvr (ISO 406), horizontal bar tacks at ends
- **SIDE BELT LOOPS:** Circular interlined self-fabric reinforcement behind btm bartacks

BACK YOKE
-5T/Safety (ISO 516) together
-1/4" 2N/CS
-SA down towards leg

BACK RISE
-5T/Safety (ISO 516) together or flat felled
-1/4" 2N/CS (ISO 401), SA to WL

BACK POCKETS
-1/4" 2N/LS on sides/btm
-Dbl turn, clean finish hem w/ 1/2" SN/CS
-Horizontal bartacks at opening corners

CARGO POCKETS
-1/4" 2N/LS on sides/btm
-Dbl turn, clean finish hem w/ 1/2" SN/CS
-Horizontal bartacks at opg corners
-FLAP: Self faced, cleanfinished, 1/4" SN/LS at sides/btm, 1/4" SN/LS set top edge, horizontal bartacks at opening corners
-CLOSURE: 5/8" D-ring strap, see images for detail



CONFIDENTIAL & PROPRIETARY INFORMATION ©2023 Kohl's, Inc. All Rights Reserved. Do Not Disclose or Reproduce. Kohl's respects the legitimate intellectual property rights of others. These market samples are intended for inspiration and reference only, and may be used for the limited purpose of inspiring and creating new original designs. These market samples should not serve as an invitation to copy designs or products sold by other companies.


Modified By: TKA14VW on 2023-10-23



Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER



Junior So Belt Loops



5/11/10

CONFIDENTIAL & PROPRIETARY INFORMATION
© 2011 Kohl's Department Stores, Inc.
All Rights Reserved. No Other Use or Reproduction.

Modified By: TKA14VW on 2023-09-22

S3656
JG42D115
HIGH RISE BAGGY WIDE CARGO

Suffix:

Month:

Meeting Needs:

	RW2	RW

MATERIALS & TRIMS									Colorways		
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	AVAILABLE	MED DARK	MEDIUM
	S3656	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2		SANFORI ZED		HA-MEEM DENIM LTD.		AVAILABLE AVAILABLE	MED DARK AS AS JG41D110RW2 NO DEST (HDG-D22-09-197 BLACK BLUE)	MEDIUM AS JG41D111RW
	GENERIC	64229	THREAD								
		76738	POCKETING								
	GENERIC	80303	SHANK					1.00			
	GENERIC	63039	ZIPPER								
	GENERIC	67300	D-RINGS	VOS				4.00			
	GENERIC	64233	ELASTIC								

S3656
JG42D115
HIGH RISE BAGGY WIDE CARGO

Suffix:

Month:

Meeting Needs:

	RW2	RW

LABELS									Colorways		
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	AVAILABLE	MED DARK	MEDIUM
		114544	123399006SO - SO LOGO ENDFOLD								

		114545	123399007SO - SO COP LOGO								
		36320	KOH-CPSIA- UPC - GENERIC UPC PLUS KIDS TRACKING LABEL								
		82306	87945001MB - OEKOTEXSTD LOOP LABEL	100_PL							
		31167	KH-6012- CG - 12IN. BOTTOM - PINCH GRIP - BLACK ADULT HANGER WITH SIZER								
		114968	123222004SO - SO SO JRS BCI/ OKEOTEX JOKER								
		114977	123222013SO - SO SO JRS BCI/ OKEOTEX POCKET BAG								

S3656
JG42D115
HIGH RISE BAGGY WIDE CARGO

Suffix:

Month:

Meeting Needs:

	RW2	RW

PACKAGING				Colorways							
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	AVAILABLE	MED DARK	MEDIUM
		31167	KH-6012-CG - 12IN. BOTTOM - PINCH GRIP - BLACK ADULT HANGER WITH SIZER								



POM Page Description:				JUNIORS BOTTOMS ALPHA													
Brand	SO...	Division	WOMENS	Customer	JUNIORS		Tech Designer	KIMBERLY LOEHNER	Business	SPORTSWEAR		Size Indicator	REGULAR				
FORM1		KOS-WJR0009-1604					FORM2										
Grade Table		JUNIORS (0000 - 30P)															
Material 1		98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2					Material 2									
P/S	POM Code	POM Description	TOL (-)	TOL (+)	00	1	5	9	13	17	19	14P	18P	22P	26P		
	A000	R.TWILL.															
	A000	XXS(00)1(XS) 5(S)9(M)13(L)17(XL)19(XXL)0X(14P)1X(18P)2X(22P)3X(26P)															
	A008	ALL MEAS AFTER GARMENT WASH															
P	A003	WAIST POSITION ON FORM@CF						1									
P	A004	WAIST POSITION ON FORM@CB						1/4									
P	A005	WAIST POSITION ON FORM@SS															
	A000	OUTSEAMS FORWARD AT SS						1 1/8									
P	A400H	*WAIST@ TOP EDGE -RLXD 1/2 MEAS	-1/2	1/2	11 3/4	12 3/4	13 3/4	14 3/4	16 1/4	17 3/4	18 1/2	17 3/4	19 1/4	21 1/4	23 1/4		
P	A401H	WAIST@TOP EDGE-EXTD-1/2 MEAS	0	1/2	15	16	17	18	19 1/2	21	21 3/4	21	22 1/2	24 1/2	26 1/2		
	A404	WAISTBAND HEIGHT	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2		
S	A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	5 1/2	5 1/2	6	6	6 1/2	7	7	7	7 1/2	8	8 1/2		
	A475	ZIPPER LENGTH-FLY	-1/8	1/8	4 3/4	4 3/4	5 1/4	5 1/4	5 3/4	6 1/4	6 1/4	6 1/4	6 3/4	7 1/4	7 3/4		
	A478	FLY WIDTH	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2		
P	A450	*FRT RISE TO TOP EDGE	-1/4	1/4	10	10 1/2	11	11 1/2	12 1/4	13	13 1/4	13	13 1/2	14 1/4	15		
P	A460	BK RISE TO TOP EDGE	-1/4	1/4	14 1/4	14 3/4	15 1/4	15 3/4	16 1/2	17 1/4	17 1/2	17 1/4	17 1/2	18 1/4	19		
	A411	LOW HIP PLCMT FROM TOP EDGE	0	0	6 1/4	6 1/2	6 3/4	7	7 1/2	8	8 1/4	8	8 5/8	9 1/8	9 5/8		
P	A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/2	1/2	17 1/8	18 1/8	19 1/8	20 1/8	21 5/8	23 1/8	23 7/8	23 1/8	24 5/8	26 5/8	28 5/8		
P	A425H	THIGH@1" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	10 3/4	11 1/2	12 1/4	13	14	14 7/8	15 1/4	14 7/8	15 5/8	16 7/8	18 1/8		
	A428H	MID-THIGH 6" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	10 7/8	11 3/8	12	12 5/8	13 3/8	14	14 1/4	14	14 5/8	15 1/2	16 1/4		
S	A430H	KNEE 12 1/2" FM CROTCH POINT-1/2 MEAS- REGULAR	-1/4	1/4	10 3/4	11	11 3/8	11 3/4	12 1/4	12 5/8	12 7/8	12 5/8	13	13 5/8	14 1/4		



FORM1		KOS-WJR0009-1604					FORM2									
Grade Table		JUNIORS (0000 - 30P)														
Material 1		98116 D 100 COTTON 3/1-DENIM 9.80 OZ/YD2					Material 2									
P/S	POM Code	POM Description	TOL (-)	TOL (+)	00	1	5	9	13	17	19	14P	18P	22P	26P	
S	A430H	KNEE 11 1/2" FM CROTCH POINT-1/2 MEAS-SHORT	-1/4	1/4	10 3/4	11	11 3/8	11 3/4	12 1/4	12 5/8	12 7/8	12 5/8	13	13 5/8	14 1/4	
S	A430H	KNEE 13 1/2" FM CROTCH POINT-1/2 MEAS-LONG	-1/4	1/4	10 3/4	11	11 3/8	11 3/4	12 1/4	12 5/8	12 7/8	12 5/8	13	13 5/8	14 1/4	
P	A438H-08P	LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	11 1/4	11 1/2	11 3/4	12	12 1/4	12 1/2	12 5/8	12 1/2	12 5/8	12 7/8	13 1/8	
P	A500 NG	INSEAM-NG - REG-	-1/2	1/2	31	31	31	31	31	31	31	31	31	31	31	
P	A500 NG	INSEAM-NG-SHORT	-1/2	1/2	29	29	29	29	29	29	29	29	29	29	29	
P	A500 NG	INSEAM-NG-LONG	-1/2	1/2	33	33	33	33	33	33	33	33	33	33	33	
	A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	
	A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
	A000	**FRONT POCKETS**														
	A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	3 3/8	3 1/2	3 5/8	3 3/4	4	4 1/4	4 3/8	4 1/4	4 3/8	4 1/2	4 3/4	
	A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	1 3/4	1 7/8	2	2 1/8	2 3/8	2 5/8	2 3/4	2 5/8	2 3/4	2 7/8	3 1/8	
	A610	FRT PKT BAG WIDTH	-1/4	1/4	5 3/4	5 7/8	6	6	6 1/4	6 1/2	6 1/2	6 1/2	6 1/2	6 3/4	6 3/4	
	A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/4	8 3/8	8 1/2	8 1/2	8 3/4	9	9	9	9	9 1/4	9 1/4	
	A000	**BACK POCKETS**														
	A600	BK PKT WIDTH@TOP	-1/4	1/4	6 1/2	6 5/8	6 3/4	6 3/4	7	7 1/4	7 1/4	7 1/4	7 1/4	7 1/2	7 1/2	
	A601	BK PKT WIDTH@BTM	-1/4	1/4	5	5 1/8	5 1/4	5 1/4	5 1/2	5 3/4	5 3/4	5 3/4	5 3/4	6	6	
	A602	BK PKT HEIGHT@CENTER	-1/4	1/4	6 1/8	6 1/4	6 3/8	6 3/8	6 5/8	6 7/8	6 7/8	6 7/8	6 7/8	7 1/8	7 1/8	
	A603	BK PKT HEIGHT@SIDE	-1/4	1/4	5 1/4	5 3/8	5 1/2	5 1/2	5 3/4	6	6	6	6	6 1/4	6 1/4	
	A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1/2	3/4	1	1 1/4	1 1/2	1 3/4	1 7/8	1 3/4	2	2 1/4	2 1/2	
	A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	
	A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	
	A000	**COIN POCKET**														
	A600	PKT WIDTH@TOP	-1/4	1/4	2 3/4	2 7/8	3	3	3 1/4	3 1/2	3 1/2	3 1/2	3 1/2	3 3/4	3 3/4	

KOHL'S

SP24
Stage: DEVELOPMENT


JG42D115
HIGH RISE BAGGY WIDE CARGO
Points of Measure



FORM1		KOS-WJR0009-1604					FORM2									
Grade Table		JUNIORS (0000 - 30P)														
Material 1		98116 D 100 COTTON 3/1-DENIM 9.80 OZ/YD2					Material 2									
P/S	POM Code	POM Description	TOL (-)	TOL (+)	00	1	5	9	13	17	19	14P	18P	22P	26P	
	A621 NG	PKT FROM SS-NG	-1/4	1/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
	A622	RV: PKT FROM BTM OF WB	-1/4	1/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	1 1/4	3/4	3/4	3/4	
	A000	**SIDE POCKET**														
	A604	PKT HEIGHT TOTAL W/ FLAP	-1/4	1/4	8 1/8	8 1/4	8 3/8	8 3/8	8 5/8	8 7/8	8 7/8	8 7/8	8 7/8	9 1/8	9 1/8	
	A600	PKT WIDTH@TOP	-1/4	1/4	6 1/4	6 3/8	6 1/2	6 1/2	6 3/4	7	7	7	7	7 1/4	7 1/4	
	A602	PKT HEIGHT@CENTER	-1/4	1/4	7 3/8	7 1/2	7 5/8	7 5/8	7 7/8	8 1/8	8 1/8	8 1/8	8 1/8	8 3/8	8 3/8	
	A605	PKT FLAP WIDTH@TOP	-1/4	1/4	6 1/2	6 5/8	6 3/4	6 3/4	7	7 1/4	7 1/4	7 1/4	7 1/4	7 1/2	7 1/2	
	A607	PKT FLAP HEIGHT@CENTER	-1/4	1/4	2 3/8	2 1/2	2 1/2	2 1/2	2 5/8	2 3/4	2 3/4	2 3/4	2 3/4	2 7/8	3 1/4	
	A620	FRT PKT FROM TOP EDGE@SS	-1/4	1/4	13 7/8	14	14 1/8	14 1/4	14 1/2	14 3/4	14 7/8	14 3/4	14 7/8	15	15 1/4	
	A000	POCKET STRAP LENGTH	-1/8	1/8	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2		8 1/2	8 1/2	8 1/2	



Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER





Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

Critical Points of Attention



Front pocket Shape Should be Mirror With Each Others



Waist band gathering / shirring should be evenly distributed and back.

Pocket edge should be straight

Back pocket placement from yoke seam & SB must be mirror with each other



Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

Label Approval

TOP APPLIED LABELS (Endfold, Patch)

- Label should lay smooth/flat
- No wavy edges
- Label set with 1/16" SN/LS - Backstitch @ start & stop for 3-4 stitches
- Label SPI = 8-10
- Thread
 - Needle: DTM to Label
 - Bobbin: DTM to shell fabric
 - No Monofilament/clear thread
- NO Thread nests or untrimmed threads on exterior garment




INTERIOR VIEW



EXTERIOR VIEW



Brand	SO...	Division	WOMENS	Request No.	00696626	Create Date	2023-09-21	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG41D111RW2
STYLE NAME:	CARGO HIGH RISE WIDE LEG
COLORWAY NICKNAME:	MEDIUM
WASH/COLOR REF:	AS JG41D110RW2 NO DEST (HDG-D22-09-197 BLACK BLUE)
DESTRUCTION:	NO DEST
HEM:	CLEAN
HARDWARE COLOR:	DBS13
THREAD COLOR:	C8634
SKETCH:	

WASH REFERENCE



NO DESTRUCTION



Fit Eval No: 160296

POM Page Description:	R.TWILL.
------------------------------	----------

Fiscal Season	SP24	Brand	SO...	Division	WOMENS	Customer	JUNIORS	Created On	2023-09-22
Request No	00696626	Tech Designer	KIMBERLY LOEHNER	Designer	KIM GRUBER	Product Manager	ELIZABETH HEIBERTSHAUSEN	Size Indicator	REGULAR
Agent	LI & FUNG BANGLADESH	Vendor	APPARELS GALLERY LTD	Workflow Alert	51.000000	PP Deadline	11/11/2023		

Sample Information						Fit Approved		NA	
Sample Round	Sample 3	Sample Type	PRE-PRODUCTION SAMPLE	Fit Sample Size	9	Sample Request Date	10/23/2023	Date Received	11/14/2023
Date Fit	11/14/2023	Fit With		Fit Session Attendees		Sample Status	APPROVED	Decision Status Date	11/16/2023
Material 1	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A000	R.TWILL.										
A000	XXS(00)1(XS) 5(S)9(M)13(L)17(XL)19(XXL)0X(14P)1X(18P)2X(22P)3X(26P)										
A008	ALL MEAS AFTER GARMENT WASH										
A003	WAIST POSITION ON FORM@CF			1							
A004	WAIST POSITION ON FORM@CB			1/4							
A005	WAIST POSITION ON FORM@SS										
A000	OUTSEAMS FORWARD AT SS			1 1/8							
A400H	*WAIST@ TOP EDGE -RLXD 1/2 MEAS	-1/2	1/2	14 3/4	14 3/4	0					
A401H	WAIST@TOP EDGE-EXTD-1/2 MEAS	0	1/2	18	18	0					
A404	WAISTBAND HEIGHT	-1/8	1/8	1 1/2	1 1/2	0					
A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	6	6	0					
A475	ZIPPER LENGTH-FLY	-1/8	1/8	5 1/4	5 1/4	0					
A478	FLY WIDTH	-1/8	1/8	1 1/2	1 1/2	0					
A450	*FRT RISE TO TOP EDGE	-1/4	1/4	11 1/2	11 1/2	0					
A460	BK RISE TO TOP EDGE	-1/4	1/4	15 3/4	15 5/8	-1/8					
A411	LOW HIP PLCMT FROM TOP EDGE	0	0	7							
A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/2	1/2	20 1/8	20 1/8	0					
A425H	THIGH@1" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	13	13	0					
A428H	MID-THIGH 6" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	12 5/8	12 1/2	-1/8					
A430H	KNEE 12 1/2" FM CROTCH POINT-1/2 MEAS-REGULAR	-1/4	1/4	11 3/4	11 7/8	1/8					
A430H	KNEE 11 1/2" FM CROTCH POINT-1/2 MEAS-SHORT	-1/4	1/4	11 3/4							



Sample Information						Fit Approved		NA	
Sample Round	Sample 3	Sample Type	PRE-PRODUCTION SAMPLE	Fit Sample Size	9	Sample Request Date	10/23/2023	Date Received	11/14/2023
Date Fit	11/14/2023	Fit With		Fit Session Attendees		Sample Status	APPROVED	Decision Status Date	11/16/2023
Material 1	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A430H	KNEE 13 1/2" FM CROTCH POINT-1/2 MEAS-LONG	-1/4	1/4	11 3/4							
A438H-08P	LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	12	12	0					
A500 NG	INSEAM-NG - REG-	-1/2	1/2	31	30 3/4	-1/4					
A500 NG	INSEAM-NG-SHORT	-1/2	1/2	29							
A500 NG	INSEAM-NG-LONG	-1/2	1/2	33							
A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4	2 1/8	-1/8					
A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	3/4	3/4	0					
A000	**FRONT POCKETS**										
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	3 3/4	3 3/4	0					
A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	2 1/8	2 1/8	0					
A610	FRT PKT BAG WIDTH	-1/4	1/4	6	6	0					
A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/2	8 3/8	-1/8					
A000	**BACK POCKETS**										
A600	BK PKT WIDTH@TOP	-1/4	1/4	6 3/4	6 7/8	1/8					
A601	BK PKT WIDTH@BTM	-1/4	1/4	5 1/4	5 1/4	0					
A602	BK PKT HEIGHT@CENTER	-1/4	1/4	6 3/8	6 3/8	0					
A603	BK PKT HEIGHT@SIDE	-1/4	1/4	5 1/2	5 1/2	0					
A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1 1/4	1 1/4	0					
A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8	1	1/8					
A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2	1 5/8	1/8					
A000	**COIN POCKET**										
A600	PKT WIDTH@TOP	-1/4	1/4	3	3	0					
A621 NG	PKT FROM SS-NG	-1/4	1/4	3/4	3/4	0					
A622	RV: PKT FROM BTM OF WB	-1/4	1/4	3/4	3/4	0					
A000	**SIDE POCKET**										
A604	PKT HEIGHT TOTAL W/ FLAP	-1/4	1/4	8 3/8	8 1/2	1/8					
A600	PKT WIDTH@TOP	-1/4	1/4	6 1/2	6 1/2	0					
A602	PKT HEIGHT@CENTER	-1/4	1/4	7 5/8	7 3/4	1/8					
A605	PKT FLAP WIDTH@TOP	-1/4	1/4	6 3/4	6 3/4	0					
A607	PKT FLAP HEIGHT@CENTER	-1/4	1/4	2 1/2	2 1/2	0					
A620	FRT PKT FROM TOP EDGE@SS	-1/4	1/4	14 1/4	14	-1/4					
A000	POCKET STRAP LENGTH	-1/8	1/8	8 1/2	8 3/4	** 1/4 **	BTS				



Measurer 1 Fit Comments	Measurer 2 Fit Comments
<p>*Please Do not use Fit/PP sample as a wash standard. Brand team-approved seal/ signed sample has been provided to the factory for all colors. Follow brand team approval for all wash-related issues. . Before proceeding to bulk Please Cross-check with MR team whether there are any comments.</p> <p>Date: Nov-14/2023 Sample Type: PP SAMPLE Sample Color: Med Dark Vendor, CTD Name, Md Obaydul, Kohl's CTD Level: 3. Factory Name: ARTISTIC DESIGN LTD. (000125572) COP: BGD UNITS: 7.5k CTD FIT EVAL STATUS: PP APPROVED- Follow Below Comments for Corrections. Once corrected, proceed to Production. Confirm PP Sample is available before production begins</p> <p>SAMPLE WASH INFO Non- wash: NO Fabric Wash: NO Garment wash: Enzyme Wash.</p> <p>STYLE/FABRIC INFO Fabric 1: Supplier: HA-MEEM DENIM LTD. (KOHL'S NOMINATED) FABRIC Ref# S3656, D 100COTTON 3/1-DENIM 9.8OZ Pocketing: Supplier- Hebei Zexiang Textile Co.Ltd: Tc Pocketing (Recycle Polyester & Bci Cotton Trim Info: - Preferred suppliers must be used for zippers, buttons, elastic, thread, and interlining. K-Link: https://link.kohls.com/resources/subcategory/preferred-suppliers - Any other trim types can be non-preferred supplier but must go through Kohls Approved 3rd Party Lab for testing/approval prior to production. K-Link: https://link.kohls.com/resources/subcategory/softlines all links found under K-Link>Resources>Private and Exclusive Brands (view all)</p> <p>Interlining: Supplier- QST Industries Co, Ltd (KOHL'S NOMINATED) Code-Qst288 - at front WB, fly and pkt flap. Interlining: Supplier-Kufner (KOHL'S NOMINATED) –TC0080 015 1000 for belt loop. Thread: Supplier- Coats(KOHL'S NOMINATED), Tex 105 PPC for Top, Tex 60 PPC for Bobbin & hole, Tex 40 PPC for bar tack, Tex 20/9 for Hole around, Tex 40 SSP for over lock. Zipper: Supplier- TEX (KOHL'S NOMINATED) –4.5 semi auto lock zipper on fly. Button: Supplier-M.Y UNION BD (KOHL'S NOMINATED), 32L Metal logo shank button at Centered on WB. D-RING Supplier-M.Y UNION BD (KOHL'S NOMINATED), Metal D-ring at Cargo pkt closure. Elastic: Supplier-Refat Garments Ltd. (Unit-Accessories) (KOHL'S NOMINATED) Encased elastic at CB waistband. Label: Supplier-R-Pac (KOHL'S NOMINATED) Main label, care label, UPC tracking label, size strip, joker tag Other: Security tag/EAS tag, Supplier-TIC (KOHL'S Nominated). ** For the factory: If need any more information please follow Brand Team Approved Trims Card / Trim Sheet & IBS File & proceed accordingly.</p> <p>PATTERNS: Attach electronic pattern in One PLM as a .dxf or .aam (ASTM or AAMA) or .bw (Browzwear Vstitcher) file format. Browzwear file must be compressed into .zip file before attaching.</p>	



Pattern should be exported without seam allowances and include a 10in. X 10in. square. Upload Fit sample patterns to the Fit Eval Page & Final Graded (zip .dxf pattern file with .rul grade rule file before uploading) PP patterns to the Attachment Page. Pattern should include a 10in. X 10in. square

E-pattern:

Noted: Applied fit APP pattern with corrections to proceed to the PP sample & current E-pattern is SP24-P1-9- JG42D115- DNM-N-AGL.

Noted all the trims/accessories are actual.

Seal No:0007010

General Comments:

- Noted fabric and trims information as per Cover sheet & all are sources from preferred supplier please maintain in bulk production.

****Please follow separate approval from the brand team for packing/folding& shipping.**

Critical Point of Attention for PP & Bulk:

- 1.WB shirring should be evenly distributed all-around the body. WB height must be even. Please Use caution during WB setting.
- 2.Back pocket placement should be mirrored with each other. Please use caution during attaching.
- 3.SS patch pocket placement should be mirrored with each other. Please use caution during attaching.
4. CF zipper should be lay flat. Please take special care during sewing & finishing.
5. Cut WB elastic following size-wise measurements. Fix size-wise measurements by reviewing the size set.
6. A designated QA will check the finished elastic measurements of all sizes & he will ensure that the measurements are ok as requested.
7. 100% finish Garments WB measurements must be checked by a responsible QA

PLEASE SEE CPA IMAGE

Construction / Workmanship Comments:

1. Construction ok with DI & as requested by design team, Please follow APP sample for all construction. Please make sure that you are maintaining kohl's product safety & MCS at all points.
- 2.Workmanship looks good, please maintain.
- 3.Noted: D ring size has been corrected.
- 4.Please adjust the entire machine according to the fabric character before starting the production.
- 5.WB shirring looks little uneven, please correct it.
- 6.Please apply your best technique during cutting & sewing to avoid leg twisting. Please advise what technique you are applying to avoid twisting. PP looks good, please take care of bulk.
- 7.Noted: Additional reinforcement not applied at back pocket top corner. Please pull test the bulk goods. If test is pass then reinforcement no need.
- 8.Label attachment method is acceptable. Label approval page uploaded into TP.

Fit & Measurement Comments:

- 1.Fit looks good & well-balanced on the dress form. Please maintain.
- 2.Overall leg balance looks fine. Please maintain.
- 3.Noted: Out seam top edge shape has been corrected: PP sample looks good.



4. Noted: Excess fullness has been shifted from top edge of CB seam, PP sample looks much better, please maintain.
 A. Keeping 1" to 1 1/2" flatter body at CB WB: Noted: it's not possible. Please maintain as per APP sample.
 5. All the corrections have been done as requested. Please do not change the pattern shape.
 6. Before starting the bulk - Please adjust the fabric shrinkage properly.
 7. A few points are edge of tolerance, please BTS. Overall specs are within tolerance as given. Please maintain.
 8. Please follow APP Pattern / Sample for those points that are not specified in the measurement chart/ detail page. Please share with us if you find any points.

Thanks.
 Obaydul-CTD
 Apparel Gallery.
 =====



P1-SP24 -JG42D115R -Denim

Vendor: AGL



Date=11-14-23



BGD



OBAYDUL -CTD L-3





Fit Eval No: 160296

POM Page Description:	R.TWILL.
------------------------------	----------

Fiscal Season	SP24	Brand	SO...	Division	WOMENS	Customer	JUNIORS	Created On	2023-09-22
Request No	00696626	Tech Designer	KIMBERLY LOEHNER	Designer	KIM GRUBER	Product Manager	ELIZABETH HEIBERTSHAUSEN	Size Indicator	REGULAR
Agent	LI & FUNG BANGLADESH	Vendor	APPARELS GALLERY LTD	Workflow Alert	51.000000	PP Deadline	11/11/2023		

Sample Information						Fit Approved		YES	
Sample Round	Sample 2	Sample Type	FIT SAMPLE	Fit Sample Size	9	Sample Request Date	09/22/2023	Date Received	10/17/2023
Date Fit	10/17/2023	Fit With		Fit Session Attendees	KG, IK, KL ON FORM/DSO YES	Sample Status	APPROVED	Decision Status Date	10/23/2023
Material 1	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A000	R.TWILL.										
A000	XXS(00)1(XS) 5(S)9(M)13(L)17(XL)19(XXL)0X(14P)1X(18P)2X(22P)3X(26P)										
A008	ALL MEAS AFTER GARMENT WASH										
A003	WAIST POSITION ON FORM@CF			1							
A004	WAIST POSITION ON FORM@CB			1/4							
A005	WAIST POSITION ON FORM@SS										
A000	OUTSEAMS FORWARD AT SS			1 1/8							
A400H	*WAIST@ TOP EDGE -RLXD 1/2 MEAS	-1/2	1/2	15	14 3/4	-1/4	Please review				14 3/4
A401H	WAIST@TOP EDGE-EXTD-1/2 MEAS	0	1/2	19 1/2	18	** -1 1/2 **	Please review				18
A404	WAISTBAND HEIGHT	-1/8	1/8	1 1/2	1 1/2	0					
A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	6	6	0					
A475	ZIPPER LENGTH-FLY	-1/8	1/8	5 1/4	5 1/4	0					
A478	FLY WIDTH	-1/8	1/8	1 1/2	1 1/2	0					
A450	*FRT RISE TO TOP EDGE	-1/4	1/4	11 1/2	11 5/8	1/8					
A460	BK RISE TO TOP EDGE	-1/4	1/4	15 3/4	15 3/4	0					
A411	LOW HIP PLCMT FROM TOP EDGE	0	0	7							
A412H	LOW HIP # FM TOP EDGE-1/2 MEAS	-1/2	1/2	20 1/8	20 1/8	0					
A425H	THIGH@1" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	13	13 1/8	1/8					
A428H	MID-THIGH 6" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	12 5/8	12 5/8	0					
A430H	KNEE 12 1/2" FM CROTCH POINT-1/2 MEAS-REGULAR	-1/4	1/4	11 3/4	12	1/4					
A430H	KNEE 11 1/2" FM CROTCH POINT-1/2 MEAS-SHORT	-1/4	1/4	11 3/4							



Sample Information						Fit Approved		YES	
Sample Round	Sample 2	Sample Type	FIT SAMPLE	Fit Sample Size	9	Sample Request Date	09/22/2023	Date Received	10/17/2023
Date Fit	10/17/2023	Fit With		Fit Session Attendees	KG, IK, KL ON FORM/DSO YES	Sample Status	APPROVED	Decision Status Date	10/23/2023
Material 1	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A430H	KNEE 13 1/2" FM CROTCH POINT-1/2 MEAS-LONG	-1/4	1/4	11 3/4							
A438H-08P	LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	12	12	0					
A500 NG	INSEAM-NG - REG-	-1/2	1/2	31	30 5/8	-3/8	We will correct it				
A500 NG	INSEAM-NG-SHORT	-1/2	1/2	29							
A500 NG	INSEAM-NG-LONG	-1/2	1/2	33							
A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4	2 1/8	-1/8					
A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	3/4	3/4	0					
A000	**FRONT POCKETS**										
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	3 3/4	3 5/8	-1/8					
A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	2 1/8	2 1/8	0					
A610	FRT PKT BAG WIDTH	-1/4	1/4	6	6	0					
A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/2	8 1/2	0					
A000	**BACK POCKETS**										
A600	BK PKT WIDTH@TOP	-1/4	1/4	6 3/4	6 3/4	0					
A601	BK PKT WIDTH@BTM	-1/4	1/4	5 1/4	5 1/4	0					
A602	BK PKT HEIGHT@CENTER	-1/4	1/4	6 3/8	6 3/8	0					
A603	BK PKT HEIGHT@SIDE	-1/4	1/4	5 1/2	5 3/8	-1/8					
A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1 1/4	1 1/4	0					
A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8	7/8	0					
A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2	1 1/2	0					
A000	**COIN POCKET**										
A600	PKT WIDTH@TOP	-1/4	1/4	3	2 7/8	-1/8					
A621 NG	PKT FROM SS-NG	-1/4	1/4	3/4	3/4	0					
A622	RV: PKT FROM BTM OF WB	-1/4	1/4	3/4	3/4	0					
A000	**SIDE POCKET**										
A604	PKT HEIGHT TOTAL W/ FLAP	-1/4	1/4	8 3/8	8 1/4	-1/8					
A600	PKT WIDTH@TOP	-1/4	1/4	6 1/2	6 1/2	0					
A602	PKT HEIGHT@CENTER	-1/4	1/4	7 5/8	7 1/2	-1/8					
A605	PKT FLAP WIDTH@TOP	-1/4	1/4	6 3/4	6 3/4	0					
A607	PKT FLAP HEIGHT@CENTER	-1/4	1/4	2 1/2	2 1/2	0					
A620	FRT PKT FROM TOP EDGE@SS	-1/4	1/4	14 1/4	14 1/4	0					
A000	POCKET STRAP LENGTH	-1/8	1/8	8 1/2	8 5/8	1/8					



Measurer 1 Fit Comments	Measurer 2 Fit Comments
<p>Date: October-13/2023 Sample Type: 1st FIT SAMPLE Sample Color: Med Dark Vendor, CTD Name, Md Obaydul, Kohl's CTD Level: 3. Factory Name: ARTISTIC DESIGN LTD. (000125572) COP: BGD UNITS: 7.5k CTD FIT EVAL STATUS:</p> <p>SAMPLE WASH INFO Non- wash: NO Fabric Wash: NO Garment wash: Enzyme Wash. (list type of garment wash)</p> <p>STYLE/FABRIC INFO Fabric 1: Supplier: HA-MEEM DENIM LTD. (KOHL'S NOMINATED) FABRIC Ref# S3656, D 100COTTON 3/1-DENIM 9.80OZ Pocketing: Supplier- Hebei Zexiang Textile Co.Ltd: Tc Pocketing (Recycle Polyester & Bci Cotton Trim Info: - Preferred suppliers must be used for zippers, buttons, elastic, thread, and interlining. K-Link: https://link.kohls.com/resources/subcategory/preferred-suppliers - Any other trim types can be non-preferred supplier but must go through Kohls Approved 3rd Party Lab for testing/approval prior to production. K-Link: https://link.kohls.com/resources/subcategory/softlines all links found under K-Link>Resources>Private and Exclusive Brands (view all)</p> <p>Interlining: Supplier- QST Industries Co, Ltd (KOHL'S NOMINATED) Code-Qst288 - at front WB, fly and pkt flap. Interlining: Supplier-Kufner (KOHL'S NOMINATED) –TC0080 015 1000 for belt loop. Thread: Supplier- Coats(KOHL'S NOMINATED), Tex 105 PPC for Top, Tex 60 PPC for Bobbin & hole, Tex 40 PPC for bar tack, Tex 20/9 for Hole around, Tex 40 SSP for over lock. Zipper: Supplier- TEX (KOHL'S NOMINATED) –4.5 semi auto lock zipper on fly. Button: Supplier-M.Y UNION BD (KOHL'S NOMINATED), 32L Metal logo shank button at Centered on WB. D-RING Supplier-M.Y UNION BD (KOHL'S NOMINATED), Metal D-ring at Cargo pkt closure. Elastic: Supplier-Refat Garments Ltd. (Unit-Accessories) (KOHL'S NOMINATED) Encased elastic at CB waistband. Label: Supplier-R-Pac (KOHL'S NOMINATED) Main label, care label, UPC tracking label, size strip, joker tag Other: Security tag/EAS tag, Supplier-TIC (KOHL'S Nominated). ** For the factory: If need any more information please follow Brand Team Approved Trims Card / Trim Sheet & IBS File & proceed accordingly.</p> <p>----- PATTERNS: Please attach electronic pattern in One PLM as a .dxf or .dsn format. Fit sample patterns to be uploaded to the Fit Eval Page & Final Approved Fit or PP patterns to be uploaded to the Attachment Page. Pattern should include a 10" X10" square.</p> <p>GENERAL COMMENTS: See comments and photos attached.</p>	<p>Date: 10.23.23 Sample Type: 1st Sample Color: Med Dark Blue KTD: Kim Loehner KTD FIT EVAL STATUS: FIT APPROVED by Kohls TD- Follow Below Comments for Corrections. A Pre-Production sample is required to be documented, reviewed, and approved by CTD Level 2-4 in OnePLM before production can begin. Submit a Pre-Production sample to Kohls TD for reference or No further sample to be sent to Kohls TD If additional fabric choices are added to this base style, confirm fit approval status for additional choices with Kohls TD</p> <p>PATTERNS: Please attach a screenshot of before and after corrections with next sample fit round. Attach electronic pattern in One PLM as a .dxf or .aam (ASTM or AAMA) or .bw (Browzwear Vstitcher) file format. Browzwear file must be compressed into .zip file before attaching. Pattern should be exported without seam allowances and include a 10in. X 10in. square. Upload Fit sample patterns to the Fit Eval Page & Final Graded (zip .dxf pattern file with .rul grade rule file before uploading) PP patterns to the Attachment Page. Pattern should include a 10in. X 10in. square</p> <p>GENERAL COMMENTS: See comments and photos attached. 1. Trim info - Preferred suppliers must be used for zippers, buttons, elastic, thread, and interlining. K-Link: https://link.kohls.com/resources/subcategory/preferred-suppliers - Any other trim types can be non-preferred supplier but must go through Kohls Approved 3rd Party Lab for testing/approval prior to production. K-Link: https://link.kohls.com/resources/subcategory/softlines all links found under K-Link>Resources>Private and Exclusive Brands (view all)</p> <p>2. Label Placement and attachment method: K-Link: https://link.kohls.com/resources/subcategory/labels-and-packaging</p> <p>CONSTRUCTION COMMENTS: 1. Noted coin pkt is SN, not 2N. DI pg is corrected. 2. D-ring is only 1mm too small. It should not get significantly bigger. Pls review w/ Design.</p> <p>FIT COMMENTS: 1. Overall fit & balance are ok. 2. Hip fullness is good for Design direction. Pls maintain. 3. Spec for Waist Extd is updated for follow sample due to fabric thickness. 4. Spec for Waist Rlxd is ok as sample. Spec is updated. 5. Noted Outseam is pushed up slightly at top edge & will be fixed with a smooth waist pitch. 6. Pls shift some fullness away from CB, leave about 1- 1 1/2" flatter body at WB seam at CB seam. The fullness is causing folds at back, but the overall fullness at Hip is still nice. If it is not possible to control the shirring, I would be ok to decrease the Hip 1/8" if needed as long as that smoothed out the back waist slightly. Pls advise.</p>



E-pattern Information:

1. We applied your suggested pattern with corrections to proceed to the 1st fit sample & current E-pattern is SP24-F1-09-JG42D115-DNM-N-AGL

CONSTRUCTION COMMENTS:

1. Overall construction ok with DI. Please review & advise if we need to make any changes.
2. Coin pocket hem: We applied 1/4" SN TS as per sketch instead of 2N TS at DI wording, Please review.
3. Cargo pocket D ring is little small, we will correct it.

FIT & measurement COMMENTS:

1. Hip looks little too full on the dress form, Please review and advise your comments.
2. Waist extended: We did it 18" because 19 1/2" will be too big for cotton fabric, Please review & advise your comments. If you really want to increase it, then I will increase it.
3. Waist was looking loose/easy on the dress form and that's why we reduced it 3/8". Please review the sample on the dress form. I think 14 1/2" or 14 3/4" will be enough.
4. Inseam measurement is little minus, we will correct it.
5. Out seam at waist looks little up on the dress form, We will improve it.
6. Overall specs are within tolerance. See comments in POM TAB.

Thank You
 Obaydul-CTD
 Apparel Gallery.
 =====



1ST FIT-SP24-9-JG42D115-DENIM

Vendor: AGL



Date:10-13-2023

COP: BGD

OBYADUL-CTD L-3



Fit Eval No: 160296

POM Page Description:	R.TWILL.
------------------------------	-----------------

Fiscal Season	SP24	Brand	SO...	Division	WOMENS	Customer	JUNIORS	Created On	2023-09-22
Request No	00696626	Tech Designer	KIMBERLY LOEHNER	Designer	KIM GRUBER	Product Manager	ELIZABETH HEIBERTSHAUSEN	Size Indicator	REGULAR
Agent	LI & FUNG BANGLADESH	Vendor	APPARELS GALLERY LTD	Workflow Alert	51.000000	PP Deadline	11/11/2023		

Sample Information						Fit Approved		PENDING	
Sample Round	Sample 1	Sample Type	COUNTER SAMPLE	Fit Sample Size	9	Sample Request Date	09/22/2023	Date Received	09/21/2023
Date Fit		Fit With		Fit Session Attendees		Sample Status	NOT EVALUATED	Decision Status Date	09/22/2023
Material 1	98116	D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A000	R.TWILL.										
A000	XXS(00)1(XS) 5(S)9(M)13(L)17(XL)19(XXL)0X(14P)1X(18P)2X(22P)3X(26P)										
A008	ALL MEAS AFTER GARMENT WASH										
A003	WAIST POSITION ON FORM@CF			1							
A004	WAIST POSITION ON FORM@CB			1/4							
A005	WAIST POSITION ON FORM@SS										
A000	OUTSEAMS FORWARD AT SS			1 1/8							
A400H	*WAIST@ TOP EDGE -RLXD 1/2 MEAS	-1/2	1/2	15							
A401H	WAIST@TOP EDGE-EXTD-1/2 MEAS	0	1/2	19 1/2							
A404	WAISTBAND HEIGHT	-1/8	1/8	1 1/2							
A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	6							
A475	ZIPPER LENGTH-FLY	-1/8	1/8	5 1/4							
A478	FLY WIDTH	-1/8	1/8	1 1/2							
A450	*FRT RISE TO TOP EDGE	-1/4	1/4	11 1/2							
A460	BK RISE TO TOP EDGE	-1/4	1/4	15 3/4							
A411	LOW HIP PLCMT FROM TOP EDGE	0	0	7							
A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/2	1/2	20 1/8							
A425H	THIGH@1" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	13							
A428H	MID-THIGH 6" BLW CROTCH PT-1/2 MEAS	-1/2	1/2	12 5/8							
A430H	KNEE 12 1/2" FM CROTCH POINT-1/2 MEAS-REGULAR	-1/4	1/4	11 3/4							
A430H	KNEE 11 1/2" FM CROTCH POINT-1/2 MEAS-SHORT	-1/4	1/4								



Sample Information						Fit Approved		PENDING	
Sample Round	Sample 1	Sample Type	COUNTER SAMPLE	Fit Sample Size	9	Sample Request Date	09/22/2023	Date Received	09/21/2023
Date Fit		Fit With		Fit Session Attendees		Sample Status	NOT EVALUATED	Decision Status Date	09/22/2023
Material 1	98116 D 100 COTTON 3/1-DENIM 9.80 OZ/YD2			Material 2					

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A430H	KNEE 13 1/2" FM CROTCH POINT-1/2 MEAS-LONG	-1/4	1/4								
A438H-08P	LEG OPENING RLXD-FULL LENGTH 1/2 MEAS	-1/4	1/4	12							
A500 NG	INSEAM-NG - REG-	-1/2	1/2	31							
A500 NG	INSEAM-NG-SHORT	-1/2	1/2								
A500 NG	INSEAM-NG-LONG	-1/2	1/2								
A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4							
A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	3/4							
A000	**FRONT POCKETS**										
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	3 3/4							
A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	2 1/8							
A610	FRT PKT BAG WIDTH	-1/4	1/4	6							
A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/2							
A000	**BACK POCKETS**										
A600	BK PKT WIDTH@TOP	-1/4	1/4	6 3/4							
A601	BK PKT WIDTH@BTM	-1/4	1/4	5 1/4							
A602	BK PKT HEIGHT@CENTER	-1/4	1/4	6 3/8							
A603	BK PKT HEIGHT@SIDE	-1/4	1/4	5 1/2							
A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1 1/4							
A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8							
A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2							
A000	**COIN POCKET**										
A600	PKT WIDTH@TOP	-1/4	1/4	3							
A621 NG	PKT FROM SS-NG	-1/4	1/4	3/4							
A622	RV: PKT FROM BTM OF WB	-1/4	1/4	3/4							
A000	**SIDE POCKET**										
A604	PKT HEIGHT TOTAL W/ FLAP	-1/4	1/4	8 3/8							
A600	PKT WIDTH@TOP	-1/4	1/4	6 1/2							
A602	PKT HEIGHT@CENTER	-1/4	1/4	7 5/8							
A605	PKT FLAP WIDTH@TOP	-1/4	1/4	6 3/4							
A607	PKT FLAP HEIGHT@CENTER	-1/4	1/4	2 1/2							
A620	FRT PKT FROM TOP EDGE@SS	-1/4	1/4	14 1/4							
A000	POCKET STRAP LENGTH	-1/8	1/8	8 1/2							



Measurer 1 Fit Comments	Measurer 2 Fit Comments
	Date: 9.22.23 Sample Type: Counter Sample Color: NA KTD: Kim Loehner KTD FIT EVAL STATUS: NOT EVALUATED- No Counter sample was received or required. Please send 1st fit sample within 7-10 business days of Decision Status Date.