

**Style Type** Apparel  
**Tech Pack #** 359D3047  
**Description** SS LINEN DRESS  
**Variation** Variation 1  
**Season Year** Spring 2024

**Brand** Hollister  
**Gender** Female  
**Department** 59D - Female Dresses  
**Development Stage** Production  
**Active** Yes

**Design Contact** Olivia Sargeant  
**Tech Design Contact** Nicole Koeller  
**Production Contact** Julia Kennedy  
**Style Ref #** 359D2863  
**Initial Block** 359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM





# Sample Appraisal

359D3047



Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23

Page Modified: 6/20/2023 8:56:28 PM

## Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23		S		
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						

## Submit Spec

POM	Description	+Tol	-Tol	Eval Size	Vendor Sample	Vendor Delta	Sample	Delta	Rev
L077	Front Length from HPS (Internal Use Only)	0	0	33 3/4	<>	0	<33 1/8>	-5/8	33 1/4
L078	Position from Crotch	0	0	6 1/2		0		0	6
L050	CF Length from top edge	3/8	-3/8	26 5/8	26 3/4	1/8	26 1/2	-1/8	
L013	Side Seam Length (meas along actual side seam)	3/8	-3/8	24 3/4	<24 5/8>	-1/8	<24 1/4>	-1/2	24 1/2
L001	CB Length from top edge	3/8	-3/8	25	25	0	24 5/8	-3/8	24 1/2
L006	CF Bodice Length - Top Edge to Waist Seam	1/8	-1/8	8 3/8	8 1/2	1/8	8 1/4	-1/8	8 3/4
B019	Waist Position from Top of Side Seam	1/8	-1/8	6 3/4	6 5/8	-1/8	6 5/8	-1/8	
B002	Front Chest Width @ Armhole - measure interior	1/2	-1/2	18 7/8	18 5/8	-1/4	18 1/2	-3/8	19 1/4
B005	Front Waist Width	1/2	-1/2	14 3/4	15 1/8	3/8	15 1/8	3/8	15 1/8
E096	Front Strap Pt 2 Pt	1/4	-1/4	8 1/2	8 5/8	1/8	8 1/2	0	
A016	Frt Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	4 3/8	4 1/2	1/8	4 5/8	1/4	4 5/8
ADHOC	Back Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	4 1/4	<4>	-1/4	<3 5/8>	-5/8	3 7/8
E009	Back Neckline - Relaxed Strap Pt to Pt	1/4	-1/4	6 1/8	<6 1/8>	0	<8 3/4>	2 5/8	6 1/8
B005	Back Chest Width - Relaxed	1/2	-1/2	13	13 1/4	1/4	13 3/8	3/8	12 1/4
B005b	Back Chest Width - Extended (pattern only)	1/2	-1/2	26	26 1/4	1/4		0	24 1/2
W015	Back Waist Width (seam to seam)- Relaxed	1/2	-1/2	11 1/8	11 3/8	1/4		0	10 1/2
W015b	Back Waist Width (Seam to Seam) - minimum	1/2	-1/2	22 1/4	22 3/4	1/2		0	21
S003	Sleeve Length from Neck Edge	1/4	-1/4	9 1/2	9 1/2	0	9 1/2	0	9 5/8

# Sample Appraisal

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23		S		
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						

## Submit Spec

POM	Description	+Tol	-Tol	Eval Size	Vendor Sample	Vendor Delta	Sample	Delta	Rev
E003	Sleeve width at top edge (relaxed)- seam to seam	1/4	-1/4	9 1/2	9 3/4	1/4	9 1/2	0	
E003b	Sleeve width at top edge (minimum)- seam to seam	1/4	-1/4	16 7/8	17 3/8	1/2	16 3/4	-1/8	16 1/8
E003c	Sleeve Opening - Relaxed (half)	1/4	-1/4	5 1/2	5 3/8	-1/8	5 1/2	0	5 1/4
E003d	Sleeve Opening - Minimum (half)	1/4	-1/4	9	<9>	0	<9 3/4>	3/4	8 1/2
B010	Sweep - Along Edge	1/2	-1/2	23 7/8	23 1/2	-3/8		0	23 3/4
ADHOC	Sweep - Lining	1/4	-1/4	23 3/8	23 1/8	-1/4		0	23 1/4
ADHOC	Difference between shell/lining	1/4	-1/4	3/4	1 1/4	1/2		0	

# Sample Fit Comments

359D3047



Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23

Page Modified: 6/20/2023 8:56:28 PM

## Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23		S		
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						

## Fit Comments

Units: 366

This style is Tech TEST approved with the following comments.

All revisions and/or corrections below must be implemented for TEST.

\*Please Follow the Sample Guide for TOP sample submits

Production Team must advise final approval to cut.

Due to construction changes, factory to submit PP reference for our records. Submit photos for approval. See below for details.

We are sending a digitized pattern "359D3047 6-20-23". Pattern has no seam allowance, zero (0%) shrinkage.

### 1. Fit/Specs/Pattern:

See attached screenshot for pattern revisions. See below for details:

- Reduced back smocking relaxed. Factory to adjust for extended
- Decreased back sleeve widths
- Lowered apex point
- Increased front armhole due to neckline feeling tight
- Balanced waist
- Balanced hem

Fty is responsible for updating pattern for the below revisions:

- Adjust lining to follow

2. Please submit GN for our final review prior to cutting bulk units. Along with graded nest, please attach screenshot (.png) of key pieces with all sizes visible.

3. Please RTS on all POMs.

- Multiple POMs are out of or nearing tolerance. Most notably E009 Back Neckline which is over spec by 2 5/8. Please ensure that all POMs measure within tolerance on next fit sample/ bulk units. Ensure back bodice neckline shaping follows updated pattern sent.

\*See measurement verification page for all measurements & additional fit notes.

### Construction:

VENDOR PLEASE NOTE: Construction Details page has not been updated and has been deleted from the Tech Pack. Factory must follow PP sample for production standard, unless changes are noted below.

1. Lining was not constructed properly, causing garment to be difficult to fit. Please ensure factory is following our standards manual for construction.

# Sample Fit Comments

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23		S		
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						

## Fit Comments

- Lining should be smocked with shell
  - Lining should not be clean finished and connected with tabs. Revise bodice to be finished with lining separately from skirt. See attached image for interior reference for construction
  - Lining on skirt will be free hanging from waist seam as per sample.
  - Factory to submit photos of interior and exterior garment on the flat and on HCo form for our approval
  - 2. Neckline felt tight. Noted factory purchased Tex 40 thread. Please advise if stitch tension needs to be adjusted to help improve with heavier thread.
  - 3. There are raw edges past the turnback at sleeve. This is not acceptable. Factory to improve.
  - 4. There are raw edges past overlock at side seam. Factory to increase SPI and ensure blade is sharp when applying.
  - 5. Back armhole is set 1:1 with relaxed spec.
- \*Keep all other construction as per sample.

## Vendor Call Outs:

1. We requesting to check lining hem construction. From exterior side-lining hem stitch showing reverse but if we check from interior side of gmts hem looks good. Pls review and advise. NK: We want hem turnback to be against body.
2. Main sketch showing 3/8" smocking at back but we made sample with 1/4" smocking. Factory would like to proceed with 1/4" smocking. Pls review with team and confirm to proceed next. NK: Confirm to proceed with 1/4" smocking rows.
3. We added pin stitch at side due to seam slippage. Pls review and confirm. NK: Confirm to maintain
4. Due to lining fabric, we are facing difficulties to measure extended measurement. Pls help to get HTM for this type of style. Thanks. NK: See above for updated lining construction and advise on improved sample if still having issues. These are critical measurements that must be met for test.

## Trims/Marketing:

1. Confirm all trims and marketing with sourcing team and ensure that approved trims are applied to PP/bulk units.
2. Revise main label to be secured with 2 sided sew method. Ensure there is enough ease applied for smocking to extend. Set 3/4" below neckline top edge.
3. Ensure care/content label is set to skirt lining, 4 1/2" up from hem.

## Fabric/Color/Wash/Handfeel:

1. Ensure that units are following wash comments & handfeel standards from design. Contact Production/Design for detailed comments regarding fabric, wash, and handfeel.
2. Hand feel has recently been a focus in our categories for soft product in stores - bulk must match approved hand feel standards, please follow up with sourcing if you have any concerns meeting bulk approval standards.
3. Remove embroidery. Printed and solid SKUs are now under one style number.



## Sample Fit Comments

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

### Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23	S			
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						
Fit Comments								

Thank You, Nicki

# Sample Request Fit Photos

359D3047

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Submit Status Grid

Submit Status	Sample Tag Date	Received Date	Fit Date	Fit Comments Date	Sample Weight	Sample Size	Sample Color	Sample Wash
Open	14-Jun-23	15-Jun-23	20-Jun-23	20-Jun-23		S		
Agent	Vendor	Factory	Machine Type	Rev Pattern Name	Body Length Visual	Fit Bucket	Sample Rating	
Asmara International Limited	That's It Sportswear Ltd	That's It Sports Wear Ltd						

## Fit Sample Photos



## Description

<b>Modified By</b>	Nicole Koeller
<b>Modified Date</b>	20-Jun-23 12:55 PM

## Description

<b>Modified By</b>	Nicole Koeller
<b>Modified Date</b>	20-Jun-23 12:55 PM

## Description


<b>Modified By</b>	Nicole Koeller
<b>Modified Date</b>	20-Jun-23 12:55 PM

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Text-Image Images



## Text-Image (TTA Comments)

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Text-Image Images





# Material (SPRING TEST - TSC-PDCS-000020)

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

Wet/Dry Processing																
Item Code	Description	Placement			Comments				Compliance			Notes				
1. WOVENS WASH	Finish Wash Standard	WOVENS WASH														
2. RECOMMENDED GARMENT CARE	Recommended Garment Care	MACHINE WASH COLD AND LAY FLAT TO DRY														
Main Material - Fabric-Woven																
Item Code	Description	Content	Mill	BW	AW	Weight UOM	Yarn Size/Count	Cuttable Width	finish	Warp	Weft	Placement	Comments	Compliance	Notes	
3. TSC-PDCS-000020	Twill	55% Linen, 45% Viscose,						51				ENTIRE BODY UNLESS OTHERWISE NOTED	VISCOSE LINEN - TEST ONLY			
Fabric-Woven																
Item Code	Description	Content	Mill	BW	AW	Weight UOM	Yarn Size/Count	Cuttable Width	finish	Warp	Weft	Placement	Comments	Compliance	Notes	
4. FWT480	Polyester	100% Polyester		72		g/m2	120 + 80					FWT 480 @FULL BODICE SKIRT				
Trims																
Item Code	Description	Content	Category		Supplier		Supplier Ref No		Width/Ligne Size		Placement		Comments		Compliance	Notes
5. PI2000S	Woven Elastic		Elastic						1/4"		1/4" ELASTIC: @ TOP AND BOTTOM OF SLEEVES AND TOP AND BOTTOM OF BACK SMOCKING				Globally Compliant	
6. PI 150/560D	Elastic	100% Elastane	Elastic								PI 150/560D: SMOCKING ELASTIC: @SMOCKING PANEL					

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

Labels/Marketing										
Item Code	Description	Content	Category	Supplier	Supplier Ref No	Size/Treatment	Placement	Comments	Compliance	Notes
7. ANF#CTCSI-SSWIDE	Global Compliance Label - Wide Tape		Global	Approved Suppliers - see Notes			SEE STANDARDS MANUAL		Globally Compliant	Needed in addition to the GLOBAL-SSWIDE Approved Suppliers: NATco, SML
8. GLOBAL-SSWIDE	Global Care/Content - Wide Tape		Global	Approved Suppliers - see Notes			SEE STANDARDS MANUAL	ALPHA	Globally Compliant	ANF#CTCSI-SSWIDE is also required; Approved Suppliers: NATco, SML.
9. HBW_19C_012	Small Main Label with Short / Regular / Long	100% Polyester	Main/Size/COO	Approved Suppliers - see Notes		Alpha + Short/Reg/Long	SEE MARKETING STANDARDS		Globally Compliant	Approved Supplier: NATco, SML.
10. SHORT-LONG AVAILABLE ONLINE	short-long available online tag		Hang Tag						Globally Compliant	Approved Suppliers: NATco and SML



# Colorway (SPRING TEST - TSC-PDCS-000020)

359D3047

Style Type	Apparel	Brand	Hollister	Design Contact	Olivia Sargeant
Tech Pack #	359D3047	Gender	Female	Tech Design Contact	Nicole Koeller
Description	SS LINEN DRESS	Department	59D - Female Dresses	Production Contact	Julia Kennedy
Variation	Variation 1	Development Stage	Production	Style Ref #	359D2863
Season Year	Spring 2024	Active	Yes	Initial Block	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Bill of Materials

(Item Code) Description	Mill/Supplier	Qty	Size/Treatment	Placement	Comments	Pantone 15-5706 TCX Frosty Green	BRIGHT WHITE Pantone 11-0601 TCX		
1. (WOVENS WASH) Finish Wash Standard		0.00		WOVENS WASH		SOFTNER WASH- No Silicone	SOFTNER WASH- No Silicone		
2. (RECOMMENDED GARMENT CARE) Recommended Garment Care		0.00	*NA	MACHINE WASH COLD AND LAY FLAT TO DRY		N/A N/A	N/A N/A		
3. (TSC-PDCS-000020) Twill		0.00	*NA	ENTIRE BODY UNLESS OTHERWISE NOTED	VISCOSE LINEN - TEST ONLY	Pantone 15-5706 TCX Frosty Green	BRIGHT WHITE Pantone 11-0601 TCX		
4. (FWT480) Polyester		0.00		FWT 480 @FULL BODICE SKIRT		DTM BODY DTM BODY	DTM BODY DTM BODY		
5. (PI2000S) Woven Elastic		0.00	1/4"	1/4" ELASTIC: @ TOP AND BOTTOM OF SLEEVES AND TOP AND BOTTOM OF BACK SMOCKING		DTM BODY DTM BODY	DTM BODY DTM BODY		
6. (PI 150/560D) Elastic		0.00		PI 150/560D: SMOCKING ELASTIC: @SMOCKING PANEL		DTM BODY DTM BODY	DTM BODY DTM BODY		
7. (ANF#CTCSI-SSWIDE) Global Compliance Label - Wide Tape	Approved Suppliers - see Notes	1.00		SEE STANDARDS MANUAL		N/A N/A	N/A N/A		
8. (GLOBAL-SSWIDE) Global Care/Content - Wide Tape	Approved Suppliers - see Notes	1.00		SEE STANDARDS MANUAL	ALPHA	N/A N/A	N/A N/A		
9. (HBW_19C_012) Small Main Label with Short / Regular / Long	Approved Suppliers - see Notes	1.00	Alpha + Short/Reg/Long	SEE MARKETING STANDARDS		N/A N/A	N/A N/A		
10. (SHORT-LONG AVAILABLE ONLINE) short-long available online tag		0.00				Hco Corp White Ground with Hco Corp Navy Text WITH WHITE FLOATS	Hco Corp White Ground with Hco Corp Navy Text WITH WHITE FLOATS		

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Measurement Attributes

Product Type	Dresses	Size Class	Womens	Sample Size	S
Description	Dresses	Size Range	XXS-3XL Adult NEW	Method-System	Incremental - Imperial

## Measurements

POM	Description	+Tol	-Tol	XXS	XS	S	M	L	XL	XXL	3XL							
L077	Front Length from HPS (Internal Use Only)	0	0	0	0	<b>33 1/4</b>	0	0	0	0	0							
L078	Position from Crotch	0	0	0	0	<b>6</b>	0	0	0	0	0							
<input checked="" type="checkbox"/> L050	CF Length from top edge	3/8	-3/8	-1/2	-1/2	<b>26 5/8</b>	5/8	5/8	5/8	5/8	5/8							
L013	Side Seam Length (meas along actual side seam)	3/8	-3/8	-1/2	-1/2	<b>24 1/2</b>	5/8	5/8	5/8	5/8	5/8							
<input checked="" type="checkbox"/> L001	CB Length from top edge	3/8	-3/8	-1/2	-1/2	<b>24 1/2</b>	5/8	5/8	5/8	5/8	5/8							
L006	CF Bodice Length - Top Edge to Waist Seam	1/8	-1/8	-3/8	-3/8	<b>8 3/4</b>	3/8	3/8	3/8	3/8	3/8							
B019	Waist Position from Top of Side Seam	1/8	-1/8	-1/4	-1/4	<b>6 3/4</b>	1/4	1/4	1/4	1/4	1/4							
<input checked="" type="checkbox"/> B002	Front Chest Width @ Armhole - measure interior	1/2	-1/2	-1	-1	<b>19 1/4</b>	1	1 1/2	1 1/2	1 1/2	1 1/2							
<input checked="" type="checkbox"/> B005	Front Waist Width	1/2	-1/2	-1	-1	<b>15 1/8</b>	1	1 1/2	1 1/2	1 1/2	1 1/2							
<input checked="" type="checkbox"/> E096	Front Strap Pt 2 Pt	1/4	-1/4	-1/2	-1/2	<b>8 1/2</b>	1/2	1/2	1/2	1/2	1/2							
<input checked="" type="checkbox"/> A016	Frt Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	-1/4	-1/4	<b>4 5/8</b>	1/4	1/2	1/2	1/2	1/2							
<input checked="" type="checkbox"/> ADHOC	Back Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	-1/4	-1/4	<b>3 7/8</b>	1/4	1/2	1/2	1/2	1/2							
<input checked="" type="checkbox"/> E009	Back Neckline - Relaxed Strap Pt to Pt	1/4	-1/4	-1/2	-1/2	<b>6 1/8</b>	1/2	1/2	1/2	1/2	1/2							
<input checked="" type="checkbox"/> B005	Back Chest Width - Relaxed	1/2	-1/2	-1	-1	<b>12 1/4</b>	1	1 1/2	1 1/2	1 1/2	1 1/2							
B005b	Back Chest Width - Extended (pattern only)	1/2	-1/2	-1	-1	<b>24 1/2</b>	2	3	3	3	3							
<input checked="" type="checkbox"/> W015	Back Waist Width (seam to seam)-Relaxed	1/2	-1/2	-1	-1	<b>10 1/2</b>	1	1 1/2	1 1/2	1 1/2	1 1/2							
<input checked="" type="checkbox"/> W015b	Back Waist Width (Seam to Seam) - minimum	1/2	-1/2	-1	-1	<b>21</b>	2	3	3	3	3							
<input checked="" type="checkbox"/> S003	Sleeve Length from Neck Edge	1/4	-1/4	-1/4	-1/4	<b>9 5/8</b>	1/4	1/4	1/4	1/4	1/4							
<input checked="" type="checkbox"/> E003	Sleeve width at top edge (relaxed)-seam to seam	1/4	-1/4	-1/4	-1/4	<b>9 1/2</b>	1/4	1/4	1/4	1/4	1/4							

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Measurements

POM	Description	+Tol	-Tol	XXS	XS	S	M	L	XL	XXL	3XL						
E003b	Sleeve width at top edge (minimum)- seam to seam	1/4	-1/4	-1/2	-1/2	<b>16 1/8</b>	1/2	1/2	1/2	1/2	1/2						
<input checked="" type="checkbox"/> E003c	Sleeve Opening - Relaxed (half)	1/4	-1/4	-3/8	-3/8	<b>5 1/4</b>	3/8	1/2	1/2	1/2	1/2						
E003d	Sleeve Opening - Minimum (half)	1/4	-1/4	-3/8	-3/8	<b>8 1/2</b>	3/8	1/2	1/2	1/2	1/2						
<input checked="" type="checkbox"/> B010	Sweep - Along Edge	1/2	-1/2	-1	-1	<b>23 3/4</b>	1	1 1/2	1 1/2	1 1/2	1 1/2						
ADHOC	Sweep - Lining	1/4	-1/4	-1	-1	<b>23 1/4</b>	1	1 1/2	1 1/2	1 1/2	1 1/2						
ADHOC	Difference between shell/lining	1/4	-1/4	0	0	<b>3/4</b>	0	0	0	0	0						

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Measurement Attributes

Product Type	Dresses	Size Class	Womens	Sample Size	S
Description	Dresses	Size Range	XXS-3XL Adult NEW	Method-System	Incremental - Imperial

## Measurements

POM	Description	+Tol	-Tol	XXS	XS	S	M	L	XL	XXL	3XL						
L077	Front Length from HPS (Internal Use Only)	0	0	33 1/4	33 1/4	<b>33 1/4</b>	33 1/4	33 1/4	33 1/4	33 1/4	33 1/4						
L078	Position from Crotch	0	0	6	6	<b>6</b>	6	6	6	6	6						
<input checked="" type="checkbox"/> L050	CF Length from top edge	3/8	-3/8	25 5/8	26 1/8	<b>26 5/8</b>	27 1/4	27 7/8	28 1/2	29 1/8	29 3/4						
L013	Side Seam Length (meas along actual side seam)	3/8	-3/8	23 1/2	24	<b>24 1/2</b>	25 1/8	25 3/4	26 3/8	27	27 5/8						
<input checked="" type="checkbox"/> L001	CB Length from top edge	3/8	-3/8	23 1/2	24	<b>24 1/2</b>	25 1/8	25 3/4	26 3/8	27	27 5/8						
L006	CF Bodice Length - Top Edge to Waist Seam	1/8	-1/8	8	8 3/8	<b>8 3/4</b>	9 1/8	9 1/2	9 7/8	10 1/4	10 5/8						
B019	Waist Position from Top of Side Seam	1/8	-1/8	6 1/4	6 1/2	<b>6 3/4</b>	7	7 1/4	7 1/2	7 3/4	8						
<input checked="" type="checkbox"/> B002	Front Chest Width @ Armhole - measure interior	1/2	-1/2	17 1/4	18 1/4	<b>19 1/4</b>	20 1/4	21 3/4	23 1/4	24 3/4	26 1/4						
<input checked="" type="checkbox"/> B005	Front Waist Width	1/2	-1/2	13 1/8	14 1/8	<b>15 1/8</b>	16 1/8	17 5/8	19 1/8	20 5/8	22 1/8						
<input checked="" type="checkbox"/> E096	Front Strap Pt 2 Pt	1/4	-1/4	7 1/2	8	<b>8 1/2</b>	9	9 1/2	10	10 1/2	11						
<input checked="" type="checkbox"/> A016	Frt Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	4 1/8	4 3/8	<b>4 5/8</b>	4 7/8	5 3/8	5 7/8	6 3/8	6 7/8						
<input checked="" type="checkbox"/> ADHOC	Back Armhole - Strap Point to Sd Sm - along seam	1/4	-1/4	3 3/8	3 5/8	<b>3 7/8</b>	4 1/8	4 5/8	5 1/8	5 5/8	6 1/8						
<input checked="" type="checkbox"/> E009	Back Neckline - Relaxed Strap Pt to Pt	1/4	-1/4	5 1/8	5 5/8	<b>6 1/8</b>	6 5/8	7 1/8	7 5/8	8 1/8	8 5/8						
<input checked="" type="checkbox"/> B005	Back Chest Width - Relaxed	1/2	-1/2	10 1/4	11 1/4	<b>12 1/4</b>	13 1/4	14 3/4	16 1/4	17 3/4	19 1/4						
B005b	Back Chest Width - Extended (pattern only)	1/2	-1/2	22 1/2	23 1/2	<b>24 1/2</b>	26 1/2	29 1/2	32 1/2	35 1/2	38 1/2						
<input checked="" type="checkbox"/> W015	Back Waist Width (seam to seam)-Relaxed	1/2	-1/2	8 1/2	9 1/2	<b>10 1/2</b>	11 1/2	13	14 1/2	16	17 1/2						
<input checked="" type="checkbox"/> W015b	Back Waist Width (Seam to Seam) - minimum	1/2	-1/2	19	20	<b>21</b>	23	26	29	32	35						
<input checked="" type="checkbox"/> S003	Sleeve Length from Neck Edge	1/4	-1/4	9 1/8	9 3/8	<b>9 5/8</b>	9 7/8	10 1/8	10 3/8	10 5/8	10 7/8						
<input checked="" type="checkbox"/> E003	Sleeve width at top edge (relaxed)-seam to seam	1/4	-1/4	9	9 1/4	<b>9 1/2</b>	9 3/4	10	10 1/4	10 1/2	10 3/4						

<b>Style Type</b>	Apparel	<b>Brand</b>	Hollister	<b>Design Contact</b>	Olivia Sargeant
<b>Tech Pack #</b>	359D3047	<b>Gender</b>	Female	<b>Tech Design Contact</b>	Nicole Koeller
<b>Description</b>	SS LINEN DRESS	<b>Department</b>	59D - Female Dresses	<b>Production Contact</b>	Julia Kennedy
<b>Variation</b>	Variation 1	<b>Development Stage</b>	Production	<b>Style Ref #</b>	359D2863
<b>Season Year</b>	Spring 2024	<b>Active</b>	Yes	<b>Initial Block</b>	359D3047 6-20-23



Page Modified: 6/20/2023 8:56:28 PM

## Measurements

POM	Description	+Tol	-Tol	XXS	XS	S	M	L	XL	XXL	3XL							
E003b	Sleeve width at top edge (minimum)- seam to seam	1/4	-1/4	15 1/8	15 5/8	<b>16 1/8</b>	16 5/8	17 1/8	17 5/8	18 1/8	18 5/8							
<input checked="" type="checkbox"/> E003c	Sleeve Opening - Relaxed (half)	1/4	-1/4	4 1/2	4 7/8	<b>5 1/4</b>	5 5/8	6 1/8	6 5/8	7 1/8	7 5/8							
E003d	Sleeve Opening - Minimum (half)	1/4	-1/4	7 3/4	8 1/8	<b>8 1/2</b>	8 7/8	9 3/8	9 7/8	10 3/8	10 7/8							
<input checked="" type="checkbox"/> B010	Sweep - Along Edge	1/2	-1/2	21 3/4	22 3/4	<b>23 3/4</b>	24 3/4	26 1/4	27 3/4	29 1/4	30 3/4							
ADHOC	Sweep - Lining	1/4	-1/4	21 1/4	22 1/4	<b>23 1/4</b>	24 1/4	25 3/4	27 1/4	28 3/4	30 1/4							
ADHOC	Difference between shell/lining	1/4	-1/4	3/4	3/4	<b>3/4</b>	3/4	3/4	3/4	3/4	3/4							