

Disclaimer Text

Any information set forth within this tech pack is intended for design and sample production purposes only and does not establish any financial or other legal obligations on the part of PVH Corp. with respect to bulk production. PVH must provide a purchase order for any bulk production.

Properties

Calvin Klein

44B702

SPORSTWEAR SS SHIRT



Season	Spring 2025
Style Number	44B702G
Centric Style Number	SR02739
Description	SS BUTTON DOWN NAVY RINSE
Tech Pack Stage	Development
Is Critical Match Style	
Critical Match Style(s)	
Gender	Womens
Capacity Group	Denim Tops
Designer	Gorum Emily
Technical Designer	Kim EunJung
Carryover	
Model #	PROTO
Size Range	A1D 3XS-XXL
Size Range Offered	3XS to XXL
Fit Path	
RM Traceability	
Requested	Yes
Sustainable	No
Conversations	
Multi-Line Comment	
Created	1/7/24, 7:05 PM
Created By	Gorum Emily

Properties

Calvin Klein

44B702
SPORTSWEAR SS SHIRT



Seasonal

Development Reference 40WK880
Style

Style Delivery

SMU Customer

Product Line

Style Risk Color

Style Risk Comments

Seasonless

ACS Product Class WOVEN TOPS

ACS Style Group WOMENS COLLECT

Subclass Woven Shirts

Product Type Denim

Product Category Tops

Originating Season Spring 2025

Program D4 Fashion

Block Oversized Fit

Product Wash

Garment Press


Fold Code

Packaging

Product Care Code

Cluster

Documents

Document	Document Type	File	Image	Revision Description	Latest Revision	Business Groups	Design Working Groups	Brands	Tags	Created	Created By	Modified	Modified By
44B702.ai		44B702.ai		1						1/7/24, 7:10 PM	Gorum Emily	1/7/24, 7:10 PM	Gorum Emily
Copy of FDS (CK008) 2023.03.201.xlsx	Fabric Detail Sheet	Copy of FDS (CK008) 2023.03.201.xlsx		1						3/29/23, 6:12 PM	Martin Carrie	3/29/23, 6:12 PM	Martin Carrie
FDS (CK300) 2023.03.20.xlsx	Fabric Detail Sheet	FDS (CK300) 2023.03.20.xlsx		1						3/30/23, 5:09 PM	Martin Carrie	3/30/23, 5:09 PM	Martin Carrie
PVH FDS 4870A-22.xlsx	Fabric Detail Sheet	PVH FDS 4870A-22.xlsx		1						1/3/24, 11:37 AM	Prasad Arun	1/3/24, 11:37 AM	Prasad Arun


Displaying 4 results

Labeled Images

Calvin Klein

44B702

SPORSTWEAR SS SHIRT




Description:

Labeled Images



FRONT AND BACK DETAILS

REFERENCE FOR OVERALL VOLUME

 SHELL A- MAIN BODY

PVH Confidential – For Authorized Use only

Description:

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Image	Material Supplier	Product Suppliers	Supplier Article Number	Previous Code	Material Sub Type	Material Information	Material Finishes	Commercial Claim	Performance Claim	Usable Width	Usable Width UOM	Dimension	Comment	Critical Match	Material Risk Color
Fabric (1)																		
MAIN	✓	WVN0012295- 4870A-22 ORTA		Orta Anadolu Tic. Ve San. ISL. TAS	Orta Anadolu Tic. Ve San. ISL. TAS	4870A-22		Woven	80% Better Cotton Initiative (BCI) Cotton, 20% Post-Consumer Reprocessed Cotton / 55 Inches (in) / 27x21 / 5.5 Ounces Per Square Yard (oz/ sq yd) / TBD	None/Sanforized		None	55	Inches (in)				
Interlining (2)																		
Collar		WVN0003966- CK008 Woven Fusible Interlining		PCC Asia Limited	PCC Asia Limited	CK008	CK008 INTERLINING	Woven	100% Polyester / 59 Inches (in) / 56 Grams Per Square Meter (gsm)		None	None	59	Inches (in)		Dark & Medium color way use Black / Charcoal, Light color way use white		
CF FACING		WVN0005067- WOVEN POLYESTER INTERLINING / CK300		PCC Asia Limited	PCC Asia Limited	CK300	CK300	Woven	100% Polyester / 59 Inches (in) / 32 Grams Per Square Meter (gsm)		None	None	59	Inches (in)		Dark & Medium color way use Black / Charcoal, Light color way use white		
Trim (1)																		
BUTTONS AT CF		BTN0000513- CK Logo Faux MOP Button (Shiny Faux MOP)		SAB	SAB		CKNA-SAB-0065	Button	100% Polyester / 0 / 0				0				Green	
Thread (2)																		
MAIN BODY		GEN0000009- Generic Thread		COATS INDUSTRIAL THREAD HOLDINGS BV, Vendor Sourced		THREAD-NS	Generic	0 / 0					0			TEX40, 9-11 SPI		Green
Displaying 1 - 5 of 26 results																		

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Material Risk Comments	Common Qty	Common Size	TWG
						NAVY RINSE 410
Fabric (1)						
MAIN	✓	WVN0012295- 4870A-22 ORTA		0		
Interlining (2)						
Collar		WVN0003966- CK008 Woven Fusible Interlining		0		WHITE FOR LIGHT COLORS & CHARCOAL/BLACK FOR DARK COLORS
CF FACING		WVN0005067- WOVEN POLYESTER INTERLINING / CK300		0		
Trim (1)						
BUTTONS AT CF		BTN0000513- CK Logo Faux MOP Button (Shiny Faux MOP)		5	18L	
Thread (2)						
MAIN BODY		GEN0000009- Generic Thread		0		
Displaying 1 - 5 of 26 results						

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Image	Material Supplier	Product Suppliers	Supplier Article Number	Previous Code	Material Sub Type	Material Information	Material Finishes	Commercial Claim	Performance Claim	Usable Width	Usable Width UOM	Dimension	Comment	Critical Match	Material Risk Color
MAIN LABEL THREAD		GEN0000009- Generic Thread		COATS INDUSTRIAL THREAD HOLDINGS BV, Vendor Sourced	THREAD-NS	Generic	0 / 0				0			DTM LABEL TS / DTM BODY BOBBIN. Use standard tex & S.P.I, Tex18 & 14 SPI.		Green		
FLAT WOVEN LABEL- FVST2937 55X20 (2)																		
ALL CHANNELS		MAN0000533- CK MAINLINE - SMALL MAIN LABEL - SIDE FOLD - DREAM QUALITY		SML (Hong Kong) Limited	SML (Hong Kong) Limited		Main	0 / 0				0		54x16mm	SEE DIRECTIVES FOR PLACEMENT; PLEASE BE SURE TO APPLY LABEL AFTER WASH			
ALL CHANNELS		SIZ0000061- CKJ - MAINLINE - SIZE LABEL - HORIZONTAL FOLD - NEW LOGO - DREAM QUALITY		SML (Hong Kong) Limited	SML (Hong Kong) Limited		Size	0 / 0				0		12x24mm (after folding)	SEE DIRECTIVES FOR PLACEMENT; PLEASE BE SURE TO APPLY LABEL AFTER WASH			
RFID/ NON RFID (4)																		
RFID Sticker - ML WHSL US		HTG0003368- NEW CKS WHSL US UPC STICKER- RFID		Avery Dennison	Avery Dennison		400RST02	Hangtag	0 / 0				0			Adhered to back of Main Hang Tag		
NON RFID Sticker - OP WHSL US		HTG0003301- CKS WHSL US UPC STICKER NON-RFID		Avery Dennison	Avery Dennison		400ST01	Hangtag	0 / 0				0			Adhered to back of Main Hang Tag		
NON RFID Sticker - ML/OP WHSL CDA		HTG0003302- CKS WHSL CANADA UPC STICKER- NON-RFID					401ST02	Hangtag	0 / 0				0			Adhered to back of Main Hang Tag		
NON RFID Sticker - RETAIL US/CDA		HTG0012388- CKS RETAIL ONLY US/ CAN UPC STICKER- RFID		Avery Dennison	Avery Dennison		302RST04	Hangtag	0 / 0				0			Adhered to back of Main Hang Tag		
SWIFT TAG/ BARREL LOCK (2)																		
Swift Tack OP ONLY		MIS0000031- Locally Sourced Swift Tack		Vendor Sourced	Vendor Sourced		SWIFT TACK	Miscellaneous	0 / 0				0			MM-10 (3") Factory Sourced - Attached at wearers front left between neck & shoulder seam		

Displaying 6 - 13 of 26 results

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Material Risk Comments	Common Qty	Common Size	TWG NAVY RINSE 410
MAIN LABEL THREAD		GEN0000009- Generic Thread		0		
FLAT WOVEN LABEL- FVST2937 55X20 (2)						
ALL CHANNELS		MAN0000533- CK MAINLINE - SMALL MAIN LABEL - SIDE FOLD - DREAM QUALITY		0		
ALL CHANNELS		SIZ0000061- CKJ - MAINLINE - SIZE LABEL - HORIZONTAL FOLD - NEW LOGO - DREAM QUALITY		0		
RFID/ NON RFID (4)						
RFID Sticker - ML WHSL US		HTG0003368- NEW CKS WHSL US UPC STICKER- RFID		0		
NON RFID Sticker - OP WHSL US		HTG0003301- CKS WHSL US UPC STICKER NON-RFID		0		
NON RFID Sticker - ML/OP WHSL CDA		HTG0003302- CKS WHSL CANADA UPC STICKER- NON-RFID		0		
NON RFID Sticker - RETAIL US/CDA		HTG0012388- CKS RETAIL ONLY US/ CAN UPC STICKER- RFID		0		
SWIFT TAG/ BARREL LOCK (2)						
Swift Tack OP ONLY		MIS0000031- Locally Sourced Swift Tack		0		
Displaying 6 - 13 of 26 results						

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Image	Material Supplier	Product Suppliers	Supplier Article Number	Previous Code	Material Sub Type	Material Information	Material Finishes	Commercial Claim	Performance Claim	Usable Width	Usable Width UOM	Dimension	Comment	Critical Match	Material Risk Color
Barrel Cord - ML / RETAIL ONLY		STR0000009- Barrel Cord		SML (Hong Kong) Limited				String	0 / 0				0					
HANGER & SIZER (2)																		
Hanger - WHSL ONLY		HGR0000109- CKJ - 484B BLACK RECYCLED - For ALL TOPS - 17"		Mainetti (HK) Limited, Uniplast Industries Inc., Visconti Garment Hangers Inc.		HG-300129	Hanger	0 / 0					0			Must purchase from same supplier as sizer		
SIZER WHSL ONLY																		
		SZR0000028- CKJ - BLACK SIZER - (ALL GARMENTS) - SOHS/CS1Q		Mainetti (HK) Limited, Uniplast Industries Inc., Visconti Garment Hangers Inc.		SZR-000016 / SUPPLIER CODE: SOHS & CS1Q	Sizer	0 / 0					0			Affix to Hanger - Must purchase hanger and sizer from the same supplier		
MAIN HANGTAG (1)																		
ALL CHANNELS		HTG0008571- CKS - MAIN LOGO HANGTAG - MAINLINE/STANDARDS - FA22 NEW DIMENSIONS		SML (Hong Kong) Limited	SML (Hong Kong) Limited			Hangtag	0 / 0				0		38*119mm	SEE PLACEMENT DIRECTIVE		
DISCLAIMER TAG (1)																		
ALL CHANNELS		DIS0000010- Warning Label- Refer to GQM for PW# required		SML (Hong Kong) Limited	SML (Hong Kong) Limited			Disclaimer	0 / 0				0		Depending on the division	PW16A_Warnning label SEE DIRECTIVE FOR PLACEMENT		
STICKER (1)																		
Retail -US& CAN		STK0001253- CK - SIZE STICKER - ALPHA SIZING - ENGLISH/FRENCH - FA21		Avery Dennison	Avery Dennison			Sticker	0 / 0				0					

Displaying 14 - 19 of 26 results

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Material Risk Comments	Common Qty	Common Size	TWG NAVY RINSE 410
Barrel Cord - ML / RETAIL ONLY		STR0000009- Barrel Cord		0		
HANGER & SIZER (2)						
Hanger - WHSL ONLY		HGR0000109- CKJ - 484B BLACK RECYCLED - For ALL TOPS - 17"		0		
Sizer WHSL ONLY						
		SZR0000028- CKJ - BLACK SIZER - (ALL GARMENTS) - SOHS/CS1Q		0		
MAIN HANGTAG (1)						
ALL CHANNELS		HTG0008571- CKS - MAIN LOGO HANGTAG - MAINLINE/STANDARDS - FA22 NEW DIMENSIONS		0		
DISCLAIMER TAG (1)						
ALL CHANNELS		DIS0000010- Warning Label- Refer to GQM for PW# required		1		
STICKER (1)						
Retail -US& CAN		STK0001253- CK - SIZE STICKER - ALPHA SIZING - ENGLISH/FRENCH - FA21		1		
Displaying 14 - 19 of 26 results						

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Image	Material Supplier	Product Suppliers	Supplier Article Number	Previous Code	Material Sub Type	Material Information	Material Finishes	Commercial Claim	Performance Claim	Usable Width	Usable Width UOM	Dimension	Comment	Critical Match	Material Risk Color
New care label- Starting SP23 (6)																		
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		CAR0000065- Global Care Label Satin Qty			Avery Dennison, SML (Hong Kong) Limited		LB029	Care	0 / 0				0					
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		IMP0000020- Global Importer Lbl Satin Qty (pair w/LB029)			Avery Dennison, SML (Hong Kong) Limited		LB030B	Importer	0 / 0				0					
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		FID0000002- Factory Time/Id label- Satin		SML (Hong Kong) Limited	SML (Hong Kong) Limited		SL-900004-B	Factory ID	0 / 0				0					
"FOR US/CANADA/LATIN AMERICA ONLY"		CAR0000149- North America Regional Care Label Satin Qty		SML (Hong Kong) Limited	Avery Dennison, SML (Hong Kong) Limited			Care	0 / 0				0					
"FOR LATIN AMERICA ONLY"		IMP0000043- Latin American Importer Label		SML (Hong Kong) Limited	SML (Hong Kong) Limited			Importer	0 / 0				0					
RETAIL ONLY		MIS0000037- EAS security source tag		Avery Dennison, CONE DENIM, SML (Hong Kong) Limited		CKR-EAS-01	Miscellaneous	0 / 0					0					
Disclaimer ()																		
Displaying 20 - 25 of 26 results																		

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Material Risk Comments	Common Qty	Common Size	TWG NAVY RINSE 410
New care label- Starting SP23 (6)						
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		CAR0000065- Global Care Label Satin Qlty		0		
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		IMP0000020- Global Importer Lbl Satin Qlty (pair w/LB029)		0		
"FOR ALL REGIONS EXCEPT US/CA/LATIN AMERICA"		FID0000002- Factory Time/Id label- Satin		0		
"FOR US/CANADA/LATIN AMERICA ONLY"		CAR0000149- North America Regional Care Label Satin Qlty		0		
"FOR LATIN AMERICA ONLY"		IMP0000043- Latin American Importer Label		0		
RETAIL ONLY		MIS0000037- EAS security source tag		0		
Disclaimer (!)						
Displaying 20 - 25 of 26 results						

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

BOM

Draft-Sample 1/19/24, 1:39 PM

PVH Placements

Placement Name	Main Material	Product	Image	Material Supplier	Product Suppliers	Supplier Article Number	Previous Code	Material Sub Type	Material Information	Material Finishes	Commercial Claim	Performance Claim	Usable Width	Usable Width UOM	Dimension	Comment	Critical Match	Material Risk Color
ALL CHANNELS		DIS0000010- Warning Label- Refer to GQM for PW# required		SML (Hong Kong) Limited	SML (Hong Kong) Limited			Disclaimer	0 / 0				0		Depending on the division	PW-16A SEE DIRECTIVE FOR PLACEMENT		

Displaying 26 - 26 of 26 results

PVH**44B702G - SS BUTTON DOWN NAVY RINSE****BOM****Draft-Sample 1/19/24, 1:39 PM****PVH Placements**

Placement Name	Main Material	Product	Material Risk Comments	Common Qty	Common Size	TWG NAVY RINSE 410
ALL CHANNELS		DIS0000010- Warning Label- Refer to GQM for PW# required		0		
Displaying 26 - 26 of 26 results						

PVH

44B702G - SS BUTTON DOWN NAVY RINSE**GLOBAL_SS LAPEL SHIRT****Draft-Sample 1/19/24, 1:39 PM**

Calvin Klein

44B702
SPORTSWEAR SS SHIRT

Size Chart	GLOBAL_SS LAPEL SHIRT	Description	SS CAMP SHIRT
Size Range	A1D 3XS-XXL	Pattern	Pattern 1
Selected Sizes	3XS-XXL	Fit Expiration	
Base Size	S	Fit Expired	
Tolerance	TL169 CK // Womens // Woven // Regular// Top & Bottom // A1D // XXS-XXL	Business Groups	Calvin Klein
Grade Rule	GR296 Global CK >> Womens >> Regular >> Woven/Denim >> Top & Bottom >> A1D_3XS-XXL	Design Working Groups	CK Sportswear Womens
Brands		Brands	
		Tech Pack Stage	Development

Points of Measure

POM	Tol (-)	Tol (+)	S
BD0063 Shoulder Slope Position - frm CB Neck	0	0	8
BD0064 Shoulder Slope - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$
1/11/24: AS REFERENCE PHOTO AND SKETCH (REF. 40WK880)			
BD0066 Shoulder Seam Forward	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{5}{8}$
BD0271 Body Length - Front - frm HPS	- $\frac{1}{2}$	$\frac{1}{2}$	25
BD0270 Body Length - Back - frm CB Neck	- $\frac{1}{2}$	$\frac{1}{2}$	$23\frac{7}{8}$
BD0103 Across Shoulder - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	$17\frac{1}{2}$
BD0114 Across Back Position - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	5
BD0117 Across Back - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	16
BD0106 Across Front Position - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	5
BD0112 Across Front - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	16

Displaying 1 - 11 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

GLOBAL_SS LAPEL SHIRT

Draft-Sample 1/19/24, 1:39 PM

Points of Measure

POM	Tol (-)	Tol (+)	S
BD2519 Chest - 1" below Armhole	$-\frac{1}{2}$	$\frac{1}{2}$	40
BD0197 Bottom Opening/ Sweep	$-\frac{1}{2}$	$\frac{1}{2}$	40
GD0018 Hem Height	$-\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{2}$
BD0230 Side Slit Height	$-\frac{1}{8}$	$\frac{1}{8}$	$2\frac{3}{4}$
<hr/>			
SL0004 Armhole Length - Curved - Total	$-\frac{1}{4}$	$\frac{1}{4}$	0
SL0036 Sleeve Length - 3 pt Measure - CBN-SH/AH -Slv Opening Edge - S/S	$-\frac{3}{8}$	$\frac{3}{8}$	$19\frac{1}{2}$
BD2520 Bicep - 1" below Armhole	$-\frac{3}{8}$	$\frac{3}{8}$	$14\frac{1}{2}$
SL0086 Sleeve Opening - S/S	$-\frac{1}{4}$	$\frac{1}{4}$	14
SL0132 Sleeve Hem Height	$-\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{4}$
<hr/>			
BD0093 Back Yoke Height - frm CB Neck	$-\frac{1}{8}$	$\frac{1}{8}$	4
NK0003 Neck Width - Seam to Seam - Straight	$-\frac{1}{8}$	$\frac{1}{8}$	$6\frac{1}{4}$
NK0014 Back Neck Drop - HPS To CB Neck Seam	$-\frac{1}{8}$	$\frac{1}{8}$	$\frac{5}{8}$
NK0010 Front Neck Drop - HPS to CF Neck Seam	$-\frac{1}{8}$	$\frac{1}{8}$	3
NK0048 Collar Height - at CB	$-\frac{1}{8}$	$\frac{1}{8}$	$2\frac{3}{4}$
NK0051 Collar Point Length -along Edge	$-\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{8}$
NK0062 Lapel Point	$-\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$
NK0063 Lapel Width at Point	$-\frac{1}{8}$	$\frac{1}{8}$	$2\frac{1}{4}$

Displaying 12 - 30 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute

PVH

44B702G - SS BUTTON DOWN NAVY RINSE**GLOBAL_SS LAPEL SHIRT****Draft-Sample 1/19/24, 1:39 PM****Points of Measure**

POM	Tol (-)	Tol (+)	S
NK0072 Front Placket Width	$-\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$
NK0083 Button Position - 1st frm HPS - Diagonal to Center of Button	$-\frac{1}{4}$	$\frac{1}{4}$	$9\frac{1}{2}$
NK0094 Last Button Position frm Bottom Opening Edge	$-\frac{1}{8}$	$\frac{1}{8}$	3
PKT0097 Lower Pocket Position - frm Bottom Opening/ Sweep Edge	$-\frac{1}{8}$	$\frac{1}{8}$	$2\frac{1}{2}$
PKT8570 Lower Pocket Position - Frm CF to Pocket at Top	$-\frac{1}{8}$	$\frac{1}{8}$	$3\frac{1}{4}$
PKT0106 Lower Pocket Width - at Top	$-\frac{1}{8}$	$\frac{1}{8}$	5
PKT0109 Lower Pocket Height - at Center	$-\frac{1}{8}$	$\frac{1}{8}$	$5\frac{1}{2}$
PKT0122 Lower Pocket Hem Height	$-\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{4}$

Displaying 31 - 39 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute

PVH

44B702G - SS BUTTON DOWN NAVY RINSE**GLOBAL_SS LAPEL SHIRT****Draft-Sample 1/19/24, 1:39 PM**

Calvin Klein

44B702
SPORTSWEAR SS SHIRT

Size Chart	GLOBAL_SS LAPEL SHIRT	Description	SS CAMP SHIRT
Size Range	A1D 3XS-XXL	Pattern	Pattern 1
Selected Sizes	3XS-XXL	Fit Expiration	
Base Size	S	Fit Expired	
Tolerance	TL169 CK // Womens // Woven // Regular// Top & Bottom // A1D // XXS-XXL	Business Groups	Calvin Klein
Grade Rule	GR296 Global CK >> Womens >> Regular >> Woven/Denim >> Top & Bottom >> A1D_3XS-XXL	Design Working Groups	CK Sportswear Womens
		Brands	
		Tech Pack Stage	Development

Points of Measure

POM	Tol (-)	Tol (+)	3XS	2XS	XS	S	M	L	XL	XXL
BD0063 Shoulder Slope Position - frm CB Neck	0	0	8	8	8	8	8	8	8	8
BD0064 Shoulder Slope - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$							
1/11/24: AS REFERENCE PHOTO AND SKETCH (REF. 40WK880)										
BD0066 Shoulder Seam Forward	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{5}{8}$							
BD0271 Body Length - Front - frm HPS	- $\frac{1}{2}$	$\frac{1}{2}$	$24\frac{1}{4}$	$24\frac{1}{2}$	$24\frac{3}{4}$	25	$25\frac{1}{4}$	$25\frac{1}{2}$	26	$26\frac{1}{2}$
BD0270 Body Length - Back - frm CB Neck	- $\frac{1}{2}$	$\frac{1}{2}$	$23\frac{1}{8}$	$23\frac{3}{8}$	$23\frac{5}{8}$	$23\frac{7}{8}$	$24\frac{1}{8}$	$24\frac{3}{8}$	$24\frac{7}{8}$	$25\frac{3}{8}$
BD0103 Across Shoulder - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	$16\frac{1}{2}$	$16\frac{3}{4}$	17	$17\frac{1}{2}$	18	$18\frac{3}{4}$	$19\frac{1}{2}$	$20\frac{1}{4}$
BD0114 Across Back Position - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	$4\frac{3}{4}$	$4\frac{7}{8}$	$4\frac{7}{8}$	5	$5\frac{1}{8}$	$5\frac{5}{16}$	$5\frac{1}{2}$	$5\frac{11}{16}$
BD0117 Across Back - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	15	$15\frac{1}{4}$	$15\frac{1}{2}$	16	$16\frac{1}{2}$	$17\frac{1}{4}$	18	$18\frac{3}{4}$
BD0106 Across Front Position - frm HPS	- $\frac{1}{8}$	$\frac{1}{8}$	$4\frac{3}{4}$	$4\frac{7}{8}$	$4\frac{7}{8}$	5	$5\frac{1}{8}$	$5\frac{5}{16}$	$5\frac{1}{2}$	$5\frac{11}{16}$
BD0112 Across Front - Seam to Seam	- $\frac{1}{4}$	$\frac{1}{4}$	15	$15\frac{1}{4}$	$15\frac{1}{2}$	16	$16\frac{1}{2}$	$17\frac{1}{4}$	18	$18\frac{3}{4}$

Displaying 1 - 11 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

GLOBAL_SS LAPEL SHIRT

Draft-Sample 1/19/24, 1:39 PM

Points of Measure

POM	Tol (-)	Tol (+)	3XS	2XS	XS	S	M	L	XL	XXL
BD2519 Chest - 1" below Armhole	- $\frac{1}{2}$	$\frac{1}{2}$	36	37	38	40	42	45	48	51
BD0197 Bottom Opening/ Sweep	- $\frac{1}{2}$	$\frac{1}{2}$	36	37	38	40	42	45	48	51
GD0018 Hem Height	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
BD0230 Side Slit Height	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$
SL0004 Armhole Length - Curved - Total	- $\frac{1}{4}$	$\frac{1}{4}$	- $1\frac{1}{2}$	- $1\frac{1}{8}$	- $\frac{3}{4}$	0	$\frac{3}{4}$	2	$3\frac{1}{4}$	$4\frac{1}{2}$
SL0036 Sleeve Length - 3 pt Measure - CBN-SH/AH -Slv Opening Edge - S/S	- $\frac{3}{8}$	$\frac{3}{8}$	$18\frac{5}{8}$	$18\frac{7}{8}$	$19\frac{1}{8}$	$19\frac{1}{2}$	$19\frac{7}{8}$	$20\frac{3}{8}$	$20\frac{7}{8}$	$21\frac{3}{8}$
BD2520 Bicep - 1" below Armhole	- $\frac{3}{8}$	$\frac{3}{8}$	13	$13\frac{3}{8}$	$13\frac{3}{4}$	$14\frac{1}{2}$	$15\frac{1}{4}$	$16\frac{1}{4}$	$17\frac{1}{4}$	$18\frac{1}{4}$
SL0086 Sleeve Opening - S/S	- $\frac{1}{4}$	$\frac{1}{4}$	$12\frac{1}{2}$	$12\frac{7}{8}$	$13\frac{1}{4}$	14	$14\frac{3}{4}$	$15\frac{3}{4}$	$16\frac{3}{4}$	$17\frac{3}{4}$
SL0132 Sleeve Hem Height	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
BD0093 Back Yoke Height - frm CB Neck	- $\frac{1}{8}$	$\frac{1}{8}$	4	4	4	4	4	4	4	4
NK0003 Neck Width - Seam to Seam - Straight	- $\frac{1}{8}$	$\frac{1}{8}$	$5\frac{3}{4}$	$5\frac{7}{8}$	6	$6\frac{1}{4}$	$6\frac{1}{2}$	$6\frac{13}{16}$	$7\frac{1}{8}$	$7\frac{7}{16}$
NK0014 Back Neck Drop - HPS To CB Neck Seam	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$	$\frac{5}{8}$
NK0010 Front Neck Drop - HPS to CF Neck Seam	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{1}{2}$	$2\frac{5}{8}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4
NK0048 Collar Height - at CB	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$	$2\frac{3}{4}$
NK0051 Collar Point Length -along Edge	- $\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$	$1\frac{1}{8}$
NK0062 Lapel Point	- $\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$
NK0063 Lapel Width at Point	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$	$2\frac{1}{4}$

Displaying 12 - 30 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute

PVH

44B702G - SS BUTTON DOWN NAVY RINSE

GLOBAL_SS LAPEL SHIRT

Draft-Sample 1/19/24, 1:39 PM

Points of Measure

POM	Tol (-)	Tol (+)	3XS	2XS	XS	S	M	L	XL	XXL
NK0072 Front Placket Width	- $\frac{1}{8}$	$\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$	$1\frac{1}{4}$
NK0083 Button Position - 1st frm HPS - Diagonal to Center of Button	- $\frac{1}{4}$	$\frac{1}{4}$	$8\frac{3}{4}$	9	$9\frac{1}{4}$	$9\frac{1}{2}$	$9\frac{3}{4}$	10	$10\frac{1}{4}$	$10\frac{1}{2}$
NK0094 Last Button Position frm Bottom Opening Edge	- $\frac{1}{8}$	$\frac{1}{8}$	3	3	3	3	3	3	3	3
<hr/>										
PKT0097 Lower Pocket Position - frm Bottom Opening/ Sweep Edge	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$	$2\frac{1}{2}$
PKT8570 Lower Pocket Position - Frm CF to Pocket at Top	- $\frac{1}{8}$	$\frac{1}{8}$	$2\frac{3}{4}$	$2\frac{7}{8}$	$3\frac{1}{8}$	$3\frac{1}{4}$	$3\frac{1}{4}$	$3\frac{7}{16}$	$3\frac{1}{2}$	$3\frac{11}{16}$
PKT0106 Lower Pocket Width - at Top	- $\frac{1}{8}$	$\frac{1}{8}$	$4\frac{3}{4}$	$4\frac{3}{4}$	5	5	$5\frac{1}{4}$	$5\frac{1}{4}$	$5\frac{1}{2}$	$5\frac{1}{2}$
PKT0109 Lower Pocket Height - at Center	- $\frac{1}{8}$	$\frac{1}{8}$	$5\frac{1}{4}$	$5\frac{1}{4}$	$5\frac{1}{2}$	$5\frac{1}{2}$	$5\frac{3}{4}$	$5\frac{3}{4}$	6	6
PKT0122 Lower Pocket Hem Height	- $\frac{1}{8}$	$\frac{1}{8}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$

Displaying 31 - 39 of 39 results

Units: Fractions of inches Grade Rule Display: Absolute