




Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER





Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

CONTOUR WB
 -Faced and cut on straight grain at CB, interlined.
 -1/8" SN/CS at top/btm WB

WB CLOSURE
 -1 keyhole buttonhole centered on WB

CORD STITCH
 -1/16" SN/LS towards back of SS
 -Vertical bartack at btm
 -Stitch length & grade follow front pkt bag at SS

BELT LOOPS
 - 1/4" 2NBtmCvr (ISO 406), horizontal bar tacks at ends
 - **SIDE BELT LOOPS:**
 Btm of belt loop catches on yoke seam


SCOOP POCKETS
 -Clean finish pocket w/ pocket bag, 1/4" 2N/LS, 1/8" EM
 -Bartacks at top & btm of opening
 -Facing has overedge finish, SN/LS pocket bag
 -1 piece pkt bag is folded at CF and french seamed.

COIN POCKET
 -1/4" 2N/LS on sides
 -Overedge btm w/ pkt facing
 -Self dbl turn clean finish hem w/ 1/4" SN/CS
 -Horizontal bartacks at opening.

FLY
 - J-Stitch is 1/8" 2N/LS
 - 1/16" SN/LS at fly edge
 - Front rise 2N/LS extends 1/2" past btm of J-Stitch, horizontal bartack at end
 - Vertical bartack on J-stitch at inner stitch as shown on sketch

FRONT RISE
 -Overedge end set together w/ 1/4" 2N/LS (ISO 301) SA to WL

INSEAM
 -5T/Safety (ISO 516) together. 1/16" SN/CS (ISO 401), SA towards front.



BELT
 -Purchased trim
 -Secure to garment w/ 1" swift tack at CB waist
 -See separate detail for tying info


BACK YOKE
 -5T/Safety (ISO 516) together
 -1/4" 2N/CS, SA down towards leg

BACK RISE
 -5T/Safety (ISO 516) together. 1/4" 2N/CS, SA to WL

BACK POCKETS
 -1/4" 2N/LS on sides/btm
 -3/8" self dbl turn clean finish hem w/ 1/4" SN/CS
 -Horizontal bartacks at opening

FRAY HEM
 - 1/4" Fray
 -1/4" SN/LS stay stitch
 -Vertical bartack at inseam/leg opening


OUTSEAM
 -Overedge & set together w/ SN/LS



Modified By: TKA14VW on 2023-08-31






Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER



Modified By: TKA14VW on 2023-06-14

RW, RW1, RW2, RW3 - AMBER
STRIGID
JG42D007
HIGH RISE RELAXED SHORT

Suffix:	RW2	RW3	RW2	RW2	RW	RW1	RW4
Month:							
Meeting Needs:	N/A	N/A	N/A	N/A	N/A	N/A	COUNTER
							
	S24SOJ043A TROPPI FLORAL		S24SOJ420D VERY BIG DAISY	S24SOJ331C ANDREW DITSY			

MATERIALS & TRIMS									Colorways						
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	BL FLRL	DARK	DNM BL FLR	DNM FLRL	LIGHT DEST	MED DEST	PINK TINT
	OE340	97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2	RIGID FRONT		BODY FABRIC FRONT	AMBER DENIM MILLS LTD.		BLUE FLORAL	DARK PLEASE SEE ATTACHMENTS FOR WASH DIRECTION	DENIM BLUE FLORAL	DENIM FLORAL	LIGHT PLEASE SEE ATTACHMENTS FOR WASH DIRECTION	MED PLEASE SEE ATTACHMENTS FOR WASH DIRECTION	PNK OVRDYE PLEASE SEE ATTACHMENTS FOR WASH DIRECTION
	SPC268RST	111016	D 87/11/2 COTTON/ RECYCLED POLYESTER/ SPANDEX 3/1- STRETCH-DENIM 10.25 OZ/YD2	STRETCH BACK, MATCH BASE WASH TO FRONT		BODY FABRIC BACK	AMBER DENIM LTD.								
	GENERIC	64229	THREAD			CONSTRUCTION									
	GENERIC	80303	SHANK	32L METAL SHANK		CF CLOSURE									
	GENERIC	63039	ZIPPER			CF CLOSURE									
		76738	POCKETING			POCKETING									

	GENERIC	63040	BELT	ROPE BELT PLEASE SUBMIT OPTIONS - BELT SHOULD BE WHITE OR NATURAL. SEE RW1 WASH DIRECTION PAGE FOR VISUAL REFERENCE											
--	---------	-------	------	---	--	--	--	--	--	--	--	--	--	--	--

Suffix:

RW5

Month:

Meeting Needs:

COUNTER

MATERIALS & TRIMS										Colorways									
Image	Supplier Ref#	Mtrl ID	Component	Additional Info / Size	Finish / Wash	Position	Supplier / Mill	QTY	SPLATTER										
	OE340	97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2	RIGID FRONT		BODY FABRIC FRONT	AMBER DENIM MILLS LTD.		SPLATTER PLEASE SEE ATTACHMENTS FOR WASH DIRECTION										
	SPC268RST	111016	D 87/11/2 COTTON/ RECYCLED POLYESTER/ SPANDEX 3/1- STRETCH-DENIM 10.25 OZ/YD2	STRETCH BACK, MATCH BASE WASH TO FRONT		BODY FABRIC BACK	AMBER DENIM LTD.												
	GENERIC	64229	THREAD			CONSTRUCTION													
	GENERIC	80303	SHANK	32L METAL SHANK		CF CLOSURE													
	GENERIC	63039	ZIPPER			CF CLOSURE													

		76738	POCKETING			POCKETING			
	GENERIC	63040	BELT	ROPE BELT PLEASE SUBMIT OPTIONS - BELT SHOULD BE WHITE OR NATURAL. SEE RW1 WASH DIRECTION PAGE FOR VISUAL REFERENCE					




POM Page Description:				R. TWILL. INDIGO.STRIGID													
Brand	SO...	Division	WOMENS			Customer	JUNIORS		Tech Designer	KIMBERLY LOEHNER	Business	SPORTSWEAR		Size Indicator	REGULAR		
FORM1		KOS-WJR0009-1604						FORM2									
Grade Table		JUNIORS (0000 - 30P)															
Material 1		97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2						Material 2		111016	D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2					
P/S	POM Code	POM Description	TOL (-)	TOL (+)	0	1	3	5	7	9	11	13	15	17	19		
	A000	R. TWILL. INDIGO.															
	A000	RIGID FRONT & STRETCH BACK															
	A008	ALL MEAS AFTER GARMENT WASH															
P	A003	WAIST POSITION ON FORM@CF								1							
P	A004	WAIST POSITION ON FORM@CB								1/2							
P	A005	WAIST POSITION ON FORM@SS								3/4							
	A000	OUTSEAMS FORWARD AT SS								1/2							
P	A400H	*WAIST@ TOP EDGE OF WB -RLXD 1/2 MEAS	-1/4	1/4	12 5/8	13 1/8	13 5/8	14 1/8	14 5/8	15 1/8	15 7/8	16 5/8	17 3/8	18 1/8	18 7/8		
P	A400H	*WAIST@ BTM OF WB -RLXD 1/2 MEAS	-1/4	1/4	13 5/8	14 1/8	14 5/8	15 1/8	15 5/8	16 1/8	16 7/8	17 5/8	18 3/8	19 1/8	19 7/8		
	A404	WAISTBAND HEIGHT	-1/8	1/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8	1 5/8		
S	A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	5 1/2	5 1/2	5 1/2	6	6	6	6	6 1/2	6 1/2	7	7		
	A475	ZIPPER LENGTH-FLY	-1/8	1/8	4 3/4	4 3/4	4 3/4	5 1/4	5 1/4	5 1/4	5 1/4	5 3/4	5 3/4	6 1/4	6 1/4		
	A478	FLY WIDTH	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2		
P	A450	*FRT RISE TO TOP EDGE	-1/4	1/4	10 1/2	10 3/4	11	11 1/4	11 1/2	11 3/4	12 1/8	12 1/2	12 7/8	13 1/4	13 1/2		
P	A460	BK RISE TO TOP EDGE	-1/4	1/4	14	14 1/4	14 1/2	14 3/4	15	15 1/4	15 5/8	16	16 3/8	16 3/4	17		
	A411	LOW HIP PLCMT FROM TOP EDGE	0	0	6 3/8	6 1/2	6 5/8	6 3/4	6 7/8	7	7 1/4	7 1/2	7 3/4	8	8 1/4		
P	A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/4	1/4	16 3/4	17 1/4	17 3/4	18 1/4	18 3/4	19 1/4	20	20 3/4	21 1/2	22 1/4	23		
P	A438H-01TH	LEG OPENING RLXD-SHORT/THIGH 1/2 MEAS	-1/4	1/4	10 7/8	11 1/4	11 5/8	12	12 3/8	12 3/4	13 1/4	13 3/4	14 1/4	14 5/8	15		
P	A500 NG	INSEAM-NG	-1/2	1/2	3	3	3	3	3	3	3	3	3	3	3		
	A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4	2 1/4		
	A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	1	1	1	1	1	1	1	1	1	1	1		
	A000	**FRONT POCKETS**															



FORM1		KOS-WJR0009-1604					FORM2											
Grade Table		JUNIORS (0000 - 30P)																
Material 1		97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2					Material 2		111016	D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2							
P/S	POM Code	POM Description	TOL (-)	TOL (+)	0	1	3	5	7	9	11	13	15	17	19			
	A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	3 5/8	3 3/4	3 3/4	3 7/8	3 7/8	4	4 1/4	4 1/4	4 1/2	4 1/2	4 5/8			
	A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	1 3/4	1 7/8	1 7/8	2	2	2 1/8	2 3/8	2 3/8	2 5/8	2 5/8	2 3/4			
	A610	FRT PKT BAG WIDTH	-1/4	1/4	5 3/4	5 7/8	5 7/8	6	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 1/2			
	A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/4	8 3/8	8 3/8	8 1/2	8 1/2	8 1/2	8 3/4	8 3/4	9	9	9			
	A000	**BACK POCKETS**																
	A600	PKT WIDTH@TOP	-1/4	1/4	5 3/4	5 7/8	5 7/8	6	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 1/2			
	A601	PKT WIDTH@BTM	-1/4	1/4	4 3/4	4 7/8	4 7/8	5	5	5	5 1/4	5 1/4	5 1/2	5 1/2	5 1/2			
	A602	PKT HEIGHT@CENTER	-1/4	1/4	5 3/4	5 7/8	5 7/8	6	6	6	6 1/4	6 1/4	6 1/2	6 1/2	6 1/2			
	A603	PKT HEIGHT@SIDE	-1/4	1/4	4 3/4	4 7/8	4 7/8	5	5	5	5 1/4	5 1/4	5 1/2	5 1/2	5 1/2			
	A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	5/8	3/4	7/8	1	1 1/8	1 1/4	1 3/8	1 1/2	1 5/8	1 3/4	1 7/8			
	A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8			
	A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2			
	A000	**COIN POCKET**																
	A600	PKT WIDTH@TOP	-1/4	1/4	2 3/4	2 7/8	2 7/8	3	3	3	3 1/4	3 1/4	3 1/2	3 1/2	3 1/2			
	A621 NG	RV - PKT FROM SS-NG	-1/4	1/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4			
	A622	RV - PKT FROM BTM OF WB	-1/4	1/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4			



Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER





Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW5
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	SPLATTER
WASH/COLOR REF:	2001 NO DEST
DESTRUCTION:	SEE DESTRUCTION REFERENCE
HEM:	FRAY + DEST
HARDWARE COLOR:	K51
THREAD	C8625
SKETCH:	

WASH REFERENCE



TECHNIQUE REFERENCE



SPLATTER LAYOUT AND DESTRUCTION REFERENCE





Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW3
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	DARK
WASH/COLOR REF:	MATCH 1186 DP-1186
DESTRUCTION:	CLEAN
HEM:	FRAY
HARDWARE COLOR:	K51
THREAD	DTM BASE INDIGO
SKETCH:	

WASH REFERENCE



**BASE WASH REFERENCE ONLY,
REMOVE ALL TWISTING**

DRY PROCESSING REFERENCE






Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW4
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	PINK TINTED
WASH/COLOR REF:	HDG-D23-06-78 PINK OVERDYE
DESTRUCTION:	CLEAN
HEM:	FRAY
HARDWARE COLOR:	K51
THREAD	AS SAMPLE
SKETCH:	

WASH REFERENCE





Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW1
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	MED DEST
WASH/COLOR REF:	MATCH DP 1053 DP-1053
DESTRUCTION:	PER DEST REF IMAGES
HEM:	DESTRUCTED FRAY
HARDWARE COLOR:	K25
THREAD	C8625
SKETCH:	


WASH REFERENCE



DESTRUCTION REFERENCE



BELT REFERENCES - PLEASE SUBMIT MULTIPLE QUALITY OPTIONS



BELT SHOULD BE WHITE OR NATURAL IN COLOR



Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	LIGHT
WASH/COLOR REF:	DP 1205
DESTRUCTION:	PER DEST REF IMAGES
HEM:	DESTRUCTED FRAY
HARDWARE COLOR:	K13
THREAD	C8657
SKETCH:	

WASH REFERENCE



DESTRUCTION REFERENCE





Brand	SO...	Division	WOMENS	Request No.	00689250	Create Date	2023-05-30	Cut Date	
X-Factory Date		Product Type	BOTTOMS	Product Manager	ELIZABETH HEIBERTSHAUSEN	Designer	KIM GRUBER	Tech Designer	KIMBERLY LOEHNER

STYLE NUMBER	JG42D007RW2
STYLE NAME:	HIGH RISE RELAXED SHORT
COLORWAY NICKNAME:	BLUE FLORAL, DENIM FLORAL, DENIM BLUE FLORAL
WASH/COLOR REF:	AS L15911/01/PAPAC/CN
DESTRUCTION:	CLEAN
HEM:	FRAY
HARDWARE COLOR:	K51
THREAD	DTM BASE INDIGO
SKETCH:	

WASH AND LASER/DISCHARGE REFERENCE



ART REFERENCE



S24S01331C
ANDREW DITSY
DENIM FLORAL
DNM FLRL



S24S01420D
VERY BIG DAISY
DENIM BLUE FLORAL
DNM BL FLR



S24S01043A
TROPPY FLORAL
BLUE FLORAL
BL FLRL



Fit Eval No: 158626

POM Page Description:	R. TWILL. INDIGO.STRIGID
------------------------------	---------------------------------

Fiscal Season	SP24	Brand	SO...	Division	WOMENS	Customer	JUNIORS	Created On	2023-08-25
Request No	00689250	Tech Designer	KIMBERLY LOEHNER	Designer	KIM GRUBER	Product Manager	ELIZABETH HEIBERTSHAUSEN	Size Indicator	REGULAR
Agent	LI & FUNG BANGLADESH	Vendor	APPARELS GALLERY LTD	Workflow Alert	88.000000	PP Deadline	11/18/2023		

Sample Information						Fit Approved		PENDING	
Sample Round	Sample 2	Sample Type	FIT SAMPLE	Fit Sample Size	9	Sample Request Date	09/01/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2			Material 2	111016	D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2		

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A000	R. TWILL. INDIGO.										
A000	RIGID FRONT & STRETCH BACK										
A008	ALL MEAS AFTER GARMENT WASH										
A003	WAIST POSITION ON FORM@CF			1							
A004	WAIST POSITION ON FORM@CB			1/2							
A005	WAIST POSITION ON FORM@SS			3/4							
A000	OUTSEAMS FORWARD AT SS			1/2							
A400H	*WAIST@ TOP EDGE OF WB -RLXD 1/2 MEAS	-1/4	1/4	15 1/8							
A400H	*WAIST@ BTM OF WB -RLXD 1/2 MEAS	-1/4	1/4	16 1/8							
A404	WAISTBAND HEIGHT	-1/8	1/8	1 5/8							
A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	6							
A475	ZIPPER LENGTH-FLY	-1/8	1/8	5 1/4							
A478	FLY WIDTH	-1/8	1/8	1 1/2							
A450	*FRT RISE TO TOP EDGE	-1/4	1/4	11 3/4							
A460	BK RISE TO TOP EDGE	-1/4	1/4	15 1/4							
A411	LOW HIP PLCMT FROM TOP EDGE	0	0	7							
A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/4	1/4	19 1/4							
A438H-01T	LEG OPENING RLXD-SHORT/THIGH 1/2 MEAS	-1/4	1/4	12 3/4							
A500 NG	INSEAM-NG	-1/2	1/2	3							
A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4							
A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	1							
A000	**FRONT POCKETS**										
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	4							

KOHL'S

SP24
Stage: DEVELOPMENT

JG42D007
HIGH RISE RELAXED SHORT
Fit Eval - Spec



Sample Information						Fit Approved		PENDING	
Sample Round	Sample 2	Sample Type	FIT SAMPLE	Fit Sample Size	9	Sample Request Date	09/01/2023	Date Received	
Date Fit		Fit With		Fit Session Attendees		Sample Status	NEW	Decision Status Date	
Material 1	97228 D 100 COTTON 3/1-DENIM 11.00 OZ/YD2			Material 2	111016 D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	2 1/8							
A610	FRT PKT BAG WIDTH	-1/4	1/4	6							
A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/2							
A000	**BACK POCKETS**										
A600	PKT WIDTH@TOP	-1/4	1/4	6							
A601	PKT WIDTH@BTM	-1/4	1/4	5							
A602	PKT HEIGHT@CENTER	-1/4	1/4	6							
A603	PKT HEIGHT@SIDE	-1/4	1/4	5							
A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1 1/4							
A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8							
A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2							
A000	**COIN POCKET**										
A600	PKT WIDTH@TOP	-1/4	1/4	3							
A621 NG	RV - PKT FROM SS-NG	-1/4	1/4	3/4							
A622	RV - PKT FROM BTM OF WB	-1/4	1/4	3/4							



Fit Eval No: 158626

POM Page Description:	R. TWILL. INDIGO.STRIGID
------------------------------	---------------------------------

Fiscal Season	SP24	Brand	SO...	Division	WOMENS	Customer	JUNIORS	Created On	2023-08-25
Request No	00689250	Tech Designer	KIMBERLY LOEHNER	Designer	KIM GRUBER	Product Manager	ELIZABETH HEIBERTSHAUSEN	Size Indicator	REGULAR
Agent	LI & FUNG BANGLADESH	Vendor	APPARELS GALLERY LTD	Workflow Alert	88.000000	PP Deadline	11/18/2023		

Sample Information						Fit Approved		PENDING	
Sample Round	Sample 1	Sample Type	COUNTER SAMPLE	Fit Sample Size	9	Sample Request Date	08/25/2023	Date Received	08/22/2023
Date Fit	08/29/2023	Fit With		Fit Session Attendees		Sample Status	NOT APPROVED	Decision Status Date	08/31/2023
Material 1	97228	D 100 COTTON 3/1-DENIM 11.00 OZ/YD2			Material 2	111016	D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2		

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A000	R. TWILL. INDIGO.										
A000	RIGID FRONT & STRETCH BACK										
A008	ALL MEAS AFTER GARMENT WASH										
A003	WAIST POSITION ON FORM@CF			1							
A004	WAIST POSITION ON FORM@CB			1/2							
A005	WAIST POSITION ON FORM@SS			3/4							
A000	OUTSEAMS FORWARD AT SS			1/2							
A400H	*WAIST@ TOP EDGE OF WB -RLXD 1/2 MEAS	-1/4	1/4	15 3/8				14 3/4	** -5/8 **		15 1/8
A400H	*WAIST@ BTM OF WB -RLXD 1/2 MEAS	-1/4	1/4	16 1/8				15 3/8	** -3/4 **		
A404	WAISTBAND HEIGHT	-1/8	1/8	1 5/8				1 5/8	0		
A476	FLY LENGTH BLW WB SEAM	-1/8	1/8	6				6	0		
A475	ZIPPER LENGTH-FLY	-1/8	1/8	5 1/4				5 3/8	1/8		
A478	FLY WIDTH	-1/8	1/8	1 1/2				1 1/2	0		
A450	*FRT RISE TO TOP EDGE	-1/4	1/4	11 3/4				12	1/4		
A460	BK RISE TO TOP EDGE	-1/4	1/4	15				15 5/8	** 5/8 **		15 1/4
A411	LOW HIP PLCMT FROM TOP EDGE	0	0	7				7	0		
A412H	LOW HIP #" FM TOP EDGE-1/2 MEAS	-1/4	1/4	19 1/4				18 1/2	** -3/4 **		
A438H-01T	LEG OPENING RLXD-SHORT/THIGH 1/2 MEAS	-1/4	1/4	12 3/4				12 1/2	-1/4		
A500 NG	INSEAM-NG	-1/2	1/2	3				3 3/8	3/8		
A510	YOKE HT@CB FM WB SEAM	-1/8	1/8	2 1/4				2 1/4	0		
A511	YOKE HT@SS FM WB SEAM	-1/8	1/8	1				3/4	** -1/4 **		
A000	**FRONT POCKETS**										
A616	FRT PKT FROM SS@BTM OF WB RLXD	-1/4	1/4	4				3 3/4	-1/4		



Sample Information						Fit Approved		PENDING	
Sample Round	Sample 1	Sample Type	COUNTER SAMPLE	Fit Sample Size	9	Sample Request Date	08/25/2023	Date Received	08/22/2023
Date Fit	08/29/2023	Fit With		Fit Session Attendees		Sample Status	NOT APPROVED	Decision Status Date	08/31/2023
Material 1	97228 D 100 COTTON 3/1-DENIM 11.00 OZ/YD2			Material 2	111016 D 87/11/2 COTTON/RECYCLED POLYESTER/SPANDEX 3/1-STRETCH-DENIM 10.25 OZ/YD2				

Code	Description	Tol(-)	Tol(+)	Spec	Measurer 1 Actuals	Measurer 1 Delta	Meas 1 Comments	Measurer 2 Actuals	Measurer 2 Delta	Meas 2 Comments	Rev
A619	FRT PKT FROM BTM OF WB@SS	-1/4	1/4	2 1/8				2 1/8	0		
A610	FRT PKT BAG WIDTH	-1/4	1/4	6				6 1/4	1/4		
A611	FRT PKT BAG HEIGHT	-1/4	1/4	8 1/2				9 1/8	** 5/8 **		
A000	**BACK POCKETS**										
A600	PKT WIDTH@TOP	-1/4	1/4	6				5 3/4	-1/4		
A601	PKT WIDTH@BTM	-1/4	1/4	5				4 7/8	-1/8		
A602	PKT HEIGHT@CENTER	-1/4	1/4	6				6	0		
A603	PKT HEIGHT@SIDE	-1/4	1/4	4 3/4				4 3/4	0		5
A613	PKT FROM CB (CENTER OF 2N)	-1/4	1/4	1 1/4				1	-1/4		
A625	BK PKT FM YOKE SEAM - INNER	-1/4	1/4	7/8				7/8	0		
A625	BK PKT FM YOKE SEAM-OUTER	-1/4	1/4	1 1/2				1 5/8	1/8		
A000	**COIN POCKET**										
A600	PKT WIDTH@TOP	-1/4	1/4	3				3	0		
A621 NG	RV - PKT FROM SS-NG	-1/4	1/4	3/4				7/8	1/8		
A622	RV - PKT FROM BTM OF WB	-1/4	1/4	3/4				3/4	0		



Measurer 1 Fit Comments	Measurer 2 Fit Comments
	<p>Date: 8.31.23 Sample Type: Counter Sample Color: Med blue KTD: Kim Loehner KTD FIT EVAL STATUS: FIT NOT APPROVED- Follow Below Comments for Corrections. Submit to Kohls TD a revised fit sample within 7-10 business days of Decision Status Date.</p> <p>PATTERNS: Please attach a screenshot of before and after corrections with next sample fit round. Attach electronic pattern in One PLM as a .dxf or .aam (ASTM or AAMA) or .bw (Browzwear Vstitcher) file format. Browzwear file must be compressed into .zip file before attaching. Pattern should be exported without seam allowances and include a 10in. X 10in. square. Upload Fit sample patterns to the Fit Eval Page & Final Graded (zip .dxf pattern file with .rul grade rule file before uploading) PP patterns to the Attachment Page. Pattern should include a 10in. X 10in. square</p> <p>GENERAL COMMENTS: See comments and photos attached.</p> <p>1. Trim info - Preferred suppliers must be used for zippers, buttons, elastic, thread, and interlining. K-Link: https://link.kohls.com/resources/subcategory/preferred-suppliers - Any other trim types can be non-preferred supplier but must go through Kohls Approved 3rd Party Lab for testing/approval prior to production. K-Link: https://link.kohls.com/resources/subcategory/softlines all links found under K-Link>Resources>Private and Exclusive Brands (view all)</p> <p>2. Label Placement and attachment method: K-Link: https://link.kohls.com/resources/subcategory/labels-and-packaging</p> <p>CONSTRUCTION COMMENTS: 1. Confirm production will go forward w/ continuous rise. 2. Fray hem is 3/8" & stay stitch is on fray instead of on solid fabric. Pls correct. 3. Slit is removed at outseam. Busted outseam is not needed now. DI pg is updated. 4. Belt is added. POM length will be added once design chooses type of belt & tying. 5. Belt will need a 1" swift tack to CB waist to secure to sample in store.</p> <p>FIT COMMENTS: 1. Waist top edge needs to incr slightly from sample in order to meet waist placement. Not as big as spec. Bttm edge needs to meet spec. 2. Pls send 1st fit w/ Hip & Leg opg at spec. Even with the stretch back, we'd like this to look like a more relaxed fitting style. 3. Front bag width needs to incr at waist. It should be about 1/4" past the belt loop bartack going towards the CF. Current placement feels too shallow when putting hand in. Bttm width is ok. 4. Back leg near CB is very flat shaped. Pls see photo. Leg opg balance around thigh should be more even. 5. Incr bk rise spec (slightly smaller than sample). Shape feels nice to model, but with waist placement dropping slightly after waist circ is fixed, it can have some height taken off. 6. Incr pkt ht at side.</p>



8.25.23 KL

1. Style ASH0d, noted sample is fittable.
2. Pls submit any comments reviewed before sample was sent.
3. Pls attach Pattern.
4. Counter comments will be send after pattern rec'd





Back Leg opg needs to be evenly spaced around leg, inner area is very flat

Waist specs needs to open slightly from sample in order to mee landmark.

