

Bangladesh University of Professionals



Faculty of Science and Technology Department of Information & Communication Technology (ICT)

Course Title: Internship

Course Code: ICE-3211

Submitted by

Name: Mst. Labonno Rahman Oishy

ID: 2254901107


Walton ID: IA-540

Section: A

Batch: BICE – 2022

Session: 2021-22

Folder structure:



Commands:

code .

docker build -t todo-api .

or,

docker build --no-cache -t todo-api .

docker run -d -p 5000:5000 --name my-todo-api todo-api

It will show Success message:

```
PS E:\todo-api> docker logs my-todo-api

> todo-api@1.0.0 start
> node server.js

SUCCESS: Server is running on port 5000
```

Perform POST method from cmd:

Invoke-RestMethod -Uri "http://localhost:5000/login" -Method Post -Body '{"username":"user",
"password":"pass"}' -ContentType "application/json"

Output:

```
PS E:\todo-api> docker run -d -p 5000:5000 --name my-todo-api todo-api  
5526490ac76dca634f45ded6df532fa4cb306817d7f4f5caf16ca356f3945c70  
PS E:\todo-api> |
```

All command list:

```
PS E:\todo-api> docker logs my-todo-api  
  
> todo-api@1.0.0 start  
> node server.js  
  
PS E:\todo-api> docker logs my-todo-api  
  
> todo-api@1.0.0 start  
> node server.js  
  
PS E:\todo-api> docker rm -f my-todo-api  
my-todo-api  
PS E:\todo-api> docker build -t todo-api .  
[+] Building 4.7s (11/11) FINISHED  
=> [internal] load build definition from Dockerfile 0.2s  
=> => transferring dockerfile: 383B 0.2s  
=> [internal] load metadata for docker.io/library/node:20 3.0s  
=> [auth] library/node:pull token for registry-1.docker.io 0.0s  
=> [internal] load .dockerignore 0.0s  
=> => transferring context: 2B 0.0s  
=> [1/5] FROM docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s  
=> => resolve docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s  
=> [internal] load build context 0.1s  
=> => transferring context: 1.76kB 0.1s  
=> CACHED [2/5] WORKDIR /app 0.0s  
=> CACHED [3/5] COPY package.json 0.0s  
=> CACHED [4/5] RUN npm install 0.0s  
=> [5/5] COPY . 0.1s  
=> exporting to image 0.7s  
=> => exporting layers 0.2s  
=> => exporting manifest sha256:c1c6014ba4f3300b867b611bdd0d19e35f7c63c2a4a3ed4a4b6e7654885eb470 0.0s  
=> => exporting config sha256:78e4065555c80a96d1a2563b43ea12205d9a60667bba2a327467f3df71c2d57c 0.0s  
=> => exporting attestation manifest sha256:f0747e03231851b8e2949ebb9271f4b3db3c133a45c2d135c1849f4dce2501b4 0.1s  
=> => exporting manifest list sha256:de9862e56e53d09a344f940ee3c216d132f32138fc42d12b93d84258544d55eb 0.0s  
=> => naming to docker.io/library/todo-api:latest 0.0s  
=> => unpacking to docker.io/Library/todo-api:latest 0.1s  
PS E:\todo-api> docker run -d -p 5000:5000 --name my-todo-api todo-api  
81509323dd24dbf05d4237837d1b644186011bbf82b275098aa973e8b2b39868  
PS E:\todo-api> docker logs my-todo-api
```

```

=> => unpacking to docker.io/library/todo-api:latest 0.1s
PS E:\todo-api> docker run -d -p 5000:5000 --name my-todo-api todo-api
81589323dd24dbf05d4237837d1b644186011bbf82b275098aa973e8b2b39868
PS E:\todo-api> docker logs my-todo-api

> todo-api@1.0.0 start
> node server.js

SUCCESS: Server is running on port 5000
PS E:\todo-api> Invoke-RestMethod -Uri "http://localhost:5000/login" -Method Post -Body '{"username":"user", "password":"pass"}' -ContentType "application/json"

token
-----
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VybmFtZSI6InVzZXIiLCJpYXQiOiJlZ3NzZG8NzgZMTESImV4cCI6MTc3ODQ0MTkxMX0.45Xr0QZ...



PS E:\todo-api> docker rm -f my-todo-api
my-todo-api
PS E:\todo-api> docker build -t todo-api .
[+] Building 6.2s (11/11) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.1s
=> => transferring dockerfile: 303B 0.0s
=> [internal] load metadata for docker.io/library/node:20 4.7s
=> [auth] library/node:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/5] FROM docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s
=> => resolve docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s
=> [internal] load build context 0.1s
=> => transferring context: 1.89kB 0.1s
=> CACHED [2/5] WORKDIR /app 0.0s
=> CACHED [3/5] COPY package.json . 0.0s
=> CACHED [4/5] RUN npm install 0.0s
=> [5/5] COPY . . 0.1s
=> exporting to image 0.0s
=> => exporting layers 0.3s
=> => exporting manifest sha256:f84e5cea3c27b141222caalb2edc2079ccfd87cf0691246821ec6a69d4920b28 0.1s
=> => exporting config sha256:a0ea8d4da99d731f791391d8dcb3c791941dd9f7a016ba4e196b9ad70aef328d 0.0s
=> => exporting attestation manifest sha256:a406c13f958e1380e58bec6fa88aa60cb0180e8640d972fe0d93a7c1edca53fe 0.1s
=> => exporting manifest list sha256:8765acc4a52257d73a3552e3a85091e6bb8bcb5d344629bd861e430fd674f7d8 0.0s

```

```

PS E:\todo-api> docker build -t todo-api .
[+] Building 6.2s (11/11) FINISHED docker:desktop-linux
=> [internal] load build definition from Dockerfile 0.1s
=> => transferring dockerfile: 303B 0.0s
=> [internal] load metadata for docker.io/library/node:20 4.7s
=> [auth] library/node:pull token for registry-1.docker.io 0.0s
=> [internal] load .dockerignore 0.0s
=> => transferring context: 2B 0.0s
=> [1/5] FROM docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s
=> => resolve docker.io/library/node:20@sha256:8f693eaa7e0a8e71560c9a82b55fd54c2ae920a2ba5d2cde28bac7d1c01c9ba5 0.1s
=> [internal] load build context 0.1s
=> => transferring context: 1.89kB 0.1s
=> CACHED [2/5] WORKDIR /app 0.0s
=> CACHED [3/5] COPY package.json . 0.0s
=> CACHED [4/5] RUN npm install 0.0s
=> [5/5] COPY . . 0.1s
=> exporting to image 0.0s
=> => exporting layers 0.3s
=> => exporting manifest sha256:f84e5cea3c27b141222caalb2edc2079ccfd87cf0691246821ec6a69d4920b28 0.1s
=> => exporting config sha256:a0ea8d4da99d731f791391d8dcb3c791941dd9f7a016ba4e196b9ad70aef328d 0.0s
=> => exporting attestation manifest sha256:a406c13f958e1380e58bec6fa88aa60cb0180e8640d972fe0d93a7c1edca53fe 0.1s
=> => exporting manifest list sha256:8765acc4a52257d73a3552e3a85091e6bb8bcb5d344629bd861e430fd674f7d8 0.0s
=> => naming to docker.io/library/todo-api:latest 0.0s
=> => unpacking to docker.io/library/todo-api:latest 0.1s
PS E:\todo-api> docker run -d -p 5000:5000 --name my-todo-api todo-api
5526490ac76dca634f45ded6df532fa4cb306817d7f4f5caf16ca356f3945c70
PS E:\todo-api> |

```



File Edit Selection View Go Run Terminal Help 1000-999 Sign In

server.js Extension: Thunder Client 10 Release Notes 10 New Request 10 New Request X

EXPLORE

- ▼ TODO-API
 - ▼ middleware
 - auth.js
 - ▼ models
 - todoModel.js
 - ▼ routes
 - todo.js
 - Dockerfile
 - index.html
 - package.json
 - server.js

POST http://localhost:5000/todos Send

Query Headers 2 Auth 1 body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {  
2   "task": "Buy milk and bread"  
3 }
```

Status: 200 OK Size: 48 Bytes Time: 581 ms

Response Headers 7 Cookies Results Docs

```
1 {  
2   "id": 1778486977870,  
3   "task": "Buy milk and bread"  
4 }
```

</> ⌵

> OUTLINE