

# Bangladesh University of Professionals



**Faculty of Science and Technology Department of Information  
& Communication Technology (ICT)**

**Course Title: Industrial Training**

**Course Code: ICE-3211**

**Topic: Git command practice**

Submitted by

**Name: MST. Labonno Rahman Oishy**

**Walton ID: IA-540**

**Date: 06-05-26**

# 1. At first , I fork a random project from github name “lila”

Click on ,fork option , then this page will be visible:

lichess-org / lila

Type  to search

<> Code

Issues 1.2k

Pull requests 20

Agents

Actions

Projects

Wiki

Security and quality 3

Insights

On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. [Review this update](#) and manage your preferences in your [GitHub account settings](#).

## Create a new fork

A fork is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project. [View existing forks](#)

Required fields are marked with an asterisk (\*).

Owner \*

Repository name \*

 13Labonno

/

lila is available

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description

70 / 350 characters

☒ Copy the `master` branch only

Contribute back to lichess-org/lila by adding your own branch. [Learn more](#)

You are creating a fork in your personal account.


Create fork

87°F  
Partly sunny

Search


^

## 2. This project is now available on my github account:



Now its time to clone the project on git bash to work on different command of git:

First, copy URL to clipboard



<https://github.com/13Labonno/lilaa.git>

**Goto git bash:**

Check version :

```
git --version
```

```
git config --global user.name "My_name"
```

```
git config --global user.email "My_email"
```

**Git alice:**

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature-research)
$ alias mc="git commit"

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature-research)
$ mc
On branch feature-research
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   lilaa.sh

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        new.zip

no changes added to commit (use "git add" and/or "git commit -a")

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature-research)
$
```

```
MINGW64:/c/Users/Asus/MyProject

Asus@LAPTOP-E7SLJSPE MINGW64 ~
$ git --version
git version 2.54.0.windows.1

Asus@LAPTOP-E7SLJSPE MINGW64 ~
$ git config --global user.name "Oishy"

Asus@LAPTOP-E7SLJSPE MINGW64 ~
$ git config --global user.email "oishylabonna@gmail.com"

Asus@LAPTOP-E7SLJSPE MINGW64 ~
$ mkdir MyProject

Asus@LAPTOP-E7SLJSPE MINGW64 ~
$ cd MyProject

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject
$
```

mkdir MyProject

cd MyProject

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~  
$ mkdir MyProject  
Asus@LAPTOP-E7SLJSPE MINGW64 ~  
$ cd MyProject
```

[It will help to store cloned project in my local pc]

git clone <https://github.com/13Labonno/lilaa.git>

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject  
$ git clone https://github.com/13Labonno/lilaa.git  
Cloning into 'lilaa'...  
remote: Enumerating objects: 842272, done.  
remote: Counting objects: 100% (240/240), done.  
remote: Compressing objects: 100% (111/111), done.  
remote: Total 842272 (delta 137), reused 141 (delta 121), pack-reused 84  
2032 (from 2)  
Receiving objects: 100% (842272/842272), 514.59 MiB | 3.75 MiB/s, done.  
Resolving deltas: 100% (569283/569283), done.  
Updating files: 100% (15713/15713), done.  
Filtering content: 100% (74/74), 746.87 MiB | 4.83 MiB/s, done.
```

Now run,

cd lilaa

ls

```
MINGW64:/c/Users/Asus/MyProject/lilaa  
tory.  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject (master)  
$ cd lilaa  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (master)  
$ ls  
CONTRIBUTING.md  conf/      flake.nix    public/  
COPYING.md       cron/      lilash*      scripts/  
LICENSE          crowdin.yml  modules/     svgo.config.mjs  
README.md        devenv.lock package.json  translation/  
app/             devenv.nix  pnpm-lock.yaml ui/  
bin/             devenv.yaml pnpm-workspace.yaml  
build.sbt        flake.lock  project/  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (master)  
$ git status  
On branch master  
Your branch is up to date with 'origin/master'.  
  
nothing to commit, working tree clean  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (master)  
$
```

## Echo "write code" >> lila.sh

**code lila.sh output:**

```
File Edit Selection View Go Run Terminal Help
Restricted Mode is intended for safe code browsing. Trust this window to enable all features. Manage Learn More

# Bash
C:\Users> Asus> MyProject> bin> # Bash
1 #!/usr/bin/env -S bash -e
2
3 # Starts a dev console to compile and run lilex.
4
5 # Usage:
6 # ./lila.sh
7 # Then in the sbt console:
8 # run
9
10 if [[ "${BASH_SOURCE[0]}" != "$0" ]]; then
11     >&2 echo "Fatal: lila.sh should be run, not sourced!"
12     return 1
13 fi
14
15 WARN() { >&2 printf '%s\n' "[warning] $*"; }
16 ABORT() { >&2 printf '%s\n' "[FATAL] $*"; exit 1; }
17
18 cd "$(dirname -- "$0")" # set cwd
19
20 cat << "BANNER"
21
22  _ _ _ _ _
23  /o \ | | | | |
24  C  I  | | | | |
25  )  (  | | | | |
26  )  (  | | | | |
27  BANNER
28
29 if [[ -n $SBT_OPTS ]]; then
30     WARN "SBT_OPTS var '$SBT_OPTS' ignored; use .sbtopts file instead."
31     unset SBT_OPTS
32 fi
33
34 # use default files if missing
35 [[ -e .sbtopts ]] || cp .sbtopts{.default,}
36 [[ -e conf/application.conf ]] || cp conf/application.conf{.default,}
37
38 java_path_bin=$(command -v java || true)
39
40 if [[ -n "$JAVA_HOME" && -x "$JAVA_HOME/bin/java" ]]; then
41     java_home_bin="$JAVA_HOME/bin/java"
42 else
43     WARN "JAVA_HOME invalid or not set."
44 fi
```

Here is the new function I added,

```
exec sbt "${java_env[@]}" "$@"  
function analyze_malware() { echo 'Analyzing for potential threats...'; }
```

See the difference,

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)  
$ git diff  
warning: in the working copy of 'lila.sh', LF will be replaced by CRLF t  
he next time Git touches it  
diff --git a/lila.sh b/lila.sh  
index c35e3fd6a7..ea3af8187c 100755  
--- a/lila.sh  
+++ b/lila.sh  
@@ -71,3 +71,4 @@ java_env=(  
printf '%s / %s\n' "java $java_version" "sbt ${java_env[*]} $*"   
  
exec sbt "${java_env[@]}" "$@"  
-function analyze_malware() { echo 'Analyzing for potential threats...';  
+}  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)  
$ |
```

Commit changes:

`git commit -m "message"`

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)  
$ git commit -m "added malware analysis function"  
On branch feature/new-setup  
Changes not staged for commit:  
  (use "git add <file>..." to update what will be committed)  
  (use "git restore <file>..." to discard changes in working directory)  
        modified:   lila.sh  
  
no changes added to commit (use "git add" and/or "git commit -a")  
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)  
$
```



Add a photo :

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (master)
$ git checkout -b feature/new-setup
Switched to a new branch 'feature/new-setup'

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ cp /c/Users/Asus/Downloads/fan2.jpg .

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ git add fan2.jpg

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ git status
On branch feature/new-setup
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   fan2.jpg
```

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (master)
$ git checkout -b feature/new-setup
Switched to a new branch 'feature/new-setup'
```

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ git commit -m "Added a new photo fan2.jpg to the project"
Expanding reachable commits in commit graph: 75808, done.
[feature/new-setup f84d257f66] Added a new photo fan2.jpg to the project
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 fan2.jpg
```

git log

```
commit f84d257f6618e1a4234a3a52a4e9bc843a83a2ab (HEAD -> feature-research, feature/new-setup)
Author: Oishy <oishylabonna@gmail.com>
Date:   Wed May 6 12:50:18 2026 +0600

    Added a new photo fan2.jpg to the project

commit 4182b26c82910c7d91c5f8157a301d1f7555b860 (origin/master, origin/HEAD, master)
Author: Thibault Duplessis <t@lichess.org>
Date:   Tue May 5 23:29:49 2026 +0200

    use ByColor and other round tweaks

commit c3cb5d0fdefcdec64a8c2f0dc796da1d5bd10cd8
Author: Thibault Duplessis <t@lichess.org>
Date:   Tue May 5 22:51:03 2026 +0200

    avoid reading uptime on each Syncache miss

commit 264f881d5454b1ecec7f2d995de8e2ffbf9bc065
Author: Thibault Duplessis <t@lichess.org>
Date:   Tue May 5 22:01:28 2026 +0200

    .
```



git show 'commit id'

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature-research)
$ git show 4b8f07196934a22c361ffd63e8bc01e7f587e419
commit 4b8f07196934a22c361ffd63e8bc01e7f587e419
Merge: f086939b3c cb351e4bd8
Author: Thibault Duplessis <t@lichess.org>
Date: Tue May 5 21:17:59 2026 +0200

    Merge pull request #20405 from scala-steward/update/netty-transport-native-epoll-4.2.13.Final

    Update netty-transport-native-epoll to 4.2.13.Final

Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature-research)
$ |
```

git checkout ''

git checkout master

git checkout master -f [forcefully master/main branch]

cat task.txt

## If u perform push , don't use reset:

git reset --soft/hard 'commit code'

node script.js

temp save -> use stash:

git stash pop

git stash apply

git stash list

git stash clear

git stash pop stash@{0}

git clean -f -n

git remote add origin 'repo r url'

git push origin master[server e chole jbe]

git pull origin master[server theke chole ashbe]

zip new.zip script.js

vim .gitignore

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ git push origin master
Everything up-to-date
```

```
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$ git commit -m "added malware analysis function"
On branch feature/new-setup
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   lilaa.sh

no changes added to commit (use "git add" and/or "git commit -a")
Asus@LAPTOP-E7SLJSPE MINGW64 ~/MyProject/lilaa (feature/new-setup)
$
```