

Loops

A loop allows you to run the same task multiple times with different input.

```
---
- hosts: all
  become: true
  tasks:
    - name: Install apache2
      ansible.builtin.package:
        name: apache2
        state: present
    - name: Install git
      ansible.builtin.package:
        name: git
        state: present
    - name: install multiple packages
      ansible.builtin.package:
        name: "{{ item }}"
        state: present
      loop:
        - docker.io
        - wget
        - unzip
```


→ Repeating the same task

→ we are using loops to perform a task multiple times with different inputs.

loop

Create multiple users like akshat, virat, rohit, Ravindra.

```
---
- hosts: all
  become: true
  tasks:
    - name: Create multi users
      ansible.builtin.user:
        name: "{{ item }}"
      loop:
        - akshat
        - virat
        - rohit
        - ravindra
~
~
~
```



copy multiple files to destination,

`touch file1.txt file2.txt`

```
- hosts: all
  become: true
  tasks:
    - name: Copy multiple files
      ansible.builtin.copy:
        src: "{{ item.src }}"
        dest: "{{ item.dest }}"
      loop:
        - { src: 'file1.txt', dest: '/home/devops/file1.txt' }
        - { src: 'file2.txt', dest: '/home/devops/file2.txt' }
```

~