Roll no.- 106122056

File Processing

1. Develop an implementation package using 'C' program to process a FILE containing student details for the given queries.

   A student record has the following format:
   Std_rollno, Std_name, Dept, C1, C1_c, C1_g, C2, C2_c, C2_g, C3, C3_c, C3_g

   Note: C1 refers to Course1, C1_c refers to credit of the course, C1_g refers to the grade in that course and so on.
   Every student should have a unique rollno.
   A student should have at least 3 courses and maximum four.
   A grade point is in integer: S - 10; A - 9; B - 8; C - 7; D - 6; E - 5; F – 0.

   Create a file and develop a menu driven system for the following queries.

   a. Insert at least 5 student records.
   b. Create a column 'GPA' for all the students.
   c. For a student with four courses, delete(deregister) a course name.
   d. For the same student you deleted in 'c', insert a new course name.
   e. Update the name of a course for two different students.
   f. Calculate GPA of all students using the GPA formula. Refer the following: https://www.nitt.edu/home/academics/rules/BTech_Regulations_2019.pdf
   g. Upgrade the grade point of a student who has secured '7' in a course.
   h. Calculate the updated GPA of the student in 'g'.
   i. Generate a Grade report of a student given the roll no. or name.

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#define MAX_COURSES 4
#define MAX_STUDENTS 100

typedef struct {
  char name[50];
  int credits;
  int grade;
} Course;

typedef struct {
  int rollno;
  char name[50];
  char dept[10];
  Course courses[MAX_COURSES];
  int course_count;
  float gpa;
} Student;

Student students[MAX_STUDENTS];
int student_count = 0;
```

```
void readStudentsFromFile(const char *filename) {
  FILE *file = fopen(filename, "r");
  if (!file) {
    printf("Error opening file.\n");
    return;
  }

  student_count = 0;
  while (fscanf(file, "%d,%49[^,],%9[^,]", &students[student_count].rollno, students[student_count].name,
students[student_count].dept) == 3) {
    for (int i = 0; i < MAX_COURSES; i++) {
      if (fscanf(file, ",%49[^,],%d,%d", students[student_count].courses[i].name,
&students[student_count].courses[i].credits, &students[student_count].courses[i].grade) != 3) {
        break;
      }
      students[student_count].course_count++;
    }
    student_count++;
  }
  fclose(file);
}

void writeStudentsToFile(const char *filename) {
  FILE *file = fopen(filename, "w");
  if (!file) {
    printf("Error opening file.\n");
    return;
  }

  for (int i = 0; i < student_count; i++) {
    fprintf(file, "%d,%s,%s", students[i].rollno, students[i].name, students[i].dept);
    for (int j = 0; j < students[i].course_count; j++) {
      fprintf(file, ",%s,%d,%d", students[i].courses[j].name, students[i].courses[j].credits,
students[i].courses[j].grade);
    }
    fprintf(file, "\n");
  }
  fclose(file);
}
void insertStudent() {
  if (student_count >= MAX_STUDENTS) {
    printf("Maximum student limit reached.\n");
    return;
  }

  Student new_student;
  printf("Enter roll number: ");
  scanf("%d", &new_student.rollno);
  printf("Enter name: ");
  scanf("%s", new_student.name);
  printf("Enter department: ");
  scanf("%s", new_student.dept);

  printf("Enter number of courses (3 or 4): ");
  scanf("%d", &new_student.course_count);
  if (new_student.course_count < 3 || new_student.course_count > 4) {
    printf("Invalid number of courses.\n");
```

```
        return;
    }

    for (int i = 0; i < new_student.course_count; i++) {
        printf("Enter course %d name: ", i + 1);
        scanf("%s", new_student.courses[i].name);
        printf("Enter course %d credits: ", i + 1);
        scanf("%d", &new_student.courses[i].credits);
        printf("Enter course %d grade: ", i + 1);
        scanf("%d", &new_student.courses[i].grade);
    }

    students[student_count++] = new_student;
    writeStudentsToFile("students.txt");
}
void calculateGPA(Student *student) {
    int total_credits = 0;
    int total_points = 0;

    for (int i = 0; i < student->course_count; i++) {
        total_credits += student->courses[i].credits;
        total_points += student->courses[i].credits * student->courses[i].grade;
    }

    student->gpa = (float)total_points / total_credits;
}

void calculateAllGPAs() {
    for (int i = 0; i < student_count; i++) {
        calculateGPA(&students[i]);
    }
    writeStudentsToFile("students.txt");
}
void deregisterCourse(int rollno) {
    for (int i = 0; i < student_count; i++) {
        if (students[i].rollno == rollno && students[i].course_count == 4) {
            printf("Enter course name to deregister: ");
            char course_name[50];
            scanf("%s", course_name);

            int found = 0;
            for (int j = 0; j < students[i].course_count; j++) {
                if (strcmp(students[i].courses[j].name, course_name) == 0) {
                    found = 1;
                    for (int k = j; k < students[i].course_count - 1; k++) {
                        students[i].courses[k] = students[i].courses[k + 1];
                    }
                    students[i].course_count--;
                    break;
                }
            }

            if (!found) {
                printf("Course not found.\n");
            } else {
                writeStudentsToFile("students.txt");
                printf("Course deregistered successfully.\n");
```

```
        }
        return;
      }
    }
    printf("Student with roll number %d having four courses not found.\n", rollno);
}
void insertCourse(int rollno) {
    for (int i = 0; i < student_count; i++) {
      if (students[i].rollno == rollno && students[i].course_count == 3) {
        printf("Enter new course name: ");
        scanf("%s", students[i].courses[students[i].course_count].name);
        printf("Enter new course credits: ");
        scanf("%d", &students[i].courses[students[i].course_count].credits);
        printf("Enter new course grade: ");
        scanf("%d", &students[i].courses[students[i].course_count].grade);

        students[i].course_count++;
        writeStudentsToFile("students.txt");
        printf("Course inserted successfully.\n");
        return;
      }
    }
    printf("Student with roll number %d having three courses not found.\n", rollno);
}
void updateCourseName() {
    for (int i = 0; i < 2; i++) {
      printf("Enter roll number for student %d: ", i + 1);
      int rollno;
      scanf("%d", &rollno);

      int found = 0;
      for (int j = 0; j < student_count; j++) {
        if (students[j].rollno == rollno) {
          printf("Enter old course name to update: ");
          char old_name[50];
          scanf("%s", old_name);
          printf("Enter new course name: ");
          char new_name[50];
          scanf("%s", new_name);

          for (int k = 0; k < students[j].course_count; k++) {
            if (strcmp(students[j].courses[k].name, old_name) == 0) {
              strcpy(students[j].courses[k].name, new_name);
              found = 1;
              break;
            }
          }

          if (!found) {
            printf("Course not found for student %d.\n", rollno);
          } else {
            printf("Course name updated successfully.\n");
          }
          break;
        }
      }
```

```
    if (!found) {
      printf("Student with roll number %d not found.\n", rollno);
    }
  }
  writeStudentsToFile("students.txt");
}
void upgradeGrade(int rollno) {
  for (int i = 0; i < student_count; i++) {
    if (students[i].rollno == rollno) {
      for (int j = 0; j < students[i].course_count; j++) {
        if (students[i].courses[j].grade == 7) {
          students[i].courses[j].grade = 8;
        }
      }
      writeStudentsToFile("students.txt");
      printf("Grades upgraded successfully.\n");
      return;
    }
  }
  printf ("Student with roll number %d not found.\n", rollno);
}
void generateGradeReport (int rollno) {
  for (int i = 0; i < student_count; i++) {
    if (students[i].rollno == rollno) {
      printf("Grade Report for Roll Number: %d\n", rollno);
      printf("Name: %s\n", students[i].name);
      printf("Department: %s\n", students[i].dept);
      printf("Courses:\n");
      for (int j = 0; j < students[i].course_count; j++) {
        printf("%s: Credits = %d, Grade = %d\n", students[i].courses[j].name, students[i].courses[j].credits,
students[i].courses[j].grade);
      }
      printf("GPA: %.2f\n", students[i].gpa);
      return;
    }
  }
  printf("Student with roll number %d not found.\n", rollno);
}
void menu() {
  int choice;
  do {
    printf("\n1. Insert Student Records\n");
    printf("2. Calculate GPAs\n");
    printf("3. Deregister a Course\n");
    printf("4. Insert a New Course\n");
    printf("5. Update Course Names\n");
    printf("6. Upgrade Grade\n");
    printf("7. Generate Grade Report\n");
    printf("8. Exit\n");
    printf("Enter your choice: ");
    scanf("%d", &choice);

    switch (choice) {
      case 1:
        insertStudent();
        break;
      case 2:
```

```
            calculateAllGPAs();
            break;
        case 3: {
            int rollno;
            printf("Enter roll number: ");
            scanf("%d", &rollno);
            deregisterCourse(rollno);
            break;
        }
        case 4: {
            int rollno;
            printf("Enter roll number: ");
            scanf("%d", &rollno);
            insertCourse(rollno);
            break;
        }
        case 5:
            updateCourseName();
            break;
        case 6: {
            int rollno;
            printf("Enter roll number: ");
            scanf("%d", &rollno);
            upgradeGrade(rollno);
            break;
        }
        case 7: {
            int rollno;
            printf("Enter roll number: ");
            scanf("%d", &rollno);
            generateGradeReport(rollno);
            break;
        }
        case 8:
            printf("Exiting...\n");
            break;
        default:
            printf("Invalid choice. Please try again.\n");
    }
  } while (choice != 8);
}

int main() {
  readStudentsFromFile("students.txt");menu();
return 0;
}
```

Structured Query Language (SQL)

1. Create a Student schema using the student details given in Q.No.1 and execute the following basic queries.

Note: When defining the schema, exclude the following columns: Course_credit and Course_grade for all the courses.
Make sure you have the following constraints: Course is declared in char datatype.
DoB should be in date (dd/mm/yyyy) format. Provide a not-null constraint for dob. Email should have the following format: xxx@nitt.edu

```
  CREATE TABLE student (
  rollnum INT PRIMARY KEY,
  name VARCHAR(50),
  dept VARCHAR(10),
  dob DATE NOT NULL,
  email VARCHAR(50) CHECK (email LIKE '%@nitt.edu'),
  course1 VARCHAR(50),
  course2 VARCHAR(50),
  course3 VARCHAR(50),
  course4 VARCHAR(50)
);
mysql> describe student;
+---------+-------------+------+-----+---------+-------+
| Field   | Type        | Null | Key | Default | Extra |
+---------+-------------+------+-----+---------+-------+
| rollnum | int         | NO   | PRI | NULL    |       |
| name    | varchar(50) | YES  |     | NULL    |       |
| dept    | varchar(10) | YES  |     | NULL    |       |
| dob     | date        | NO   |     | NULL    |       |
| email   | varchar(50) | YES  |     | NULL    |       |
| course1 | varchar(50) | YES  |     | NULL    |       |
| course2 | varchar(50) | YES  |     | NULL    |       |
| course3 | varchar(50) | YES  |     | NULL    |       |
| course4 | varchar(50) | YES  |     | NULL    |       |
+---------+-------------+------+-----+---------+-------+
```

A.Insert at least 5 student records into the Student table.

```
INSERT INTO student (rollnum, name, dept, dob, email, course1, course2, course3, course4)
VALUES
(106122034, 'deepak', 'cse', '2022-08-22', '106122034@nitt.edu', 'DBMS', 'OS', 'CYK', 'FLAT'),
(106122036, 'dev', 'cse', '2022-08-22', '106122036@nitt.edu', 'DBMS', 'M1', 'M2', 'CHEM'),
(106122122, 'sudhanshu', 'cse', '2022-08-22', '106122122@nitt.edu', 'DBMS', 'PHYSICS', 'CHEM', 'MECH'),
(106122056, 'himanshu', 'cse', '2022-08-22', '106122056@nitt.edu', 'ROL', 'THKI', 'CHIK', 'M3');
mysql> select * from student;
```

```
+-----------+-----------+------+------------+--------------------+---------+---------+---------+---------+
| rollnum   | name      | dept | dob        | email              | course1 | course2 | course3 | course4 |
+-----------+-----------+------+------------+--------------------+---------+---------+---------+---------+
| 106122034 | deepak    | cse  | 2022-08-22 | 106122034@nitt.edu | DBMS    | OS      | CYK     | FLAT    |
| 106122036 | dev       | cse  | 2022-08-22 | 106122036@nitt.edu | DBMS    | M1      | M2      | CHEM    |
| 106122056 | himanshu  | cse  | 2022-08-22 | 106122056@nitt.edu | ROL     | THKI    | CHIK    | M3      |
| 106122122 | sudhanshu | cse  | 2022-08-22 | 106122122@nitt.edu | DBMS    | PHYSICS | CHEM    | MECH    |
+-----------+-----------+------+------------+--------------------+---------+---------+---------+---------+
```

B. Delete Course2 and Course3 attributes from the Student table.

```
ALTER TABLE student
DROP COLUMN course2,
DROP COLUMN course3;
```

```
mysql> select * from student;
+-----------+-----------+------+------------+--------------------+---------+---------+
| rollnum   | name      | dept | dob        | email              | course1 | course4 |
+-----------+-----------+------+------------+--------------------+---------+---------+
| 106122034 | deepak    | cse  | 2022-08-22 | 106122034@nitt.edu | DBMS    | FLAT    |
| 106122036 | dev       | cse  | 2022-08-22 | 106122036@nitt.edu | DBMS    | CHEM    |
| 106122056 | himanshu  | cse  | 2022-08-22 | 106122056@nitt.edu | ROL     | M3      |
| 106122122 | sudhanshu | cse  | 2022-08-22 | 106122122@nitt.edu | DBMS    | MECH    |
+-----------+-----------+------+------------+--------------------+---------+---------+
```

C. Insert two new columns DoB and email into the Student table.
Already done while make the table

D. Change Course1 datatype to varchar2.

```
ALTER TABLE student
MODIFY course1 VARCHAR2(50);
```

```
mysql> describe student;
+---------+-------------+------+-----+---------+-------+
| Field   | Type        | Null | Key | Default | Extra |
+---------+-------------+------+-----+---------+-------+
| rollnum | int         | NO   | PRI | NULL    |       |
| name    | varchar(50) | YES  |     | NULL    |       |
| dept    | varchar(10) | YES  |     | NULL    |       |
| dob     | date        | NO   |     | NULL    |       |
```

| email | varchar(50) | YES | | NULL | |

| course1 | varchar(50) | YES | | NULL | |

| course4 | varchar(50) | YES | | NULL | |

+---------+-------------+------+-----+---------+-------+

7 rows in set (0.00 sec)

E. Update the column name ‘Std_rollno’ to ‘Std_rno’.

ALTER TABLE student

RENAME COLUMN rollnum TO std_rno;

mysql> select * from student;

+-----------+-----------+------+------------+--------------------+---------+---------+

| std_rno | name | dept | dob | email | course1 | course4 |

+-----------+-----------+------+------------+--------------------+---------+---------+

| 106122034 | deepak | cse | 2022-08-22 | 106122034@nitt.edu | DBMS | FLAT |

| 106122036 | dev | cse | 2022-08-22 | 106122036@nitt.edu | DBMS | CHEM |

| 106122056 | himanshu | cse | 2022-08-22 | 106122056@nitt.edu | ROL | M3 |

| 106122122 | sudhanshu | cse | 2022-08-22 | 106122122@nitt.edu | DBMS | MECH |

+-----------+-----------+------+------------+--------------------+---------+---------+

4 rows in set (0.00 sec)

F. Update all student records who pursue a course named “DBMS” to “OS”.

UPDATE student

SET course1 = 'OS'

WHERE course1 = 'DBMS';

mysql> select * from student;

+-----------+-----------+------+------------+--------------------+---------+---------+

| std_rno | name | dept | dob | email | course1 | course4 |

+-----------+-----------+------+------------+--------------------+---------+---------+

| 106122034 | deepak | cse | 2022-08-22 | 106122034@nitt.edu | OS | FLAT |

| 106122036 | dev | cse | 2022-08-22 | 106122036@nitt.edu | OS | CHEM |

| 106122056 | himanshu | cse | 2022-08-22 | 106122056@nitt.edu | ROL | M3 |

| 106122122 | sudhanshu | cse | 2022-08-22 | 106122122@nitt.edu | OS | MECH |

+-----------+-----------+------+------------+--------------------+---------+---------+

4 rows in set (0.00 sec)

G. Delete a student record with student name starting with letter ‘S’.

```
DELETE FROM student
WHERE name LIKE 'S%';
mysql> select * from student;
+-----------+----------+------+------------+--------------------+---------+---------+
| std_rno   | name     | dept | dob        | email              | course1 | course4 |
+-----------+----------+------+------------+--------------------+---------+---------+
| 106122034 | deepak   | cse  | 2022-08-22 | 106122034@nitt.edu | OS      | FLAT    |
| 106122036 | dev      | cse  | 2022-08-22 | 106122036@nitt.edu | OS      | CHEM    |
| 106122056 | himanshu | cse  | 2022-08-22 | 106122056@nitt.edu | ROL     | M3      |
+-----------+----------+------+------------+--------------------+---------+---------+
```

H. Display all records in which a student has born after the year 2005.

```
SELECT * FROM student
WHERE dob > '2005-01-01';
mysql> SELECT * FROM student WHERE dob > '2005-01-01';
+-----------+----------+------+------------+--------------------+---------+---------+
| std_rno   | name     | dept | dob        | email              | course1 | course4 |
+-----------+----------+------+------------+--------------------+---------+---------+
| 106122034 | deepak   | cse  | 2022-08-22 | 106122034@nitt.edu | OS      | FLAT    |
| 106122036 | dev      | cse  | 2022-08-22 | 106122036@nitt.edu | OS      | CHEM    |
| 106122056 | himanshu | cse  | 2022-08-22 | 106122056@nitt.edu | ROL     | M3      |
+-----------+----------+------+------------+--------------------+---------+---------+
    3 rows in set (0.00 sec)
```

I. Simulate DROP and TRUNATE commands with the database you created.

```
DROP TABLE student;
TRUNCATE TABLE student;
```