Roll.no:- 106122056

1. Write SQL queries in MySQL for the following.

a. Write an SQL Query to find the year from date.

```
mysql>  select year('2024/07/18') as year;
+------+
| year |
+------+
| 2024 |
+------+
```

b. Check whether date passed to Query is the date of a given format or not.

```
mysql>  select year('18/07/2024') as year;
+------+
| year |
+------+
| NULL |
+------+
```

c. Find the size of the SCHEMA/USER.

```
mysql> SELECT table_schema AS `Database`, SUM(data_length + index_length) / 1024 / 1024 AS `Size (MB)` FROM    information_schema.tables WHERE    table_schema = 'hmm' GROUP BY table_schema;
+----------+------------+
| Database | Size (MB)  |
+----------+------------+ |
hmm     | 0.06250000 |
+----------+------------+
```

d. Display the current time.

```
mysql> select time(now()) as time;
+----------+
| time    |
+----------+
| 23:10:11 |
+----------+
```

e. Given a date, retrieve the next day's date.

```
mysql> select date('2024/07/25')+1 as newdate;
```

```
+----------+ |
newdate  |
+----------+
| 20240726 |
+----------+
```

f. Get database's date.

```
mysql> select date(now()) as databasedate;
+--------------+
| databasedate |
+--------------+
| 2024-07-25   |
+--------------+
```

g. Returns the default(current) database name.

```
mysql> select database();
+------------+
| database() |
+------------+
| dev        |
+------------+
```

h. Retrieve the current MySQL user name and host name.

```
mysql> select user();
+----------------+
| user()         |
+----------------+
| root@localhost |
+----------------+

mysql> select @@hostname;
+-------------+
| @@hostname  |
+-------------+
| ubuntulinux |
+-------------+
```

i. Find the string that tells the MySQL server version.

```
mysql> select version(); +------------------------+
| version()              |
+------------------------+
| 8.0.37-0ubuntu0.22.04.3 |
+------------------------+
```

j. Perform Bitwise OR, Bitwise XOR and Bitwise AND. mysql> select 1^0 as value;

```
+-------+
| value |
+-------+
|     1 |
+-------+
```

mysql> select 1|0 as value;

```
+-------+
| value |
+-------+
|     1 |
+-------+
```

mysql> select 1&0 as value;

```
+-------+
| value |
+-------+
|     0 |
+-------+
```

k. Find the difference between two dates and print in terms of the number of days.

mysql> select datediff('2024/07/25','2024/07/18') as difference;

```
+------------+
| difference |
+------------+
|          7 |
+------------+
```

l. Add one day to the current date.

mysql> select curdate()+1 as date;

```
+----------+
| date     |
+----------+
| 20240726 |
+----------+
```

m. Add two hours and 5000 minutes to the current date and print the new date.

mysql> select date(now())+ interval '2' hour+interval '5000' minute as newdate;

```
+---------------------+
| newdate             |
+---------------------+
| 2024-07-28 13:20:00 |
+---------------------+
```

n. Find the floor and ceil values of a floating point number. Also operate on the power, log, modulus, round off and truncate functions.

mysql> select floor(6.5) as value;
```
+-------+
| value |
+-------+
|     6 |
+-------+
```

mysql> select ceil(6.5) as value;
```
+-------+
| value |
+-------+
|     7 |
+-------+
```

mysql> select power(4,2) as value;
```
+-------+
| value |
+-------+
|    16 |
+-------+
```

mysql> select log(4,2) as value;
```
+-------+
| value |
+-------+
|   0.5 |
+-------+
```

mysql> select mod(4,3) as value;
```
+-------+
| value |
+-------+
|     1 |
+-------+
```

mysql> select round(5.44449,2) as value;
```
+-------+
| value |
+-------+
|  5.44 |
+-------+
```

mysql> select truncate(33.22,1) as value;
```
+-------+
```

```
| value |
+-------+
| 33.2 |
+-------+
```

o. In the first name of the employee, match the following using regular expressions.

```
mysql> SELECT * FROM employee WHERE first_name REGEXP 'a';
+----+------------+-----------+
| id | first_name | last_name |
+----+------------+-----------+
| 1 | Alice      | Smith     |
| 3 | Charlie    | Williams  |
| 4 | David      | Jones     |
| 6 | Frank      | Davis     |
+----+------------+-----------+
```

p. Compare two strings and print the value 'yes' if they are equal, else print 'no'.

```
mysql> select case when 'string1'='string2' then 'yes' else 'No' end as result; +--------+
| result |
+--------+
| No     |
+--------+
```

```
mysql> select case when 'string1'='string1' then 'yes' else 'No' end as result; +--------+
| result |
+--------+
| yes    |
+--------+
```

q. Simulate the "IF... ELSE" construct in MySQL for a mark and grade setup.

```
mysql> SELECT  id, name, marks, CASE  WHEN marks > 90 THEN 'S' WHEN marks > 80 THEN
'A' WHEN marks > 70 THEN 'B' WHEN marks > 60 THEN 'C' ELSE 'D' END AS grade FROM
student;
+----+---------+-------+-------+
| id | name    | marks | grade |
+----+---------+-------+-------+
| 1 | Alice   |    95 | S     |
| 2 | Bob     |    85 | A     |
| 3 | Charlie |    75 | B     |
| 4 | David   |    65 | C     |
| 5 | Eve     |    55 | D     |
+----+---------+-------+-------+
```

r. Use IFNULL to check whether a mathematical expression gives a NULL value or not.

mysql> SELECT id, score1, score2, IFNULL((score1 + score2) / 2, 0) AS average_score FROM results;

```
+----+--------+--------+---------------+
| id | score1 | score2 | average_score |
+----+--------+--------+---------------+
|  1 | 85.50  | 90.00  |     87.750000 |
|  2 | 78.25  | NULL   |      0.000000 |
|  3 | NULL   | 88.75  |      0.000000 |
|  4 | NULL   | NULL   |      0.000000 |
+----+--------+--------+---------------+
```