APA Midterm

Angelina Vasquez[1] & [1,2]

[1] Brooklyn College

[2]

Author Note

A Brooklyn College Graduate student. Also, a John Jay College research assistant.

Enter author note here.

Correspondence concerning this article should be addressed to Angelina Vasquez, Postal address. E-mail: my@email.com

Abstract

Five-month old infants listened to songs sung by their parent, a toy,or someone unfamiliar for one to two week period. These songs had the same lyrics and rhythms. However, the melodies were different. The researchers tested the infants selected attention when a random person sang the song they were familiar with and the song they were not. The results indicated that infants paid more attention to the song they were familiar with, and that exposure time predicted preference time. This suggests that melodies may carry social meanings for infants.

Keywords: music,social cognition,memory,infant development,open data

Word count: X

APA Midterm

Methods

We report how we determined our sample size, all data exclusions (if any), all manipulations, and all measures in the study.

Participants

The participants were 32 infants and both their parents. However, only one of the paretns was active in their participation.

Material

The materials for this study consisted of two adpated versions of lullabies from folk collections.These were also provided through a website with the recordings of the songs and printed versions of the lyrics.

Procedure

Data analysis

We used R (Version 3.5.2; R Core Team, 2018) and the R-packages *data.table* (Version 1.12.0; Dowle & Srinivasan, 2019), *dplyr* (Version 0.8.0.1; Wickham, François, Henry, & Müller, 2019), *papaja* (Version 0.1.0.9842; Aust & Barth, 2018), and *summarytools* (Version 0.9.2; Comtois, 2019) for all our analyses.

```
## [1] 0.5210967
```

```
## [1] 0.1769651
```



T-test analysis

```
##
##  One Sample t-test
##
## data:  baseline
## t = 0.67438, df = 31, p-value = 0.5051
## alternative hypothesis: true mean is not equal to 0.5
## 95 percent confidence interval:
##  0.4572940 0.5848994
## sample estimates:
## mean of x
## 0.5210967
```

So, there we have it. We did a one-sample t-test. Here's how you would report it, t(31)

= .67, p = .505. Or, we might say something like:

During the baseline condition, the mean proportion looking time toward the singer was .52, and was not significantly different from .5, according to a one-sample test, t(31) = .67, p = .505.

power anaylisis probablity finding something given it is there how big is it how many subjects there is the pwr package to do analysis go to github simulation presentations for power analysis.

Results

apa print function will make a table of the data you ran(anova table) if you write something and then put'r write something other tick-that treats as r code some this test significant tick r F value p value tick——a=1,2,3,sapply(a,fun=function(x)return (x+1)).

Discussion

References

Mehr, S. A., Song, L. A., & Spelke, E. S. (2016). For 5-month-old infants, melodies are social. Psychological Science, 27(4), 486-501.

Aust, F., & Barth, M. (2018). *papaja: Create APA manuscripts with R Markdown*. Retrieved from https://github.com/crsh/papaja

Comtois, D. (2019). *Summarytools: Tools to quickly and neatly summarize data*. Retrieved from https://CRAN.R-project.org/package=summarytools

Dowle, M., & Srinivasan, A. (2019). *Data.table: Extension of 'data.frame'*. Retrieved from https://CRAN.R-project.org/package=data.table

R Core Team. (2018). *R: A language and environment for statistical computing*. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from https://www.R-project.org/

Wickham, H., François, R., Henry, L., & Müller, K. (2019). *Dplyr: A grammar of data manipulation*. Retrieved from https://CRAN.R-project.org/package=dplyr



Figure 1. This is histo