7.18. SHOC Bus Download Speed 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6	trial7	trial8
DownloadSpeed			1kB	GB/sec	0.0841	0.082579	0.00513956	0.0673684	0.0862534	0.0673684	0.0848806	0.0844327	0.0835509	0.0839895	0.0837696	0.0829016
DownloadSpeed			2kB	GB/sec	0.160225	0.160489	0.00770024	0.150588	0.170667	0.154217	0.170667	0.153846	0.150588	0.152745	0.166667	0.166234
DownloadSpeed			4kB	GB/sec	0.300121	0.299614	0.00418758	0.292237	0.30622	0.292237	0.304762	0.301176	0.299065	0.301176	0.296296	0.294931
DownloadSpeed			8kB	GB/sec	0.543527	0.542001	0.00686272	0.528926	0.551724	0.528926	0.54818	0.544681	0.54818	0.551724	0.533333	0.536688
DownloadSpeed			16kB	GB/sec	0.950549	0.952378	0.0317932	0.915921	0.998051	0.975238	0.924188	0.925859	0.91921	0.920863	0.978967	0.978967
DownloadSpeed			32kB	GB/sec	1.48729	1.4767	0.0223625	1.4382	1.50147	1.4382	1.50147	1.49489	1.46915	1.49927	1.44225	1.45661
DownloadSpeed			64kB	GB/sec	2.03984	2.03275	0.0201278	2	2.05829	2	2.05005	2.00784	2.03984	2.03175	2.00391	2.05829
DownloadSpeed			128kB	GB/sec	2.53309	2.53611	0.0101023	2.52372	2.5584	2.54568	2.53309	2.5284	2.53152	2.53309	2.54568	2.52372
DownloadSpeed			256kB	GB/sec	2.855[illegible]	2.84071	0.0336721	2.75361	2.87136	2.86233	2.83362	2.75361	2.87136	2.8258	2.86034	2.85336
DownloadSpeed			512kB	GB/sec	3.04847	2.76925	0.701862	0.680088	3.05672	3.04932	2.79162	3.03801	3.05273	3.05159	0.680088	3.04762
DownloadSpeed			1024kB	GB/sec	3.14696	2.79079	0.689764	1.38361	3.16967	3.1666	3.04875	3.06415	3.16752	3.16721	1.44467	3.16967
DownloadSpeed			2048kB	GB/sec	3.18725	2.94442	0.509087	1.91559	3.22885	3.2252	3.15608	3.15912	3.21539	3.22266	1.91559	3.22885
DownloadSpeed			4096kB	GB/sec	3.23401	3.0139	0.350765	2.46464	3.25701	3.25241	3.21499	3.21562	3.25402	3.25281	2.48341	3.25701
DownloadSpeed			8192kB	GB/sec	3.234	3.11465	0.202179	2.78975	3.27275	3.24351	3.16435	3.22448	3.27275	3.26887	2.83252	3.27189
DownloadSpeed			16384kB	GB/sec	3.15697	3.12591	0.160862	2.87232	3.28117	3.04682	2.87232	3.26712	3.28086	3.27998	2.89636	3.28117
DownloadSpeed			32768kB	GB/sec	3.24847	3.19635	0.10431	2.98314	3.28498	3.13251	3.22434	3.2726	3.28498	3.28441	3.15989	3.28345
DownloadSpeed			65536kB	GB/sec	3.27914	3.259	0.033918	3.20102	3.28686	3.28467	3.27361	3.20268	3.28553	3.28686	3.22488	3.28579
DownloadSpeed			131072kB	GB/sec	3.28507	3.27734	0.0134925	3.25166	3.2879	3.28777	3.28518	3.27168	3.28495	3.28786	3.25166	3.2879
DownloadSpeed			262144kB	GB/sec	3.28511	3.26469	0.0347326	3.18579	3.28822	3.28786	3.28359	3.18579	3.26253	3.28671	3.26703	3.28822
DownloadTime			1kB	ms	0.012176	0.0124576	0.000922028	0.011872	0.0152	0.0152	0.012064	0.012128	0.012256	0.012192	0.012224	0.012352
DownloadTime			2kB	ms	0.0128	0.0127904	0.000612372	0.012	0.0136	0.01328	0.012	0.013312	0.0136	0.013408	0.012288	0.01232
DownloadTime			4kB	ms	0.013648	0.0136736	0.000191492	0.013376	0.014016	0.014016	0.01344	0.0136	0.013696	0.0136	0.013824	0.013888
DownloadTime			8kB	ms	0.015072	0.0151168	0.000192639	0.014848	0.015488	0.015488	0.014944	0.01504	0.014944	0.014848	0.01536	0.015264
DownloadTime			16kB	ms	0.017248	0.0172224	0.00057347	0.016416	0.017888	0.0168	0.017728	0.017696	0.017824	0.017792	0.016736	0.016736
DownloadTime			32kB	ms	0.022032	0.0221952	0.000339321	0.021824	0.022784	0.022784	0.021824	0.02192	0.022304	0.021856	0.02272	0.022496
DownloadTime			64kB	ms	0.032128	0.0322432	0.000321022	0.03184	0.032768	0.032768	0.031968	0.03264	0.032128	0.032256	0.032704	0.03184
DownloadTime			128kB	ms	0.051744	0.0516832	0.000205125	0.051232	0.051936	0.051488	0.051744	0.05184	0.051776	0.051744	0.051488	0.051936
DownloadTime			256kB	ms	0.091808	0.0922944	0.00111494	0.091296	0.0952	0.091584	0.092512	0.0952	0.091296	0.092768	0.091648	0.091872
DownloadTime			512kB	ms	0.171984	0.234461	0.178897	0.17152	0.770912	0.171936	0.187808	0.172576	0.171744	0.171808	0.770912	0.172032
DownloadTime			1024kB	ms	0.333216	0.416013	0.163135	0.330816	0.757856	0.331136	0.343936	0.342208	0.33104	0.331072	0.725824	0.330816
DownloadTime			2048kB	ms	0.658032	0.742141	0.172952	0.649504	1.09478	0.65024	0.66448	0.66384	0.652224	0.650752	1.09478	0.649504
DownloadTime			4096kB	ms	1.29698	1.41294	0.182954	1.28778	1.70179	1.2896	1.30461	1.30435	1.28896	1.28944	1.68893	1.28778
DownloadTime			8192kB	ms	2.5939	2.70531	0.185456	2.56317	3.00694	2.58627	2.65098	2.60154	2.56317	2.56621	2.96154	2.56384
DownloadTime			16384kB	ms	5.32082	5.38166	0.282008	5.11318	5.84099	5.50646	5.84099	5.13517	5.11366	5.11504	5.79251	5.11318
DownloadTime			32768kB	ms	10.3299	10.5092	0.353181	10.2145	11.248	10.7117	10.4066	10.2532	10.2145	10.2163	10.6188	10.2193
DownloadTime			65536kB	ms	20.4655	20.5941	0.216152	20.4173	20.9649	20.4309	20.5	20.954	20.4256	20.4173	20.8097	20.4239
DownloadTime			131072kB	ms	40.8569	40.954	0.169335	40.8217	41.2766	40.8234	40.8555	41.0241	40.8584	40.8222	41.2766	40.8217
DownloadTime			262144kB	ms	81.7128	82.2333	0.888031	81.6356	84.2601	81.6444	81.7506	84.2601	82.2783 8	1.673	82.1649	81.6356

7.19. SHOC SPMV 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4
CSR-Scalar-SP	10485_elements_1024_rows	Gflop/s	0.492353	0.491852	0.00156929	0.487232	0.49285	0.487232	0.49285	0.491884	0.492394	0.492294
CSR-Scalar-SP_PCIe	10485_elements_1024_rows	Gflop/s	0.137159	0.136804	0.000837205	0.134479	0.137312	0.134479	0.137019	0.137231	0.136955	0.137234
CSR-Vector-SP	10485_elements_1024_rows	Gflop/s	0.261349	0.255234	0.0128315	0.223399	0.262433	0.23735	0.223399	0.260362	0.262245	0.261401
CSR-Vector-SP_PCIe	10485_elements_1024_rows	Gflop/s	0.109412	0.108255	0.00243434	0.102147	0.109601	0.104968	0.102147	0.109238	0.109568	0.109421
ELLPACKR-SP	10485_elements_1024_rows	Gflop/s	0.558802	0.558625	0.000974549	0.555872	0.559661	0.555872	0.558511	0.558687	0.559059	0.558854
Padded_CSR-Scalar-SP	16832_elements_1024_rows	Gflop/s	0.639735	0.639539	0.000408259	0.638691	0.640031	0.639339	0.640031	0.639747	0.639852	0.638691
Padded_CSR-Scalar-SP_PCIe	16832_elements_1024_rows	Gflop/s	0.210868	0.211135	0.00057479	0.210648	0.212292	0.212292	0.210751	0.210889	0.210774	0.210648
Padded_CSR-Vector-SP	16832_elements_1024_rows	Gflop/s	0.471938	0.471626	0.000882654	0.470233	0.472941	0.471965	0.472041	0.471018	0.471912	0.472682
Padded_CSR-Vector-SP_PCIe	16832_elements_1024_rows	Gflop/s	0.18873	0.18868	0.000141317	0.188456	0.18889	0.188734	0.188746	0.188583	0.188726	0.188849

7.20. SHOC MD 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6	trial7	trial8	trial9
MD-LJ	12288_atoms	GFLOPS	38.3134	38.2883	0.220931	37.7012	38.5828	37.7012	38.5828	38.2593	38.2635	38.3632	38.3803	38.2564	38.3818	38.2366	38.4576
MD-LJ-Bandwidth	12288_atoms	GB/s	29.3915	29.3722	0.169483	28.9218	29.5982	28.9218	29.5982	29.35	29.3532	29.4297	29.4428	29.3478	29.4439	29.3326	29.5021
MD-LJ-Bandwidth_PCIe	12288_atoms	GB/s	8.62724	8.62553	0.0147116	8.58632	8.64497	8.58632	8.64497	8.62367	8.62395	8.63054	8.63167	8.62348	8.63176	8.62216	8.63676
MD-LJ_PCIe	12288_atoms	GFLOPS	11.2461	11.2438	0.0191774	11.1927	11.2692	11.1927	11.2692	11.2414	11.2418	11.2504	11.2518	11.2412	11.252	11.2395	11.2585
MD-LJ_Parity	12288_atoms	N	2.40682	2.40524	0.0138787	2.36836	2.42374	2.36836	2.42374	2.40342	2.40369	2.40995	2.41102	2.40324	2.41111	2.40199	2.41588

7.21. SHOC Reduction 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6	trial7	trial8	trial9
Reduction	262144_items	GB/s	45.021	45.0116	0.042387	44.9105	45.0758	44.9105	44.968	45.0758	45.0202	45.0219	45.032	45.0407	45.0267	45.0052	45.0153
Reduction_PCIe	262144_items	GB/s	2.79718	2.7812	0.0489921	2.63522	2.80602	2.63522	2.7905	2.79448	2.80072	2.79929	2.80268	2.79507	2.80602	2.80186	2.78617
Reduction_Parity	262144_items	N	15.0988	15.1893	0.28622	15.0465	16.0424	16.0424	15.1147	15.1303	15.0745	15.0833	15.0675	15.1144	15.0465	15.0626	15.1567

7.22. SHOC S3D 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6
S3D-SP	13824_gridPoints	GFLOPS	23.0383	22.9121	0.32531	21.9898	23.1593	21.9898	23.0096	23.1074	23.0713	23.0669	22.8426	23.1593
S3D-SP_PCIe	13824_gridPoints	GFLOPS	19.4323	19.3408	0.234265	18.6752	19.5184	18.6752	19.4123	19.476	19.4553	19.4524	19.2929	19.5184
S3D-SP_Parity	13824_gridPoints	N	0.185562	0.184621	0.00254038	0.177486	0.18654	0.177486	0.185307	0.186453	0.185857	0.185817	0.183989	0.18654

7.23. SHOC SGEMM 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6	trial7	trial8	trial9
SGEMM-N	256	GFlops	227.254	226.987	0.752719	225.331	227.877	227.408	227.1	225.331	227.531	226.084	227.877	227.605	226.768	226.646	227.519
SGEMM-N_PCIe	256	GFlops	72.3799	72.3526	0.0766422	72.1837	72.443	72.3955	72.3642	72.1837	72.408	72.2608	72.443	72.4155	72.3306	72.3181	72.4067
SGEMM-N_Parity	256	N	2.13973	2.13722	0.00708732	2.12163	2.1456	2.14118	2.13829	2.12163	2.14235	2.12872	2.1456	2.14304	2.13516	2.13401	2.14223
SGEMM-T	256	GFlops	236.712	236.773	0.352543	236.299	237.436	237.436	236.539	236.299	236.365	237.261	236.819	236.619	236.579	236.806	237.007
SGEMM-T_PCIe	256	GFlops	73.3129	73.3187	0.0337872	73.2732	73.3822	73.3822	73.2962	73.2732	73.2796	73.3655	73.3231	73.3039	73.3001	73.3219	73.3411
SGEMM-T Parity	256	N	2.22879	2.22936	0.00331941	2.2249	2.23561	2.23561	2.22716	2.2249	2.22553	2.23396	2.2298	2.22791	2.22754	2.22967	2.23156

7.24. SHOC Sort 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6
Sort-Rate	262144items	GB/s	0.666183	0.666404	0.00499752	0.659243	0.672937	0.660272	0.672771	0.67173	0.672937	0.659243	0.669185	0.668919
Sort-Rate_PCIe	262144items	GB/s	0.455566	0.455641	0.00258533	0.451393	0.459132	0.451393	0.458788	0.458525	0.459132	0.452575	0.456786	0.456691
Sort-Rate_Parity	262144items	N	0.463726	0.462551	0.00320461	0.45665	0.466411	0.462743	0.466411	0.464982	0.465673	0.45665	0.464987	0.46471

7.25. SHOC Stencil 2D 9800 GTX+

test	atts	units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5	trial6
SP_Sten2D	1000:768x768:16x16	s	0.973421	0.978881	0.0146955	0.972847	1.02273	1.02273	0.974375	0.973131	0.97814	0.972935	0.972955	0.972847

7.26. SHOC Triad 9800 GTX+

test	atts		units	median	mean	stddev	min	max	trial0	trial1	trial2	trial3	trial4	trial5
TriadBdwth	Block:00064KB	GB/s	0.776321	0.77593	0.00488421	0.762938	0.782538	0.775907	0.777225	0.776422	0.782538	0.762938	0.77622	0.779149
TriadBdwth	Block:00128KB	GB/s	1.2345	1.23375	0.00610622	1.22538	1.24678	1.22538	1.23093	1.23775	1.22726	1.23663	1.23306	1.24678
TriadBdwth	Block:00256KB	GB/s	1.76745	1.76476	0.00893392	1.74641	1.77424	1.77246	1.76493	1.77115	1.74641	1.77424	1.77099	1.75064
TriadBdwth	Block:00512KB	GB/s	2.2517	2.25177	0.00299578	2.24781	2.25618	2.25094	2.25557	2.24804	2.25082	2.25356	2.25245	2.24781
TriadBdwth	Block:01024KB	GB/s	2.60669	2.60647	0.00300208	2.60081	2.61179	2.60908	2.60767	2.6035	2.61179	2.60879	2.60395	2.6071
TriadBdwth	Block:02048KB	GB/s	2.83006	2.82806	0.00654738	2.81116	2.83431	2.81116	2.82291	2.83089	2.82943	2.83431	2.82988	2.82546
TriadBdwth	Block:04096KB	GB/s	2.95867	2.95539	0.00896205	2.93846	2.96482	2.96482	2.95772	2.95961	2.9478	2.93846	2.96191	2.96308
TriadBdwth	Block:08192KB	GB/s	3.02942	3.02946	0.00375629	3.02181	3.03457	3.02181	3.03236	3.03457	3.03397	3.02839	3.03114	3.0299
TriadBdwth	Block:16384KB	GB/s	2.92692	2.91495	0.0197325	2.87615	2.92909	2.87615	2.92909	2.92537	2.8912	2.92819	2.92878	2.9267
TriadFlops	Block:00064KB	GFLOP/s	0.129387	0.129322	0.000814035	0.127156	0.130423	0.129318	0.129538	0.129404	0.130423	0.127156	0.12937	0.129858
TriadFlops	Block:00128KB	GFLOP/s	0.20575	0.205625	0.0010177	0.20423	0.207797	0.20423	0.205155	0.206291	0.204544	0.206106	0.205509	0.207797
TriadFlops	Block:00256KB	GFLOP/s	0.294575	0.294126	0.00148899	0.291069	0.295707	0.29541	0.294154	0.295191	0.291069	0.295707	0.295164	0.291774
TriadFlops	Block:00512KB	GFLOP/s	0.375283	0.375295	0.000499297	0.374635	0.37603	0.375157	0.375928	0.374673	0.375137	0.375594	0.375408	0.374635
TriadFlops	Block:01024KB	GFLOP/s	0.434449	0.434412	0.000500346	0.433468	0.435298	0.434846	0.434612	0.433916	0.435298	0.434799	0.433992	0.434517
TriadFlops	Block:02048KB	GFLOP/s	0.471676	0.471343	0.00109123	0.468527	0.472386	0.468527	0.470485	0.471815	0.471571	0.472386	0.471646	0.470909
TriadFlops	Block:04096KB	GFLOP/s	0.493111	0.492566	0.00149367	0.489744	0.494136	0.494136	0.492953	0.493269	0.4913	0.489744	0.493652	0.493846
TriadFlops	Block:08192KB	GFLOP/s	0.504904	0.50491	0.000626049	0.503635	0.505762	0.503635	0.505394	0.505762	0.505662	0.504732	0.505189	0.504984
TriadFlops	Block:16384KB	GFLOP/s	0.48782	0.485824	0.00328875	0.479358	0.488181	0.479358	0.488181	0.487562	0.481867	0.488031	0.48813	0.487784

7.27. SPEC CPU2006 Integer Results (No Auto-Parallel)

	Iteration #1 [s]	Iteration #2 [s]	Iteration #3 [s]
400.perlbench	398.00	396.00	396.00
401.bzip2	582.00	582.00	581.00
403.gcc	375.00	375.00	375.00
429.mcf	373.00	373.00	371.00
445.gobmk	510.00	511.00	511.00
456.hmmer	869.00	869.00	869.00
458.jeng	595.00	612.00	595.00
462.libquantum	508.00	506.00	506.00
464.h264ref	710.00	706.00	709.00
471.omnetpp	374.00	373.00	374.00
473.atar	494.00	495.00	494.00
483.xalancbmk	268.00	260.00	259.00

7.28. SPEC CPU2006 Integer Results (Auto-Parallel Enabled)

	Iteration #1 [s]	Iteration #2 [s]	Iteration #3 [s]
400.perlbench	410.00	411.00	411.00
401.bzip2	539.00	539.00	538.00
403.gcc	330.00	331.00	334.00
429.mcf	184.00	184.00	184.00
445.gobmk	600.00	601.00	607.00
456.hmmer	213.00	214.00	214.00
458.jeng	508.00	508.00	507.00
462.libquantum	12.20	14.30	13.00
464.h264ref	959.00	959.00	1031.00
471.omnetpp	339.00	340.00	339.00
473.atar	350.00	349.00	349.00
483.xalancbmk	214.00	214.00	214.00

7.29. Speedup of SPEC CPU2006 Integer Results

	Iteration #1 Speedup	Iteration #2 Speedup	Iteration #2 Speedup
400.perlbench	-3.02%	-3.79%	-3.79%
401.bzip2	7.39%	7.39%	7.40%
403.gcc	12.00%	11.73%	10.93%
429.mcf	50.67%	50.67%	50.40%
445.gobmk	-17.65%	-17.61%	-18.79%
456.hmmer	75.49%	75.37%	75.37%
458.jeng	14.62%	16.99%	14.79%
462.libquantum	97.60%	97.17%	97.43%
464.h264ref	-35.07%	-35.84%	-45.42%
471.omnetpp	9.36%	8.85%	9.36%
473.atar	29.15%	29.49%	29.35%
483.xalancbmk	20.15%	17.69%	17.37%
Average Increase Per Benchmark	21.72%	21.51%	20.37%
Total Average Increase		21.20%	

7.30. SPEC CPU2006 Floating Point Results (No Auto-Parallel)

	Iteration #1 [s]	Iteration #2 [s]	Iteration #3 [s]
416.gamess	937	940	938
433.milc	479	463	489
435.gromacs	579	579	578
436.cactusADM	1372	1441	1338
437.leslie3d	604	604	603
444.namd	496	497	496
447.dealII	430	429	430
450.soplex	270	270	283
453.povray	236	235	237
454.calculix	1484	1484	1484
459.GemsFDTD	517	517	517
465.tonto	652	649	652
470.lbm	378	379	378

482.sphinx3	632	630	632
434.zeusmp	623	625	625

7.31. SPEC CPU2006 Floating Point Results (Auto-Parallel Enabled)

	Iteration #1 [s]	Iteration #2 [s]	Iteration #3 [s]
416.gamess	1238	1185	1197
433.milc	190	189	190
435.gromacs	485	489	482
436.cactusADM	60.9	53.1	50.3
437.leslie3d	87.7	90.5	95.8
444.namd	457	456	457
447.dealII	293	293	293
450.soplex	296	263	286
453.povray	191	191	190
454.calculix	382	292	375
459.GemsFDTD	119	122	121
465.tonto	469	462	469
470.lbm	49.9	49.9	50.1
482.sphinx3	528	544	514
434.zeusmp	93.9	93	90.8

7.32. Speedup of SPEC CPU2006 Floating Point Results

	Iteration #1 Speedup	Iteration #2 Speedup	Iteration #3 Speedup
416.gamess	-32.12%	-26.06%	-27.61%
433.milc	60.33%	59.18%	61.15%
435.gromacs	16.23%	15.54%	16.61%
436.cactusADM	95.56%	96.32%	96.24%
437.leslie3d	85.48%	85.02%	84.11%
444.namd	7.86%	8.25%	7.86%
447.dealII	31.86%	31.70%	31.86%
450.soplex	-9.63%	2.59%	-1.06%
453.povray	19.07%	18.72%	19.83%
454.calculix	74.26%	80.32%	74.73%
459.GemsFDTD	76.98%	76.40%	76.60%
465.tonto	28.07%	28.81%	28.07%
470.lbm	86.80%	86.83%	86.75%

482.sphinx3	16.46%	13.65%	18.67%
434.zeusmp	84.93%	85.12%	85.47%
Average Increase Per Benchmark	42.81%	44.16%	43.95%
Total Average Increase	43.64%		

7.33. Rodinia/Burkardt Benchmarks Average Execution Times

	2 threads	4 threads	8 threads	12 threads	24 threads
Leukocyte (s)	11.70	6.11	3.65	2.16	1.67
LU Decomposition (ms)	242.82	130.00	76.40	69.23	145.20
Speckle Reduction (ms)	638.14	415.07	306.41	283.93	492.26
Kmeans (s)	3.35	3.67	2.91	2.16	1.67
Stream Clusters (s)	47.08	25.18	14.61	11.91	10.40
FFT (ms)	76.17	45.41	31.63	27.85	31.36
Primes (s)	2.04	1.17	0.64	0.44	0.36

7.34. Rodinia/Burkardt Benchmarks Speedup between Thread Count

	2-4 threads	4-8 threads	8-12 threads	12-24 threads
Leukocyte (s)	47.78%	40.26%	40.82%	22.69%
LU Decomposition (ms)	46.46%	41.23%	9.38%	-109.74%
Speckle Reduction (ms)	34.96%	26.18%	7.34%	-73.37%
kmeans (s)	-9.55%	20.71%	25.77%	22.69%
Stream Clusters (s)	46.52%	41.98%	18.48%	12.68%
FFT (ms)	40.38%	30.35%	11.95%	-12.60%
Primes (s)	42.65%	45.30%	31.25%	18.18%
Average Increase Between Threads	35.60%	35.14%	20.71%	-17.07%

7.35. FPGA Results

Benchmark	Clk Period (MHz)	Clk Cycles	Throughput (ns)	Delay for valid data (Clock Cycles)	Delay (ns)
FFT	101	1	9.87	12	118
AES	376	1	2.66	1	2.66
FIR	710	1	1.41	8	1.13
FP Mul	550	9	16.4	9	46.4
FIR Core	550	11	20.0	20	36.4

Bibliography

[1] "The Methodology of Random Logic Design," [Online]. Available: http://www.intel4004.com/mrld.htm. [Accessed 20 January 2012].

[2] D. Risley, "PCMech," 23 March 2001. [Online]. Available: http://www.pcmech.com/article/a-cpu-history/10/. [Accessed 21 January 2012].

[3] "AMD," 5 June 2000. [Online]. Available: http://www.amd.com/us/press-releases/Pages/Press_Release_729.aspx. [Accessed 20 January 2012].

[4] C. S. a. D. Patterson, "Berkley," [Online]. Available: http://www.eecs.berkeley.edu/Pubs/TechRpts/1982/CSD-82-106.pdf. [Accessed 20 January 2012].

[5] M. Schmalz, "University of Florida," [Online]. Available: http://www.cise.ufl.edu/~mssz/CompOrg/CDA-proc.html. [Accessed 21 January 2012].

[6] J. Tyson, "HowStuffWorks.com," 23 August 2000. [Online]. Available: http://computer.howstuffworks.com/computer-memory4.htm. [Accessed 21 January 2012].

[7] T. Soderstrom, "Tom's Hardware," 11 December 2006. [Online]. Available: http://www.tomshardware.com/reviews/overclocking-guide-part-1,1379.html. [Accessed 20 January 2012].

[8] G. Petley, "VlsiTechnology," 22 September 2008. [Online]. Available: http://www.vlsitechnology.org/. [Accessed 22 January 2012].

[9] "SeachDataCenter," October 2004. [Online]. Available: http://searchdatacenter.techtarget.com/definition/multi-core-processor. [Accessed 23 January 2012].

[10] B. Barney, "Lawrence Livermore National Laboratory," [Online]. Available: https://computing.llnl.gov/tutorials/parallel_comp/. [Accessed 23 January 2012].

[11] NVIDIA, "What is GPU Computing?," 2012. [Online]. Available: http://www.nvidia.com/object/GPU_Computing.html. [Accessed 18 1 2012].

[12] P. Lilly, "From Voodoo to GeForce: The Awsome History of 3D Graphics," 19 5 2009. [Online]. Available: www.maximumpc.com/article/features/voodoo_geforce_awsome_history_3d_graphics. [Accessed 26 1 2012].

[13] "Graphics Processing Unit," 12 1 2012. [Online]. Available:

en.wikipedia.oeg/wiki/Grpahics_processing_unit. [Accessed 19 1 2012].

[14] NVIDIA, "PTX: Parallel Thread Execution ISA Version 2.3," NVIDIA, 2011.

[15] "NVIDIA CUDA Compute Capability Comparative Table," 6 6 2010. [Online]. Available: www.geeks3d.com/20100606/gpu-computing-nvidia-cuda-compute-capability-comparative-table/. [Accessed 11 12 2011].

[16] NVIDIA, "NVIDIA's Next Generation CUDA Compute Architecture: Fermi v1.1," NVIDIA, 2009.

[17] NVIDIA, "NVIDIA CUDA Architecture," NVIDIA, 2009.

[18] F. E. Allen, "The Greatest Inventors You've Never Heard Of," 2009.

[19] "FPGA Applications & Consulting Experts," [Online]. Available: http://fpgaace.com/index.php/fpga-history/. [Accessed 27 February 2012].

[20] "FPGA Central," 2011. [Online]. Available: http://www.fpgacentral.com/docs/fpga-tutorial/history-programmable-logic. [Accessed 28 January 2012].

[21] V. Betz, "University of Toronto," [Online]. Available: http://www.eecg.toronto.edu/~vaughn/challenge/fpga_arch.html. [Accessed February 1 2012].

[22] "Electrical Engineering Times," October 2008. [Online]. Available: http://www.eetimes.com/electrical-engineers/education-training/courses/4000134/Fundamentals-of-FPGAs. [Accessed 2 February 2012].

[23] B. C. L. a. A. E. Crews, "The Evolution of Benchmarking as a Computer Performance Evaluation Technique," *MIS Quarterly,* vol. 9, no. 1, pp. 7-16, 1985.

[24] "SPEC CPU 2006," 7 September 2011. [Online]. Available: http://www.spec.org/cpu2006/. [Accessed 22 January 2012].

[25] "SPEC," 24 August 2006. [Online]. Available: http://www.spec.org/cpu2006/CINT2006/. [Accessed 22 January 2012].

[26] "SPEC," 27 September 2006. [Online]. Available: http://www.spec.org/cpu2006/CFP2006/. [Accessed 22 January 2012].

[27] "Rodinia: Accelerated Compute-Intensive Applicaitons with Accelerators," 16 12 2011. [Online]. Available: https://www.cs.virginia.edu/~skadron/wiki/rodinia/index.php/Main_Page. [Accessed 18 12 2011].

[28] J. Burkardt, "Florida State University," 03 September 2011. [Online]. Available: http://people.sc.fsu.edu/~jburkardt/. [Accessed 23 January 2012].

[29] "Scalable HeterOgeneous Computing (SHOC) Benchmarking Suite," Oak Ridge National Laboratory, 11 11 2011. [Online]. Available: ft.ornl.gov/doku/shoc/start. [Accessed 19

12 2011].

[30] "Parboil Benchmark Suite," Illinois Microarchitecture Project utilizing Advanced Compiler Technology (IMPACT), [Online]. Available: impact.crhc.illinois.edu/parboil.php. [Accessed 18 12 2011].

[31] "Xilinx," 6 February 2009. [Online]. Available: http://www.xilinx.com/support/documentation/data_sheets/ds100.pdf. [Accessed 12 February 2012].

[32] "University of Virginia," [Online]. Available: http://www.cs.virginia.edu/!skadron/Papers/boyer_leukocyte_ipdps09.pdf. [Accessed 23 January 2012].

[33] M. Strickland, "HEARST Electronic Products," 1 March 2010. [Online]. Available: http://www2.electronicproducts.com/The_evolution_of_FPGA_coprocessing-article-FAJH_FPGA_Mar2010-html.aspx. [Accessed January 29 2012].

[34] J. Sanders and E. Kandrot, CUDA by Example, Boston, MA: Pearson Education, 2011.

[35] NVIDIA, "NVIDIA CUDA C Programming Guide," NVIDIA, 2011.

[36] W.-m. Hwu and D. Kirk, Programming Massively Parallel Processors: A Hands-on Approach, Burlington, MA: Morgan Kaufmann, 2010.

[37] A. Danalis, P. Roth, G. Marin, K. Spafford, C. McCurdy, V. Tipparaju, J. Meredith and J. Vetter, "The Scalabe HeterOgeneous Computing (SHOC) Benchmark Suite," Pittsburgh, PA, 2010.

[38] S. Che, M. Boyer, J. Meng, D. Tarjan, J. Sheaffer, S.-H. Lee and K. Skadron, "Rodinia: A Benchmark Suite for Heterogeneous Computing," Dept Computer Science, UVA, 2009.

[39] F. Abi-Chahla, "A Few Definitions," 18 6 2008. [Online]. Available: www.tomshardware.com/reviews/nvidia-cuda-gpu,1945-7.html. [Accessed 27 1 2012].

[40] "National Instruments," 19 December 2011. [Online]. Available: http://zone.ni.com/devzone/cda/tut/p/id/6983. [Accessed 27 January 2012].