

Processes: 576 total, 3 running, 573 sleeping, 2291 threads																									18:52:15
Load Avg: 1.38, 1.07, 0.96 CPU usage: 5.48% user, 2.38% sys, 92.20% idle SharedLibs: 877M resident, 181M data, 122M linkedit. MemResident: 0 total, 0B resident, 0B private, 1685M shared.																									
PhysMem: 1266 used (1638M wired, 394M compressor), 3186M unused. VM: 227T vszie, 5709M framework vszie, 0(0) swapiins, 0(0) swapouts. Networks: packets: 622198/414M in, 244561/36M out.																									
Disks: 226019/6840M read, 177755/3182M written.																									
PID	COMMAND	%CPU	TIME	#TH	#WQ	#PORT	MEM	PURG	CMPRS	PGRP	PPID	STATE	BOOSTS	%CPU_ME	%CPU_OTHRs	UID	FAULTS	COW	MSGSENT	MSGREC'V	SYSSBD	SYSMACH	CSW	PAGEI	IDLEW
924	com.apple.We	26.8	38:44.92	21	4	321	164M+	349M+	470K	924	1	sleeping	#[010959]	0.00000	0.00000	501	813034+	2819	951176+	468521+	2342850+	14819761+	6952580+	4413	253840+
381	WindowServer	20.1	95:49.97	22/1	5	2831+	395M+	116M-	120K	381	1	running	#[0]	0.05213	0.15781	88	440424+	7424	2666167+	1930542+	3607699+	10714435+	3307498+	2640	894851+
1708	com.apple.We	7.1	05:33.77	19	5	120	623M-	16M	5536K	1708	1	sleeping	#[0175564+]	0.00000	0.00000	501	133026+	299	299639+	39206+	11209138+	6015089+	7226457+	12	598168+
0	kernel_task	6.8	08:08.44	599/10	0	0	22M	0B	0B	0	0	running	[0]	0.00000	0.00000	0	26933	0	5877187+	3431502+	0	72630851+	51	3456836+	
396	coreaudiod	6.5	11:20.11	12	2	687	18M	0B	1104K	396	1	sleeping	#[01]	0.00000	0.00000	202	38139	344	151153	114943	16927334+	5768033+	11010979+	3225	1284946+
1923	screencaptu	4.2	00:00.13	4	3	70	9425K+	752K	0B	582	582	sleeping	#[0219+]	0.17698	0.00000	501	25811	136	4647+	447187+	1385+	4397+	1105+	43	0
1921	top	3.9	00:03.11	1/1	0	30	8192K	0B	0B	1921	1872	running	#[01]	0.00000	0.00000	0	330888+	93	942549+	471287+	185869+	694332+	1358+	11	15
510	com.apple.Dr	0.7	01:20.92	9	7	1409	39M	0B	1952K	510	1	sleeping	[01]	0.00000	0.05334	270	610848+	85	232165+	303979+	1721474+	1529393+	656	3640899+	
1924	screencaptu	0.5	00:00.07	5	3	173	8849K	0B	0B	1924	1	sleeping	#[056+]	0.00000	0.17698	501	2124	231	843+	273+	2264+	2035+	732+	47	7
911	Safari	0.5	01:19.63	12	6	837	104M	123M	26M	911	1	sleeping	#[534]	0.02524	0.00000	501	121502+	717	1344162+	468035+	1575414+	3876148+	1148670+	3856	210593+
1755	Terminal	0.4	00:08.62	12	5	401	172M	84M-	0B	1755	1	sleeping	#[0261]	0.03232	0.00000	501	44093+	366	127259+	21580+	104860+	724291+	69593+	223	2577+
394	airportd	0.4	00:20.38	12	10	355+	8944K+	0B	576K	394	1	sleeping	#151[1]	0.18244	0.00000	0	62402+	222	148793+	87879+	866192+	283594+	275933+	693	1924
923	com.apple.We	0.3	02:02.33	10	5	109	30M	9568K	1280K	923	1	sleeping	#[01249]	0.00000	0.00000	501	175424	222	884316+	249347+	6058442+	1283493+	2361455+	24458	69640+
1702	WhatsApp	0.2	00:21.29	19	3	531	105M	5952K	27M	1702	1	sleeping	#20[3]	0.01139	0.00000	501	30427	1534	254640+	10102+	402490+	504134+	190251+	508	56377+
311	logd	0.1	00:16.87	4	3	1869	12M	0B	3152K	311	1	sleeping	#[01]	0.00000	0.00000	0	56998	118	120551+	137407+	690949+	135499+	210460+	41089	48
376	corebrightne	0.1	00:20.75	3	2	139	4416K	0B	208K	376	1	sleeping	#[01]	0.10094	0.00000	0	55805+	180	85079+	69027+	972864+	177156+	128584+	627	15513
324	powerd	0.1	00:03.10	3	2	152	3936K	0B	32K	324	1	sleeping	#[01]	0.00000	0.05213	0	13445+	166	25021+	16961+	124500+	05559+	28909+	234	770
549	WirelessRadi	0.0	00:01.75	4	3	65	3520K	0B	496K	549	1	sleeping	#[01]	0.00000	0.06428	0	3603+	140	718	2467+	68831+	3890+	11899+	99	47
358	locationd	0.0	00:11.37	5	3	298+	7936K-	368K	432K	358	1	sleeping	#[02957+]	0.00000	0.01922	205	8855	242	21141+	19587+	294834+	87287+	107561+	2411	6558+
444	audioclocksy	0.0	00:07.41	4	3	50	7216K	0B	160K	444	1	sleeping	#[01]	0.00000	0.00000	0	971	117	15319	91816+	251595+	177657+	168996+	21	1000
425	symptomsd	0.0	00:05.53	3	2	113	6064K	64K	784K	425	1	sleeping	#[03421+]	0.00000	0.04560	24	2705	181	8591+	5420+	564923+	29134+	99288+	245	18
313	fsevents	0.0	00:08.25	9	1	150	3808K	0B	88	313	1	sleeping	#[01]	0.00000	0.00000	0	28776+	118	51691+	20802+	421382+	92188+	67730+	33	8727+
366	PerfPowerSer	0.0	00:24.63	7	4	493	11M	368K	864K	366	1	sleeping	#[841]	0.00000	0.00000	0	10882	229	701534	430053+	557956+	570864	258823+	512	1357
672	sharing	0.0	00:02.76	3	1	370	13M	0B	2288K	672	1	sleeping	#[01]	0.00000	0.00000	501	6828	363	10694	4771+	62598	85014+	352265+	622	261
835	duetextpartd	0.0	00:08.00	2	1	133	13M	1024K	2000K	835	1	sleeping	#[96]	0.00000	0.00000	501	10522	355	3855	53076+	231052+	51132	73590+	1670	55
514	com.apple.Ap	0.0	00:00.06	2	1	103	896K	0B	112K	514	1	sleeping	[01]	0.00000	0.00000	270	18529	83	1205+	748+	2528+	1501+	375+	21	0
647	wifiupd	0.0	00:00.90	3	2	61	4112K	0B	172K	647	1	sleeping	#[342]	0.00000	0.00000	0	1927	158	12134	28749+	480569+	23293+	224	12	
611	fileprovider	0.0	00:02.58	3	3	148	10M	0B	2824K	611	1	sleeping	#54[3]	0.00000	0.00000	501	5189	292	1981	1512+	104063+	6052	63924+	727	17101+
567	gamecontrol	0.0	00:00.00	3	2	87	398K	567	252K	567	1	sleeping	#[00000]	0.00000	0.00000	247	2565	141	9264+	2281+	9264+	2281+	9264+	136	1322
1793	WAApKitBrid	0.0	00:00.85	2	1	47	7425K	0B	3648K	1793	1	sleeping	#[04363+]	0.00000	0.01139	501	1349	185	4523+	4412+	22675	9236+	4688+	3	0
790	gamecontrol	0.0	00:00.43	3	2	49	2976K	0B	1536K	790	1	sleeping	#[01]	0.00000	0.00000	501	1987	135	2527+	236	28362+	9530+	12151+	13	1275
583	Finder	0.0	00:03.94	3	1	352	23M	0B	1872K	583	1	sleeping	#[169]	0.00000	0.00000	501	63089+	388	32802	22899+	464788+	168515+	26932+	2173	119
339	mdu	0.0	00:30.85	6	3	261	35M	0B	15M	339	1	sleeping	#[01]	0.00000	0.00000	0	73878	184	467885	240407	2980080+	706261	953383+	337	6434+
772	apstoraegen	0.0	00:00.66	3	2	132	9248K	0B	3504K	772	1	sleeping	#[608]	0.00000	0.00000	501	6495	246	2042+	608	35871+	6023+	10528+	285	997+
349	thermalmonit	0.0	00:01.60	3	2	53	2592K	0B	80K	349	1	sleeping	#[01]	0.00000	0.00000	0	949	131	21855+	10530+	32153+	73491+	214081+	67	5499+
922	searchpartyd	0.0	00:02.24	3	1	124-	9376K-	128K	1072K	547	1	sleeping	#[608]	0.00000	0.00000	0	7952	277	4606	2722	64148+	11118	18162+	966	1376+
547	SafariBookma	0.0	00:00.41	2	1	81-	7297K-	0B	1680K	922	1	sleeping	#[01]	0.00000	0.00000	501	2809	208	1422	1122	23860+	4889	4299+	105	91+
627	filecoordina	0.0	00:00.25	2	1	905-	3456K-	0B	144K	627	1	sleeping	#[01]	0.00000	0.00000	0	2242	136	1391	980	11425+	3058	4074+	16	214+
684	UITKSystem	0.0	00:00.79	3	2	108-	12M-	0B	1040K	684	1	sleeping	#[365]	0.00000	0.00000	501	5706	325	4349	2828	29305+	10038	9277+	1213	453+
492	cameracaptu	0.0	00:02.52	5	2	140	8465K	0B	512K	492	1	sleeping	#[01]	0.00000	0.00000	262	9444	261	24131	13557	59593+	62451+	507	13663+	
399	nsurlsession	0.0	00:00.72	2	1	80-	5136K-	0B	288K	399	1	sleeping	#[304]	0.00000	0.00000	242	5075+	196	932	490	29383+	2100	10333+	103	1395+
373	bluetoothd	0.0	00:03.47	10	4	376	8416K	32K	576K	373	1	sleeping	#[01]	0.00000	0.00000	0	9385	215	14779	8999	153920+	39943	50614+	1883	1712
516	com.apple.ge	0.0	00:00.34	2	1	54-	5664K	0B	1072K	516	1	sleeping	[04]	0.00000	0.00000	262	2648+	184	294	166	14311+	812	14188+	35	702
362	dasd	0.0	00:12.64	2	1	326-	7312K-	0B	224K	362	1	sleeping	#94[12]	0.00000	0.00000	0	5534+	206	12379	7919	310240+	27558	81725+	200	894
378	com.apple.cm	0.0	00:01.47	3	2	159	17M	0B	944K	378	1	sleeping	#[682]	0.00000	0.00000	0	44597	270	6511	4028	39768+	9708	15253+	456	1873
322	configd	0.0	00:02.32	8	2	554-	4672K-	0B	304K	322	1	sleeping	#[01]	0.00000	0.00000	0	28808	166							

Last login: Tue Jul 22 12:49:40 on ttys000

The default interactive shell is now zsh.

To update your account to use zsh, please run `chsh -s /bin/zsh`.

For more details, please visit <https://support.apple.com/kb/HT208050>.

[Tejaswinis-MacBook-Air:~ teju\$ pwd

/Users/teju

[Tejaswinis-MacBook-Air:~ teju\$ ls -l

total 0

drwxr-xr-x@	20	teju	staff	640	29	Apr	10:25	CHATIFY
drwx-----@	8	teju	staff	256	21	Jul	18:52	Desktop
drwx-----+	4	teju	staff	128	28	May	10:23	Documents
drwx-----+	37	teju	staff	1184	18	Jul	18:11	Downloads
-rw-r--r--@	1	teju	staff	0	27	Jun	16:28	java
drwx-----@	92	teju	staff	2944	15	Jun	11:09	Library
drwx-----	5	teju	staff	160	21	May	20:12	Movies
drwx-----+	4	teju	staff	128	20	Apr	08:09	Music
-rw-r--r--@	1	teju	staff	0	30	Jun	10:26	New
drwx-----+	5	teju	staff	160	21	Apr	16:30	Pictures
drwxr-xr-x+	4	teju	staff	128	19	Apr	20:18	Public
drwxr-xr-x@	2	teju	staff	64	4	Jul	14:53	Templates

[Tejaswinis-MacBook-Air:~ teju\$ ls -a

.	.vscode	Downloads
..	.zprofile	java
.anydesk	.zprofile.pysave	Library
.bash_history	.zprofile.save	Movies
.bash_sessions	.zsh_history	Music
.CFUserTextEncoding	.zsh_sessions	New
.DS_Store	.zshrc	Pictures
.gitconfig	CHATIFY	Public
.idlcrc	Desktop	Templates
.Trash	Documents	

[Tejaswinis-MacBook-Air:~ teju\$ cd ..

[Tejaswinis-MacBook-Air:~/Users/teju\$ cd ..

```
Tejaswinis-MacBook-Air:~ teju$ touch file.txt
Tejaswinis-MacBook-Air:~ teju$ cat file.txt
Tejaswinis-MacBook-Air:~ teju$ cp
usage: cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file target_file
      cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file ... target_directory
Tejaswinis-MacBook-Air:~ teju$ cp file.txt
usage: cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file target_file
      cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file ... target_directory
Tejaswinis-MacBook-Air:~ teju$ cp -r
usage: cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file target_file
      cp [-R [-H | -L | -P]] [-fi | -n] [-aclpSsvXx] source_file ... target_directory
Tejaswinis-MacBook-Air:~ teju$ mv oldname.txt newname.txt
mv: rename oldname.txt to newname.txt: No such file or directory
Tejaswinis-MacBook-Air:~ teju$ mv file.txt
usage: mv [-f | -i | -n] [-hv] source target
      mv [-f | -i | -n] [-v] source ... directory
Tejaswinis-MacBook-Air:~ teju$ rm file.txt
Tejaswinis-MacBook-Air:~ teju$ rm -r folder
rm: folder: No such file or directory
Tejaswinis-MacBook-Air:~ teju$ rm -r folder/
rm: folder/: No such file or directory
Tejaswinis-MacBook-Air:~ teju$ sudo apt update
Password:
sudo: apt: command not found
Tejaswinis-MacBook-Air:~ teju$ sudo apt install packagename
sudo: apt: command not found
Tejaswinis-MacBook-Air:~ teju$ sudo apt remove packagename
sudo: apt: command not found
```

Tejaswinis-MacBook-Air:~ teju\$ history

```
1 git clone"fvklknl"
2 git --version
3 brew install git
4 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
5 git --version
6 brew install git
7 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
8 echo >> /Users/teju/.zprofile
9     echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> /Users/teju/.zprofile
10    eval "$(/opt/homebrew/bin/brew shellenv)"
11 echo >> /Users/teju/.zprofile
12    echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> /Users/teju/.zprofile
13 eval "$(/opt/homebrew/bin/brew shellenv)"
14 git --version
15 brew install git
16 git --version
17 nano ~/.zprofile
18 nano ~/.zprofile
19 $ brew install git
20 $ sudo port install git
21 $ brew install git-gui
22 cd ..
23 cd ..
24 $ sudo port install git
25 cd ..
26 $ sudo port install git
27 /opt/homebrew/bin/git
28 /opt/homebrew/bin/git
29 /opt/homebrew/bin/git
30 /opt/homebrew/bin/git
31 brew install git
32 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/uninstall.sh)"
33 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
34 brew --version
35 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
36 eval "$(/opt/homebrew/bin/brew shellenv)"
37 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
38 eval "$(/opt/homebrew/bin/brew shellenv)"
39 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
40 eval "$(/opt/homebrew/bin/brew shellenv)"
41 brew --version
42 s /opt/homebrew/bin/brew
43 source ~/.zprofile
44 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
45 rew --version
46 brew --version
47 brew install git
48 git --version
49 git clone "efhefghj"
50 CODE .
51 code .
52 python3
53 python3
54 python3 --version
55 /usr/libexec/java_home -v
56 pwd
57 ls -al
58 touch .zshrc
59 open .zshrc
60 open .zshrc
61 clear
62 source .zshrc
63 echo $JAVA_HOME
```

Tejaswinis-MacBook-Air:~ teju\$ history

```
1 git clone"fvklknl"
2 git --version
3 brew install git
4 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
5 git --version
6 brew install git
7 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
8 echo >> /Users/teju/.zprofile
9     echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> /Users/teju/.zprofile
10    eval "$(/opt/homebrew/bin/brew shellenv)"
11 echo >> /Users/teju/.zprofile
12    echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> /Users/teju/.zprofile
13 eval "$(/opt/homebrew/bin/brew shellenv)"
14 git --version
15 brew install git
16 git --version
17 nano ~/.zprofile
18 nano ~/.zprofile
19 $ brew install git
20 $ sudo port install git
21 $ brew install git-gui
22 cd ..
23 cd ..
24 $ sudo port install git
25 cd ..
26 $ sudo port install git
27 /opt/homebrew/bin/git
28 /opt/homebrew/bin/git
29 /opt/homebrew/bin/git
30 /opt/homebrew/bin/git
31 brew install git
32 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/uninstall.sh)"
33 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
34 brew --version
35 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
36 eval "$(/opt/homebrew/bin/brew shellenv)"
37 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
38 eval "$(/opt/homebrew/bin/brew shellenv)"
39 echo 'eval "$(/opt/homebrew/bin/brew shellenv)"' >> ~/.zprofile
40 eval "$(/opt/homebrew/bin/brew shellenv)"
41 brew --version
42 s /opt/homebrew/bin/brew
43 source ~/.zprofile
44 /bin/bash -c "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/HEAD/install.sh)"
45 rew --version
46 brew --version
47 brew install git
48 git --version
49 git clone "efhefghj"
50 CODE .
51 code .
52 python3
53 python3
54 python3 --version
55 /usr/libexec/java_home -v
56 pwd
57 ls -al
58 touch .zshrc
59 open .zshrc
60 open .zshrc
61 clear
62 source .zshrc
63 echo $JAVA_HOME
```


NAME

ls - list directory contents

SYNOPSIS

ls [-@ABCFGHILOPRSTUWabcde~~fg~~hiklmnopqrstuvwx~~yz~~1%,] [--color=when]
[-D format] [file ...]

DESCRIPTION

For each operand that names a file of a type other than directory, **ls** displays its name as well as any requested, associated information. For each operand that names a file of type directory, **ls** displays the names of files contained within that directory, as well as any requested, associated information.

If no operands are given, the contents of the current directory are displayed. If more than one operand is given, non-directory operands are displayed first; directory and non-directory operands are sorted separately and in lexicographical order.

The following options are available:

- @** Display extended attribute keys and sizes in long (**-l**) output.
- A** Include directory entries whose names begin with a dot (**'.'**) except for **.** and **..**. Automatically set for the super-user unless **-I** is specified.
- B** Force printing of non-printable characters (as defined by ctype(3) and current locale settings) in file names as **\xxx**, where **xxx** is the numeric value of the character in octal. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- C** Force multi-column output; this is the default when output is to a terminal.
- D format**
When printing in the long (**-l**) format, use format to format the date and time output. The argument format is a string used by strftime(3). Depending on the choice of format string, this may result in a different number of columns in the output. This option overrides the **-T** option. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- F** Display a slash (**'/'**) immediately after each pathname that is a directory, an asterisk (**'***) after each that is executable, an at sign (**'@'**) after each symbolic link, an equals sign (**'='**) after each socket, a percent sign (**'%'**) after each whiteout, and a vertical bar (**'|'**) after each that is a FIFO.
- G** Enable colorized output. This option is equivalent to defining CLICOLOR or COLORTERM in the environment and setting **--color=auto**. (See below.) This functionality can be compiled out by removing the definition of COLORLS. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- H** Symbolic links on the command line are followed. This option is assumed if none of the **-F**, **-d**, or **-l** options are specified.
- I** Prevent **-A** from being automatically set for the super-user. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- L** Follow all symbolic links to final target and list the file or

- O** Include the file flags in a long (**-l**) output. This option is incompatible with IEEE Std 1003.1-2008 ("POSIX.1"). See `chflags(1)` for a list of file flags and their meanings.
- P** If argument is a symbolic link, list the link itself rather than the object the link references. This option cancels the **-H** and **-L** options.
- R** Recursively list subdirectories encountered.
- S** Sort by size (largest file first) before sorting the operands in lexicographical order.
- T** When printing in the long (**-l**) format, display complete time information for the file, including month, day, hour, minute, second, and year. The **-D** option gives even more control over the output format. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- U** Use time when file was created for sorting or printing. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- W** Display whiteouts when scanning directories. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- X** When listing recursively, do not descend into directories that would cross file system boundaries. More specifically, this option will prevent descending into directories that have a different device number.
- a** Include directory entries whose names begin with a dot (**('.')**).
- b** As **-B**, but use C escape codes whenever possible. This option is not defined in IEEE Std 1003.1-2008 ("POSIX.1").
- c** Use time when file status was last changed for sorting or printing.

--color=when

Output colored escape sequences based on when, which may be set to either **always**, **auto**, or **never**.

always will make **ls** always output color. If **TERM** is unset or set to an invalid terminal, then **ls** will fall back to explicit ANSI escape sequences without the help of `termcap(5)`. **always** is the default if **--color** is specified without an argument.

auto will make **ls** output escape sequences based on `termcap(5)`, but only if `stdout` is a tty and either the **-G** flag is specified or the `COLORTERM` environment variable is set and not empty.

never will disable color regardless of environment variables. **never** is the default when neither **--color** nor **-G** is specified.

For compatibility with GNU coreutils, **ls** supports **yes** or **force** as equivalent to **always**, **no** or **none** as equivalent to **never**, and **tty** or **if-tty** as equivalent to **auto**.

- d** Directories are listed as plain files (not searched recursively).
- e** Print the Access Control List (ACL) associated with the file, if present, in long (**-l**) output.

For more details, please visit <https://support.tejaswinis.com>

```
[Tejaswinis-MacBook-Air:~ teju$ mkdir  
usage: mkdir [-pv] [-m mode] directory_name .  
[Tejaswinis-MacBook-Air:~ teju$ mkdir myfolder  
[Tejaswinis-MacBook-Air:~ teju$ mkdir -p  
usage: mkdir [-pv] [-m mode] directory_name .  
[Tejaswinis-MacBook-Air:~ teju$ rmdir  
usage: rmdir [-pv] directory ...  
[Tejaswinis-MacBook-Air:~ teju$ tree  
-bash: tree: command not found  
[Tejaswinis-MacBook-Air:~ teju$ head file.txt  
head: file.txt: No such file or directory  
[Tejaswinis-MacBook-Air:~ teju$ head -n  
head: option requires an argument -- n  
usage: head [-n lines | -c bytes] [file ...]  
[Tejaswinis-MacBook-Air:~ teju$ tail file.txt  
tail: file.txt: No such file or directory  
[Tejaswinis-MacBook-Air:~ teju$ tail -f file.txt  
tail: file.txt: No such file or directory  
[Tejaswinis-MacBook-Air:~ teju$ less file.txt  
file.txt: No such file or directory  
[Tejaswinis-MacBook-Air:~ teju$ wc file.txt  
wc: file.txt: open: No such file or directory  
[Tejaswinis-MacBook-Air:~ teju$ wc-l  
-bash: wc-l: command not found
```



```
The default interactive shell is now zsh.
To update your account to use zsh, please run `chsh -s /bin/zsh`.
For more details, please visit https://support.apple.com/kb/HT208050.
[Tejaswinis-MacBook-Air:~ teju$ tar
tar: Must specify one of -c, -r, -t, -u, -x
[Tejaswinis-MacBook-Air:~ teju$ tar -cvf
tar: Option -f requires an argument
Usage:
  List:      tar -tf <archive-filename>
  Extract:   tar -xf <archive-filename>
  Create:    tar -cf <archive-filename> [filenames...]
  Help:      tar --help
[Tejaswinis-MacBook-Air:~ teju$ tar -xvf
tar: Option -f requires an argument
Usage:
  List:      tar -tf <archive-filename>
  Extract:   tar -xf <archive-filename>
  Create:    tar -cf <archive-filename> [filenames...]
  Help:      tar --help
[Tejaswinis-MacBook-Air:~ teju$ gzip file.txt
gzip: can't stat: file.txt (file.txt): No such file or directory
[Tejaswinis-MacBook-Air:~ teju$ gunzip file.txt.gz
gunzip: can't stat: file.txt.gz (file.txt.gz.gz): No such file or dir
[Tejaswinis-MacBook-Air:~ teju$ locate filename.txt

WARNING: The locate database (/var/db/locate.database) does not exist
To create the database, run the following command:

    sudo launchctl load -w /System/Library/LaunchDaemons/com.apple.locate

Please be aware that the database can take some time to generate; once
the database has been created, this message will no longer appear.

[Tejaswinis-MacBook-Air:~ teju$ find / -name "*.log" files
find: files: unknown primary or operator
```