



Cosmetics
Make Up
Home & Personal Care
Packaging



泛海科技

泛海科技发展(广东)有限公司
FANSEA TECHNOLOGY CO., LIMITED

地址:广东省广州市白云区太和镇大沥庙前路88号208室
Add:Room 208, No. 88 Miaoqian Road, Dali, Baiyun District, Guangzhou, China

关于我们

About us

泛海的任务(宗旨)是客户至上和成为行业的佼佼者。

我们专注于提供高质量的护肤美妆包材和解决方案,携手我们的客户创造价值。

我们的产品包括:塑料类型,玻璃类型,金属包材,真空包材等。同时我们也可以提供软管类包材和金属配件,比如:氧化铝外罩。

我们有专业的开发团队可以给我们客人的项目提供技术支持和实现好的想法。结合创新技术和方案优化,我们的产品可以成为完美的工艺品。

为了降低新产品上市的风险,我们愿意提供更小的起订量,和客人共同实现可持续发展。

泛海,你最可靠的选择!

Fansea's missions-Customer first and aiming for the best!

We focus on providing high-quality packs and solutions for skincare and cosmetic companies, creating value with our customers hand in hand. Our products include plastic, glass and metal jars/bottles/airless pack, we also supply tubes and metal accessories such as aluminum caps. We have a professional R&D team which can provide technical support for our customers' projects and make great ideas to real. With creative technique and process optimization, our products can be perfect handicraft.

To decrease the risk to launch a new product into the market, we also offer flexible MOQ to achieve sustainable development with our customers.

Fansea, your most reliable choice.



FS113



FS114



FS115





FS118





FS123



FS124



 DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS101	30ml	117.6	75.0	66.0	40.4 Refillable
	50ml	152.3	110.0	101.0	40.4 Refillable
	75ml	187.0	145.0	136.0	40.4 Refillable





DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS102	30ml+3ml	131.0	83.0	64.0	33.0





DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS103	15ml	85.0	49.5	42.5	35.0
	30ml	104.0	68.5	61.5	35.0
	50ml	129.5	94.0	87.0	35.0



DESCRIPTION:
ALL PLASTIC SPRING AIRLESS

**PLASTIC/ALUMINIUM
SKIN CARE**



DISCHARGE RATE
0.23ml



Model	Capacity	Height	Uncapped	Print Height	Diameter
FS106	15ml	99.0	54.5	28.5	30.5
A	30ml	126.5	82.0	56.0	30.5
FS106	15ml	104.0	54.5	28.5	30.5
B/C	30ml	131.5	82.0	56.0	30.5



DISCHARGE RATE
0.23ml



Model	Capacity	Height	Uncapped	Print Height	Diameter
FS105	30ml	109.7	70.7	46.0	34.8
	50ml	138.7	99.7	75.0	34.8
	80ml	186.7	147.7	123.0	34.8
FS105	30ml	105.5	70.7	46.2	34.8
	50ml	134.5	99.7	75.0	34.8
	80ml	182.5	147.7	123.0	34.8

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS107	30ml	125.0	91.0	78.0	43.0

DISCHARGE RATE
0.23ml

**PLASTIC/ALUMINIUM
SKIN CARE**



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS108	15ml	109.9	62.2	53.2	38.4
	30ml	136.0	93.2	74.4	38.4
	50ml	161.7	119.0	110.0	38.4



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS110 A	30ml	117.2	71.2	62.2	34.2
	50ml	149.0	103.0	94.0	34.2
FS110 B	30ml	117.2	87.0	73.5	34.2
	50ml	149.0	119.0	91.8	34.2



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS109	30ml	85.2	85.2	53.3	49.0
	50ml	104.1	104.1	72.2	49.0



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS111	50ml	120.0	70.0	61.0	48.8
	75ml	143.2	93.3	84.3	48.8
	100ml	166.5	116.5	107.5	48.8

PLASTIC/ALUMINIUM
SKIN CARE



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS112	15ml	109.9	62.2	53.2	38.4
	30ml	136.0	93.2	84.4	38.4
	50ml	161.7	119.0	110.0	38.4



DISCHARGE RATE
0.23ml

Model	Capacity	Height	Uncapped	Print Height	Diameter
FS113 A	50ml	96.7	58.0	43.4	48.8
	75ml	113.0	74.0	59.7	48.8
	100ml	130.0	91.0	76.7	48.8



FS313



FS314



FS315



FS207



FS212

**GLASS/ALUMINUM
SKIN CARE**



Model	Bottle Capacity
FS201	40ml
	100ml
	120ml
	50g



Model	Bottle Capacity
FS203	40ml
	100ml
	120ml
	30g
	50g



Model	Bottle Capacity
FS202	40ml
	100ml
	120ml
	50g



Model	Bottle Capacity
FS204	40ml
	100ml
	120ml
	50g

**GLASS/ALUMINUM
SKIN CARE**



Model	Bottle Capacity
FS205	40ml
	100ml
	120ml
	30g
	50g



Model	Bottle Capacity
FS207	40ml
	100ml
	120ml
	30g
	50g



Model	Bottle Capacity
FS206	40ml
	100ml
	120ml
	50g



Model	Bottle Capacity
FS208	40ml
	100ml
	120ml
	50g

**GLASS/ALUMINUM
SKIN CARE**



Model	Bottle Capacity
FS209	40ml
	100ml
	120ml
	50g



Model	Bottle Capacity
FS211	40ml
	100ml
	120ml
	50g



Model	Bottle Capacity
FS210	40ml
	100ml
	120ml
	30g
	50g



Model	Bottle Capacity
FS212	15ml
	30ml
	50ml
	50g



FSM101



FSM135



FSM101

Dimension: $\Phi 21.4 \times 69.8$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM102 Airtight

Dimension: $\Phi 18.1 \times 76.1$ mm
Mechanism: 11.0mm
Fill capacity: 3.5g



FSM105

Dimension: $\Phi 17.0 \times 51.0$ mm
Mechanism: 9.2mm
Fill capacity: 2.4g



FSM106

Dimension: $\Phi 15.5 \times 91.8$ mm
Mechanism: 8.4mm
Fill capacity: 2.1g



FSM103

Dimension: 18.1x18.1x77.0mm
Mechanism: 11mm
Fill capacity: 3.4g



FSM107/Aluminum

Dimension: $\Phi 21.0 \times 76.65$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM108/Plastic

Dimension: $\Phi 22.1 \times 22.1 \times 70.4$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM109

Dimension: $\Phi 22.1 \times 70.8$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM110

Dimension: 21.55x21.55x73mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM113/Aluminum

Dimension: 21.6x21.6x75.2mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM114/Plastic

Dimension: 20.7x20.7x73.4mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM111/Aluminum

Dimension: $\Phi 21.2 \times 69.6$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM112/Aluminum

Dimension: $\Phi 20.3 \times 20.3 \times 73.2$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM115/Aluminum

Dimension: 18.9x18.9x72.3mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM116

Dimension: $\Phi 20.85 \times 74$ mm
Mechanism: 12.7/12.1mm
Fill capacity: 4.7g



FSM117

Dimension: $\Phi 10.05 \times 122.5$ mm
Tip Dimension: 2.95x3.9mm
Stroke: 25mm



FSM118

Dimension: $\Phi 10 \times 143$ mm
Tip Dimension: 2.95x3.9mm
Stroke: 25mm



FSM125

Dimension: $\Phi 24.1 \times 117.2$ mm
Tip Dimension: 16.9mm
Stroke: 16.16mm



FSM126

Dimension: $\Phi 9.7 \times 127$ mm
Filling: 0.5ml



FSM127

Dimension: $\Phi 9.7 \times 132$ mm
Filling: 0.5ml



FSM119



FSM120



FSM121



FSM128

Dimension: $\Phi 16.85 \times 120.9$ mm
Tip Dimension: 8.2mm
Stroke: 15.4mm



FSM129

Dimension: $\Phi 9.8 \times 139$ mm
Filling: 0.5ml



FSM130

Dimension: $\Phi 9.7 \times 126$ mm
Filling: 0.5ml



FSM122



FSM123



FSM124

**FSM131**

Dimension: $\Phi 13.5 \times 13.5 \times 133.1$ mm
OFC: 3.6ml
Bottle Material: PETG

**FSM132**

Dimension: $\Phi 17 \times 116.3$ mm
OFC: 5.5ml
Bottle Material: PETG

**FSM133**

Dimension: $\Phi 20 \times 68.2$ mm
OFC: 5.5ml
Bottle Material: PETG

**FSM134**

Dimension: $\Phi 19.25 \times 90.4$ mm
OFC: 5.5ml
Bottle Material: PETG



101A Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101B Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101C Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101D Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101E Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101F Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101G Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101H Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101J Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101K Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101L Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm



101M Applicator
Dimension: $\Phi 21.4 \times 69.8$ mm

**FSM201 PET/PETG**

Dimension: 76.5x76x13.4mm
Pan Dimension: 20.25x20.25x4.1mm

**FSM202 PET/PETG**

Dimension: Ø72.4x15.7mm
Pan Dimension: Ø61.55x7.55mm

**FSM205 PET/PETG**

Dimension: 64.1x64.2x13.5mm
Pan Dimension: 25.7x25.7x4.5mm

**FSM206 PET/PETG**

Dimension: 56.4x15.5mm
Pan Dimension: Ø42.7x7.6mm

**FSM203**

Dimension: Ø76.5x76x15mm
Pan Dimension: 20x20x4.1mm

**FSM204 PET/PETG**

Dimension: 64.1x64.2x13.35mm
Pan Dimension: Ø53.15x4.7mm

**FSM207 PET/PETG**

Dimension: 42.2x42.2x10.25mm
Pan Dimension: Ø30.6x4.4mm

**FSM208 PET/PETG**

Dimension: 42.6x9.2mm
Pan Dimension: Ø30.6x3.85mm



FSP103



FSP104




FSP404



FSP602

OIL PUMP

Discharge Rate:
1.00ml/T
24/410



Perfume Pump



FSP301


Discharge Rate:
0.07-0.09ml/T



FSP-301A 20/400

FSP302

Discharge Rate:
0.07-0.09ml/T



FSP-302 18/410

FSP303

Spring outside

Discharge Rate:
0.08-0.10ml/T



FSP-303B 15/400

FSP304

Snap on

Discharge Rate:
0.05-0.07ml/T



FSP-304 115/400

EXTREME FINE MIST SPRAYER


FSP501

All Plastic

Discharge Rate:
0.12-0.14ml/T



FSP-701A 100ml



FSP101

Discharge Rate:
1.20-1.40ml/T



FSP-101A



FSP-101B



FSP-101C

Nozzle Options



A
Spray/Stream



D
On/Off Foam



E
Plastic Mesh
Foam



G
Spray/Spray


Closure Options



28/400



28/410



E
28/410 (WAX)



F
28/410 (WAX)

FSP102

All Plastic

Discharge Rate:
1.20-1.50ml/T



FSP-102A



FSP-102B



FSP-102C

Nozzle Options



A
Spray/Stream



G
Spray/Spray




E
Plastic Mesh
Foam

Closure Options



28/400



28/410



E
28/410 (WAX)



F
28/410 (WAX)

FSP103

All Plastic

Discharge Rate:
1.20-1.40ml/T



FSP-103D



FSP-103E

FSP104

All Plastic

Discharge Rate:
0.25-0.30ml/T




FSP-104A




FSP-104B

Nozzle Options



C
Spray/Stream



D
Spray/Spray



F
Plastic Mesh/Foam

Closure Options



28/400



28/410



E
28/410 (wax)



F
28/410 (wax)



FSP-104C

Clip



Closure Options




20/410



24/410



28/410



ALU

FSP201

Discharge Rate:
2.20-2.50ml/T



FSP-201 24/410



FSP-201 24/415



FSP-201 28/400




FSP-201 28/410


Nozzle Options



A



B



C

Closure Options



莱丝
Ribbed



氧化铝
Alu



光边
Smooth

FSP202

PUMP

Discharge Rate:
2.00-2.50ml/T



Nozzle Options



A



B



C

Closure Options



莱丝
Ribbed



氧化铝
Alu



光边
Smooth

FSP203

All Plastic

Discharge Rate:
2.00-2.50ml/T



FSP-203 24/410



FSP-203 24/415

FSP204

All Plastic

Discharge Rate:
3.40-4.60ml/T



FSP-204 28/410



FSP-204 33/410



FSP-203 28/400



FSP-203 28/410

Closure Options



莱丝
Ribbed



光边
Smooth

FSP301

Discharge Rate:
0.07-0.09ml/T



FSP-301A 20/400

FSP303

Spring outside

Discharge Rate:
0.08-0.10ml/T



FSP-303B 15/400



FSP-303B 120/400

FSP302

Discharge Rate:
0.07-0.09ml/T



FSP-302 18/410



FSP-302 20/410

FSP304

Snap on

Discharge Rate:
0.05-0.07ml/T



FSP-304 115/400




FSP-304 15/400




FSP-302 24/410

FSP401

Discharge Rate:
0.12-0.14ml/T



FSP-401A 18/410 Alu



FSP-401A 18/415 Ribbed

FSP402


Discharge Rate:
0.12-0.14ml/T




FSP-402C 18/410




FSP-402D 18/410/18/410



FSP-401A 18/415 Smooth



FSP-401A 18/415 Alu



FSP-402F 18/410/18/410



FSP-402G 18/410/18/410


Lid Options



E
有孔
With Hole
Ø18



F
无孔
Without Hole
Ø18



1FSP-402H 18/410/8/410



FSP-402I 18/410/18/415

FSP403

Discharge Rate:
0.12-0.14ml/T



FSP-403A 28/400 Ribbed



FSP-403A 28/410 Alu

FSP404

High Output
Mist Sprayer

Discharge Rate:
0.60-0.80ml/T



FSP-404A 24/410



FSP-404B 24/415



FSP-403B 28/410 Ribbed



FSP-404C 28/400



FSP-404D 28/410

Nozzle Options



A

B

Lid Options



A

有孔
With Hole
Ø20-28

B

无孔
Without Hole
Ø20-28


C

圆弧
Curve
Ø20-28

FSP405

Be Applied To High
Viscosity Liquid

Discharge Rate:
0.17-0.20ml/T



FSP-405 20/410



FSP-405 22/415



FSP-405 24/410



FSP-405 24/415

FSP406

Discharge Rate:
0.12-0.14ml/T



FSP-406 20/410



FSP-406 22/415




FSP-406 24/410



FSP-406 28/410

Lid Options



A

B

Closure Options



A
氧化铝
Alu

B
光边
Smooth

C
莱丝
Ribbed

Closure Options



A
氧化铝
Alu

B
光边
Smooth

C
莱丝
Ribbed



FSH101

Model	Bottle Capacity
FSH101 A	80ml

FSH101 B	100ml
-------------	-------

FSH101 C	150ml
-------------	-------

Model	Bottle Capacity
FSH102 A	80ml

FSH102 B	100ml
-------------	-------



There are more products
waiting for your consultation

還有更多的產品，等待您的諮詢

