

	Feature Guide – Core Features
Product Version	DocuTrack 6.6.SP4
Document Summary	This guide contains minimal reference information to configure and troubleshoot a system. Where applicable, the details include: • Version history (when a noted feature was added or changed) • Configuration notes • Administration highlights (for non-intuitive operations) • Troubleshooting notes • Design highlights (if helpful for configuration, administration or troubleshooting)
Audience	Client Services (primarily FEs), Customer Administrators
Key	Highlighted text = Reflects document content updated for this release.

Contents

Active Directory Support	3
Address Book Dialog (Source Finder Dialog)	3
Address Book Workspace (Sources Workspace)	3
Source Type(s)	4
Source Identifiers	4
Contact Methods	5
Processing rules	5
Alerts	6
Search Folder Alerts	7
System Alerts	7
Annotations and Stamps	7
Annotations	8
Stamps	8
Archive	10
Searchable Archive:	11
Folder Archive:	11
Archive Search	11
Association Grid	12
Association Comparison Dialog	13
Entity Note - Drag and Drop	13
Quick Add Dialog/Multi-Match	14
Audit Assist Workspace	14
Australia Support	15
Barcode Recognition	15
Business Unit Workspace	16
Business Unit Folders	16
Business Unit Detail	17
Default Label Options	17
Document Workspace Settings	17
Interface Options	17
Interface Dialog	17
Real-Time Viewer Module Option	18
Send Document Options	18
Calendar	18
Copy	19
Daylight Savings Time	19
Documents	20
Document Data	21
Document Import	21

Supported document file types:	22
Audio File	22
Drag and Drop	23
Document Import Rules	24
Page Splitting	26
Watermarks	26
Document Transmission – General (FAX)	26
DTAssistant Tool (optional module)	28
Edit Source Dialog	28
Email	29
Fax Cover Pages	29
Forms	29
Global Routing Rules	31
Groups	32
History Dialog	32
Interface Search Tab	33
Log In / Log Out	33
Quick Search	34
Reports	35
Results Grid	35
Column Chooser	36
Copy to Business Unit	36
Filter Search Results	36
Edit Selected Documents - Mass Edit	37
Multiple Source Names and/or Received Dates	37
Search by Batch ID	37
Routing Barcode	38
Search Folders	38
Secure Messaging	40
Send Document Dialog	40
Staple	42
Submit	43
System Maintenance	43
General System Configuration	43
Unstapling	44
User Preferences	45
User Workspace	45
Viewer	45
Viewer Toolbar	46
Context Menus	48
Document Workspace - Tabs	48
Hot Keys	48
Go To	48
Page reorder	48
Printing	49
Appendix A – DocumentImportConfiguration Table	50
Appendix B – Hot Keys	51
Appendix C - Association Comparison Dialog	52
Appendix D – Recommendations for search string format	53
Appendix E – Print Options	54

Active Directory Support

Version History

6.4.0 Added support for multiple domains

DocuTrack OS users can log into the client as an Active Directory (AD) or Non-AD User. The difference allows automatic login for AD Users. For information on the act of logging in, see [Log In / Log Out](#).

Configuration:

Admin Tab \

- [Licensing Workspace](#) - Enter a license key that includes the Active Directory Module. SAVE
- [System Maintenance Workspace](#) - Open Active Directory Interface section
 - Check - Enable Active Directory Single Sign On.
 - Enter the LDAP path (LDAP://mycompany.com). (e.g. LDAP://INTEGRA)
 - If there are multiple domains, separate them with a semi colon (e.g. LDAP://DOMAIN1; LDAP://DOMAIN2).
 - Enter a domain account that has the required rights for accessing the domain(s). (e.g. Domain\User Name)
 - This does not have to be a domain administrator.
 - The user can either be:
 - A single user that is on a trusted domain (so the trusting domain[s] trust that user to access their active directory, i.e. domain\tester1) or
 - A username, containing the same username and password on each domain, that exists on all specified LDAP servers (i.e. tester1).
 - **Recommended:** Check the *Use credentials to access the active directory* Check Box and use credentials that have access to each and every (if more than one) LDAP directory. This is the most tested and predictable option.
 - Unchecking this box will access the active directory environments with the logged on DocuTrack user and/or the user logged into the operating system.
 - **NOTE:** The order of the LDAP servers in this area, is the same order that will be used to log on any and all users. Changing this order can change permissions if the same user (logon name) exists on more than one of the LDAP domains and is a member of AD groups assigned to different permissions groups in DocuTrack.
- [Groups Workspace](#) – Select the Business Unit then the Group that the AD Users will have access to. Open the Active Directory Mapping section.
 - Enter all applicable Active Directory group(s).
 - Users logged into the operating system under these Active Directory groups will be automatically logged in and given the rights of the mapped DocuTrack Group(s) when they launch DocuTrack.

Address Book Dialog (Source Finder Dialog)

Version History

5.3.0 Scroll the first selected source into view and no rows will be selected by default.

The Address Book Dialog (Source Finder Dialog) exists to allow the user to find a source in multiple workspaces or address a document to send out. Presently there are three locations that this dialog can be found. Groups, Search Folder and Send Document Dialog.

Notable

- When opening the Address Book Dialog from the fax dialog, if no filter text is specified, no rows will be selected by default.
- The Address Book Dialog in the fax dialog will scroll the first selected source into view if there is a value entered into the search filter. Nothing will be selected if the search filter is empty.
- Address Book Dialog is displayed with a sortable grid that contains columns that can be added or deleted.
- We will store the Column settings and Contains Checkbox checked status for the user. (Sticky Settings)

Address Book Workspace (Sources Workspace)

Version History

5.1.5 New column(s) added for confirmation

5.4.0 Enhancements for "Email to" sources

5.9.0 Sources can be deleted if all documents are archived

- 6.0.0 Checkbox added to Licensing indicating new sources are named by CSID
- 6.4.0 Sources Workspace will only allow one user to update per Business Unit at a time
Checkbox added to QS/1 settings to set QS/1 facility group code as the source for incoming manifests.
- 6.5.0 Email back address textbox added
- 6.6.0 Email confirmation received pages' thumbnails
New Workspace
- 6.6.2 **DIRECT (HL7) – New Source Type for DIRECT messages**
Direct Printer – New Source Type for Direct Printer

A Source is a unique number or name that tells a user where a document originated from. The Address Book Workspace contains a Summary Grid that provides information about each of the sources. Also see [Address Book Dialog](#)

This workspace has been enhanced with mini grids or panels that can contain a lot more information than the previous Sources Workspace but will contain everything that was there in the last release.

Source Type(s)

Several new source types have been added to choose from:

1. E-Form – Was Electronic Form
 2. DeliveryTrack
 3. Facility ID – Used for pharmacy system facility ID for this source. Used by Logix Source Search
 4. Interface – Used for Legacy source types: eMAR / e-DOC / DCI
 5. **DIRECT (HL7) – This will be the Source Type assigned for received DIRECT messages sources**
 6. **Direct Printer –Source Type for Direct Printer (Virtual Printer)**
- **Unknown: (No Source ID)** - Documents received from an unidentified source will be labeled with a default source name of *(No Source ID)*. *(No Source ID)* is a special system record that is not editable in the Address Book workspace.
 - Both Processing sections will be disabled.
 - The workspace will indicate the following in red text: " **This is a system source and cannot be edited.**"
 - **Facility Group Code** - This is a special source that doesn't get set until later in processing due to the process required. The manifest association doesn't happen until AFTER the document is imported.
 - The Identifier value is determined by the first 4 characters (facility group code) of the manifest dat file.
 - The facility group code is defined in QS/1 and is cooked into the manifest value as the first 4 characters of each line,
 - These first 4 characters can be alphanumeric, blank and even special characters e.g. &, _.
 - Both Processing sections will be disabled.
 - The workspace will indicate the following in red text: " **This source is not used for import. Rules processing does not apply.**"
 - **E-Form** - This special source type is used for any form created within the document workspace.
 - Please note that there was a bug in pre-6.6.0 that caused the type for Forms to be "Unknown". Forms that are created after 6.6.0 is installed will use a E-Form Type unless it was already created in a previous version and those will continue to be "Unknown".
 - Both Processing sections will be disabled.
 - The E-Form workspace will indicate the following in red text: " **This source is not used for import. Rules processing does not apply.**"

Source Identifiers

- The same source name can be used multiple times while the source identifier cannot be duplicated within the same Business Unit. Duplicate values are not allowed even if the type is different.
- The source identifiers are not sorted by default; they appear how they are entered when created. All grids can be resorted by any column.
- New source creation will default to Facility ID for source type.
- CID and CSID will be updated as needed. EX: if source is set to CID and when the new document arrives and the phone number has been changed to a CSID the update will be automatic. Instead of creating a new source as a CSID.
- Select this option allowing the source to use the CSID if present instead of the original source type. If the CSID is not present, the original source will be used. This option is available on CallerID/ANI (CID) and DNIS sources only.
- Source ID value is editable ONLY if no documents have been associated with it. Once associated the row is Read Only.

Contact Methods

- Contact methods are considered **DIRECT**, email, fax, mobile, and phone.
- The primary sort for the Contact Method Grid is Preferred then alpha ascending. This can be altered by selecting the column label.
- Contact Method Grid contains the ability to filter/search for any entry that is displayed in the grid. If looking for an item that is not presently displayed by a column, Add the column and perform the search.
- There can only be one preferred email, one preferred Fax **and one DIRECT** per source ID. The preferred checkbox is disabled for all other contact methods. (Mobile/Phone)
- The contact Method Value can contain up to 1024 characters for each method, (Fax, **DIRECT**, Email, Phone, etc.) so that distribution lists can be created and maintained.
- Notes entries can contain up to 256 characters and will be displayed in the Send Document Dialog when the Address Book Dialog is selected or searched.
- If a Fax Back phone number and/or email existed in the previous release those entries will be moved to Contact Method corresponding to the selected method. In most cases these entries will be marked as preferred by default.
- Validation is preformed upon save for format (email) and digit count (phone numbers)
- Contact Method Grid is disabled for system sources.
- When the value is empty upon save or the entry is not in the correct format (Email or Phone/Fax) this user is presented with a dialog indicating the missing or incorrect information.
- **When a new DIRECT Source is created the preferred DIRECT Contact Method is created automatically.**

Processing rules

- Confirmation – Place a check for the desired fax number and/or email address.
 - Include thumbnails if customer desires thumbnail prints of documents. The first nine pages will be included as thumbnails. When “Include thumbnails...” is not checked, a confirmation is sent indicating “# of pages received from Fax #####”.
- Forward a copy – Place a check for the desired fax number and/or email address to forward a copy of the fax received (all pages).
- Immediately delete any received documents – when selected, will automatically delete the documents received from this source without processing them.
- Error processing rule - Place a check for the desired fax number and/or email address.
 - Include thumbnails if customer desires thumbnail prints of documents. The first nine pages will be included as thumbnails. . When “Include thumbnails...” is not checked, an error notification is sent indicating error condition.

Configuration

- **Merge rules** – This action involves the combining of multiple sources into one Source Name while keeping the individual identifier information.
 - Merge button will not be enabled until a source is selected
 - The first source selected is considered the Primary or parent and as such will have priority over other selections
 - The merge operation will update the source name of all Secondary or child sources to the value of the parent sources name
 - Docs Rcvd count is combined with all sources combined or merged
 - Date of last doc rcvd will be the last date of the combined sources
 - Contact info will all be combined
 - Processing selections will be marked by Preferred
 - When the parent source in a merge operation is DeleteOnReception
 - all children will also be *DeleteOnReception*
 - All contact methods for both the parent and child sources are physically deleted from the database (destructive!)
 - All Processing is disabled
 - If the Child is DeleteOnReception and the parent is not the DeleteOnReception is ignored
 - DeleteOnReception is cleared whenever a source is unmerged
- **Un-Merge** - The user will be presented with the option to unmerge an identifier when the delete button is pressed on the grid row. The purpose of unmerge is to grant the user the ability to undo mistakes that may have been made during a merge operation.
 - Unmerge is only available where a merge has been performed
 - DeleteOnReception is cleared whenever a source is unmerged
- **Delete Button** - This button is enabled when a source is loaded in the workspace. It will delete the whole source not just a identifier as the Grid Row Delete button will do.

- Clicking the delete button will delete the whole source:
 - Sources that are **not** associated with any documents will be permanently deleted
 - If the source is associated with one or more documents:
 - it will be inactivated and no longer appear in the source summaries grid
 - It will still be viewable in the documents workspace but will be read-only
 - Inactivated source(s) will be displayed as: < [deleted] Source Name> in the Edit Source Dialog
 - If documents come in for this source it is enabled and restored with all content.
- This button cannot be enable when multiple summary grid items are selected or the current summary item selected is a system generated source.
- **Un-Delete** - Workspace users may enter a source identifier value that duplicates the value for an inactive/deleted source. The system will present a dialog to the user with the option to undelete this source.
 - A source can be undeleted to create a source unto itself
 - A source can be undeleted into a source making it a secondary/child of the source selected.
 - The system will modify the fields of the undeleted source by updating to their pre-deleted values.
 - The system will not undelete a child source when a parent source is undeleted
 - The summary grid is updated.
- **Grid Row Delete** - The user will be presented with the option to delete a source identifier when the delete button is pressed on the grid row. All other identifiers within the same source will remain intact. The following rules only apply to sources that are deleted from the source identifiers grid control.
 - The delete button will not be enabled if the selected source is a system source. Presently there is only one (no source ID)
 - Sources can only be deleted one at a time
 - Sources that are deleted are:
 - removed from the summary grid if there are documents associated to them
 - Are permanently deleted if there are no documents associated to them.
 - If a source is deleted that had documents and Administration decides to re-add it by merging it with another source, the document count is added to the source.

Notable

- Summary Grid contains the ability to filter/search for any entry that is displayed in the grid. If looking for an item that is not presently displayed by a column, Add the column and perform the search.
- When a document that has multiple sources has been loaded in the viewer and a page moved without saving, then user creates a form and selects to "Use active document's source:" will result in the original page's source being assigned to the newly created form.
- Using Fax Forward will NOT display the proper colors of submission status on barcodes that have been imported. The fax forward process is before the auto refill is completed in the code path.
- Some documents being processed for import that include a fax forward may take longer to process if the SMTP is set incorrectly, as to fail requires 3 tries.
- The Note value can be repeated without error
- Copying a document(s) to another BU will send out a confirmation or forward a copy if that Source is setup to send out confirmations/forwards.
- User preferences for column selection(s) in the Address Book Workspace will not be remembered after initial upgrade.
 - Changes made going forward will be remembered.
 - Grid sorts are remembered on log off /on

Alerts

Alerts notify administrators and users of important system conditions and workload. Two different types of alerts can be configured, Search Folder Alerts and System Alerts

Notables

- All alert logging is written to the AlertService.log. Events may also be logged in the client log so the client can display pop-up alerts.
- The alert engine will terminate and verbosely log any errant scripts that take longer than a configurable threshold.
- Alerts may be delayed if the alert engine is busy at the scheduled time. When conflicts in scheduled processes occur, delayed alerts will be executed as soon as the alert service is available.

Configuration

- All alerts must have a unique name that can contain up to 80 characters

- At least one notification option must be selected but the email notification can contain multiple email addresses.
- Alerts that are edited and then saved will have their last run date/time cleared.

Search Folder Alerts

Version History

6.3.0 Global Search Folders have been enabled. Presently alerts cannot be used for Global Search Folders.

Each Search Folder Alert is a business unit specific notification based on the contents of that search folder. If a Search Folder is linked to an Alert, the alert will be deleted when the Search Folder is deleted. Once triggered users can be notified via email and/or a pop-up message. Pop-up messages can only be viewed by users with permissions to triggered Search Folder and that are logged into the DocuTrack application at that moment.

Notables:

- Each Search Folder Alert is a Business Unit specific notification based on the contents of that Search Folder.
- If a Search Folder is linked to an Alert, the alert will be deleted when the Search Folder is deleted.
- Once triggered users can be notified via email and/or a pop-up message.
- Pop-up messages can only be viewed by users with permissions to triggered Search Folder and that are logged into the DocuTrack application at that moment.

System Alerts

Version History

5.5.0 Incoming Document Inactivity alert. Triggers when no incoming document activity from specified source type(s) for specified BU(s).

5.9.0 SQLAgentJob.js file has been updated when standard job fails

6.0.0 Logix-PendingItems.js and Logix-Services.js have been added
NTService.inc file will log an error if service does not exist.

6.3.0 Logix-PendingItems.js has been updated

6.6.0 Email notifications include GUID and upon resolved email notification includes RESOLVED
Added four new Logix alerts that replace the old Logix alerts.:

Logix: Invalid Import Rule Logix Definition

Logix: Pending Workflow Errors

Logix: Pending Workflow Stalls

Logix: Required Services Running

Logix: Invalid Workflow Definition Found

System alerts are highly customizable JavaScript based scripts and are run by the Alert Service to check for various conditions on system/servers. Once triggered a scripted message can be transmitted to users via email and/or a pop-up message. Alert pop-up messages will be viewed by all users logged into the DocuTrack application at the moment the alert was triggered.

Notables:

- Each scriptable alert contains a description that includes examples and parameters.
- All Email Notifications by default are sent to: DocuTrackAlert@integrargroup.com.
- Email notifications contain a unique identifier (GUID) when an alert is triggered.
 - When the alert is auto-resolved (no longer triggered), email is generated displaying RESOLVED with the same GUID.
 - Each time the alert is triggered a new GUID is generated.
 - Popups will display when alert is triggered, will not display when resolved.
- GlobalUnroutedDocumentsExist.js – Exists to notify users of globally un-routed documents (documents that have not been routed to any business unit).
- IncomingDocumentInactivity.js - the @trigger parameter should be set to a longer time period than the “check and notify if triggered” time period. If the @trigger parameter time period is shorter, the alert may not be triggered if documents come in after the trigger period and before the end of the check interval.

Annotations and Stamps

Version History

5.4.0 Provided additional stamps

6.0.0 Custom Stamps added

6.6.0 Enhanced features due to Viewer upgrade (Custom Stamps png files)

6.6.1 Subject on Popups elongated

6.6.2 Sticky Note location will honor mouse cursor location

This section covers stamps (Global or Custom) and annotation on the Viewer tool bar. More information can be found in [Viewer](#), [User Preferences](#) for default tool selection and [Printing](#) options.

Annotations

Notables

- Entity associations and Secure Messages can be dragged on to a document as a note. (See [Secure Messaging](#) and [Entity Note](#) for more information.)
- Text from other applications such as email, websites, and text editors can be drag on to a document and an editable text annotation will be added to the document. The text field may appear to truncate the last character of the dragged text, but will show if the annotation is resized.
- An annotation can be moved within the viewer in order to read what is under it. The annotation is then back where it was loaded when user navigates away.
- Annotations can be placed anywhere on the document.
- The location of the annotation generally honors where user mouse clicks.
 - User may place annotation off of the document, but user will not see annotation when printed, emailed or faxed.
- Occasionally a note can be placed on a document page that is seen in the thumbnail pane but not the viewer side. Saving of the document will allow the note to be displayed. This has been seen on Entity notes.
- When annotations are created from viewer tools or via dragging and dropping, and are then dropped onto a large form field, they will not be editable within the viewer. This is because form fields are the highest level on the document and annotations are underneath. To edit annotations that are under a form field, select the annotation in the comments pane. This will give the annotation focus.
- Annotations are audited alphabetically when entered at the same time.
- Annotations can be copied from one document to another. The Date/Time in the History Dialog will reflect the date and time the stamp is pasted to the new document.
- "Lock" annotation (displayed on documents when opened by another user or the document has been archived) will include an adjacent popup annotation. When hovering over the lock a tooltip displays the reason the document is locked. The double clicking of the popup annotation will display the reason the document is locked in a popup annotation.
- Text cut/pasted from an Excel cell will create a stamp annotation in the viewer which will contain the formatting/colors/et.al. of the cell as it looks in Excel. This is different behavior than the previous version of the viewer and is consistent with Adobe Acrobat.

Editing default settings

- Changes to annotation (Not Stamps) defaults like color and font, can be made using the 'Show Comment Properties' referring to the properties available for any annotation that is used.
- Show Comments Property panel will show every aspect of the annotation that can or cannot be altered.
- The changes are linked to the Users personal settings and remembered with each login.
- The color of the annotation can be changed in 'Show Comment Properties',
 - a. Select the active (unsaved) annotation
 - b. Then right click for the menu.
 - c. Select 'Show Comment Properties' (will open on right hand side of viewer)
 - d. Make changes to color or other aspects of the annotation (Not Text)
 - e. To set as default:
 - i. Right click again on the same annotation
 - ii. Select "Set Current Properties as Default"
- The color of the text can be changed in 'Show Comment Properties',
 - a. Enter text in the annotation
 - b. Highlight the text
 - c. Make changes to color or other aspects of the text
 - d. Then right click on the highlighted text in the annotation
 - e. Select "Text Style"
 - f. Select "Make current text format default"
 - g. There is not a universal change option for text.
- To close this window, use the right click menu again (Hide) or click on the divider for the viewer. Tooltip for the divider states: 'Click to hide: Properties'

Stamps

Stamp Type Definition:

- **Global Stamps** - {%Path.DataRoot%}\DocuTrack\BusinessUnits\Global\ViewerStamps
 - Stamps that are supplied by Integra and installed with the DocuTrack product for all users.
 - This list is unchanged from previous releases other than alphabetizing the list by the name of the stamps.
- **Dynamic Stamp** – {%Path.DataRoot%}\DocuTrack\BusinessUnits\Global\ViewerStamps\Dynamic
 - Dynamic stamp is a Global stamp that has fields which update dynamically when used displaying the Logon name of the user, date and time inserted on document.
- **Custom Stamp(s)** – {%Path.DataRoot%}\DocuTrack\BusinessUnits\Global or BUID\ViewerStamps
 - Stamp(s) that are created or customized by the Administrator for use by their pharmacy.
 - Custom stamps can be used by all users and are not installed by DocuTrack.
- **Business Unit Stamp(s)** – {Dataroot}\BusinessUnits\{BUID}\ViewerStamps
 - A Stamp (PNG only) can be designated as Business Unit stamps by copying png files into ViewerStamps Folder
 - Stamps placed in a Business Unit folder can only be applied to documents within that Business Unit.
 - A user without permissions for that Business Unit will not see the stamp(s) in User Preferences Preferred Stamp drop down list.
- **General Stamp Info**
 - Any (PNG) file can be considered a stamp regardless of size or shape.
 - All stamps are required to have unique and meaningful names as this is what will be used in the stamp audit and list of stamps.
 - Once the stamps are placed in the folder(s) they will be alphabetically inter-mixed with DocuTrack installed stamps for display in the All Stamps and/or User Preferred Stamp drop downs.
 - Customers may remove any of the installed or custom stamps that they don't want.
 - Default ViewerStamp folder location is used to place stamps in for newly created Business Units. Stamps placed in this folder are not seen until a New BU is created.

Pre 6.6.0 release stamp location on the DocuTrack application server:

- {%Path.DataRoot%}\DocuTrack\BusinessUnits\Global\Stamps
- The DocuTrack installer will not overwrite or uninstall/remove the Customer Custom Stamps or Thumbnail files from the above location
- Moving the Customers Custom Stamps from the previous releases is the responsibility of the customer and will remain in the folder until moved by the customer to the new folder location.

Past 6.6.0 release stamp location on the DocuTrack application server:

- {%Path.DataRoot%}\DocuTrack\BusinessUnits\Global\ViewerStamps
- Move Custom Stamp (PNG Only) to the above folder (The CustomStamp.pdf is no longer required. The Stamp drop down list is now populated with png file names.)

Client Install/Upgrade

- Previous release stamp location on the client: C:\Program Files\Integra\DocuTrack\bin\PDF Viewer\Stamps
- New stamps location on the client: %user folder%\AppData\ {local or roaming if offered} \Tracker Software\PDFXEditor\3.0\Stamps
- All stamps will be stored on the DocuTrack server and cached on the DocuTrack Client when the user logs in. This is done in parallel to the login process on a separate thread.
- The stamp files are stored uniquely for each user since multiple users could be sharing the same stamps folder under a terminal services environment. When the stamps are downloaded from the server the stamp file(s) will be token replaced with the information for the logged in user.
- Anytime the stamps on the server are updated, users will need to logout of DocuTrack and back in for them to see these changes. The Stamps file can be deleted, to force a download of the stamps on the next login if needed
- User defined Annotation default properties and splitter bar locations are not retained for this update (due to the viewer upgrade). Users will be required to reenter the desired settings into 6.6.0+ application.

Notable:

- DocuTrack supports Global, Custom and Dynamic Stamps for every user with upgrade permissions.
- All stamps will be stored as PNG files on the DocuTrack server except for the dynamic stamp. The dynamic stamp is contained in a template PDF in a separate folder.
- Any PNG file found in the ViewerStamps folder will be treated as a stamp, regardless of size. This means customers can customize (add or remove) stamps.
- The only replaceable tokens we presently support are consistent with the DocuTrack form-fill feature:

- DocuTrack.UserID - The user's unique logon name.
- DocuTrack.UserfullName - The user's non-unique full name.
- All stamps are required to have unique and meaningful names as this is what will be used in the stamp audit.
- Adding stamps to a document will create an audit. This audit will contain the stamp name as well as any popup text the user adds.
- Once the stamp is placed on the document and saved, the contents of the stamp (date/time/user) do not change. If the stamp is copied the audit in the History Dialog will reflect the correct time for placement of the COPIED stamp but the stamp itself will always reflect the original information.
- When loading a document, or changing user stamps, the top-most user preferred stamp will be auto-selected as the default user stamp.
- No default global stamp will load unless there is only the one stamp.
- The 'C' stamp defaults to 1-inch X 1-inch in size and is red in color (larger than the other stamps). This is a legal requirement.
- The Dynamic\Approved Stamp will be the first listed for User Preference.
- If the PNG is corrupt or otherwise invalid, it will be logged as an error on the client and ignored.
 - Note: it will still show up in User Preferences since we won't know it is corrupt in that dialog until the user logs back in
- Stamps' property window displays an option to change the colors on stamps. This is not available for the global stamps that we offer and presently there is no way to disable it.
- User Stamp Tool is updated with selections the user (logged in user) has made from the User Preference Dialog.
 - If no selection has been made the User Preferred Stamp drop down will display tooltip instructing them to the User Preference Dialog for selection.
 - The last used user preferred stamp will be the default stamp and selected in the list. This enables the user to select the "User Stamp" icon and the last used stamp will be applied. Any changes to user preferences (i.e. user hits save) will reset the active stamp back to the first item.
 - See [User Preference](#) section for more information.

Archive

Version History

- 5.1.3 New Feature
- 5.3.0 Staple/Unstaple audit changes
- 5.6.0 Offline archiving processed in batches for increased performance
- 6.1.0 New feature - Searchable/Folder Archive
- 6.5.0 Staging/master indexes implementation

Documents can be removed from a system by Archiving ('Searchable' archives or 'Folder archives,' described below). Both methods of archiving move documents to a network location and remove document data from the database which can dramatically improve performance and reduce the costs related to database maintenance.

Notables

- Email notifications include both successful and failed archives.
- The scheduler can have more than one scheduled archive run at the same time because it runs on a separate threadFor both Searchable and Folder archive types, archived files are located at the following locations: [Parent folder]\[Business Unit ID]\[Archive Name]\[Date_Folder number].
 - Parent folder: The folder specified for a Searchable archive in System Maintenance or in the archive workspace for a Folder archive.
 - Folder number: An archive folder can only contain 10,000 documents. When this max number is reached, a new folder is created with the same path but with an appended folder number.
 - Example: if the Searchable Archive Folder is set to D:\Docutrack\SearchableArchive, the archive name for Business Unit 1 is "ArchiveTest", there are 15,000 documents to archive, and today's date is April 17, 2017, the searchable archive paths will be
 - D:\Docutrack\SearchableArchive\1\ArchiveTest\2017.04.17_0001 and
 - D:\Docutrack\SearchableArchive\1\ArchiveTest\2017.04.17_0002.
- This chart explains where you will be able to view documents once they have been archived.

Type of Document	Search Folders	Search tab	Archive Search Tab	Searchable for Document Numbers	Editable in Documents Workspace
------------------	----------------	------------	--------------------	---------------------------------	---------------------------------

Not Archived	Yes	Yes	No	Yes	Yes
Searchable Archive	No	No	Yes	Yes	No
Folder Archive	No	No	No	No	No

- When inactivating document data (Department/DocumentType/Status/Priority) that is currently used by an active archive, the archive will be automatically inactivated and the Archive name will be appended with “- Deactivated due to doc data changes”.

Searchable Archive:

When a Searchable archive is run, a pair of files are created (<GlobalDocID>.dt and < GlobalDocID >.xml) and stored in the output folder location. Documents will be searchable and viewable from within the Archive Search tab (See the Archive Search). The XML file is used to build the searchable index and contains the documents association data, audits and document text.

Notables:

- Searchable Archives cannot be created until the ‘Searchable archive path’ is entered in Administration | System Maintenance.
- Searchable archive filenames (the .dt and .xml pair) are the document’s DocumentID.
- NOTE: Avoid using network locations for this path setting. If this path is a network location, the Archive operations (specifically the updating of the index itself) may be much slower.
- When documents are Searchable Archived, DocuTrack will add one or more pages to the original PDF that contain the document’s settings, associations and audit information.

Folder Archive:

- When a Folder Archived is run, documents are placed into the output folder without audit history or a separate xml file and can no longer be viewed, searched or loaded from within DocuTrack.
- Folder archived filenames have no reference to the document’s ID or insert date.
 - The file names of the archived pdf reflect the date/time/millisecond of when the document was archived: [century].[month].[day].[hour].[minute].[second].[millisecond].pdf.
 - For example, an archived file could have the path and filename D:\Docutrack\2\FolderArchive\2017.04.17_0001\2017.04.17.15.47.18.152.pdf

Archive Search

Version History

6.1.0 New feature

‘Archive Search’ provides the ability to search for specific documents within archived documents if they were saved in a “searchable archive”. Search criteria can be almost any information about the document or information contained on the document itself. The results grid will display 500 of the documents that meet the search criteria. When greater than 500 documents meet the search criteria, it will benefit the user to make the search criteria more specific. Here are some examples: (e.g. Association data, Received Date, Document Number or ID, Document Data, Source, Document text, or Annotation text)

Notables:

- Searching Notables:
 - Operators: User can search using ‘AND’ ‘OR’ ‘AND NOT’ statements.**
 - Wildcards are supported.
 - (*) can be placed before or after search text
 - (?) is for one character that can be placed before or after search text.
 - Source search: when searching for documents related to a given source, documents with page(s) originally from the specified source will be found. This allows users to find documents that came in with one source then stapled to a document with another source.
 - Document number search: when searching for document numbers, separate the document numbers with commas. Entering numbers in multiple fields results in an “AND” statement which will not return documents. (Note: Quick Search does not use breadcrumbs to locate a document that has been stapled to another document.)
 - Searching for multiple entity associations and document data values can be performed without using AND. For example, locating documents that have a document type of “Refill” a patient name of “Smith,

- Joe", "Joe Smith Refill" can be entered and the search will return all documents that have an association equal to Ellen and Williams and Refill.
- If the search criteria entered is too broad, a message will display prompting the user to refine their search. For example, "Smith" may return too many records. "Medication AND Smith" will return fewer records, and therefore will be less likely to time out.
- User Preferences:
 - Workspace column selection, sort, location and widths are remembered per user login.
 - The association grid column widths are not editable when viewing archives
 - Values entered in the Search Text Box and dates selected under the Custom Date Controls are sticky and retained with navigation within the user session
- Results Grid column header displays two rows with an expanded matching summary row. Clicking the magnifying glass icon above the results grid allows the user to filter the search results.
- Archived documents that contain associated entities are able to perform sort, searches and copy functions in the associations grid using the right click context menu options.
- Documents are returned for all Business Unit(s) the user has permission for.
- Document data permissions are not honored for archive searches.
- Email text (to/from/subject/body) is not searchable in archived documents.

○

Association Grid Version History

- 5.1.2 Searches will now return Online Archived documents.
- 5.1.5 Association grid column sizes remembered for each user.
Comparison chart added to Appendix C
- 5.1.8 Association Grid columns can be ordered
Medication Name Change will not trigger the association comparison dialog.
- 5.3.0 Association entity is updated automatically, when value being associated differs by only one non-ID field.
Grid updates
Quick Add now uses 'starts-with' rather than 'contains' to search for existing matches.
Source searches will now return documents containing pages with an original source that matches
- 5.3.1 Search with Store Codes available
- 5.4.3 Changes to Date Dropdowns
- 5.6.0 Date based Quick Searches will return documents with stapled pages that match date criteria.
Macro buttons collapsible into dropdown menu
- 5.9.0 Macro buttons if not collapsed, will display in separate columns (grid cell)
- 6.0.0 Check all context menu option in the verify column
Removed Archive type drop down
Association view can now be filtered by association type. See [Search Folders](#) section for details.
- 6.2.0 RX Note annotations
- 6.4.0 QS/1 temporary Rx's will not launch the association comparison dialog.
Copy cell, Copy row or Copy all rows functionality added to multi-match grid.
- 6.6.0 Context menu includes sort option
Entity Notes can be dragged to a document for reference
Double click on association will bring up associated page

Configuration

- The selection and order of columns to be displayed in the Association Grid can be set for each business unit in the Admin Tab/Business Units/Document Workspace Settings section.
- Macro buttons:
 - Are set up in Admin Tab/Business Unit/Interface Options Workspace; See [Business Unit Workspace](#) for instructions.
 - Tooltips display the 'Button Name' configured when setup.
 - Can be collapsed into a drop down menu by checking "Collapse all macro buttons into a drop down menu" in Admin Tab/System Maintenance/General System Configuration. See for instructions.

Notables

- Default sort order:
 - Primary Sort is by Entity type = Prescriptions, Ancillaries, Patients, Physician, Facility and Manifest.
 - Secondary sort is within each entity type = Association Full Name Ascending.
 - Tertiary Sort is Association Primary ID Ascending
- Association grid context menu (right click) includes the option to:
 - Sort grid by a selected column or by association date.
 - Copy all rows, copy selected row, and copy selected cell.

- Check all the checkboxes in the “Verify” column
- The context menu is available for user locked and archived documents when viewed in DocuTrack.
- When the column to be sorted contains empty cells, they are sorted to the end, regardless of the direction of sort. For example, if a user sorts on Date Dispensed, there would be data for an RX association but the cell for a facility association would be blank. The facility association would be sorted to the bottom.
- A user can double-click an association in the association grid and if it is assigned to a page, the page will be navigated to it in the viewer. If the association is associated to all pages nothing will happen on double click.
 - Double-click will no longer open the edit dialog for user added entities. Use will need to use the pencil icon.
 - When a document is read-only or locked, the double-click of the rows will not do anything.
- Column widths are recalled for user with each document loaded after change or into a new tab.
- Column widths are not editable in the Archive Search workspace due to the grid being Read-Only.
- When a Prescription row is highlighted it can be dragged to support the “create an RX note annotation” feature.
- Horizontal scroll bar location is retained for each document in the same tab while user is in document workspace. Location is not retained when user navigates to Administration tab or logs off.
- Manually added associations (via Quick Add) can be edited using the pencil icon while others cannot be edited.
- Store ID’s are not appended to the RX number but the database has a direct connect interface assignment for each prescription.

Association Comparison Dialog

This dialog is loaded when an incoming association potentially matches another. It allows the user to compare potential matches so that they can choose to create a new association or update an existing one. This dialog was added to allow the system to update old records, rather than adding new ones anytime something marginal has changed. (See [Appendix C](#))

Notable

- When associating: if the entity already exists in DocuTrack and the value being associated differs by only one non-ID field, DocuTrack will automatically update the associated details rather than asking the user via the comparison dialog. The ID fields are primary and secondary ID’s.
- The QS/1 interface dialog has been updated with a regular expression setting to create a new prescription when the prescription value matches the regular expression and there is not already a prescription present with the same patient ID and name. This is meant to be used for QS/1 temporary associations that can roll over. If a prescription matching the regular expression exists in the database that has the same Patient ID and/or first last name, a new prescription will not be added. This affects all avenues of associating (i.e. Document Import barcodes, Quick-Add, Direct Connect, etc...).
- Automatically updates to prescription associations occur if medication name is the only change, and the association compare dialogs will not popup.
- If an association with the same Primary ID, PharmacyID, Alternate ID and Interface Type, is found in the database but two of the compared fields are different from the incoming prescription, the association compare dialog will be shown to the user. From this dialog, a user can update the existing association and associate that record to the document, or they can choose to create and associate a new association. The association compare dialog is shown for each incoming association.
- The dialog will highlight the item(s) that are different.
 - The user is given a choice to create a new entity or change the existing one.
 - User can close or cancel dialog without taking an action.
 - The dialog offers no reversal of a user’s action at this time. Use with CAUTION

Entity Note - Drag and Drop

This feature allows the user to drag an entity from the association grid (for any Pharmacy Information System) to the active page of a document to auto-create a text note annotation. This supports the WA state board requirements. Supported entities are Prescription, Ancillary, Patient, and Physician.

Notable

- The default **RX** (Green) note template contains tokens for the below listed information:
 - RX #:
 - {patient first name} {patient last name}
 - {medication}
 - Dispensed: {system date/time}
 - Added by: {DocuTrack user full name}
- The default **Ancillary** (Green) note template contains tokens for the below listed information:
 - Ancillary #:

- {patient first name} {patient last name}
- The default **Patient** (Purple) note template contains tokens for the below listed information:
 - Patient #:
 - {patient first name} {patient last name}
- The default **Physician** (Orange) note template contains tokens for the below listed information:
 - Physician #:
 - {Physician first name} {Physician last name}
- If there is no value for one of the tokens that token field in the annotation will be blank when placed on the document.
- This feature will be available to everyone that has update access to the document loaded in the viewer and will always be on.
- Dragging into the thumbnail pane or comment pane is not supported and no annotation will be created..
- The annotation is editable like any other text annotation until the document has been saved by user or system (e.g. stapling, printing or faxing).
- The annotation is categorized as a Text Box and does not allow the use of replies which is standard behavior for this annotation type.
- If entity annotated document is copied to another Business Unit it could be confusing as the standard behavior is that the associations do not get copied with it.
- The entity annotation will automatically grow with the length of the data.
- Entity Note colors are predefined for each entity.
- If a user edits the note properties and selects “Apply default properties” of an entity note, this will apply to the entity note for that document. With the next document, the entity note will default to the predefined

Quick Add Dialog/Multi-Match

Quick Add gives the user the ability to easily add entities to DocuTrack without leaving the document workspace. This reduces workflow to a few easy steps to add patients and/or scripts while working on a document. Records added this way are editable. If the user adds RX entity 1234567 and the Pharmacy Information System later sends an associate RX 1234567, the RX becomes non editable. Additionally, prescriptions added by system import are not editable.

Quick Add also can be used as a search for an entity that may exist in DocuTrack already. Select an entity type from dropdown to search for, enter value and select “search” icon. If the value is found in DocuTrack, a multiple match dialog will display with entities that match. User has option to select one of the matches or add new.

Audit Assist Workspace

Version History

- 6.0.0 Audit Assist workspace added
- 6.1.0 Permissions adjusted. Searchable archived documents included in results.
- 6.4.0 Grid limit altered to 150
- 6.5.0 Permissions adjusted. Only documents in BUs where user has permissions will be returned in the results grid.
- 6.6.0 Audit Assist will navigate the user to the page of the loaded Rx

This workspace provides assistance during audits. It is designed so a large number of prescription numbers (primary or secondary Rx IDs) can be entered and the resulting list of documents can be reviewed for validation, export or printing. Searchable archived documents will appear in line with active documents.

Notable

- By default, every security group will have permission to Audit Assist workspace.
 - An update license is not required for this workspace, because the document cannot be edited.
 - No user preferences, sticky settings or user configuration settings are available for this workspace.
 - This workspace will support multiple simultaneous users.
 - When user selects a document they do not have permission for, the document is not loaded and viewer displays message why.
 - When user selects an archived document, it will be loaded in viewer. Document data permissions are not honored for archive searches.
- The Search does not support wildcard characters (question mark (?) or asterisk (*)) and user will be prompted to remove from the Rx search field before the search can be performed.
- Audit Assist will navigate the user to the page of the selected Rx when Rx is assigned to a page.
- If the RX is associated to all pages the first page of the document will be loaded.

- The Audit Assist Grid is restricted to 150 RxID's (Primary or Secondary) that should be entered exactly as they are formatted. (EX: 123456789 is not the same as 123|456|789 or 01-234567-89)
- Results of the search will display documents:
 - In the order the RX values were entered in the Grid.
 - Secondary sort is alphabetically by Document Type name.
 - Tertiary sort is Document Insert Date, oldest to newest.
 - From all Business Units (if user has permissions to more than one) where the RX is found.
 - With a banner above the viewer of the selected document's Rx ID, patient name, and medication name.
 - With the preview pane for multiple page documents.
 - With "No documents found" when the RX number entered is found to have no document(s).
- The documents returned in the results grid can be "Checked" for printing or exporting.
 - The checkbox in the column header can be used to check all or uncheck all.
- All Documents will be exported as PDF's:
 - labeled with the "RX number - Doc Type and received date.pdf".
 - Errors generated during export will be placed in "_errorManifest" in the export location.
- Please see [Quick Search](#) for Audit Assist date control filter definitions reference.
- The Interface Dialog in Business Units workspace contains an Audit Assist checkbox for prescriptions. When Audit Assist is checked, a macro will be called via the Audit Assist workspace to launch keystrokes or send data to the Pharmacy Information System application.

Navigation

- Navigation away from the Audit Assist workspace will clear the search entries and search results.
 - To avoid losing entered RX ID's, users should copy the information into notepad or similar program for copying IDs back into search field upon return to the workspace.
- Documents can be cycled through easily via "Check & Next" or "Next" button. (See hotkeys defined for these buttons below.)
- **NOTE:** The Check & Next or Next buttons will stop navigation on the last available document in the list.
 - The Check & Next will stop on the last document containing a checkbox
 - The Next stops on the last document in the list.

CTRL + ALT + R	Loads the audit assist workspace from Document or Admin workspaces
CTRL + ALT + N	Loads the next document in the list until the last document
CTRL + ALT + C	Checks the current document and loads the next document in the list.
Up/Down Arrows	Once a row is highlighted the arrows will select the next or previous document

Australia Support

Version History

5.4.0 Added support for AU phone number, time and date formats

Support has been added for the Australian time zones that include daylight saving where applicable. Date format is included in all areas of the application except for Reports which will be added at a later time. The Send Document dialog will validate the phone number digits when Australia is selected in the BU.

Barcode Recognition

Version History

5.1.0 Manifest Caching for one hour

5.5.0 Nextra barcode support:

5.6.0 RX barcode highlighting based on submission status implemented.

6.0.0 Imported PDF files can now be barcode scanned and auto-rotated by Document Import.

The system must be configured to recognize barcodes before the system can route barcoded forms, return-barcoded documents, or automatically associate entities on barcoded documents being imported into DocuTrack. Prescription, manifest and patient entity barcodes are supported.

Notables

- DocImport recognizes and evaluates barcodes matching Nextra's barcode format.
- For manifests, that query external Pharmacy Information Systems, for their associated prescriptions, etc..., DocuTrack will cache the manifest data for a period of one hour. This will cut down on network traffic and Pharmacy Information System activity when a multipage manifest comes in with the same manifest barcode on each page.

- Using Fax Forward will NOT display the proper colors of submission status on barcodes that have been imported. The fax forward process is before the auto refill is completed in the code path.
- Entity Recognition - Entity barcodes are those that are recognized by the Pharmacy Information System as items to be associated with incoming documents. These include prescriptions, patients and manifests.
- Form ID Recognition This feature enables a pharmacy to put pre-printed barcodes on forms. When these are sent in from facilities, these barcodes can be used by DocuTrack to route the forms to selected Search Folders.
 - License barcoding and installing *Clear Image* automatically enables this feature.
 - To use this feature the pharmacy must put preprinted barcodes on their forms that are in the form of *F* followed by two alphanumeric characters (no punctuation). These barcodes should be as large as practical.

Configuration

1. In the *Licensing Workspace*,
 1. enter a license that includes *Barcode Module* license.
 - A. Customers who do not want return barcodes on outbound faxes will uncheck the “Allow routing barcodes to be placed on outgoing faxes.”
 - B. Enter the location where the customer wants dynamic barcodes to be placed on outbound documents.
 2. Ensure ClearImage has been installed
 3. Enter a license for the Pharmacy Information System the customer will be using.
 4. Restart the *Document Processing* services to pick up the new settings.
 5. Test that entity barcodes are being correctly recognized by submitting some files with entity barcodes.
 6. The barcodes on the imported documents should be highlighted with annotations listing the recognized barcode values.
 7. The entities listed in the annotations should have also been automatically associated with the documents and show up in the *Detail Pane* within DocuTrack.

Business Unit Workspace

Version History

- 5.1.8 Save the order for association column display
- 5.5.0 Document Association Macro button options for Logix
- 6.0.0 Interface Options for QS1 RX search from Audit Assist Workspace
- 6.1.0 QS/1 Interface Options now includes an ancillary and prescription macro button.
- 6.3.0 “Form & template folder:” field added to display the [Business Unit folders](#) location.
- 6.4.0 QS/1 Interface Options includes option to assign a facility group code as the source for incoming manifests.
- 6.6.0 Folder/File requirement changed
- 6.6.2 Templates updated to remove Fax branding
- Default DIRECT address dropdown added

A business unit is defined as a container for documents, sources, workflow alerts, import rules, groups, document metadata, and interface configurations. The business unit workspace is the central location for most setup and configuration pertaining to the basic information of the pharmacy, now referred to as the Business Unit.

Business Unit Folders

“Business Unit” Folder contains folders for Cover Pages, Forms, Scripts and Templates for each Business Unit (labeled with the number of that Business Unit) created when it is copied or added new in the Administration / Business Units workspace. The Global folder is used for globally displayed Cover Pages, Forms, Scripts and Templates.

- Global Business Unit folder items (Fax Cover Pages and Forms) will display in respective drop down lists in the application (i.e., Fax Cover Pages display in Send Document Dialog, Forms in the Form dialog). The drop down lists displays both Global and Business Unit folder contents.
- If customer would prefer to see only the Business Unit Form/Fax Cover Pages folder, it is suggested that they move the Global Fax Cover Pages/Forms to a “backup folder” and this will eliminate them from the list.
- If the customer prefers to have no Cover Page or Forms and has removed the files/folder the dropdown for the respective folders will display “No Forms/Cover Page found”.
 - Templates that are used for Confirmations (with and without Thumbnails), Error Notifications (with and without Thumbnails) and Document Import Error Document have been updated to remove any fax branding.

- Users that have permission to only one Business Unit, will only see Global and Business Unit <#> Forms/Fax Cover Pages (Removing Global items from the Global folder will remove Global items from the respective drop down lists).
- If a user has permissions to more than one Business Unit – the drop down lists will display all Forms/Fax Cover Pages for those BUs.
- When adding a new Business Unit (Administration/Business Units <Add New> button), the system copies the Forms / Fax Cover Pages from the Default folder.
- When copying an existing Business Unit as a New Business Unit, the “source” Business Unit Forms / Fax Cover Pages are copied to the new Business Unit <#> folder. If these folders are empty or removed the new business unit folder will reflect the same.
- Business Unit folder location is displayed in the Business Unit Detail section in read only “Form & template folder.” field.

Business Unit Detail

- Creation of Business Units is a feature for creating new or copying of, a business unit. This requires an additional license for each added business unit, whether new or copied. In order to create a new or copied business unit, permission must be granted in the Groups workspace for each User that will be using this feature. Note: All Users logged in must log out and log in before accessing new/copied Business Units.
- Once the new business unit is created, normal setup for that business unit is required; while if the existing business unit is copied, everything except Document Sources, Documents, Interface Options, Business Unit Code and Message of the Day contents is copied.
- The workspace allows time zone selection. Note: this is used in the Search folder alerts workspace and for document header/footer stamping. This does not set the Server time zone.
- More than one or multiple business units will activate an added feature for import and distribution of documents. This feature is called [Global Routing Rules](#) refer to this section for more info

Default Label Options

- These are the labels that are used by the Document Data workspace when the user adds a new Department, Document Type or Custom List or Field.

Document Workspace Settings

- Association grid columns and the desired order can be selected here along with which entities checkboxes are displayed for the verify column.

Interface Options

- This grid allows licensed interfaces to be added to a business unit. When a Direct Connect interface is licensed, e.g. FrameworkLTC, it then can be configured for any business unit. Only those direct connect interfaces that support enterprise can be selected more than once per Business Unit.
 - Example: HBS does not support store IDs, so HBS can be selected from the drop down list once per Business Unit.
- Interfaces can be setup and configured (see *DocuTrack X.X.X Feature Guide - Interfaces.docx* for additional configuration instructions).

Interface Dialog

- Document Association Macro Buttons are available for every Pharmacy Information System and can be configured to communicate with Logix.
 - FWLTC has a prescription and ancillary macro button that are tied to an eRx UIPath script. See *DocuTrack X.X.X Feature Guide - Interfaces.docx* for additional configuration instructions.
 - QS/1 has a prescription and ancillary macro button that are tied to an eRx UIPath script. See *DocuTrack X.X.X Feature Guide - Interfaces.docx* for additional configuration instructions.
- “Destination” column will contain a drop down list of available connections:
 - Direct Connect is the default.
 - When Logix is licensed and configured, the list will contain Logix processes that have Association Macro category defined.
 - UIPath is listed if available.
 - There is no validation when the wrong entity is selected for the UIPath macro destination.
- If a store code/Pharmacy ID is changed, all existing associations will be updated to use the new code. This is a background task, but consideration should be given if a large number of associations will be impacted. It may be advisable to schedule the change during non-peak business hours. The code used in the Pharmacy Information System should match the one used in DocuTrack.

Real-Time Viewer Module Option

Real-Time Viewer Module allows the user to select Search Folders and/or Alerts for viewing through a web site. Administrators can select which Search Folders and System Alerts will be shown.

Configuration

1. In the Administration > *Licensing* workspace, license the *Real-Time Viewer Modules* license.
2. In *Business Units* > *Real Time Viewer Settings*, select each of the search folders that will show on the Real time Status Viewer web site.
3. All Search Folder alerts will automatically show on the Real Time Alert Viewer web page with no setup required.
4. Create Desktop shortcuts on the workstation(s) that will start each of the viewers:
 - o Real-Time Status Viewer <http://<DocuTrack Server Name>/DocuTrack/RTSV/default.htm>
 - o Real-Time Alert Viewer <http://<DocuTrack Server Name>/DocuTrack/RTAV/default.htm>

Notable

- Real Time Viewers support multiple Business Units. The web page will allow users to select a Theme and a Business Unit (by selecting the Business Unit name and then from a drop down list).

Send Document Options

Default DIRECT address:

- This option is only available if HL7 DIRECT Interface is licensed. Once licensed the default DIRECT address is 'None'.
- The dropdown control is populated with DIRECT addresses listed from the System Maintenance workspace.
- Once a DIRECT address is selected for a Business Unit, it will be unavailable in the dropdown list for other Business Units.
- This selected address is cached by DocuImport for use with Confirmations. If this address selection is changed the Fax Service should be restarted.

Default fax number

- This number is used by a fax interface to specify the outgoing faxes CSID that is included in the header of each fax job. This allows each business unit a chance to have a unique CSID.

Default cover page:

- A Global or specific Business Unit cover page can be included with outbound faxes, by default.

•

Calendar

- Document is older than:
 - o 0 Days will take everything in the system
 - o 1 Week = Documents created 7days from today's date and time
 - o 1 Month = Documents created 30 days ago from today's date and time
 - o 3 Months = Documents created 90 days ago from today's date and time
 - o 6 Months = Documents created 180 days ago from today's date and time
 - o 9 Months = Documents created 270 days ago from today's date and time
 - o 1 Year = Documents created 365 days ago from today's date and time
 - o 2 Years = Documents created 730 days ago from today's date and time
 - o Etc....
 - o Custom = enables the "Enter age in days:" textbox for custom value.
- Document was received between: Dates can be selected.
- Document was received anytime:
 - o Archive will archive everything in the system
 - o Document received date is ignored when performing the search
- The date dropdown will affect the results in the following way:
 - o This Week - Only documents or document pages received for this week of that the server's current date will be included in search. ("This week": Any document received from 12:00am Sunday to the current day's date/time. NOTE: The Sunday selected should be the first Sunday encountered moving chronologically backward in days from the current day. If the current day is Sunday and the user selects this week, the report will start from the current day at 12:00am to the current time) will be included in search.
 - o Last Week - Only documents or document pages received for the previous week of the server's current date will be searched. See definition in the SRS document.

- This Month - Only documents or document pages received from 12:00 am the first of the current month through the server's current date will be searched.
- Last Month - Only documents or document pages received during the previous calendar month will be searched.
- Last Six Months - Only documents or document pages received during the current month and the previous five months will be searched.
- This Year - Only documents or document pages received during the current calendar year will be searched.
- Last Year - Only documents or document pages received during the previous calendar year will be searched.
- Custom -
 - Only documents or document pages received between the date/time span entered by the user will be evaluated with the entered search criteria. Between will also include documents that were received on the exact date/time specified by the user.
 - This means that there will be no errors if "from" date or "to" date is in the future. If there are no documents with a received date in the future, the returned results will be zero.
 - There will be no errors if 'From Date' is after the 'To Date'. Reason: some people think I received it from 1/5/07 to 1/1/07 rather than 1/1/07 to 1/5/07.
 - The UI will update the values for the user placing the oldest date in the 'From' section and the newest date in the Thru section.
 - Exception: If the date is greater than SQL Server's max date. See Error section for message.

Copy

Version History

6.4.0 Archived document copy option

The copy dialog allows desired changes can be made to the Document Data while making a copy of any document in the system. Copy information can be found in the History Dialog with links to the copied documents.

Notables:

- Copy associations will honor the copy of the current associations selections.
- The copied document source(s) will match the current document, or in the case of multiple sources due to stapling, the primary source.
 - If the original source for the copied document does not exist (i.e. it has been deleted or this document originated in another system), a new source will be created based on the source identifier.
 - If any of the original Document Data items have been deleted, the missing item(s) will be filled in with the top Document Data list item.
- The copy button is disabled when the document file cannot be loaded.
- Each copied archived document will contain an audit of "Copied from archived document" with Business Unit and Document Data from the parent document.
 - For searchable archives the copy associations check box is disabled and a tooltip displays: "Copying associations from searchable archives is not currently allowed."
- Copying may fail when:
 - A document (read only) is stapled or archived out from under the user. The user will be notified with a dialog message: "Unable to copy: The document you are viewing has either been stapled by another user or has been archived."

Daylight Savings Time

Version History

5.3.0 Changed

When a user is editing a document and daylight savings sets the clock backward or forward by one hour, the DocuTrack client handles the change of time in the following ways:

- Client is set **back** by one hour:
 - User is logged off if the client timeout (set through the UI) is set to <=1hr and or the client inactivity exceeds 1 hour.
 - As a result of the logoff, the PDF does not get saved. This includes metadata, which is also not saved.
 - No audits are recorded in the database.
- Client is set **forward** by one hour:
 - User is not logged off.

- The PDF can be saved by the user; this includes the metadata which can be saved as well.
- Audits reflect what happens in real time (see the example below).

Notable

The history dialog will record the activities on the document in real time. This means that an audit with a time of 1:59 am would have immediately followed an audit where the time displayed something like 1:00am. This is per design and is accurately reflecting in real time when the audit took place (due to the time change). Because the database server is recording all audits in UTC time, the audits will always be sequential and thus the document should not cause any triggers to be fired for operations like stapling/unstapling etc.

Documents

Version History

- 5.6.0 Document Footer added upon import
- 6.1.0 Document Footer can be configured as Document header
- 6.4.0 PCI Compliant - document files are encrypted and document file extensions are set to dt.

This section is dedicated to changes to/for imported documents, like the addition of the footer and routing barcode that were introduced into the system prior to the recent release and any changes involving the recent release.

Pre 5.6.0 Documents

- Documents that were imported prior to the upgrade of 5.6.0 do not receive a footer upon import.
- Footers were added when a document was “Copied to another Business Unit”, Faxed, Emailed or Printed.
- If the document was stapled by barcode routing the document would contain a footer on the pages that were sent out and reattached. While the original document pages will not contain a footer.

5.6.0 Documents

- Footers will now be applied to incoming documents as annotations, allowing page-specific source information to be accurately displayed in the UI and on exported documents.
- Additionally, received date on document will be displayed as Business Unit time zone rather than the server time zone (where different).
- When a document is faxed out one of the following will occur:
 - If faxed document contained a footer (post 5.6 imported document), the footer will not be altered.
 - If faxed document did not contain footer (pre 5.6 imported document), the footer will be added to the attached document.

6.0.0 Documents

- Imported PDF files will be barcode scanned by Document Import.
- Document pages will be rotated when the Document Import rule specifies.

6.1.0 Documents

- User can print without header/footer (print document only, not applicable for mass print) when user preferences are set.
- Documents are no longer shrunk when exported (print, email, fax).
- If the document is reimported, the new header/footer annotation is placed on top of the old header/footer.
- Due to the change in the way that the header/footers are applied now, the old header/footer can be seen if user hides annotations.
- Any document that comes back in that has been shrunk (pre-6.1 docs), a new header/footer will be applied, old header/footers showing are ignored.
- A new feature has been added that will allow the administrator to change the location of the footer for all newly imported documents to the top of the document thereby making it a header.
 - This header will contain the same information as the footer.
 - Source: [source_name] - left aligned
 - Original document #: [document_number] received on [received_date_time] - right aligned.

Documents With Incorrect Page Counts

- Actions attempted for documents with incorrect page counts will prompt user to contact administrator. No edits will be allowed.

Footers / Headers

- All documents when imported will contain document footer annotations as described below:
 - Source: [source_name] - left aligned

- Original document #: [document_number] received on [received_date_time] - right aligned.
- When documents are imported, the footer annotation is added over any text that is located in the footer area; ½ to ¾ inch from bottom of page.
- When the document is faxed, printed or emailed, the footer remains in the same location unless a routing barcode is requested. Depending on the location of the routing barcode, the footer could be moved higher on the page to allow room for the barcode.

Rotation

- ClearImage must be licensed for documents to auto-rotate on import.
- If the faxed doc is rotated prior to faxing, DocImp will rely on the position of the routing barcode to determine the orientation of the document upon import. (Original is portrait but landscape on fax out, will be portrait on re-staple)
- If the faxed document is rotated and contains a new routing barcode the returning document will be re-stapled in the orientation that it was faxed out in. (Original is portrait but landscape on fax out with a new routing barcode added will be landscape on re-staple)

Document Data

Version History

6.3.0 Updated workspace for easier editing, deleting and reordering.

This workspace allows the Administrator to define their individualized document workflow. This new design allows the Administrator to see exactly how the department and document types will display to all users. When documents are imported or created, each are assigned document data values (defined in this workspace). Using these document data fields documents can be moved between search folders (workflow) as well as track information needed by the pharmacy (priority, etc.). Document types only exist within a department. For a department's document type, there are four custom lists and four free-form text fields available for use. The lists and text fields may be different for each department / document type combination.

Notables

- Sequencing of departments, document types and custom list items can be accomplished by dragging and dropping. Sequencing rules:
 - Departments can be sequenced above/below other departments (inactive or active).
 - Document Types can be sequenced above/below document types within a department.
 - Custom List items can be sequence by selecting the row indicator (1st column) and dragging it.
 - Custom List items can be sequenced within the same Custom List.
- Logging:
 - Limited Client Administrator logging has been developed for this workspace. This is not a "high traffic" workspace (Account Managers typically setup and edits are minimal thereafter). Errors will be logged.
- Right Click Menu is a new avenue for user to select Add, Edit, Delete, Activate, Inactivate, Expand and Collapse.
 - Note - this right click menu is inconsistent with other right click menus in that right click on a menu item will launch the command/list item.
 - Expand (right click menu option) vs Clicking the + sign: When clicking the + sign, the doc type or custom lists are displayed as collapsed (this is as developed this way to match previous behavior).
- Deletion of document data, may cause client performance degradation. Schedule deletion of data during slower usage periods.
- Attempting to delete a Department without removing the underling DocType, status, etc will generate an error in the Web Log - This is expected.

Document Import

Version History

6.0.0 File type support for Word and Excel

6.1.0 Document Import Rule option for Email Collation.

Drag & Drop in Document Workspace to import document(s). See [Document Import - Drag and Drop](#)

6.3.0 System and/or Hidden files imported.

6.4.0 File types can be ignored and/or deleted by Document Import.

6.6.0

Document Import Configuration updated to support .xslm file types

6.6.2 Barcodes no longer scanned on email with text and/or audio files matching collate rule

Notable:

- Documents are PCI compliant (encrypted to preserve the personal information of our clients and customers).
- Documents can be viewed unencrypted within DocuTrack.
- Re-importing encrypted documents (.dt files) are considered corrupt and placed in the Unsupported folder.
- **Email Collation:** Each eml file dropped matching a Document Import Rule with the “Keep all pages together if incoming document is an email” collation option (with or without attachments) will become a new imported document. The pages of this document will be the email body first plus all pages of any attachments in the respective eml (excluding any attached emails – eml files attached to emails are unsupported and will not be imported).
- Documents that contain a routing barcode will not have a header/footer added when it is imported.
- Document Import processes and imports multi-page documents with one corrupt page. The one corrupt page will be replaced with a template directing the user to contact the sender to resend the page.
- Document Import will delete or ignore specified file types before import. File types set to be ignored will be moved into a folder (default path is). These files will be deleted after 90 days. File types set to be deleted will be deleted immediately before import (example: thumbs.db or lnk)
- **Document Import will no longer scan for barcodes on text and sound attachments when the document matches an email collate rule.**
- Importing Excel documents with graphs, charts and/or extensive designs may not import as seen in Excel.

Table Legend: The Yes/No answers are default settings (some differences may occur due to setting changes).	Barcode Scan	Auto Rotate	Page Split
Email Collation (any attachment type)	Yes	Yes	No
Word 97+ files	Yes	N/A	Yes
Excel 97+ files	Yes	N/A	Yes
PDF files	Yes	No	Yes
TXT files	No	N/A	No
All other supported files (tif, log, jpg, png, bmp)	Yes	Yes	Yes

Supported document file types:

Email	PDF	Image	Text	WORD	Excel	Audio
EML	PDF	TIF TIFF MTIFF JPG JPEG BMP GIF PNG	TXT LOG	DOCX DOC DOTX DOT	XLSX XLS XLSM	MP3 WAV AIFF AIF M4A WMA

Audio File

Version History

6.2.0 Ability to import Audio files into DocuTrack

6.6.2 No audit for copies of audio annotations

Document Import and Drag & Drop supports importing audio files by attaching the audio file to a PDF template and creating a document. The document created has a paperclip icon. When icon is double-clicked the external default audio player (associated to that audio file type) will launch/play the attachment. The document with audio file attached, will contain the audio file name (up to 36 characters). The full file name can be found on a popup note associated to the paperclip.

The list of the supported audio file type that can be imported by Drag and Drop or as attachments to an email are listed in [Supported document file types](#)

Notables

- Audio files that are attachments will be page-specific and will follow the page through stapling and unstapling.
- All audio file attachments will be evaluated first and their page(s) will be added immediately after the email body. All other attachments types will be evaluated normally.
- Drag & Drop or DocImport will not support audio files that have been embedded in any type of supported or unsupported file type. EX: Docx with a wav file or PDF with a mp3.
- Double clicking on the paperclip will open the default media player. While a single click will display a tooltip (annotation) that displays the full audio file name.
- DocuTrack will require that a third party media player be installed and setup to play the audio files.
- There is no auditing of the audio file for being activated (listened to).

- **There will be no audit for copies made of audio annotations.**
- Due to the process used to add a routing barcode to any document that is being emailed or faxed audio files will not be playable after delivery. If the file being sent needs to be delivered playable do not add the routing barcode.
- Printing of the Audio Template containing the imported audio file
 - May cause the page to look distorted. The Audio Template was created as 5.5 X 8.5 which is smaller than a normal sheet of paper.
 - The paperclip for the audio file will not display on the printed page.
- Media Players
 - If no media player is installed or setup – DocuTrack will present, the user with error dialog.
 - If more than one media player is installed but DocuTrack will attempt to display the default player for activation. Any dialogs or message after this is not coming from DocuTrack.
 - If no media player is associated with the selected file type– a dialog will be displayed to the user stating, there is no player associated to the extension.
 - If no player is associated in the OS, a dialog will be displayed to the user stating there is no player associated to the extension.

Drag and Drop

Version History

6.1.0 New Feature

6.6.0 Email subject is searchable except for Drag & Drop immediate load

Drag and Drop allows a user to drag any supported file type (see [supported file types](#)) from a desktop, UNC, RDC, or Browser (required to be a saved document not text), onto the DocuTrack Client Viewer and import them into the system. Upon dropping the document onto the viewer, the user will have two options, 1) *Immediately load the document* (the document is imported and immediately loaded in the current tab or in a new tab, or 2) document is transferred to Server (DirectConnectImport) for processing where the document is evaluated for email file type, barcodes and other document import rule criteria.

	“Immediately load”	“Not Immediately load”
Source:	~ Drag & Drop – {Logon user ID}	~ Drag & Drop – {Logon user ID}
Audit User:	the user full name performing the Drag & Drop.	Document Import (DocImport)
Audit Action:	Creating # page(s) through drag & drop	importing # page(s) through import rule {Name}

Notables

- There is no setup or sticky settings for this feature and is available to all users with document update permissions.
- The header/footer that is placed on the Drag and Dropped document regardless of Load immediately or not, will include the User that dropped the document in as part of the Source. The remaining information will stay the same.
- Drag and Drop will support Excel files but they will be processed (page settings) by the settings in Excel's print area. These files should be reviewed in Excel before importing if the page settings are important.
- Drag and Drop does not validate a document containing a routing barcode(s) so a header/footer is added. The same document, if imported, would not get a header/footer added due to validation of the routing barcode.
- Drag and Drop of email files with “Immediately Load” option selected, the email subject and body detail will **not** be Searchable in Quick Search.
- Drag & Drop includes the option to drag entities from the association grid to a document as Notes and pulling text messages from Secure Message conversation pane into documents as Notes. For more information on this process see [Entity Note - Drag and Drop](#) and/or [Secure Messaging](#).

Error Conditions

- If the document is loaded immediately the user will be notified of any import issues by dialog and log entry.
- If the document does not immediately load, it will be processed by Document Import which can fail to import the document for any number of reasons (Ex: invalid or corrupt image). Since this process is asynchronous, the user will not be notified of any errors that may occur. An error document will be inserted into DocuTrack as part of normal Document Import processing.
- Errors that may be encountered while Drag and Drop processing are:

- Unsupported File Types – Error dialog is presented to the user and the file is dismissed
- Corrupt File or unreadable files – Error dialog is presented to the user and the file is dismissed
- Permissions to the file such as ReadOnly or folder permissions – Error dialog is presented to the user and the file is dismissed.

Document Import Rules

Version History

- 5.1.0 Collation of pages with same barcode values
- 5.1.3 Expandable sections within each rule workspace window and reorganized to support future enhancements.
- 5.1.5 Original document type routing (when routing barcode exists) now supported.
- 5.3.0 Store codes on barcodes will be ignored, if the system is non-enterprise (no store IDs defined).
- 5.4.0 The default setting for a new rule is to “Correct Rotation.”
Routing barcode criteria selection will disable all custom text fields.
Document text regular expression parameters supported in the custom text fields
- 6.0.0 Imported PDF files can now be barcode scanned by Document Processing/Import.
- 6.1.0 Search ability function has been added to the Document Import Rules grid.
Routing Barcode staple to the end of document
- 6.3.0 Import rules may be copied
Sequence or reorder rules with “Drag and Drop” feature.
- 6.4.0 An option to select entity named expressions (at the bottom of Step 2) that will enable Document Import to create entity associations when filename or file text matches the regular expression selected in the Document Import Rule
- 6.6.0 Source name criteria updated to Address Book, allowing to match on Name and/or Note fields.
- 6.6.1 Relabeled Dynamic Catch All Rule to Routing Barcode Catch All Rule
- 6.6.2 A new Step 2 selection added to 'include message body' for email and DIRECT
Email To logic updated
Routing Barcode logic changed for 2 collation options
- 6.6.4 New Address Book Field - Type

Document import rules determine the settings applied to incoming documents and apply document data to enable the document to reside in the correct workflow. When adding new import rules, test with sample documents to ensure the correct document data is applied and documents are routed to the correct search folders. The Catch All rule is always active, to catch any document that does not match any other Document Import Rule.

Notables

- All text boxes in the Document Import Rules workspace are case-insensitive.
- All criteria fields allow the entry of an *OR* operator, the characters (*) and (?) as wildcards and use of quotes to denote literals
 - Asterisk denotes 0 to many characters.
 - Question mark denotes a single character
 - Leading and trailing wildcard characters are no longer allowed in the contains-type fields.
 - Existing contains-type rules that contain leading and trailing wildcard characters will be updated to remove these characters
- All criteria fields do not support the *AND* or the *NOT* operators
- The 'Form ID' text box accepts two characters only.
- Document import rules may be copied to streamline the creation process of multiple rules with only slight changes. The new rule will contain all of the settings of the original rule and its name will reflect that it is a copy.
- Creation of an import rule with routing barcode criteria selection will disable all custom text fields. This prevents system from overwriting customer entered data into those fields.
- Sequence of Document Import Rules can be accomplished by the up and down arrows (right side of grid) or via drag and drop method. The Drag and drop method will follow the existing up & down arrow behavior.
- The rule used for the import will be visible in the *Document Import* log as well as the document *History*.
- Search for Document Import Rules by entering value/criteria in the Search Text box. This search will return import rules with matching criteria from any of the displayed column. Example: If looking for Watermarks, add *Watermark* column to the grid and search for 'Yes'.
- Notable logic when an Import Rule has “Email TO address” value selected and the imported email file has greater than one address:
 - If the email file 'email To address field' has an address list without < > and is comma delimited, the first address will be used to match an import rule.
 - If the email file 'email To address field' has an address list with < > and is comma delimited, the first address will be used to match an import rule (ex: <test@test.com>, test2@test.com).

- Any other delimiter it uses the last address: ex: <test@test.com>; <test2@test.com> or <test@test.com><test2@test.com>
- To determine what the email address list is, open the email within an email application or ask Integra Support to increase logging to Full and view the Document Processing Log.
- Source name criteria rules can be created using fields from the address book workspace that include values in the Note fields (1,2,3), Source Name, **Type**, or any of the above.
- Routing routed stapled documents can be appended to the end of a document if the Document Import Rule it matches has the “Add incoming page(s) to the end of the document” checked.
- When a document with a routing barcode is imported with a specified Department\DocType, a rule can be defined to process that document to a specific workflow.
- Documents that have RX barcodes and match this rule will be submitted to the Pharmacy Information System. Submission statuses will be retained in database.
- Auto-Rotation does not occur, unless the barcode module is licensed. Clear Image can be installed and configured, but is not used to rotate documents if barcode module is not licensed.
- Creation of entity association(s) occurs when the filename or file text matches the regular expression defined in Document Import Rules (Step 2). The regular expressions must be entered into the database manually (DocumentImportRuleNamedExpressions table). Association type 2 entries in that table are available in the Step 2 area of a Document Import Rule
- Document import can assess pages of a multi-page document (usually in page order). As it does this, certain rules may apply associations to those pages. If a multi-page document has a page that matches a collation rule after other pages have received associations from other rules, all those associations will be removed when those pages are brought back together after which any remaining pages may receive appropriate associations.
- A selection has been added to '**include message body**' for any rule created if the message is a email or DIRECT.
 - The email body page(s) will be the first page(s) of the document and the same as the email body page(s) today that get added to the document during email collate.
 - If the import rule splits pages, all documents created will add the email body as part of the document.
- When a rule is created that will include a routing barcode two of the collation options will change
 - Keep only pages matching this rule together

Will become:

Label: Staple pages matching this rule to the original document

Helper Text: If a rule with this option is matched, all pages containing routing barcodes will be stapled to their original document.
 - Keep all pages together if any page matches this rule.

Will become:

Label: Staple all pages matching this rule to the original document

Helper Text: Rules with this option are evaluated second. When a routing barcode is found, all pages will be stapled to the original document and rule evaluation stops. This ensures no page is removed from the incoming document.
 - The first routing barcode found will be used to route the document back to the parent. It will be highlighted yellow (normal routing behavior).
 - Subsequent routing barcodes will be ignored and will be highlighted as unknown barcodes with the following message in the popup: “This routing barcode was ignored due to the matched import rule.”

Grouping

- Minimize the number of rules for ease of maintenance and for performance of Document Import.
- Rules are evaluated in the order shown in the workspace. When an incoming document matches a rule, all other rules following it will be ignored.
- Users will generally want to group similar rules together. For example, if Line 4 goes to the Business Office and criteria of *Contains dynamic form* and *Form ID* rules for the Business Office (Line 4), they should all be grouped together. Likewise, if a set of rules for data entry (typically matching on source name), these should also be grouped together.
- If you have multiple rule-groups (e.g. Business Office, Data Entry) the groups should typically be ordered as:
 1. Rule-groups using '*Sent to*' place toward the top.
 2. Source name is and Email body contains rules in the middle
- Rules with the most restrictive criteria should be prioritized in list by three categories. The general rule-of-thumb for rule order is:
 - **Collation Rules**
 - **All** Category (Collation) (all pages kept together if any page matches this rule). Auto-prioritized to the top. Rules that fall into this category can be prioritized within their subcategory, but cannot be moved to a lower priority.

- **Pharmacy Barcode value** Category (Collation) (pages kept together when pharmacy barcode exists on more than one page) Auto-prioritized to the second from top position. Rules that fall into this category can be prioritized within their subcategory, but cannot be moved above the Collation All Rules nor below their respective subcategory.
- **Routing Form Barcode Rules**
 - (*Routing Barcode Catch All Rule*) Category (System rule) This rule catches any routing barcodes that don't match any other rule and should be stapled to the original document number.
- **Form ID Barcode Rules**
- **General Rules** (e.g. email addresses, line numbers, source names)
- **Catch-All Rule** - Category (System rule) – This rule will catch any remaining document that matches no other rule(s). Unable to reprioritize or inactivate.

Page Splitting

Incoming documents can be imported as separate documents for each page or imported with related pages kept together as multi-page documents.

Notables

Select the collation option (Step 2) to support the desired non-splitting feature.

Watermarks

Version History

6.3.0 Watermarks added

6.6.0 Watermarks displayed diagonally

Watermarks are added to documents to ensure that documents printed, emailed and/or sent by users will be marked as copies of the originals in the DocuTrack application. The user in DocuTrack does not see the watermark until it is exported by print, email or fax.

Notables

- To configure import rules to add a watermark, select "Watermark on replication check box" in Step 2 of Document Import Rules. .
- Watermarks are added to all imported documents matching the Document Import Rule when processed by Document Import.
- When stapling or unstapling documents, watermarks will be retained for pages that were originally imported via an import rule configured for watermarks.
- Export actions that retain watermark unless noted:
 - Mass print – Results Grid
 - Document Workspace
 - Print
 - Sticky Note popups or Replies will not print due to flattening
 - Email
 - Send document
 - Drag & Drop with "Immediately Load" selected, will not add watermark.
 - Form creation will not have watermark since it does not use import rules.
 - Copy will retain a watermark if imported using a watermark import rule
 - Copied to another Business Unit will retain a watermark if imported using a watermark import rule
 - Audit assist print and export
 - Document Import
 - Forward a copy
 - Confirmations - Exception: we will not add watermark to thumbnails on confirmations.
 - Archive - Documents with watermarks will retain watermark if archived via searchable archive.

Document Transmission – General (FAX)

Version History

5.1.2 FAXID (Unique ID created by Fax Provider) is now searchable for certain Fax Providers.

5.1.5 Support for multiple phone number faxes

5.2.1 Debug folder available

5.6.0 Fax from Logix

5.9.0 Document Number added to fax failure notifications (available for certain Fax Providers)

6.3.0 Documents will be flattened (unchangeable) when faxed from DocuTrack

6.6.2 Fax Service updated for better logging.

Any configuration changes will require the restart of the FaxService and client logoff/logon.

DIRECT is enabled for transmission of messages and documents

DocuTrack supports many different transmission providers (DIRECT, FAX Providers, etc). For more information review [Send Document Dialog](#) and [Address Book Workspace](#) within this same document.

Phone numbers

- Phone number validations:
 - Comma – Are allowed as they are considered pauses when dialing a phone number but require a semi-colon between multiple phone numbers.
 - Semi-colon – Are required between multiple addresses and/or phone numbers while repeating semi-colons which would indicate a blank phone number are not allowed
 - Format – Validation is performed for the country of selection in the Business Unit workspace. (PhoneFormatExpression column can be found in Countries table)
 - Plus sign (+) and Country code (1)
 - Phone numbers that are entered with a proceeding (+) will be assumed international and require a country code entered afterwards but are not validated for formats. (EX: US +13605880649 or AUS +6112345678)
 - EtherFAX requires changes to the phone number if:
 - Incoming Documents:
 - Drop +1, the + (plus) and 1 (one), if the total number of digits in the phone number equals 11.
 - Outgoing Documents:
 - Phone Number contains + (plus sign) and 10 digits, a country code (1) for US, is added.
 - Phone Number contains 11 digits a plus sign is added.
 - Phone Number contains 10 digits a plus sign and 1 are added
- Validation and Searches can be performed on the Send Document Dialog by:
 - Full or partial Source Names, Source ID, **DIRECT address**, or Fax Back Numbers can now be entered for searches with a semicolon in between that will bring up the Address Finder with searched Sources fitting the entry.
 - Example: Shady;585;897
 - Please note the search only does one search at a time with each use of the enter key. Hitting enter for each of the parameters will return further results.
 - Validation of addresses and phone number(s) are performed on the Send Document dialog when the user hits the enter key on the To textbox.
 - **DIRECT addresses are in email address form and are validated for an @ sign and a dot (.) .**
 - Phone numbers that are entered are now validated as a valid phone number format for the country selected in the Business Unit workspace. (PhoneFormatExpression column can be found in Countries table)
 - If the phone numbers cannot be validated the enter key will open the address finder with a filtered set of numbers/names meeting the requirement of the number listed.
 - If the number(s) entered are already entered correctly, meaning they are listed in the source list as fax back numbers, then the address finder will not open.
 - If the document contained a fax back number when first received, it is listed. Once a Source is selected the Fax Back Number is defaulted to the “To” on the Send Document Dialog.
 - If exact duplicate phone numbers are entered they will be removed upon selecting send.
 - If the fax number is empty the search button must be selected using the mouse.
 - Users may send a document to several locations by entering fax numbers, separated by a semi colon, in the “To” box. If a cover page is selected it is included to each of the locations.
- Fax Back Numbers can be updated within the Document Workspace by simply selecting the “Edit Sources Dialog” button on the toolbar. It will update not only the document you have open, but any document using that source. Your open document will only update after being saved or reloaded.
- Distribution Lists can be created in the Address Book Workspace for mass faxing. As long as the phone numbers are separated by a semi-colon the list can be pulled up in the Address Book finder.
 - When a user enters a fax number that is only part of a distribution list the source name for that distribution list will not be used as part of the audit. The audit in this case will not display a source name.

Notables

- Only one fax provider should be licensed at a time.
- Fax Processing is separated into System or User faxes to keep from burying one process over the other and allow simultaneous processing and logging.

- i) A User generated Fax from the Send Document Dialog will be sent to the D:\DocuTrack\Documents\System\FaxProcessing\UserFaxes Folder for processing. If this fax should be marked as failed before handoff to the fax provider, the files will be moved to the Failed Faxes folder into a date labeled folder for User review and action.
- ii) A System generated Fax (DocImport) will be sent to the D:\DocuTrack\Documents\System\FaxProcessing\SystemFaxes Folder for processing. If this fax should be marked as failed before handoff to the fax provider, the files are then moved to the Failed Faxes folder into a date labeled folder for User review and action.
- iii) Once the problem has been fixed the faxes can be moved out of the folder up to the User or System folder for retrieval by the fax service for submission.
- Pop-up Notes are not displayed on faxed out documents for any Fax System including Generic Email. They will contain a small Notes Icon only.
- All landscape documents that are faxed will be rotated to portrait orientation.
- Documents including forms will be flattened (unchangeable) when faxed from DocuTrack. This does not affect other exports (email, etc.)
- Some fax providers send a Unique ID when a fax is sent. DocuTrack is harvesting that number and making it searchable in DocuTrack.
 - Be aware Unique ID's can be rolled over meaning, 3 years after starting to use the fax provider, you could potentially search on a given JobID/FaxID and have 6 or more different documents returned all with the same number because it was re-used.
- Initial selection of a fax provider and settings will require restart of the Fax Service and logoff of the client in order for the change(s) to be seen within the application for users.
- Any change(s) to the configuration or selection of a new fax provider will require the restart of the fax service (Restart of the Host Service is no longer required).
- Fax Headers that are transmitted with each fax job include the CSID/LocalID that is obtained from the "Default fax number:" in Business Units\Fax Options. Entering or changes to this field, will require the restart of the Fax Service for the change to be picked up.
- Please review the Logix Core Feature Guide for any questions concerning fax activity triggered by the Logix interface.
- Confirmation Thumbnails for each page received are created for all supported file types (up to 9 pages).
- A document header/footer is not placed on fax confirmations or on the thumbnails in the confirmations.
- Document Transmission may fail when:
 - A document (read only) is stapled or archived out from under the user. The user will be notified with a dialog message: "Unable to send document: The document you are viewing has either been stapled by another user or has been archived."

b.

DTAssistant Tool (optional module)

Version History

- 5.1.0 New
- 6.1.0 Updated scripts for easier configuration by Field Engineers

The DTAssistant tool is an optional module that allows a pharmacist to load and process documents without having to switch screens back and forth between their Pharmacy Information System and DocuTrack. Buttons can be enabled to Load, Save, Change Status, etc. through the Java Scripts provided with the DTAssistant.

Edit Source Dialog

Version History

- 5.1.5 New Feature
- 6.6.0 Update to dialog

The Edit Source Dialog allows a user to change a Source's Name and/or Fax Phone Number while the user has the document loaded in the viewer. Please note that this dialog is for editing the source as a whole, not just the document loaded.

Notable

- Changing a Source Name from the Edit Source Dialog may impact Document Import Rules that have been defined with that source name.
- Updating Fax Back Number(s) in the Edit Sources dialog will:
 - Create a preferred fax address if there is not a preferred, else it edits the preferred fax address.
 - Removing the fax number will delete the preferred fax number.

- The phone number entered will be validated for country format only
 - Update the document presently open in the Viewer after being refreshed.
- Any source that has been deleted will be read only and Source name will be prefixed by [deleted].
 - Example: [deleted] Shady Acres
- Merged Sources will display the primary Source Name, Identifier and Type.

Email

Version History

- 5.1.3 Ability to email with or without a routing barcode
- 5.1.5 Ability to email with or without saving changes first
- 6.5.0 Email address will pre-populate with source email back address value

Documents can be emailed from the document workspace using a third-party application like Outlook Express or Windows Live. This is done by installing and configuring an email client, then using the DocuTrack Email icon on the toolbar.

Notable:

- In the Groups workspace, Administrators can determine, if a group can email unsaved altered documents or set as a default that all documents are saved before emailing.
- The Email dropdown will allow the user to choose to include or not include a routing barcode on the document.
- Emailed forms will continue to be editable as attachment to the email.
- All emailed documents display full pop-up Notes.
- When emailing a document with a source that has an email back address defined in the Address Book workspace, the defined email address will auto-populate the To text box.
- Please be advised that once the email is handed off to the 3rd party, that DocuTrack no longer tracks the process. Failures or errors will need to be reviewed in the application used for the transmission. If there is an error that is before the hand off, DocuTrack logging will display message and/or error.
- Some of the newer Windows products require that the email application be setup as a default application before it can be seen within DocuTrack.
- A document may fail to be emailed when:
 - A document (read only) is stapled or archived out from under the user. The user will be notified with a dialog message: "Unable to copy: The document you are viewing has either been stapled by another user or has been archived."

Fax Cover Pages

Cover pages are no longer a requirement of faxing but a "Default Cover Page" comes with DocuTrack installations. Some companies and Users may want to create their own. Please follow the below requirements:

1. Only Cover Pages created with PDF or FDF (Forms file format) extensions can be used.
2. Place newly created Cover Pages in either a Global folder (DocuTrack\BusinessUnits\Global\CoverPages) or for the individual Business Units\CoverPages folder (D:\DocuTrack\BusinessUnits\#\CoverPages)
3. Routing barcodes are placed on cover pages when selected to be included on fax but no header/footer is included.
4. When a Cover Page is used the following fields will have data inserted, if the fields exist on the cover page and those fields have been completed on the Send Document Dialog.
 - a. **To** - This is populated from 'Attention' in the Send Document Dialog
 - b. **From** - Populated by the Users Name that is sending the fax.
 - c. **Subject** - This is populated from the 'Subject' field in the Send Document Dialog.
 - d. **Notes** - This is populated from the 'Notes' field in the Send Document Dialog with a max of 2000 characters.
 - e. **Date/Time** - Populated with the local date and time that the user is faxing from.
 - i. Format: MM/DD/YY HH:MM AM|PM.
 - f. **Pages** - The number of pages being faxed out including the cover page(s).
 - g. **Business Unit Name** - The name of the Business Unit the document came from.
 - h. **Fax** - Default Fax Number from the Admin\Fax Options workspace.
 - i. **Phone** - 'Fax To' number in the Send Document Dialog

Forms

Version History

- 5.1.8 Form fill in has been updated
- 5.3.0 Changes for User name and form fields

- 5.5.0 Update to Form Fill-In
- 6.2.0 Added the ability to copy the source from a loaded active document to a newly created document/form.
- 6.6.0 Multi entity associations per form
 - User created or altered forms can now lock (mark read-only) all fields, or filled fields, when saved automatically
- 6.6.2 Dialog behavior updates
 - Form-Fill will now batch additional tags
 - Supports repeating and Non-repeating fields of the same type on the same form

Notables

- Staple Process – See [Staple](#) for more information.
- Some forms with JavaScript don't display the footer even though it is listed in the comments. This is due to the type of form and cannot be changed.
- Forms reside in DocuTrack\BusinessUnits\Global\Forms and the Forms folder for the individual Business Unit.
- E-Form is a special source type used only for forms generated by the Forms Dialog in the Document Workspace. For further information, please refer to the [Address Book Workspace](#).
- User can select to have all associations on the loaded document copied to a form by putting a checkmark in the 'Copy Associations' from the Form Dialog.
 - A "Use active document's source" check box enables the user to copy the source from the loaded document to a newly created form. This check box can be selected by default by checking it in User Preferences / Default Dialog options.
 - For both of the two options: If the loaded document is or becomes Read Only (EX: another user has it loaded for update) upon selecting "Create", the user might be informed "Unable to create form" and the *Create Form* dialog remains open.
 - This is most likely due to the Loaded Document being stapled or archived out from under the user before user selected Create.
 - If the user unselects the option, "Create" selection will create the Form.
- When creating a form and assigning it to a different Business Unit, the "Use active document's source:" and "Copy associations" check boxes will be disabled.
- Forms will support filling in multiple association types on one form. This is not limited to prescription association types it will work for all association types.
- An association can be made by Quick Add, Multi Match or Direct Connect for a prescription, then association a patient, then associate a facility, etc. or all at the same time.
- Upon associating the second entity, data from the first entity is not overwritten on the form but the fields for the next empty entity are populated with the association values. When the form is full we do not overwrite the fields nor do we present a dialog.
- If a user associates an RX that has already been associated on the form, we will not overwrite the fields filled in previously with that association, we will find the next open set of RX fields and fill in those.
- If the form doesn't have multiple fields when first loaded, we only use one RX and no dialog is presented. If a second association is performed a dialog is presented asking if the User would like to overwrite the information on the form.
- If the form fields are full or there are more associations than there are fields, the user will receive a dialog informing them "Unable to fill all of the supplied values into the form. All available associations have one or more values."
- DocuTrack does not support the creation or use of Adobe LiveCycleDesigner or XFA Forms. If you are uncertain of the type of form open Document Properties and it will tell you the application that it was created with.
- Forms containing buttons (radio, checkboxes, etc.) that will hide data or fields, by using scripting, will no longer be supported.
- A complete list of supported field names can be found in "*Interfaces Guide - Appendix D*" or from Client Services.
- Form fill-in only supports PDF field types of "Text Box" with each text field containing a two-part name. (Document.DocumentType) The first part is the Source Field Entity followed by a period. While the second part is the Source Field name.
- Text fields with properties defined as "number", will strip leading zeros (e.g. zip code of 02345 will display as 2345). Suggest setting text fields with properties to "none" when numbers will be entered.
- All Field names are case-insensitive.
- Fields cannot contain "format" requirements, such as date formatting, mm\dd\yyyy.
- Fields marked as "Required" will notify the user with a message "...there are required fields...", but document can be saved without entering data.
- Fields marked as "Read-Only" are not audited in the History Dialog.
- To update or create field names for multiple entities on the same form, include underscore pound and the number (_#1 or _#2, and RX.Quantity_#1 or RX.UniqueID_#2)

- Form fields are case insensitive, however, only the first case flavor of a field name will be recognized. So we do not support duplicate field names with different cases. For instance, if you have "field1" then later on in the same form "Field1", only the first would be filled. But if they were both "field1" they would both be filled.
- Forms that have a prefix (entity) with both non-numbered and numbered fields (e.g. RX.LastName and RX.UniqueID_#1), as soon as the numbered groups are filled, the non-numbered fields will no longer continue to get filled and a message will display indicating *"Unable to fill the form with the supplied values. No empty fields remain."*
 - Form Fields: (RX.LastName, RX.UniqueID_#1, RX.UniqueID_#2, RX.UniqueID_#3)
 - Association #1: Smith, 06000122
 - Association #2: Smitha, 06000123;
 - Association #3: Smithb, 06000124
 - The resulting Form Fields values will be: LastName=Smithb, RXs=06000122, 06000123, 06000124
- If the form contains numbered fields and a **corresponding** non-numbered field (e.g. RX.UniqueID and RX.UniqueID_#1, RX.UniqueID_#2) AND the association detail (form-fill XML) contains more than one RX, only the first group (_#1) and the non-numbered field will get filled. This is because the non-numbered field was filled and all other RX.UniqueID's in the batch will be skipped. Subsequent new associations will fill in the _#2, _#3 accordingly since they are separate batches.
 - Form Fields: (RX.LastName, RX.UniqueID, RX.UniqueID_#1, RX.UniqueID_#2, RX.UniqueID_#3)
 - Association Entity #1: Smith, 06000122, #2: 06000123, #3: 06000124
 - The resulting Form Fields values will be: LastName=Smith, RXs=06000122, RX_#1=06000122
 - Additional or Next association with RX#06000123 will populate UniqueID_#2
 - Additional or Next association with RX#06000124 will populate UniqueID_#3.
- Forms can now lock (marked read-only) all fields or filled fields, when saved.
 - A hidden field named "DT.LockAllFieldsOnSave" or "DT.LockFilledFieldsOnSave" must be added to the initial form to use this feature.
 - This setting applies to the whole form and is not page-specific.
 - If no fields are filled, then the fields will not be marked read-only
 - This setting can be seen in the document properties

Global Routing Rules

Version History

6.5.0 DirectConnectImport (system) folder

6.6.2 DIRECT address option added for From and To

6.6.3 Direct Printer Field names added for routing

This workspace is used to route documents to the correct business unit. Once routed, the Document Import Rules are used to process the document into the correct workflow. This workspace is not visible until there are more than one business units licensed and created.

Notables

- Rules are evaluated in the order displayed in the workspace and can be reordered using the arrow buttons.
- Rule value fields do not support operators (e.g. "or", "and") or wildcards.
- There are several fields that can be used for the routing (Line #, DNIS, Email address, CallerID/ANI (CID), Direct Connect Codes, and **DIRECT 'from' and 'to' addresses.**)
- To route a document from the Direct Printer to a specific business unit, set a routing rule to route on the "Source ID (API / Direct Print)" or "Source Name (API / Direct Print)" created for the direct printer.
 - NOTE: the evaluation is done without the ~ which is added to new source names in DocuTrack.
- Three special characters may result in incorrect routing: percent sign (%), underscore (_), and left square bracket ([). Email addresses and Direct Print printers are more likely to have these special characters.
- To route Direct Connect documents (e.g. Insertemar and InsertDocument or **Direct Printer**), the insert document call will require a defined DirectConnect Routing Code or Source ID.
 - Direct Connect Source ID maps to the Source ID specified in the direct connect method.
 - Direct Connect Routing Code maps to the routing code specified in the web service method. Note: the association xml's pharmacy ID, does not route a document to a business unit.
 - DirectConnectImport (system) folder is an option in the Import folders drop down list.
 - Direct Printer Source IDs are GUIDs defined automatically by installer.**
- The catch all rule will place all documents not matching a previous rule into the selected business unit.
- The system will track the frequency a rule matched and display the count for each rule. When the rule is edited, the match count is reset.

- Unrouted documents (documents that do not meet a Global Routing Rule, will be reported in this workspace, in red text in lower left corner. Selecting “View Unrouted Documents” will launch a dialog that the User can view information to aide in adding rules for routing the documents. Note: the workspace message will show the total number of unrouted documents. The dialog is limited to the first 250.
- The User will have the ability to resubmit the unrouted documents by a using the “Submit Unrouted Documents” button.
- There is a System Alert that can be used for indication of unrouted documents.

Groups

Version History

- 5.1.2 Document Workspace Permissions enhanced
- 5.1.5 Change for Print/Email save option
- 5.3.0 Unstaple is now included in Staple permissions
- 5.9.0 Document Workspace Permission added to allow associations on documents locked by another update user
- 6.4.0 System Maintenance permissions have been added in the Groups workspace
- 6.6.2 DIRECT default address added

The Groups Workspace gives the Administrator the ability to grant access to workspaces, documents and sources or lock users down to certain rights in the system when combined with Search Folder and the Group's filter.

Groups are displayed in a sortable grid that contains columns that can be added or deleted. Once sorted it can be printed or copied to a 3rd party application.

Notables

- Users that are restricted from stapling will now be restricted from unstapling also.
- A setting has been added to allow printing and emailing of unsaved documents (if unchecked, documents are automatically saved prior to printing).
- Document Workspace permissions have been rearranged to enhance user's abilities.
 - Email has been separated from printing
 - Send Document Dialog and Column Choose no longer require 'Update Documents' permissions
 - 'Move' Document to Business Unit is changed to 'Copy'
- Changes to group permissions take affect when group members log out, then log in to the system.
- Groups can be deleted even if they have users that are members of the group.
- Groups can be edited when users belonging to the group are logged in.
- Global group names are unique within the global context.
- A Document Workspace setting has been added to allow an update user (via Direct Connect associate document call) to add associations to a document currently locked by another update user.
- A “System Maintenance” Administrative Workspace Permission is present. By default, all Global/Global Administrators will have this permission checked.
- Administrators can select a default DIRECT address for each Group that will be displayed as the from address when sending a document using the Send Document Dialog in the Document Workspace.

History Dialog

Version History

- 5.1.5 General updates
- 5.3.0 History dialog has been updated
- 6.1.0 Page number changes and page rotation audits changed.
- 6.3.0 History or Audits review eased by Search control, column filters and highlighted rows.

The History Dialog allows users to view a document's history – what happened to it, who made changes and when.

Notables

- Annotations are audited alphabetically when multiples are entered at the same time.
- Rotation of pages are audited at a document level meaning the number of rotations are audited but not per page.
- Forms when created, that copy associations, do NOT display history of the source of the association
- For states that require Direct ID audits are created indicating that a badge was used.
- Entries are loaded by date and time down to the millisecond. Entries will be listed by the time that they happened. Not how they appear in the viewer.

- A right click menu is available for copying the history contents straight to a spreadsheet or document for sorting or verifying. The columns will separate into columns within Excel. Or it will copy without columns into a word document.
- Document History includes annotation notes (the user enters a pop-up note for the annotation added).
- Annotations like checkbox selection, radio button selection, and drop-down list selection are not recorded.
- The cover page note field is included in the audit history for faxed out documents.
- The audits sort by user name as well as date, although the date sort is the only one that is saved to user settings.
- Columns can be resized to make the entries larger or smaller for ease of reading.
- Color coating allows for ease of ability to locate Staple and un-staple audit rows with light blue background and copy audit rows with light orange background.
- User can search for specific text by using the search control. The search will return all rows that match the criteria entered.
- Column filters for the User, Action, Value, and Pages may be used singularly, in a combination and with search criteria to further reduce the number of audit rows viewed.
- Links and a back/forward list allow for navigation through audits (i.e. copied documents, unstapled pages, staple to/from documents).
- Association audits will be visible by clicking on the View Audits link to the document to which the association is related.
- Page reordering/move audits will always be the top audit for each saved session. This is because the viewer does not send DocuTrack an event that pages have been moved. When a save is called (either automatically or manually) the pages will be evaluated for reordering/moving, set the page number(s) reorder audit first and then add the other audit actions, with the correct page #(s).

Interface Search Tab

Version History

5.3.0 Updated

The Interface Tab shows the results of a search launched from a Pharmacy Information System.

Notables

- Business Unit selections for a user are now saved between logons for interface searches. The saved selections are stored globally across all interface search types.
- The Association/By Document Button is now available on the Interface Search tab and the last selected or unselected setting will be remembered between logons for a user. A separate setting is stored for each interface search type.
- The Association's Filter option is not available in the Interface Search Tab.
- Searches are limited to 250 returned results.

Log In / Log Out

Version History

5.1.3 Multi Server Log in

5.3.0 UI Changes

5.4.0 Login now supports desktop shortcuts with server name specified.

6.4.0 Linked application user ID New feature added

Warning message dialog to Administration users when license expiration date approaches

6.5.0 Added Secure Messaging Settings

Notables

- A field is available for an optional linked application user ID. If a user is logged into a linked application with a different ID than is used for DocuTrack, the linked application will register with DocuTrack using this secondary ID.
- The 'Groups' column has been added to help Administrators setup and view the users with the correct account groups.
- The Login process will be blocked if the user attempting to login is logged into another session of DocuTrack that is currently trying to complete a Staple, Unstaple or Mass Edit operation.
- The "Unlock Documents" button has been re-enabled in the Users Workspace and the behavior has been modified to not allow unlocking of documents locked by a client that is marked busy on the server. Also, if a user has no documents locked, no action will be taken and the user requesting unlock will be notified.

- Multi Server Client connection - Users can now use one Client to log into multiple servers. This change allows the user to connect to different application servers, with the ease of typing in the IP Address or the Computer Name. Once a valid connection is made the address will remain listed in the Server Pull Down on the log in screen.
 - Be advised that the client can only connect to one server at a time even if there are multiple NT users on the workstation.
 - **NOTE:** During install process, the User can enter a server name but it is not a requirement. If a server name or IP Address is not entered for the server name, the Login Screen will display "Server_Name" in the pull down even after other server names/IP Addresses have been entered and validated.
 - Shortcuts can be defined with server name.
 - **Example:** "c:\Program Files (x86)\Integral\DocuTrack\bin\docutrack.exe /server:<servername>"
- The logon screen contains Product Version and Build Version.
- When a user logs out they are presented with the logon screen for ease of return.
- When the licensed number of users is exceeded the next user to attempt a login is presented with a "restart" button and a dialog indicating "Unable to logon. All update licenses are in use."
- Only one instance of DocuTrack can be opened at a time. Duplicate application instances close immediately and user is presented with dialog "Only one instance of DocuTrack is allowed."
- A user cannot log in if there isn't a group associated with the login. If a user attempts to login they will be presented with a Message of "Unable to logon. The user account entered has no group memberships."
- When a user's account has been deactivated, that user is unable to log in on their next try and is presented with a message of "Your account is no longer active. Please contact your system administrator."
- When user logs into a second workstation they are presented with a dialog indicating "The system detected that you were logged into another instance of DocuTrack. You have been logged out of that instance." Then the first DocuTrack session is logged off with a message of "Your account has logged in from another location. DocuTrack will close this session."
- When a user is attempting to change the password of a system account a message is presented of "No combination of that user name and password exists. "
- If a user is deleted during a long running change document operation, the system will log the user out and unlock any resources
- When restarting the database services, the DocuTrack services can take some time to reconnect. Users should wait to launch DocuTrack clients for about 10 minutes after a database restart, or else they may receive numerous communication errors.
 - Note: If after an appropriate wait, the clients are still unable to logon, check the Integra Hosting Service to ensure it successfully started. If not, attempt to start it manually. There are some cases where the service may fail to start due to a windows service dependency. This appears to be a Windows timing issue which should rarely happen.
- User logon names must be unique. This includes active directory logon names across multiple domains. If an active directory user from another domain has a logon name that matches another logon name (that is active), this new user will not be allowed to logon. They will receive an error, "DocuTrack was unable to log you in because your Active directory logon conflicts with that of an existing active DocuTrack account."
- All license keys will be required to include a support expiration date.
- Only Administrators with License workspace access will receive the "support is about to expire" dialog and popup (by default, 30 days before support expiration).
- Secure Messaging Settings panel will display in the User Workspace when License Key supports. Administrators will configure or update each users' Mediprocity account name, password and encryption key. (Mediprocity is the first secure messaging service supported.)
- Users will be required to log off and log in, to receive messages after user configuration updated.

Configuration

- Changing User Name or password from Login screen:
- User Name is not case sensitive and the password is case sensitive.
- User name can be 1 to 20 characters and must be unique from all other users.
- Passwords must be between 6 and 70 characters long.
- Users are able to change passwords even if there is not an update license available for logon.

Quick Search

Version History

5.1.2 Searches will now return Online Archived documents.

5.3.0 Source searches will now return documents containing pages with an original source that matches (stapled pages).

5.3.1 Search with Store Codes available

- 5.4.3 Changes to Date Dropdowns
- 5.6.0 Date based Quick Searches will return documents with stapled pages that match date criteria.
- 6.0.0 Removed Archive type drop down
- 6.0.0 Association view can now be filtered by association type. See [Search Folders](#) section for details.
- 6.6.0 Email text (to/from/subject/body) is now included in the indexed quick search text.

Quick Search is the ability to search for documents from the Documents\Search Tab based on an index of information about each document. Document searches are based upon text related to the document, i.e., associations, workflow settings, sources, document number, date and time ranges. The *Quick Search* feature uses the SQL Server full-text Indexing services.

Notables

- Searching Notables:
 - User can search using 'AND' 'OR' statements
 - Wildcards (* only) are supported only after the search word or character.
 - RX status is the only status that is searchable when using Quick Search.
 - Source search: when searching for documents related to a given source, documents with page(s) originally from the specified source will be found. This allows users to find documents that came in with one source then stapled to a document with another source.
 - Document number search: when searching for document numbers, separate the document numbers with commas. Entering numbers in multiple fields results in an "AND" statement which will not return documents. (Note: Quick Search does not use breadcrumbs to locate a document that has been stapled to another document.)
 - Searching for multiple entity associations and document data values can be performed without using AND. For example, locating documents that have a document type of "Refill" a patient name of "Smith, Joe", "*Joe Smith Refill*" can be entered and the search will return all documents that have an association equal to Ellen and Williams and Refill.
 - If the search criteria entered is too broad, a message will display prompting the user to refine their search. For example, "Smith" may return too many records. "Medication AND Smith" will return fewer records, and therefore will be less likely to time out.
- Searching with store codes:
 - Searching with a hyphen after the store code does not return results (e.g., 0010-12345678).
 - Workaround: Use Search all document fields: store code AND entity
01 AND 1234578 or 12345678 AND 01 or 01 AND 123*
 - Searching with a store code using Search specific fields does not return results.
 - Workaround: Use combination of Search all document fields plus Search specific fields:
01 in Search all document files plus 1234567 or 123* in
Search specific fields, Assoc. Primary ID
- User preferences (i.e., search data entered or column selection) are stored when the user performs a search and will continue to be present until user logs out of the application. If user desires to save these settings, elect to "Save" the search.
- Search results will return only the most recent 500 documents.
- If "historic Online Archived" documents exist, the Quick Search will return these documents when they match the search criteria.
- The max SQL Server memory setting should be set to something less than the total amount of physical RAM on the server.
 - The appropriate memory setting – in general – is determined by subtracting, from the total physical memory, the memory required for the operating system, and any other instances of SQL Server (and other system uses, if the computer is not wholly dedicated to SQL Server). This difference is the maximum amount of memory you can assign to SQL Server.
 - Specific recommendations for specific situations can be obtained from Integra Support.
- Per Microsoft recommendations, choose the Maximize Throughput for Network Applications option for File and Printer Sharing in the network properties of the Database Server.

Reports

Information regarding reports can be found in the *DocuTrack X.X.X Feature Guide - Report and Report Views*.

Results Grid

Version History

- 5.1.2 Copy to Business Unit added

- Real-Time Viewer Modules added
- 5.1.3 Filter Search Added
- 5.3.0 Annotations retained
- 5.5.0 Page Count Column added
- 6.3.0 Search by Batch ID
- 6.4.0 + Icon in Results Pane indicates multiple source names/and or received dates.
- 6.6.0 Hyperlink in Results Pane indicates multiple source names/and or received dates Double Click to view
Minimum of one column, no maximum requirement
Association Description Column available
Style Set change for part of Document Workspace
- 6.6.2 Copy to BU retains original Source and received date

Column Chooser

Notable

- The Column Chooser is located in several different locations although most notably the Document Workspace in the Results Grid.
- Each Column Chooser dialog will contain its own set of available columns with different defaults for each dialog.
- To change the columns simply double click to move the item from side to side or select and use the arrows or hit the space bar.
- Positioning of the columns is not reflected in the grid dialog; as most are displayed alphabetically. Only exception would be if the dialog contains up/down arrows (Step 2 in Search Folder setup dialog).
- There is a minimum requirement of 1 column for any grid but there is no maximum. All available columns can be loaded.
- A vertical scrollbar appears if the list of headers is too long for the pane.

Copy to Business Unit

DocuTrack has the ability to copy documents from one Business Unit to another. This means that the original document will remain in its original location with a History dialog entry indicating that the document was copied and to Business Unit <name>. A copy of the document will be inserted into the new Business Unit.

Notables

- Documents copied into a business unit will:
 - Retain the Source of where the original document was imported from.
 - Retain the received date / time of when the original document was imported.
 - Contain an audit that it was copied from another business unit and from what business unit.
 - Associations are removed
 - User annotations are retained without related audits
 - All document import annotations are removed (Barcode highlighting etc)
 - Footer\Header is updated:
 - Source: [source_name] - left aligned
 - If the Source Identifier does not exist in the destination Business Unit, it will be created.
 - If it is created, the Source Name (which is editable) will be the same as the Source Identifier but with a leading tilde (~).
 - Original document #: [document_number]
 - The new Business Unit's Document Number
 - Received on date and time [received_date_time] - right aligned
 - Will retain the received date / time of when the original document was imported
 - Will reflect time zone differences.
- The button will only be available to users that have access via their assigned Group.
- If there is only one Business Unit the button will not be visible to any users.
- Users will need to select the documents(s) from the results grid then select the button to copy the document to the new Business Unit.

Filter Search Results

The list of documents displayed in the results grid, can be refined using the Filter Search Results tool. When text is entered, the list of documents displayed will be narrowed down so that only documents that meet the filter criteria display.

Notables

- Only fields that are currently displayed in the results grid can be filtered. So before filtering on additional columns, add these columns to results grid by using the column picker.
- Multiple words, wildcards, or Boolean Operators ('AND', 'OR') are not supported.

Edit Selected Documents - Mass Edit

Mass Edit allows a user to change Document Data Settings for multiple documents at one time by selecting a group of documents from the results grid with the CTRL key and/or Shift key in combination with the mouse click for highlighting.

Notables

- The first document selected loads automatically in the viewer unless the Control key is held down during selection.
- The number of documents selected is limited only by the number displayed in the result grid.
- The user has a "<don't change>" value in each custom list when the documents selected all have the same department and document type. This ensures that the only custom list value that changes for that document are the items selected by the user.
- If the process takes more than 3 seconds, a progress dialog displays.
- The User will receive an error dialog:
 - If one or more documents are locked so that the user cannot update them.
 - When one or more of the documents are opened and read-only for the user.
 - Some documents selected have been stapled, archived. Note: we will not follow stapled documents like we do in the document workspace for the bread crumb feature in this scenario. If documents to be changed have a failure during the save operation.
 - If the user selects just a custom list change (the other custom lists have the [don't change] selected) and one or more of the documents has their department or document changed by another user before mass edit processes the document. The User will receive an error dialog because the [don't change] settings are invalid for the changed document(s).
 - If the settings chosen by the user have been removed from the database (e.g. department) at any point during the process.

Multiple Source Names and/or Received Dates

When documents contain multiple sources and/or received dates a hyperlink is displayed in the results pane.

The multiple sources and/or received dates may be viewed in a popup dialog by any of the following options:

- Hyperlink contains a tool tip indicating that there are multiple received dates and/or sources.
- Clicking on the hyperlink in either cell location initiates the pop up
- Double clicking on the source or received date cell in the results grid when document is loaded in viewer
- Double-clicking in the cell will load the selected document.
- Right click in the source or received date cell and select 'Show Source/Received Date History
- While a document is loaded in the viewer, a right click may be done on a different document to view the source and date history of a non-loaded document

The popup:

- Is the same from either Sources or Received Date
- Is visible for all of search folders (BU-Global & Private), Quick search and Interface tab.
- Contains three columns: Pages, Sources and Received Dates.
- Grouping is by page order
- Is not sortable or capable of size change.
- Data within the popup cannot be altered
- Maximum rows visible is 10 but a scroll will be visible when over that number
- Navigation in the popup can be performed by the arrow keys or page up/page down keys.
- Can be close by close button, enter key (focus set to close), esc key or by clicking off of the popup.
- Right click offers copy functions

Search by Batch ID

The ability to search for documents by BatchID has been added to the results grid right click context menu.

Activating the 'Search by Batch ID' process will open the Interfaces tab and list all Global Document ID's that were created with the same Batch ID. The results grid will be populated with the corresponding documents that the user has permission to.

Notables

- This feature will work for documents imported in 6.3.0 release forward.
- This feature can only be performed on one document at a time.
- When multiple documents are selected, the right click context menu search option is disabled.
- Batch IDs are assigned to documents that are processed by Document Import. Drag & Drop files (immediately load unchecked), Copies and Forms are not assigned a Batch ID. When a document does not have an assigned Batch ID the only document returned in the interface search tab is the document that the user selected the option from.
- Stapling and unstapling will retain the Batch IDs ensuring all original Global Document IDs tied to the Batch IDs will be returned in the search.
 - The BatchID is retained for the parent of the stapling process not for the child document.
- By default, the Interface Tab's sort order is Global Document IDs ascending in text box while the results grid is descending. To have the sort orders match the user can change the results grid received date column sort.
- An Email with multiple attachments will be processed as one Batch ID that includes all attachments. If one of the attachments fails to import, the failed document will have a different Batch ID. Therefore, when "Search by Batch ID" is performed on the failed document, the user will only get one Global Document ID returned.
- BackgroundUpdates include a "Cleanup.ImportBatch.Data" task that cleans up (deletes) ImportMetaData older than 365 days. ImportMetaData is where the BatchID is stored. "Search by BatchID" is limited to searches for documents that were imported less than 365 days.

Routing Barcode

Version History

- 5.1.3 New – Print and Email Icons will display routing barcode
- 5.1.4 Updates – Online Archived with routing barcodes
- 6.1.0 Routing Barcode can staple to the end of document

This feature adds a routing barcode to all out-going documents. If the document is imported back into DocuTrack, this barcode will be read and the incoming document will be stapled to the front or back of the original document. Then the stapled document gets set to the values specified in the "Routing Barcode Catch Call Rule" if that rule is enabled.

- Routing barcode symbology value will always be Code128.
- The Base 10 value format = <DocumentID><PageNumber><4 Digit Customer Number>.
- This value is converted to a Base 36, prepending a "D/" in front of value.

Notables

- A Routing rule is setup by default called "Routing Barcode Catch All Rule" so there is no need to set up a new one.
- The Print and Email Icon on the Toolbar and the Results Grid will allow users, with permission, to print and/or email selected documents with a routing barcode. The results grid and the viewer also contain right click context menus with this ability. There is no setup or configuration needed.
- Newly imported barcode routed documents can be stapled to the end of the original document by placing a checkmark in the "Add incoming pages to the end of the document" in the appropriate import rule. Stapling to the front is default setting.
- When multiple business units are present, routing barcoded documents will not automatically staple to original document. The document must match a global routing rule to be imported to the Business Unit the original document exists in.
- Documents that have been online archived are ReadOnly but can still be printed, emailed or faxed out with a Routing barcode. Be aware that the Routing barcode will not staple to the original document because it is archived and therefore in a ReadOnly state. The newly imported Routing barcode document will become a new document. The Routing barcode will include a red note stating: "This document could not be stapled to the original document with Global ID #XXXX. The original document has been online archived."
- When emailing and/or faxing and a routing barcode is attached the document will be flattened. This process will cause audio files to no longer be playable when delivered.
- Incoming documents with routing barcodes will not be imported as a NEW document if:
 - Barcode Configuration is licensed (Admin Workspace/Licensing)
 - Clear Image is installed and licensed.

Search Folders

Version History

- 5.1.2 Save/First option added to Public Search Folders.
- 5.1.7 Simplified labels and titles
- 5.1.8 Updated sort options
- 5.6.0 Number of displayed associations limited to the value configured in search folder setup 'Step 2'
New document data lookup values processed continuously rather than periodically in background tasks.
- 6.0.0 Association view can now be filtered by association type. Filter option is not available on the Interface Search tab.
- 6.3.0 Global Search Folder feature added
- 6.4.0 Association view by entity type functionality change. See detail below.
- 6.6.0 Association view now has the optional column "Association description"

Search folders are the backbone of the DocuTrack workflow. They have the capability of showing users documents in a particular state based on information about the document. The Search Folder criteria selected can range from document data settings, sources, custom list values, and date ranges, or a combination of all of the criteria.

Global Search Folders will add the ability to share work across multiple business units and enables administrators to prioritize centralized work across pharmacies.

Search Folders types:

- **Private Search Folders:** created in the document workspace. Can be viewed and used only by the individual that creates the private search folder.
- **Public Search Folders:** created in Administration Tab for use by all users granted permissions to the Search Folder.
- **Global Search Folders:** can only be created by a user that belongs to the seeded Global Administrators group, in the Administration Tab Search Folders Workspace.
 - Displayed to users in the document workspace that have Global access.
 - Not displayed in Real Time Viewer Settings (RTSV).
 - Cannot be created as Private Search Folders
 - Function like Public search folders
 - Span Business Unit(s).
 - When selecting multiple documents from different Business Units in the results grid, the toolbar buttons will be disabled except for:
 - Column Selection
 - Filter Search
 - BU Copy
 - Print (with and without routing barcode)

Notables

- Default view is "By Document Views". Any Search Folder can be viewed by Associations (Search Folder configuration or User Setting).
- The "By Association view" button on the results grid includes a drop down to select the association/entity types to limit the results to.
 - By Association View dropdown behavior:
 - All checkboxes are selected – results display a row for every entity detail that exists on the documents (that match the search folder/Quicksearch criteria) plus a row for every document without an entity association.
 - When entity checkboxes are selected (Example: prescriptions), the results display a row for every RX entity that exists on the documents and a row for every document that does not have an RX entity (that match the search folder/Quicksearch criteria).
 - When no entity checkbox is selected, all the documents will be returned (that match the search folder/Quicksearch criteria) with no entity detail displayed. This is the equivalent of the document view.
 - By Association View filter checkbox settings are not cleared when selecting 'Return to Default Sort' (option in the column selector button dropdown).
- If a Public Search Folder is linked to an Alert, the alert will be deleted when the Search Folder is deleted.
- Global Search Folders do not have alerts.
- If items cannot be located using the Search Folders, the Search Tab offers more options for locating documents.
- When a business unit is copied, the business unit search folders, meta-data, and groups are also copied.
- All cabinets and Search Folders can be re-sequenced within the Administration Tab Search Folders Workspace.
- When a business unit is copied, the new business unit's document data and groups are added to existing Global Search Folders (may require logging in again). Note: by default, Global Search Folder will now contain the new business unit Search Folder that matches existing selected Search Folders.

- When a new user group is created,
 - That group is automatically added to the Groups listing on all existing public search folders for that Business Unit and is left checked; granting access.
 - That group is automatically added to all existing Global Search Folders but is NOT automatically checked. The Global Search Folder must be altered to grant access.
- Medication name, Facility name, Ancillary name, and Patient DOB can be displayed in the Association view by adding the column "Association description."

Configuration

- Global and Public Search Folders can be defined as "Save/First", by checking the *"Make Save/Next always select the top document"* option in the Search Folder Options dialog.
- All Search Folders columns are configurable and will retain personal settings like columns, sorts, etc.
- Changing the default columns in the Administration Search Folders workspace for any Global or Public Search Folder will not appear until the User selects "Return to Default Columns".
- The number of documents returned in any search folder is configured in search folder dialog, 'Step 2.' With a max of 5000 and a default of 150.
- Labels and titles in the Search Folder workspace were simplified for clarity.
 - For alphabetical fields, the choices are "Ascending A-Z" or "Descending Z-A".
 - For numeric fields, the choices are "Ascending 1-9" or "Descending 9-1".
 - For received date fields, the choices are "Oldest to most recent" or "Most recent to oldest".
 - In addition, for custom list fields, there is also a sequence choice based on the sort order established in Document Data.

Secure Messaging

Version History

6.5.0 Added – Mediprocity support only

6.6.0 Dialog(s) updates include: Subject line added, Unread indicators, Distribution List available from Mediprocity application, Message notes drug to document result in annotation and audit added when document sent as attachment

Secure messaging provides the ability to send and receive HIPAA compliant secure text messages for DocuTrack users working independent of the secure message service(s) being used. In the future a pharmacy may have multiple secure messaging services and all conversations or messages will show regardless of service.

Notables:

- Text too long will be abbreviated and include an ellipse when necessary.
- Attachments will include the selected document as displayed, (annotations, stamps, including header/footer if not already added) presently there is no ability to include a routing barcode.
- Legacy documents that do not contain a header/footer will not add a header/footer before being sent.
- The conversations Dialog contains a Min, Max and close button (similar to all Windows dialogs).
- The message dialog does not contain a close button. Sending the message automatically closes the dialog.
- A message cannot be sent without text in the message box, even if a document is attached or the checkbox is checked to reference the current document.
- Users when entering a new message, can use all of the normal windows hot keys like Ctrl C, V, X, Z.
- When new users (Recipients) or Distribution have been added to an organization (via the Mediprocity Web application) a user must log off and login to view/use the new users.

Hot Keys:

- Alt + Enter will Send a Message when required entries are populated (Recipient, Text message).
- Hot keys (Ctrl+Alt+M) will open Secure Message dialog when:
 - DocuTrack client is open and user is logged in.
 - User can open Secure Message dialog from anywhere in the DocuTrack client app
 - When Secure Message dialog is hidden behind apps hot keys will bring It forward
- Hot keys won't open Secure Message dialog when:
 - DocuTrack client is minimized on taskbar
 - DocuTrack client app is closed
 - User is logged off
 - Focus is not on DocuTrack client

Send Document Dialog

Version History

New New Dialog – Replaces FaxOut Dialog

6.6.2 DIRECT messages uses Send Document Dialog

The Send Document Dialog is located in the Document Workspace and is used for sending out documents open in the Document Viewer. For more information see [Document Transmission - General](#) and [Fax Cover Pages](#) or review Document Transmission Interfaces in the 'Features Guide – Interfaces'.

Notables

- **DIRECT Messages –**
 - All DIRECT messages require a 'FROM' address to be loaded or selected from the dropdown if more than one is listed.
 - If a DIRECT address is in the 'TO' field; the Attn., Subject and Message fields are enabled regardless of a cover page selection
 - Cover pages are not added to direct messages but the entered attention, subject and message is sent as part of the direct message.
- If a document contained a fax back number, (the number the document was sent from when received), that phone number is saved as the Contact Method Fax number and is listed in the 'To' text box by default when the Send Document Dialog is opened.
- The dialog will automatically load the fax number for the source that was manually entered in the Address Book Workspace.
 - Fax numbers are displayed as: [Source Name] ([contact method value]). ("Shady Acres (13604212162)")
 - Entries for Phone Number can contain up to 1024 characters and must be separated by a semi-colon.
 - If the fax number is empty, then the enter key does nothing. The search button must be selected using the mouse as there is no tab function at this point.
 - If phone numbers are entered that are not in the Address Book they are validated for the correct country form as set in the Business Unit Workspace.
- A search can be performed that will return results while user is typing by entering full or partial Source Names, Source ID, or Fax numbers with a semi-colon in between
- If the phone number(s) cannot be validated the enter key will open the address finder with a filtered set of numbers/names meeting the requirement of the number listed.
- Search will present up to 8 contacts for select of one or more while highlighting numbers best fitting the search if found.
- Please note the search only does one search at a time with each use of the enter key. Hitting enter for each of the parameters will return further results.
- If there is no entry in the text box search returns all entries with a fax back number with none selected
- Users may send a document to several locations by entering fax numbers, separated by a semi colon. If a cover page is selected it is included to each of the locations.
- If duplicate fax numbers are entered, the fax will be sent to the number twice. This dialog does not evaluate whether or not duplicates exist in the numbers field.
- Fax Back Numbers can be updated within the Document Workspace by selecting the Sources button on the toolbar.
 - It will update not only the document you have open, but the entire source.
 - Your open document will only update after being refreshed.
- **Pop-up Notes are not displayed on sent documents for any DIRECT or Fax Provider. They will contain a small Notes Icon only.**
- **All transmitted documents or forms will be flattened meaning they are not editable (outside of DocuTrack).**
- For FaxCore and EtherFAX, if a source name is available for a fax number, it will be included in the document fax audit.
- DocuTrack has added the ability to dial/fax within the country of Australia. This ability includes the use of 2-digit area codes and 8-digit phone numbers. Once the user has selected the country in the Business Unit workspace the phone numbers in the Send Document dialog will default to that configuration. Change the country will change the configuration. This is the only area of the application that this change is affected by.
- **The "Fax cover page" drop down is not enabled until a valid phone number or a DIRECT address is entered or retrieved in the "To:" text box. Once the above requirements are met the textboxes for the message are enabled.**
- The History Dialog will contain all of the information that is included on the cover page including the note field for faxed out documents.
- Routing Barcodes are included on cover pages when selected.
- If the fax is sent to multiple addresses or fax numbers each copy will include the selected cover page.
- Users can specify how many or what pages are faxed if not all pages are needed. Example: 1, 5-7, 10
- Users can include a routing barcode for each of the document pages for return routing by adding a checkmark to the Page Options for "Add routing barcode". Any selected cover page will also include a routing barcode.
- The Document Information can be copied by simply selecting the information you wish to copy and using the Windows short cut key (Ctrl+C) or the right click menu.

- A document may fail to be sent when:
 - A document (read only) is stapled or archived out from under the user. The user will be notified with a dialog message: "Unable to send document: The document you are viewing has either been stapled by another user or has been archived."

Staple

Version History

5.3.0 Stapling now appends pages

5.5.0 StapleTo dialog updated with a "Select all" checkbox.

Stapling can be performed from various locations in the Document Workspace. There is no functional difference in each location.

'Mass Staple' can occur from two different locations. Location number one: user can multi-select documents in the results grid and then select the 'Stapler icon'. Location number two: user can multi-select documents in the results grid and then select the right-click menu option of "Staple Selected Documents".

'Staple to' is a Document Workspace toolbar button and used with multiple update documents open in tabs. The actively displayed document in the viewer is the 'Host' document. Select the "Staple To" icon on the toolbar. A dialog displays offering user which of the tabbed document(s) to be stapled. This dialog will only present documents that you have permissions to staple. Stapling documents will automatically close the tabs of those documents that are not the 'Host' document. The "Staple To" dialog includes a 'Select all' checkbox.

Notables

- Stapling appends pages to the anchor document.
- Imported documents with routing barcode are stapled to the original document if there is a Routing Barcode Document Import Rule defined.
- Once the parent document has been selected for staple operation, other users will have Read Only access. The child documents and their database records will be deleted.
- The first document selected is the "host or parent" document (all other documents stapled to).
- The selected documents are stapled to the Host in the order that they were selected.
 - Note, if stapling using the toolbar "Staple To" button, they will not staple in the order selected.
- The Host document is automatically saved during the stapling process.
- All associations from the selected documents, not associated to the host document will be added.
 - The association information for each document will be automatically updated on the Host Document to reflect its new page number after being incorporated. This will include only the first occurring page of the reference.
 - Any prescription submission statuses will be excluded from the selected and Host documents.
- Child documents audit history are added to the host document by adding links to original audits.
- Page number references in the host document audit history are updated to reflect the changes (Page(s) added from stapling).
- The stapled document source will be determined:
 - Same Source - If all stapled documents contain the same source. The source does not change.
 - Multiple Sources – If there are different sources the host documents' source will be retained as primary but all sources will remain listed by page. See [Multiple Source Names and/or Received Dates](#)
 - The document number, meta-data settings, audit history, etc. all use the host documents.
- Forms created (including Form Fill-in) can be stapled to other documents.
 - When 2 or more forms, regardless of the number of pages in those forms, are stapled together, the second or more form(s) are always flattened. When this process is reversed by unstapling, only the first form remains editable, while the remaining forms are flattened in the original staple process and cannot be undone.
- Examples of actions that can cause stapling to fail:
 - The User does not have update permissions to one or more of the documents being stapled.
 - Another user has opened one or more selected documents for update.
 - Another user has stapled one or more selected documents. (Example: Search Folder results not refreshed before stapling).
 - One or more selected documents do not have a physical document (exists as a record in the database but no physical file.)
 - High volumes of staple activity by (large number of documents by multiple users) may cause communication errors.

- Unable to access the dt file because it is being used by another process.

Submit

Version History

- 6.0.0 Mass-submit dialog added
- 6.1.0 Corrupt pdfs in Mass Submit handled gracefully.
- 6.4.0 Copy Cell, Row and all rows option available in the submit grid

There are two ways to submit prescriptions. Submit dialogs allow prescriptions to be sent to the pharmacy system through Direct Connect. This process is typically used for prescription refills and allows the staff to submit all the refills at once rather than having to process each one individually.

- The **Batch Submit** button (located above association grid) allows submission of any or all prescriptions on a single document.
- The **Mass Submit** button (located above the results grid) allows submission of any or all prescriptions on documents highlighted in the results grid. Any edited open documents with prescriptions by default, will be auto saved upon loading of the mass-submit dialog. This behavior is turned on/off with the Barcode.RefillStatusColorCoding bit in the EnterpriseConfiguration table.

Notables

- **Document Number (Document #):** This column is only shown for the Mass Submit button is clicked in the results grid toolbar for the folder, quick search and interface search tabs.
- **Interface:** This column is only shown if there is more than one licensed interface for the Business Unit. The Pharmacy ID is only shown if enterprise interfaces are enabled.
- When submitting refills that are tied to document barcodes, upon successful/unsuccessful submission the barcode highlights will update to match the refill status. When a barcode contains a submission failure status, upon a successful resubmission the barcode highlight is not updated to match the new refill status.
- Selecting a corrupt document from the results grid for Mass Submit will result in a log entry and submission will not process that document. The DocuTrack.HostingService.log will log the issue as an exception:
 - "PDFProcessor.UpdateBarcodeHighlights :: Encountered an exception while updating barcode highlights: Cannot load PDF file." This is working as designed.

System Maintenance

General System Configuration

Version History

- 6.6.0 Checkbox for Reorder Pages removed

Page reorder checkbox has been removed. All users with update permissions will be granted the ability to reorder pages within a document.

Macro buttons checkbox

- Can be collapsed into a drop down menu by checking "Collapse all macro buttons into a drop down menu" in Admin Tab/System Maintenance/General System Configuration. See that section for instructions.
- **Unchecked** - Macros are displayed side by side, in separate grid cells. Each association for a document, regardless of how many buttons are available based on the entity and interface, will have the same number of cells as the association with the highest number of macros. Known issues:
 - If more than one Pharmacy Information System is licensed and one of them has more macro buttons than the other, there may be a blank cell where the macro button would display.
 - Even though it appears that macro button grid columns are expandable, they are not.
 - Macro buttons if not collapsed, will display in separate columns (grid cell)
- **Checked** - Macro buttons display as a dropdown selector
 - This is global; meaning all users in all Business Units will now see the macro buttons in a drop down menu.
 - The user's last selected macro button will be saved as user preference and be the default.
 - The user can change the default macro button by selecting a different dropdown macro button on an association.

Use CSID for source name - Checkbox indicating new sources are named by CSID.

- The source for incoming emails and faxes can be set to the CSID value, if one exists.
- This option is only available for new sources.
- If the CSID is not present, the original source will be used. This option is available on CallerID/ANI (CID) and DNIS sources only.
- If an incoming fax or email has a CallerID/ANI (CID) that matches a source identifier in the database, no new source will be created.

Unstapling

Version History

6.0.0 Unstaple right click menu context options added

6.6.0 Right Click Context menu updated to include 'Select all pages' and Unstaple to new documents

Unstapling can be performed by selecting an option from the Right-Click context menu while a page loaded in the Thumbnail View. Options include:

- Select All Pages will select all of the pages of the loaded document to perform all of the functions on the menu (EX: Rotate, Zoom and Unstaple)
 - Hot Keys - Control key + Left mouse click to select multiple pages at one time.
- Unstaple Pages To One Document - A new document is created from the unstapled page(s). The original document is saved remaining open with focus.
 - There are four options when the user unstaples pages:
 - With Associations – Selected pages are unstapled with copies of all associations to one newly created document.
 - With Associations To New Tab – Selected pages are unstapled with copies of all associations to one newly created document, which is then loaded in a tab.
 - Without Associations – Selected pages are unstapled with no associations to one newly created document.
 - Without Associations To New Tab – Selected pages are unstapled with no associations to one newly created document, which is then loaded in a tab.
- Unstaple Pages To Separate Documents - A new document is created from each of the unstapled page(s). The original document is saved remaining open with focus.
 - There are four options when the user unstaples pages:
 - With Associations – Each selected page is unstapled, with copies of all associations, to a newly created document.
 - With Associations To New Tab – Each selected page is unstapled, with copies of all associations, to a newly created document loaded in a different tab.
 - Without Associations – Each selected page is unstapled, with no associations, to a newly created document.
 - Without Associations To New Tab – Each selected page is unstapled, with no associations, to a newly created document loaded in a different tab.

Notables

- The document is always saved before the unstaple operation is performed.
- Focus will remain on the host or parent document when pages are unstapled.
- If all tabs are loaded when unstapling, the following message will be shown to the user and no documents will be loaded in new tabs: The unstapled document(s) could not be loaded because the maximum number of tabs has been reached.
- If more documents are created than there are available tabs, then the remaining tabs will be loaded until the maximum is reached at which point the following message will be displayed to the user: Some of the unstapled document(s) will not be loaded because there are not enough available tabs.
- Auditing will display the new document number of the unstapled page(s) and present the ability to open the new documents' audit.
- Page number references are updated to reflect the changes to all page numbers.
The unstapled document will have the same document meta-data as the original document depending upon the option selected
The source of the unstapled document is determined by the following rules
 - If all the pages had the same original source, that source is used.
 - If a multiple page document was created from multiple sources, the scenario is more complex.
 - Example: Page 1 & 2 are from Shady Acres, and page 3 is from Dr. Joe. User unstaples page 2 & 3, the source will be Shady Acres (the first page in the resulting document). History

would show audits for page three with a source of Dr. Joe. If page 3 were unstapled, the source would be Dr. Joe.

User Preferences

Version History

- 5.1.5 User Preferences dialog added.
- 5.1.7 Added default tool selection
- 5.1.8 Allow a default tool (hand or pencil) to be selected
- 5.5.0 Default printer settings added
- 6.3.0 Focus set to Quick Add on document Load by default added
- 6.6.0 Preferred Stamps Tool selection from User Preference Dialog

The user preferences dialog allows users to customize certain settings. All users have access to the User Preferences dialog located in the upper right hand corner of the application.

Notables

- Default Zoom setting when loading documents:
 - Fit to page
 - Fit to width
 - Actual Size
- Default tool can be selected (Hand or Pencil tool) which will remain selected between documents.
- A default annotation tool (either the Hand or the Pencil) may be pre-selected for documents that are opened in the same tab and may be kept active by for continuously loaded documents with in that same tab.
- Page Preview Pane (Thumbnails pane) can be opened for all documents viewed or only when viewing multi-page documents.
- Default printing options can be set in User Preferences for printing popups and annotations: (see also [Print](#) section). Note – when documents have watermarks applied, the print feature is different. See [watermark](#) section.
- Preferred Stamp List:
 - Users can select preferred stamps from a drop down list.
 - The stamp list presented in the stamp dropdown, contains all global and business unit stamps.
 - Business Unit stamps limited to the stamps for the business unit(s) the user has access to.
 - When a stamp is removed from the server that was previously selected by a user in the drop down, it is prefixed with '(not available) '. Example: (not available) Refill too soon
 - The stamp list can be reordered by using the up/down arrows.
 - The arrows are disabled once the selected stamp is at the very top or the very bottom of the list.
 - The arrows are disabled if no stamp is selected.
 - User may add unlimited number of stamps to this list.
 - Duplicate selected stamps are removed.
- Default focus in the workspace can be set. If checked, upon loading a document, focus will be in the Quick add textbox. If unchecked, focus will be on the results grid
- Add routing barcode option checked, will default this setting in the *Send* dialog.
- Use active document's source option checked, will default this setting in the *Form* dialog.
- Copy associations option checked, will default this setting in the *Copy* dialog.
- User sticky settings that are remembered at log off are:
 - Splitter bar location
 - Currently selected tab (Admin workspace or Document workspace)
 - Quick Association Drop Down Selection
 - Column widths and selections within the association grid
- Sticky Data that is retained when switching between workspaces (Administration and Documents) but not upon log off:
 - Currently loaded document number(s) - The last 20 documents loaded by the user for each tab are remembered for the Back/Forward buttons.

User Workspace

See [Log In / Log Out](#) for details.

Viewer

Version History

- 5.0.0 New Viewer
- 5.1.3 Ability to print with or without a routing barcode
- 5.1.5 Ability to Print with or without saving changes first
- 5.4.0 Provides additional stamps
- 5.4.3 Updated mass print and the viewer to print without comments and markups by default.
- 5.5.0 Default printer settings added to User Preferences
- 6.1.0 Page Move/Reorder enabled
- 6.0.0 An option to load a document by global document ID has been added to the GoTo dialog
- 6.5.0 Document number can be copied to the clipboard from the title bar.
- 6.6.0 New Viewer Version
- 6.6.2 Right Click Context menu added option to import.

A newer version of our Viewer has been installed with matching functionality to the previous viewer. Some differences will be noted. Additional helpful information can be found in the other sections of this document: [Entity Note](#), [Annotations and Stamps](#), [User Preferences](#), etc.

Viewer Toolbar

Thumbnails Pane

- Provides the user with thumbnail view of each page within the selected document.
- This pane allows for page level operations while looking at the thumbnails.
- Thumbnail selected (highlighted) will be retained when navigating between tabs. If navigating to the Administration tab and back to Documents tab, the Thumbnail selected reverts to page 1.
- Page level operations are contained in a Right Click context menu:
 - Select all pages: Is a quick way to select all pages for unstapling, rotation printing and zooming.
 - Unstaple: options defined in [Unstapling](#).
 - Print Pages/Print Pages With Routing Barcode
 - Rotate Pages 90 Degrees/180 Degrees
 - Zoom In/Out Thumbnails
 - Page Properties; provides DocumentID, Page #, Rotation, Width x Height, Annotation Count.
 - Annotation Count defaults to 2 for every page. If the page has more than the default Source identifier footer and Document ID footer the count will be 2 + visible annotations.
 - Watermark is considered an invisible annotation until exported.
 - Page Reorder (see [Page Reorder](#) for more detail)

Comments Pane

Provides user a single view of all the annotations and respective values. Options:

- Expand All
- Collapse All
- Group by Page – Lists the annotations by Page
- Group by Type – Lists the annotations by Type (rectangle, sticky note, text box, etc...)
- Group by Modification Date
- Group by Creation Date
- Group by Author
 - Lists by the Creator, replies by others are displayed with the created annotation.
- Group by Color
- Group by Subject – Matches the “Group by Type” list with the exception of Sticky Notes added by user.
 - Sticky notes by user will have its own grouping.
 - Entity Drag & Drop annotations will have an “? No Subject” grouping

Hand/Selector Buttons

- Default tool for every users is the Hand tool.
- Users can override this default by selecting the pencil tool in User Preference dialog.
- With the Selector tool, users can select text from any portion of a document to copy into notes or other documents loaded in tabs.

Zoom

- Provides the user with the ability to set a zoom level for each document viewed.
- Zoom level can be selected via the Viewer toolbar buttons or the document right-click context menu.
- Zoom % selected will be retained when navigating between tabs. If navigating to the Administration tab and back to Documents tab, the zoom reverts to the user's preference setting.

Rotation:

- Rotate page(s) or document can be done via three different locations within the Viewer: Right Click on the Document, Right click on a page in the Thumbnails Pane or use the Viewer toolbar Rotate button(s).
- Rotation of pages is audited at a document level. Audits will display for each time the "Rotate" option is selected and page number(s) column will display N/A.

Hide Annotations:

- When selected will hide all stamps and annotations on active document. This will include the Header/Footer of the document, any color on barcodes and/or routing barcodes.
- If the comments pane is open when the Hide Annotations is selected all of the contents are cleared out. This is expected and is a fixed from the previous release that did not blank it out.
- Printing can be performed with the annotations hidden.
- Printing with a routing barcodes will always display the annotations due to flattening process.

Pencil Tool:

- Can be set as default tool in User Preferences.
- User can set default color, style, and width.

Highlighter Tool:

- User can set default color, stroke color, border style, and border width.

Text Tool:

- User can set default color, stroke color, border style, and border width.
- Text box does not offer the ability to add popup notes or replies.
- Text will bleed through when placing a text tool over a Textbox on a form as an example. This is an issue with the Viewer Software.

Popups\Note Tool\Replies:

- User can set default color and icon, and the default settings will be recalled/used with each log on.
- The System popup notes on barcodes, Lock icons and Routing barcodes are editable but not retained with each log on.
- Printing will not display popup information if routing barcode has been added but will show an icon.
 - The popup icon does not show on an annotation or stamp, until a reply is added and saved.
- The User name will display on note title bars twice for User created popups. Once as the Subject and then as the Author.
 - Replies will display user name once.
 - System added notes (such as popups on barcode highlights, routing error notes, etc...) will continue to display Note type and author. Example: Rx Barcode – Document Import.
- Rotation of annotation icons may appear upside down, if document has been rotated after import.
- When attempting to save an altered document or navigate away from a document that contains a blank popup or reply, a reminder dialog will ask the user: "Save with empty notes/replies? Empty notes and/or replies were added to the document. Do you want to continue?" This dialog does not replace a SAVE dialog.
 - Yes, the replies will be left unchanged
 - No, the user will be presented with the document/page so an entry can be made in the popup/reply.
- Reply(s):
 - Can be added to all annotation and stamps except those created by the text tool, the typewriter tool, and any created by drag and drop (associations and secure messages).
 - Color applied to any annotation will default to the parent annotation color.
 - The color of the text can be changed in show comment properties, and saving by highlighting the text, right click, select "Text Style" and selecting "Make current text format default"
 - Will not print under any condition for any of the annotations. This is a third party application viewer limitation.

Line Tool:

- User can set default color, stroke color, border style, and border width.

Typewriter Tool:

- Can have color, stroke color, border style, and border width changed and set as default by User
- The typewriter does not offer the ability to add popup notes or replies.

Context Menus

Viewer Right Click Context Menu is found in document viewer and contains all of the Viewer Toolbar options plus the following:

- Thumbnails Pane right click context menu is explained in detail in the [Viewer Toolbar](#) section.
- Comments Pane only contains Expand and Collapse for the pane itself
- Show Properties Window
- GoTo for loading a specific page
- Print Options (Page or Document with or without Routing Barcode)
- Page Layout
 - Single Page
 - Continuous (Default), when user changes the layout to be something other than Continuous, the selection will be remembered for the selected document. Changes are not remembered for next document
 - Facing
 - Continuous Facing
- Document Properties, this information is the same info that a user would get if the document was loaded into Adobe Pro and the File>>Menu>>Properties selected.
 - Note: This information is helpful when researching a form's origination.
- **System Menu** – This menu is visible when right click and Ctrl key are used. Options available:
 - Import files... This allows a user to import a document (similar to the Drag & Drop feature) if their UAC setting do not allow/permit the Drag & Drop feature.
 - Copy the session information to the Clipboard. This option is for Client Services to suggest to users when they call in with a client or viewer issue. The generated file "viewer.info" by design the filename is not editable. The user can only select the folder it gets written to. If the file already exists, it will be overwritten without a prompt.
 - Export the session information to Disk... This option is for Client Services to suggest to users when they call in with a client or viewer issue.

Document Workspace - Tabs

- A document is loaded into a tab in the Viewer of the document workspace and a total of 10 tabs can be loaded in the Viewer at one time.
- When a document is loaded in the viewer, right clicking in the title bar (Top of Tab) brings up a one-option menu, allowing the user to copy the document number to the clipboard. This copy feature is only available in the document workspace Folders tab.

Forward/Back Buttons

- Currently loaded document number(s) - The last 20 documents loaded by the user for each tab are remembered for the Back/Forward buttons.
- Navigation to prior documents, regardless of the Business Unit, can be viewed can easily by using the Forward/Back buttons which will retain up to 20 documents, each direction, for each tab.
- Each opened tab is remembered as Sticky Data when switching between Administration and Documents workspaces while the history for each opened tab is discarded.

Hot Keys

DocuTrack has Hot keys (or acceleration keys) which allows the user a faster way to access some of the features. [Appendix B](#) contains a complete list of the key combinations.

Go To

- Navigation is easier with the GoTo Dialog allowing the user to select the required Business Unit and enter a Doc # for navigating directly to that document.
- The feature can also be used with Hotkeys Ctrl + L.
- This option includes the ability to load the document in a new tab if multiple tabs are in use.
- Using the load document by Global Doc ID option disables the Business Unit selector in the GoTo dialog.

Page reorder

- Users with update permissions will have the ability to reorder document pages in the Thumbnail Pane.
- Simply select the page or pages that you want to move and drag to the required area of the document.
- Within the thumbnail pane selection of pages can be made several different ways:
 - Mouse clicking each page you wish to select

- Select All option on the right click menu
- Multi select can be performed by click on one page and dragging the mouse to last page while holding mouse selector down.
- Use of the mouse and the control key for multi select from different locations within one document
- Mouse and shift for large selection

Printing

Printing within the Document Workspace is available in four different locations with options to print with or without a routing barcode.

- Toolbar Printer Icon (using the Viewer Printer Dialog options)
- Results Grid Printer Icon (using the Windows default Printer Dialog options)
- Results Grid right-click menu (using the Windows default Printer Dialog options)
- Document or page viewer right-click menu (using the Viewer Printer Dialog options)

Notables

- If printing a document that contains an image that is smaller than normal 8½ x 11 papers, “Auto-center pages in sheets” may be used to center the image on the page.
- Mass Print uses the User Preference setting.
- Replies will not print for any annotations under any condition. This is a limitation on the third party viewer.
- By default, all printed or mass printed documents will be saved before printing.
 - In the Groups workspace, Administrators can determine, if a group can print unsaved altered documents or set as a default that all documents are saved before printing.
- Some documents scale differently in print preview depending on presence of a routing barcode.
- Default printing options can be set in User Preferences for printing popups and annotations. This table summarizes the print behavior with each setting, see [Appendix E](#).
- Printing to a PDF printer will display the Document # by default.
 - When using Logix the Global ID is used by default. (See Logix documentation)

Appendix A – DocumentImportConfiguration Table

Name	Seed Data Value	Description
Miscellaneous.DisablePDFBarcodeScanning	0	If set to 1, all incoming PDF's will be scanned for barcodes and allow for page rotation correction. Set to 0 to disable this feature for PDF files. Note: When set to 0, the pages will still be split if the routing rule specifies it.
Miscellaneous.ModifyIncomingPDFs	1	If set to 0, all incoming PDF's will be imported as/is (i.e. no page splitting via routing rule). We will still barcode scan the PDF and associate, but we will not highlight the barcodes on the PDF or do page rotation. Set to 1 to import as a normal document using routing rule settings.
Miscellaneous.SupportedTextExtensions	TXT LOG	A pipe delimited list of text extensions, without the leading dot, to support in Document Import.
Miscellaneous.SupportedImageExtensions	TIF TIFF MTIFF JPG JPEG BMP GIF PNG	A pipe delimited list of image extensions, without the leading dot, to support in Document Import.
Miscellaneous.SupportedWordExtensions	DOCX DOC DOTX DOT	A pipe delimited list of Word extensions, without the leading dot, to support in Document Import.
Miscellaneous.SupportedExcelExtensions	XLSX XLS	A pipe delimited list of Excel extensions, without the leading dot, to support in Document Import.
Miscellaneous.SupportedSoundExtensions	MP3 WAV AIFF AIF M4A WMA	A pipe delimited list of sound extensions, without the leading dot, to support in Document Import.
Miscellaneous.FailOnFaxPageMismatch	0	1 - fail the import if the fax pages received does not match the actual pages received; 0 - do not
Path.Documents.ImportFailures	%Path.Documents%\ImportFailures	The root path to document import failed files.
Path.Documents.Files.Shadow.Postprocessed		The path to the document import post-processing shadow folder. Empty to disable.
Path.Documents.Files.Shadow.Preprocessed	%Path.Documents.Files%\Shadow\Preprocessed	The path to the document import preprocessing shadow folder. Empty to disable.
Path.Documents.System.DirectConnectImport	%Path.Documents.System%\DirectConnectImport	The file-drop location for Direct Connect InsertDocument. Document Import will monitor this folder in addition to all ImportFolders.
Path.Documents.System.ImageProcessing	%Path.DataRoot.Local%\Documents\System\ImageProcessing	The DocumentProcessingService working folder. This folder CANNOT be a UNC and must be local to the server.
Path.Documents.System.ImportProcessing	%Path.DataRoot.Local%\Documents\System\ImportProcessing	The DocumentImportService working folder. This folder CANNOT be a UNC and must be local to the server.
Path.Documents.System.PreImport	%Path.DataRoot.Local%\Documents\System\PreImport	Document import services intermediate processing folder. This folder CANNOT be a UNC and must be local to the server.
Path.Documents.System.Unrouted.Unsubmitted	%Path.Documents.System%\Unrouted\Unsubmitted	The path to the unsubmitted documents folder.
Path.Documents.ImportIgnored	%Path.Documents%\ImportIgnored	The path to the document import ignored folder.
Path.Documents.ImportUnsupported	%Path.Documents%\ImportIgnored\Unsupported	The path to the document import unsupported folder.
RetryCount.EmailConfirmation	3	The number of times to retry email confirmations on failure.
RetryCount.FaxConfirmation	3	The number of times to retry fax confirmations on failure.
RegularExpression.ImportFilesToDelete	thumbs\db ^~\$.+\.+x\$.+\.lnk	A regular expression that identifies import files to delete. Blank to disable.
RegularExpression.ImportFilesToIgnore		A regular expression that identifies import files to ignore, sending them to the folder specified by "Path.Documents.ImportIgnored". Blank to disable.
Miscellaneous.WatermarkText	This document is a copy only - not valid for dispensing.	If specified, this text is used to place a watermark on a document being replicated with print, email, or fax operations.
Miscellaneous.WatermarkOptions	Color:Black;Opacity:50;Direction:0	The watermark display options. Color: color name; Opacity: 0-100; Direction: 0 = Top-Left to Bottom-Right, 1 = Bottom-Left to Top-Right. Default settings: Color:Red;Opacity:25;Direction:0

Appendix B – Hot Keys

Keystrokes	Global Control Specific Acceleration Keys (Cannot be changed) Description
Arrow Keys	Moves selection down in the grid for controls that have listed items. Examples: grids, trees, combo boxes. I assume this is part of the controls (like typical windows controls) by default
CTRL-A	Select all selectable items in the currently focused control (e.g. text in a text box, rows in a grid if it allows multiple selections) Presently works in Grids only
CTRL-C	Windows standard copy key, will copy whatever is selected
CTRL-TAB	Cycles through open document tabs
CTRL-V	Windows standard paste key, will paste the clipboard contents into selected area if the control supports its.
CTRL-X	Windows standard cut key will cut whatever is selected, e.g. locked annotations in the viewer couldn't be cut.
DELETE	Deletes the selected item
ENTER	Selects/Presses the currently focused item
ESC	Closes the active dialog
TAB	Moves focus between controls in the workspace that has focus.
CTRL-E	Brings dialog in viewer that allows the user to change font, font color and font size for the note and typewriter tools. A viewer annotation must have focus and be editable.
CTRL-Y	Redo for the current active control
CTRL-Z	Undo for the current active control
Changeable Keyboard Acceleration Keys Description	
CTRL-+/=	Staple selected documents
CTRL-1	Focus on custom list 1
CTRL-2	Focus on custom list 2
CTRL-3	Focus on custom list 3
CTRL-4	Focus on custom list 4
CTRL-D	Focus the viewer in the document workspace.
CTRL-F	Load the search tab only from within the DWS
CTRL-G	Focus the results grid in whatever tab the user has loaded (search, interface)
CTRL-HOME	Load the first row in the results grid in whatever tab the user has loaded (search, workflow)
CTRL-K	Load the column picker in whatever tab the user has loaded (folder, search, interface) Does not work in AWS
CTRL-L	Loads the GOTO dialog.
CTRL-N	Form Dialog
CTRL-P	Click the print button in the document workspace
CTRL-Q	Focus on department dropdown
CTRL-R	Focus on Document Type dropdown
CTRL-S	Save the document in the active tab
CTRL-SHIFT-H	Toggle view of annotations (Hide Annotations button)
CTRL-SHIFT-R	Rotate the document 180 degrees.
CTRL-T	Sets focus in the workflow tree only from within the DWS
CTRL-W	Load the folders tab only from within the DWS
CTRL-ALT-A	Admin workspace only if in the DWS or AAWS (Audit Assist Workspace)
CTRL-ALT-C	Check & Next only if in the AAWS for checking the current document and loading the next Document in the viewer
CTRL-ALT-D	Document workspace only when in the AWS or AAWS
CTRL-ALT-H	Push view associations button in whatever tab the user has loaded (search, interface)
CTRL-ALT-I	Interface Tab only from within the DWS
CTRL-ALT-L	Logoff from anywhere within the application
CTRL-ALT-M	Launches Secure Messaging dialog.
CTRL-ALT-N	Next within the DWS or AAWS for the next Document to load in the viewer
CTRL-ALT-R	Audit Assist workspace only when in DWS or AWS
CTRL-ALT-S	In DWS Only - Save/Next saves the current document and selects the next document in the grid to load in the viewer
ALT - Left Arrow	Go back one document
ALT - Right Arrow	Go forward one document
Num +/-	These controls are for zooming in on the thumbnail pane thumbnails and do not work. Tooltips are incorrect in application because they belong to the viewer and we cannot change them.
CTRL-SHIFT-N	Adds note to document and places in edit mode. (5.0.1)
CTRL-ALT-1-9	While users can program whatever they want, this is Reserved for Future Macros.

Appendix C - Association Comparison Dialog

Legend – Below is a breakdown of what fields may trigger the dialog, what the Pharmacy Information System sends, and what fields are compared. The dialog will not be displayed to user when the association differs by one non-ID field.

Yellow	Indicates the fields that will trigger an Association Compare Dialog if more than one field is different per entity type.
Gray	Pharmacy Information System does not send this information
M	Must Match
NA	Not used for Comparison check or for Entity validation

QS/1

Entity Type	Primary ID	Alternate ID	Pharmacy ID	First name \ Full name	Last name	Patient ID	Physician ID	Description/ DOB	Order Type	Facility ID	Date Written/ Delivery Date	Date Dispensed	Location	Submission Status	Status	Qty	Notes
Ancillaries	M		M							NA	NA	NA	NA	NA	NA	NA	NA
Facility	M		M	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manifest	M			?	?	NA	NA	NA	NA	?	?	NA	NA	NA	NA	NA	NA
Patient	M		M				NA		NA	NA	NA	NA	NA	NA	NA	NA	NA
Physician	M		M			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Prescriptions	M		M						NA	NA	NA	NA	NA	NA	NA	NA	NA
Temporary Prescriptions (03#####)	M		M	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Framework LTC

Entity Type	Primary ID	Alternate ID	Pharmacy ID	First name	Last name	Patient ID	Physician ID	Description/ DOB	Order Type	Facility ID	Date Written \ Delivery Date	Date Dispensed	Location	Submission Status	Status	Qty	Notes
Ancillaries	M		M							NA	NA	NA	NA	NA	NA	NA	NA
Facility	M		M	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Manifest	M					NA	NA	NA	NA			NA	NA	NA	NA	NA	NA
Patient	M	M	M				NA		NA	NA	NA	NA	NA	NA	NA	NA	NA
Physician	M	M	M			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Prescriptions	M	M	M						NA	NA	NA	NA	NA	NA	NA	NA	NA

Appendix D – Recommendations for search string format

Users can search for documents in three workspaces: Search tab, Archive Search, and Audit Assist. The following table highlights the differences between the types of documents that can be found, what information can be searched on and how to format the search string to return the desired documents.

	Archived status of documents	Searchable information	Wildcard character support	Non alphanumeric character results
Search tab	Not archived	Association data, document metadata, document text	* wildcard for multiple characters	All are treated as spaces, even when within double quotes.
Archive Search	Only archived	Association data, document metadata, document text, annotation text, audit history,	* wildcard for multiple characters ? wildcard for a single character	All are treated as spaces, even when within double quotes.
Audit assist	Both archived and not archived	Rx IDs only	No wildcard support	Must match the Rx ID exactly.

Appendix E – Print Options

When User Preference Dialog Setting is:	Advanced Print Options in Print Dialog defaults to:	When printed with routing barcode:	When printed without routing barcode:
☐ (unchecked) Set print with popups as the print default. ☐ (unchecked) Set print with annotations as the print default	Document	Document prints with: – Markups – Stamps – Sticky note icons (not the popup note).	Document prints without : – Markups – Stamps – Sticky Note Popups
☒ (checked) Set print with popups as the print default. ☐ (unchecked) Set print with annotations as the print default	Custom Content	Document prints with: – Markups – Stamps – Sticky note icons Document prints without : – Sticky note popups – Popups related to other annotations	Document prints with: – Sticky notes. (The popup note will print dependent on if popup note is open or closed in DWS. Document prints without : – Markups – Stamps – Popups related to other annotations
☒ (Checked) Set print with popups as the print default. ☒ (Checked) Set print with annotations as the print default	Whole Content	Document prints with: – Markups – Stamps – Sticky note icons Document prints without : – Sticky note popups – Popups related to other annotations.	Document prints with: – Markups – Stamps – Sticky notes. (The popup note will print dependent on if popup note is open or closed. – All annotation popups.
☐ (Unchecked) Set print with popups as the print default. ☒ (Checked) Set print with annotations as the print default	Document and Markups	Document prints with: – Markups – Stamps – Sticky note icons Document prints without : – Sticky note popups – Popups related to other annotations.	Document prints with: – Markups – Stamps Document prints without : – Sticky note popups – Popups related to other annotations.