

	Feature Guide – Report and Report Views
Product and Version	DocuTrack 6.6.SP4
Document Summary	This guide contains minimal reference information to configure and troubleshoot a system. Where applicable, the details include: ▪ Version history (when a noted feature was added or changed) ▪ Configuration notes ▪ Administration highlights (for non-intuitive operations) ▪ Troubleshooting notes ▪ Design highlights (if helpful for configuration, administration or troubleshooting)
Audience	Client Services
Key	Highlighted text = Reflects document content updated for this release.

Contents

Contents	1
Notable for all Reports	3
SQL Reporting Service - Items to be aware of:	3
Reports and Definition.....	4
Administration and System Audits - any SQL (6.6.1)	4
Association Count by User Report - SQL 2008 or higher (5.0)	4
Association Count by User and Document Type Report - SQL 2008 or higher (5.0)	4
Average Completion Time to List Item Report - SQL 2008 or higher (5.6.0)	4
Average Documents Received per Hour – SQL 2008 or higher (6.4.0)	4
Current Document Types Received by Date Report - SQL 2008 or higher (5.4.3).....	4
Current Document Types Received by Source and Date Report - SQL 2008 or higher (5.4.3)	4
Custom List 1 Exception by Time and User Report - any SQL (5.3.1)	4
Document Count by Search Folder Report - any SQL (5.3.1)	4
Document Work Done by User Report - SQL 2008 or higher (5.6.0).....	5
Documents Currently Opened by User Report - SQL 2008 or higher (5.4.3)	5
Documents Processed per Hour Report - SQL 2008 or higher (5.4.3)	5
Documents Received By Department and Custom List Report - SQL 2008 or higher (5.0)	5
Fax Activity Summary Report - SQL 2008 or higher (6.0.0).....	5
Groups Filter Summary Report - any SQL (5.3.1).....	5
Manifest Reconciliation Report - SQL 2008 or higher (5.0)	5
Maximum Number of Users Logged On by Day Report - SQL 2008 or higher (5.6.0)	5
Number of Document Changes Entering a List Based on a Secondary List Report - SQL 2008 or higher (5.9.2)	5
Number of Unedited Document Views by User Report - any SQL (5.3.1)	6
Number of Unedited Document Views by User Report - any SQL (5.3.1)	6
Search Folder Filter Summary Report - any SQL (5.3.1).....	6
Top Fax Numbers that Fail Report - SQL 2008 or higher (6.0.0)	6
Workflow Omissions Report - any SQL (5.0.0)	6
Reporting Views - Custom	7

vwRPT_AssociationAudits (5.4.0) 7

vwRPT_AuditSummary (5.4.0) 7

vwRPT_CustomListAudits (5.4.0)..... 7

vwRPT_CustomList1Audits (6.0.0) 7

vwRPT_CustomValueAudits (5.6.0) 7

vwRPT_DocumentAssociations (5.3.0) 7

vwRPT_Documents (5.4.0) 7

vwRPT_DocumentTypes (5.6.0) 7

vwRPT_DocumentStamps (6.6.1) 7

vwRPT_FaxAudits (5.4.0)..... 7

vwRPT_StapledDocumentMap (5.6.0) 8

Notable for all Reports

Version History

- 6.1.0 Reports (SQL 2005 only) Removed
- 6.3.0 Report issue with 6.X resolved. The following reports will now generate on a new 6.x install:
 - Average Completion Time to List Item
 - Documents Processed per Hour
 - Number of Documents entering a Custom List Value by User
 - Number of Document Changes Entering a List Based on a Secondary List

Notables:

- When Document Data list values are updated (e.g. "Complete" status is updated to "Completed"), the documents that had been set to "Complete" before the name change, will not be returned in the reports. Reports generated for Document Data only return documents that have data values that match the current value.
- Issues with reports are not repaired when the DocuTrack Install.exe ->Repair option is used. To repair reports, reports should be uninstalled via the DocuTrack install.exe and reinstalled in same manner.
- Reports that were available for SQL 2005 databases/reporting services only, are no longer included with new install and will be uninstalled with upgrades (if they exist).
- When manually installing Report RDL's, suggested steps:
 - Create the DataSource in DocuTrack Reports folder
 - Upload the RDL's into the DocuTrack Reports folder as this adds by default the DataSource path for the RDL's.
 - Once all of the RDL's have been uploaded, the Data Source and Fax Activity Detail RDL must be moved to the System folder.
 - If the DataSource was created in the System folder instead of the DocuTrack folder, the DataSource path will need to be manually assigned to each RDL.

SQL Reporting Service - Items to be aware of:

- AUSTRALIA – All reports will work. Please be aware of the falling issues with Reporting Services:
 - The date format defaults to US standard of MM/DD/YY.
 - The week format defaults to the US standard of starting on Sunday and ending on Saturday.
- Printing from browser IE10+ is not available in SQL 2008 R2 (or older) due to bug introduced by Microsoft. There is a fix for SQL 2012 (see installation guide). Downgrade to IE 9 or lower, in order to print reports directly. Otherwise, the user will need to export the report and print from another program.
- Reporting Service for 2008 or 2012 do not support browser other than IE. Chrome will not display a generated report and Firefox will display the generated report only after hitting the View Report more than once. Reporting service issue.
- Compatibility setting(s) in Internet Explorer (IE) may need to be configured to be compatible with the local host and SQL server reporting services.
 - If IE has been updated since the last time reports were successfully generated, IE may no longer be compatible for reports and will no longer generate.
- Some reports use a matrix instead of a table format. This allows the report, when viewed on screen, to show that the first column will stay set and all other columns to roll under it as the user scrolls left to right, This is only on reports not using a matrix. This is preset in the report for ease of reading long reports.
- Printed Reports that have columns (left to right) continuing for more than one page, display the first 2 column on each page, while some do not. The difference is if the report is using a matrix or a table.
- Reporting Services has an issue where the date or the date and time disappear on screen and must be re-entered to view the requested report.
- Start and end dates are not correctly displaying as 12AM midnight to 11:59PM. If user specifies midnight on the report, the start time parameter is omitted from the report.
- Business unit single-select - Other controls appears to be editable prior to BU selection but are not. Reporting service issue.
- The "View Report" button does not always refresh the data even though it pretends to. To ensure accurate results, use the refresh button or navigate back to the main reports screen and select the report again. Reporting service issue.
- Exporting to CSV may not include all data (SQL report issue).

Reports and Definition

Version History

(Note – the DocuTrack version the report was added to the product, is in each report name below.)

- 5.4.3 New Reports added (available on SQL 2008 or higher systems)
- 6.0.0 New Reports Added (Top Fax Numbers that Fail Report and Fax Activity Summary)
- 6.4.0 The Assoc. Count By User Doc Type report has been updated to include average time open per user.
The Association Count by user Report - Users who belong to more than one group will now only be shown in one group in the report body.
- 6.4.0 The Custom List Exception Report has been updated to reflect stapled documents one time only.
New Report Added (Average Documents Received per Hour)
- 6.5.0 Documents Processed per Hour Report updated to include a table along with the chart
New Report added (Administration and System Audits)

Administration and System Audits - any SQL (6.6.1)

This report provides a summary of Administration and System Audits within a date range specified by the user. Changes or additions made to Doc Data, Groups, Users, Archives, etc., are described in the report and are sorted by date by default. The report can also be sorted alphabetically by Audit Type.

Association Count by User Report - SQL 2008 or higher (5.0)

This report will count the total number of associations and disassociations by user for user selectable dates and grouping. Users who belong to more than one group will now only be shown in one group in the report body.

Association Count by User and Document Type Report - SQL 2008 or higher (5.0)

This report is a variation of the association count by user, with the exception that the counts are grouped by document types. This allows the pharmacy to determine how many items the user has processed in particular categories. The report has been updated (6.4.0) to include average time open per user. (Disassociations do not count against the average.)

Average Completion Time to List Item Report - SQL 2008 or higher (5.6.0)

This report shows the average time from when a document is received to being set to a list item. The results are grouped by selected document type(s) and day.

- Dynamic Stapling may skew results for this report if a DocImport Rule is not setup specifically for Document List Items.

Average Documents Received per Hour – SQL 2008 or higher (6.4.0)

This report displays, in histogram format, the number of documents received by hour.

Current Document Types Received by Date Report - SQL 2008 or higher (5.4.3)

The intent of this report is to help determine how many documents are entering the system by document type per hour of the day.

Current Document Types Received by Source and Date Report - SQL 2008 or higher (5.4.3)

This report allows Users to compare selected sources and compare their incoming document volume against all other sources by document type.

Custom List 1 Exception by Time and User Report - any SQL (5.3.1)

This report determines if there are documents that exceeded a specific time in a status and the user that moved the document out of that status. This report has been updated to reflect stapled documents one time only.

Document Count by Search Folder Report - any SQL (5.3.1)

This report lists the current (at the time the report is generated) number of documents for each search folder in the selected cabinets for the selected business unit.

Known Issues with this report:

- This report will and can include cabinets that contain no search folders.
- The numbers displayed are the actual number of documents in those folders at the time of the report running.

Document Work Done by User Report - SQL 2008 or higher (5.6.0)

This report displays all the documents opened by a user and the work done to those documents.

Documents Currently Opened by User Report - SQL 2008 or higher (5.4.3)

This report will display logged on users listing each document opened by that user.

Documents Processed per Hour Report - SQL 2008 or higher (5.4.3)

This report displays, in histogram format and table format, the number of documents set to a custom list value for the selected time frame. Note: Large date ranges may produce long-running reports.

Documents Received By Department and Custom List Report - SQL 2008 or higher (5.0)

This report shows the total number of documents received for the selected department by document type and custom list value during the selected date range.

Fax Activity Summary Report - SQL 2008 or higher (6.0.0)

This report provides a summary of fax numbers with activity during a given date range for a selected business unit. The user may also filter by status of faxes and apply a fax number “contains” filter. The user can then select a fax number in the report and see details about each fax sent to the given fax number in the Fax Activity Detail Report.

Notables:

This report is for etherFax and FaxCore fax providers only.

This report will NOT display any information if the Fax Provider is not presently configured even if it was configured in the past.

Sub-Report - Fax Activity Detail Report - This is a sub-report of the Fax Activity Summary. It will provide details for the selected fax number during a given date range for a selected business unit. The user may also have selected to filter by status of faxes in parent report.

Groups Filter Summary Report - any SQL (5.3.1)

This report determines if any group is filtering for sources or document metadata for the selected business unit. Included in the report is a list of all of the Cabinets and pertaining Search Folders associated with that Group.

Manifest Reconciliation Report - SQL 2008 or higher (5.0)

This report provides a list of manifests that have not been received by DocuTrack. All pharmacy systems with manifest support, except FrameworkLTC and HBS, submit manifest information to DocuTrack as the manifests are printed. When manifests are sent back into DocuTrack, the internally stored manifest is updated to show that it has come into the application. The report displays all printed manifests not received.

Known Issues with this report:

- If the same manifest number is used for more than one store ID, the report will only show it once.
- No indication what PIS each manifest number is.

Maximum Number of Users Logged On by Day Report - SQL 2008 or higher (5.6.0)

This report tracks the max number of users logged into the system for a selected date range. End date cannot be in the future. End date will default to the end of the month chosen in the Start date, or Today if the Start date is earlier in the current month. Maximum date range is 90 days.

Number of Document Changes Entering a List Based on a Secondary List Report - SQL 2008 or higher (5.9.2)

This report allows managers to determine the users that set a document to a custom list item such as RPH Review when that document was later set to another custom list item, such as Needs Clarification. Essentially,

this will allow them to track who is making the most mistakes within a specified time/date range. The two specified custom list items can be in the same custom list or on different custom lists.

Notables:

- Only documents set to the first list item after conversion from 4.x to 5.x will be tallied in the report.
- Date range must be limited to 6 months.
- If both specified custom list items are in the same custom list, the document must be edited directly from the first list item to the second list item for it to be counted for the user.

Number of Unedited Document Views by User Report - any SQL (5.3.1)

Shows the custom list value change counts for documents entering a custom list value for the selected users, document type and date range.

Number of Unedited Document Views by User Report - any SQL (5.3.1)

This report shows the number of documents that were opened by users but not updated.

Search Folder Filter Summary Report - any SQL (5.3.1)

This report displays a complete list of all Public Search Folders in the system for the selected business unit and how they are filtered.

Top Fax Numbers that Fail Report - SQL 2008 or higher (6.0.0)

This report lists etherFax fax numbers with the most fax failures during a given time frame for the selected business unit.

NOTE:

1. This report presently will only work if etherFax is licensed.
2. The SourceName column contents will only populate if the FaxBackNumber is included in the source before the fax failed.
3. Limit to top control: If a letter is entered instead of a number the report fails right away, this is an issue with the reporting engine and cannot be fixed.

Workflow Omissions Report - any SQL (5.0.0)

This report lists the Business Units' document data that is not covered by search folder criteria or group document data permissions.

Reporting Views - Custom

Version History

(Note – the DocuTrack version the report was added to the product, is in each Report View name below.)

6.0.0 New Reporting View **vwRPT_CustomList1Audits** added.

6.6.1 New view - **Vw_DocumentStamps**

For a complete description and list of columns located in each releases \Customer Docs\Reporting Views SDK.

Notables

Custom Reports created in DocuTrack 4.6.X will have to be reconfigured for use in 5.X and higher as most of the column names have been changed.

vwRPT_AssociationAudits (5.4.0)

The view vwRPT_AssociationAudits was created to support reporting on association audits. This view will show any association that has ever been made to a document, regardless of whether it is currently associated.

vwRPT_AuditSummary (5.4.0)

The view vwRPT_AuditSummary was created to support reporting on Audits. The CountOfActions field will show how many times the user performed that action on the document. For example, if the user did 3 associations, and 1 un-association, those numbers would show in CountOfActions.

vwRPT_CustomListAudits (5.4.0)

The view vwRPT_CustomListAudits was created to support reporting on Custom List audits. These are grouped by AuditDate, so if changes to the document happen on different dates, they will show in different rows.

vwRPT_CustomList1Audits (6.0.0)

The view vwRPT_CustomList1Audits was created to support reporting on Custom List 1 audits (status changes). This view differs from the vwRPT_CustomListAudits in 2 ways: 1) The rows are limited to only CustomList1 changes and 2) DepartmentName and DocumentTypeName are always filled.

vwRPT_CustomValueAudits (5.6.0)

A view that selects all the custom value audits in the system and pertinent details about the audit (document, date, audit session data, document type, etc.).

vwRPT_DocumentAssociations (5.3.0)

The view vwRPT_DocumentAssociations was created to support reporting on associations made to documents. This view only shows existing associations.

vwRPT_Documents (5.4.0)

The view vwRPT_Documents was created to support reporting on document data.

vwRPT_DocumentTypes (5.6.0)

The general purpose view that gets the document type id/name, department id/Name, business unit id/name for all the document types in the system.

vwRPT_DocumentStamps (6.6.1)

The view created for customer portal for information related to document stamps.

vwRPT_FaxAudits (5.4.0)

The view vwRPT_FaxAudits was created to support reporting on Fax audits.

6.6.2 - The vwRPT_FaxAudits view has been updated to return only the latest status for each fax. Previously it returned the latest status as well as the historical "Pending" status.

vwRPT_StapledDocumentMap (5.6.0)

This view provides a map between Previous/Current document ids. Note that a document may have more than one current document, if pages have been unstapled.