


1. Create the database




2. Create the schema




3. Create the virtual warehouse




4. Create CSV File Format




5. Creating an Internal Stage







6. Upload the Combined CSV




7. Create the Raw Table






8. Load CSV into Snowflake




9. Create Two Relational Tables


9.1. Create CUSTOMERS table



9.2. Create VEHICLE_ORDERS table




9.3. Verify both tables




10. Execute the six required SQL queries


10. 1. Display all vehicle orders




10 . 2. Find orders by dealership location




10. 3. Calculate total sales and revenue




10. 4. Product-wise sales




10. 5. INNER JOIN – Customers and Orders




10. 6. LEFT JOIN – Find unmatched customers



10. 7. Sales by customer type




11. TRIM() Function Exploration




12. Additional Data Quality Operations

12. 1. Duplicate orders



12. 2. Missing values


Board - SCRUM Sprint 0 - SCRUM
Vehicle_Sales_Lab.sql
Ask Gemini
app.snowflake.com/ap-southeast-7.aws/xb07135/#/workspaces/ws/USER%24/PUBLIC/DEFAULT%24/Vehicle_Sales_Lab.sql
Workspaces
Databases
My Workspace
Add new
Vehicle_Sales_Lab.sql
Home
Vehicle_Sales_Lab.sql
Focus
My Workspace › Vehicle_Sales_Lab.sql
ACCOUNTADMIN • VEHICLE_SALES_WH (X-Small)
VEHICLE_SALES_DB RAW
Share
SELECT *
FROM VEHICLE_ORDERS
WHERE ORDER_ID IS NULL
OR CUSTOMER_ID IS NULL
OR BRAND IS NULL
OR MODEL IS NULL
OR DEALERSHIP_LOCATION IS NULL;
Results (just now)
Table
Chart
Pivot
4 rows
56ms
ORDER_ID
ORDER_DATE
VEHICLE_ID
BRAND
MODEL
VEHICLE_TYPE
QUANTITY
UNIT_PRICE
DISCOUNT
1 V0038 2026-02-23 null VH3200 Honda City Sedan 1 1173085.73 0
2 V0050 2026-04-08 C009 VH1727 BYD null Electric 2 2254662.98 15000
3 V0058 2026-08-06 C008 VH3881 Maruti Suzuki Baleno Hatchback 3 715916.15 15000
4 V0094 2026-04-29 C010 VH5632 null Nexon SUV 2 884819.32 0
Feedback
Search
29°C
Mostly sunny
ENG
IN
05:12 PM
04-11-2026