

GLM Example

```
2 x = ["age", "workclass", "fnlwgt", "education", "marital-status", "occupation", "relationship",
     "race", "sex", "capital-gain", "capital-loss", "hours-per-week", "native-country"]
1 from h2o.estimators.glm import H2OGeneralizedLinearEstimator
2 glm 0 = H2OGeneralizedLinearEstimator(family = "binomial", lambda search = True,
                                        nfolds = 5, seed = 123)
4 glm 0.train(x = x, y = y, training frame = census data, model id = "income glm 0")
glm Model Build progress:
                                                                                     100%
1 from h2o.grid.grid search import H2OGridSearch
2 glm hyper parameters = {"alpha": [0.5, 0.75, 1]}
3 glm grid = H2OGridSearch(H2OGeneralizedLinearEstimator(family = "binomial", lambda search = True,
                                                         nfolds = 5, seed = 123),
                           glm hyper parameters)
6 glm grid.train(x = x, y = y, training frame = census data, grid id = "income glm grid")
glm Grid Build progress:
                                                                                     100%
```

1 v = "income"

scikit-learn-like interface for modeling

Supervised Learning:

DECISION TREES (RECURSIVE PARTITIONING)

GLM Example

scikit-learn-like interface for modeling

```
1 v = "income"
2 x = ["age", "workclass", "fnlwgt", "education", "marital-status", "occupation", "relationship",
       "race", "sex", "capital-gain", "capital-loss", "hours-per-week", "native-country"]
1 from h2o.estimators.glm import H2OGeneralizedLinearEstimator
2 glm 0 = H2OGeneralizedLinearEstimator(family = "binomial", lambda search = True,
3
                                        nfolds = 5, seed = 123)
4 glm 0.train(x = x, y = y, training frame = census data, model id = "income glm 0")
glm Model Build progress:
                                                                                     100%
1 from h2o.grid.grid search import H2OGridSearch
2 glm hyper parameters = {"alpha": [0.5, 0.75, 1]}
3 glm grid = H2OGridSearch(H2OGeneralizedLinearEstimator(family = "binomial", lambda search = True,
                                                         nfolds = 5, seed = 123),
                           glm hyper parameters)
6 glm grid.train(x = x, y = y, training frame = census data, grid id = "income glm grid")
glm Grid Build progress:
                                                                                     100%
```

