








电源网络 (VBUS_IN / VBUS / 5V / 3.3V / GND / EGND) 为全局电源符号, 不在本页连线。
本页为 V2.10 重建骨架:连接器 J1-J10 待补。

Changes			Author		Date		Rev	
Initial AD to KiCad schematic import			Codex		2026-09-19		V1.00	
Standardize KiCad drawing frame			Codex		2026-09-21		V1.01	
Responsible dept.	Technical reference	Document type			Document status			
	Created by	Title, Supplementary title						
	Approved by			Rev.	Date of issue		Lang.	Sheet
				V2.10				1/6

1

2

3

4

5

6

A

B

C

D

Responsible dept.

Technical reference

Created by

Approved by

Document type

Title, Supplementary title

Document status

Rev.

Date of issue

Lang.

Sheet

Changes

Initial AD to KiCad schematic import

Standardize KiCad drawing frame

Author

Codex

Codex

Date

2026-09-19

2026-09-21

Rev

V1.00

V1.01

A4

2/6

MicroDriver V2.10 – MOTOR
(本页按 PRJ_MicroDriver_V2.10.pdf 重建中)

- ◇PWMA
- ◇PWMB
- ◇PWMC
- D50A
- D50B
- D50C
- DVA
- DVB
- DVC
- DAD-NIC1
- ◇nSLEEP
- DnFAULT
- DnMOTU
- DnMOTV
- DnMOTW

Changes			Author		Date		Rev	
Initial AD to KiCad schematic import			Codex		2026-09-19		V1.00	
Standardize KiCad drawing frame			Codex		2026-09-21		V1.01	
Responsible dept.	Technical reference	Document type			Document status			
	Created by	Title, Supplementary title						
	Approved by				Rev.	Date of issue	Lang.	Sheet
					V2.10			3/6

MicroDriver V2.10 – MCU
(本页按 PRJ_MicroDriver_V2.10.pdf 重建中)

- ▷PWMA
- ▷PWMB
- ▷PWMC
- ◁SOA
- ◁SOB
- ◁SOC
- ◁VA
- ◁VB
- ◁VC
- ◁AD-VBUS
- ◁AD-NTC1
- ▷nSLEEP
- ◁nFAULT
- ▷CANFD-TX
- ◁CANFD-RX
- ▷RS485-TX
- ◁RS485-RX
- ▷RS485-DIR
- ◇I2C-SCL
- ◇I2C-SDA
- ▷SPI-NSS
- ▷SPI-SCK
- ▷SPI-MOSI
- ◁SPI-MISO
- ▷MA
- ◇SLO
- ◁ENCODER-A
- ◁ENCODER-B
- ◁ENCODER-Z

Changes			Author		Date		Rev	
Initial AD to KiCad schematic import			Codex		2026-09-19		V1.00	
Standardize KiCad drawing frame			Codex		2026-09-21		V1.01	
Responsible dept.	Technical reference	Document type			Document status			
	Created by	Title, Supplementary title						
	Approved by							
		Rev.	Date of issue		Lang.	Sheet		
		V2.10				4/6		

123456

MicroDriver V2.10 – communication
(本页按 PRJ_MicroDriver_V2.10.pdf 重建中)

CANFD-TX

CANFD-RX

RS485-TX

RS485-RX

RS485-DIR

CANH

CANL

RS485-A

RS485-B

Changes		Author	Date	Rev
Initial AD to KiCad schematic import		Codex	2026-09-19	V1.00
Standardize KiCad drawing frame		Codex	2026-09-21	V1.01


Responsible dept.	Technical reference	Document type	Document status	
	Created by	Title, Supplementary title		
	Approved by		Rev.	Date of issue
			V2.10	

A4

5/6

MicroDriver V2.10 – ENCODER
编码器接口: ABZ / BiSS-C / SPI, 每路 100R 串阻 + ESD + 100pF

旁路电容和 ESD 管靠近编码器接口放置



Changes			Author		Date		Rev	
Initial AD to KiCad schematic import			Codex		2026-09-19		V1.00	
Standardize KiCad drawing frame			Codex		2026-09-21		V1.01	
Responsible dept.	Technical reference	Document type			Document status			
	Created by	Title, Supplementary title						
	Approved by				Rev.	Date of issue	Lang.	Sheet
					V2.10			6/6