```
[SampleDB]
USE [master]
GO
/***** Object:
                Database [SampleDB] Script Date: 7.02.2022
15:37:14 *****/
CREATE DATABASE [SampleDB]
 CONTAINMENT = NONE
ON PRIMARY
( NAME = N'SampleDB', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL14.MSSQLSERVER\MSSQL\DATA\SampleDB.mdf' , SIZE = 8192KB ,
MAXSIZE = UNLIMITED, FILEGROWTH = 65536KB )
LOG ON
( NAME = N'SampleDB log', FILENAME = N'C:\Program Files\Microsoft SQL
Server\MSSQL14.MSSQLSERVER\MSSQL\DATA\SampleDB log.ldf' , SIZE =
8192KB , MAXSIZE = 2048GB , FILEGROWTH = 65536KB )
ALTER DATABASE [SampleDB] SET COMPATIBILITY LEVEL = 140
IF (1 = FULLTEXTSERVICEPROPERTY('IsFullTextInstalled'))
begin
EXEC [SampleDB].[dbo].[sp fulltext database] @action = 'enable'
G0
ALTER DATABASE [SampleDB] SET ANSI NULL DEFAULT OFF
G0
ALTER DATABASE [SampleDB] SET ANSI NULLS OFF
ALTER DATABASE [SampleDB] SET ANSI PADDING OFF
ALTER DATABASE [SampleDB] SET ANSI WARNINGS OFF
ALTER DATABASE [SampleDB] SET ARITHABORT OFF
ALTER DATABASE [SampleDB] SET AUTO CLOSE OFF
ALTER DATABASE [SampleDB] SET AUTO SHRINK OFF
ALTER DATABASE [SampleDB] SET AUTO UPDATE STATISTICS ON
G0
ALTER DATABASE [SampleDB] SET CURSOR CLOSE ON COMMIT OFF
ALTER DATABASE [SampleDB] SET CURSOR_DEFAULT GLOBAL
ALTER DATABASE [SampleDB] SET CONCAT NULL YIELDS NULL OFF
ALTER DATABASE [SampleDB] SET NUMERIC ROUNDABORT OFF
```

```
ALTER DATABASE [SampleDB] SET QUOTED IDENTIFIER OFF
G0
ALTER DATABASE [SampleDB] SET RECURSIVE_TRIGGERS OFF
ALTER DATABASE [SampleDB] SET DISABLE BROKER
ALTER DATABASE [SampleDB] SET AUTO UPDATE STATISTICS ASYNC OFF
ALTER DATABASE [SampleDB] SET DATE CORRELATION OPTIMIZATION OFF
G0
ALTER DATABASE [SampleDB] SET TRUSTWORTHY OFF
ALTER DATABASE [SampleDB] SET ALLOW SNAPSHOT ISOLATION OFF
ALTER DATABASE [SampleDB] SET PARAMETERIZATION SIMPLE
ALTER DATABASE [SampleDB] SET READ COMMITTED SNAPSHOT OFF
ALTER DATABASE [SampleDB] SET HONOR BROKER PRIORITY OFF
G0
ALTER DATABASE [SampleDB] SET RECOVERY FULL
ALTER DATABASE [SampleDB] SET MULTI USER
ALTER DATABASE [SampleDB] SET PAGE VERIFY CHECKSUM
ALTER DATABASE [SampleDB] SET DB CHAINING OFF
ALTER DATABASE [SampleDB] SET FILESTREAM( NON TRANSACTED ACCESS =
OFF )
ALTER DATABASE [SampleDB] SET TARGET RECOVERY TIME = 60 SECONDS
ALTER DATABASE [SampleDB] SET DELAYED DURABILITY = DISABLED
EXEC sys.sp db vardecimal storage format N'SampleDB', N'ON'
ALTER DATABASE [SampleDB] SET QUERY STORE = OFF
G0
[dbo].[birim]
USE [SampleDB]
G0
/***** Object:
                 Table [dbo].[birim] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
```

```
G0
CREATE TABLE [dbo].[birim](
     [birim_no] [int] IDENTITY(1,1) NOT NULL,
     [birim ad] [varchar](20) NOT NULL,
PRIMARY KEY CLUSTERED
     [birim nol ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
[dbo].[cocuk]
/***** Object: Table [dbo].[cocuk] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[cocuk](
     [cocuk no] [int] IDENTITY(1,1) NOT NULL,
     [ad] [varchar](25) NOT NULL,
     [soyad] [varchar](25) NOT NULL,
     [cinsiyet] [char](1) NULL,
     [dogum tarihi] [date] NOT NULL,
     [dogu yeri] [int] NOT NULL,
     [personel no] [int] NOT NULL,
PRIMARY KEY CLUSTERED
     [cocuk no] ASC
)WITH (PAD \overline{\mathsf{INDEX}} = \mathsf{OFF}, STATISTICS NORECOMPUTE = \mathsf{OFF}, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
GO
[dbo].[gorevlendirme]
/***** Object: Table [dbo].[gorevlendirme] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[gorevlendirme](
     [gorevlendirme no] [int] IDENTITY(1,1) NOT NULL,
     [proje no] [int] NOT NULL,
     [personel no] [int] NOT NULL,
PRIMARY KEY CLUSTERED
```

```
(
     [gorevlendirme no] ASC
)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
[dbo].[il]
/***** Object: Table [dbo].[il] Script Date: 7.02.2022 15:37:14
*****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[il](
     [il no] [char](2) NOT NULL,
     [il ad] [varchar](20) NOT NULL,
PRIMARY KEY CLUSTERED
     [il no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
[dbo].[ilce]
/***** Object: Table [dbo].[ilce] Script Date: 7.02.2022 15:37:14
*****/
SET ANSI NULLS ON
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[ilce](
     [ilce no] [int] IDENTITY(1,1) NOT NULL,
     [ilce_ad] [varchar](20) NOT NULL,
     [il no] [char](2) NOT NULL,
PRIMARY KEY CLUSTERED
     [ilce no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
```

```
[dbo].[personel]
/***** Object: Table [dbo].[personel] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
G0
CREATE TABLE [dbo].[personel](
     [personel no] [int] IDENTITY(1,1) NOT NULL,
     [ad] [varchar](25) NOT NULL,
     [soyad] [varchar](25) NOT NULL,
     [cinsiyet] [char](1) NOT NULL,
     [dogum tarihi] [date] NOT NULL,
     [dogum_yeri] [int] NOT NULL,
     [baslama tarihi] [date] NOT NULL,
     [birim no] [int] NOT NULL,
     [unvan no] [int] NOT NULL,
     [calisma saati] [tinyint] NOT NULL,
     [maas] [money] NOT NULL,
     [prim] [money] NULL,
PRIMARY KEY CLUSTERED
     [personel no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
[dbo].[proje]
/***** Object: Table [dbo].[proje] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
CREATE TABLE [dbo].[proje](
     [proje no] [int] IDENTITY(1,1) NOT NULL,
     [proje ad] [varchar](20) NOT NULL,
     [baslama tarihi] [date] NOT NULL,
     [planlanan bitis tarihi] [date] NOT NULL,
PRIMARY KEY CLUSTERED
     [proie nol ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
```

```
[dbo].[unvan]
/***** Object: Table [dbo].[unvan] Script Date: 7.02.2022
15:37:14 *****/
SET ANSI NULLS ON
G0
SET QUOTED IDENTIFIER ON
GO
CREATE TABLE [dbo].[unvan](
     [unvan no] [int] IDENTITY(1,1) NOT NULL,
     [unvan ad] [varchar](20) NOT NULL,
PRIMARY KEY CLUSTERED
     [unvan no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, IGNORE DUP KEY =
OFF, ALLOW ROW LOCKS = ON, ALLOW PAGE LOCKS = ON) ON [PRIMARY]
) ON [PRIMARY]
G0
[dbo].[birim]
SET IDENTITY INSERT [dbo].[birim] ON
INSERT [dbo].[birim] ([birim no], [birim ad]) VALUES (3, N'ARGE')
INSERT [dbo].[birim] ([birim_no], [birim_ad]) VALUES (2, N'İDARİ')
INSERT [dbo].[birim] ([birim no], [birim ad]) VALUES (1, N'KALİTE')
INSERT [dbo].[birim] ([birim no], [birim ad]) VALUES (4, N'TEKNİK')
SET IDENTITY INSERT [dbo].[birim] OFF
GO
[dbo].[cocuk]
SET IDENTITY_INSERT [dbo].[cocuk] ON
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogu_yeri], [personel_no]) VALUES (1, N'UGUR',
N'BARAN', N'E', CAST(N'2016-05-21' AS Date), 5, 6)
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogu_yeri], [personel_no]) VALUES (2, N'Selen',
N'BUZDAĞ', N'K', CAST(N'2015-09-11' AS Date), 1, 17)
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogu yeri], [personel no]) VALUES (3, N'Akif',
N'CAKIR', N'E', CAST(N'2018-01-05' AS Date), 1, 19)
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogu_yeri], [personel_no]) VALUES (4, N'Halide',
N'ESMER', N'K', CAST(N'2017-12-10' AS Date), 8, 6)
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogu_yeri], [personel_no]) VALUES (5, N'Jülide',
N'BUZDAĞ', N'K', CAST(N'2016-03-03' AS Date), 6, 17)
INSERT [dbo].[cocuk] ([cocuk no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogu_yeri], [personel_no]) VALUES (6, N'Elif',
N'BUZDAĞ', N'K', CAST(N'2013-11-11' AS Date), 2, 17)
```

## [dbo].[gorevlendirme]

```
SET IDENTITY INSERT [dbo].[gorevlendirme] ON
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (1, 1, 3)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (2, 1, 5)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel_no]) VALUES (3, 1, 7)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (4, 1, 8)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel_no]) VALUES (5, 1, 11)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (6, 2, 1)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (7, 2, 3)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (8, 2, 5)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (9, 2, 10)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (10, 2, 12)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (11, 2, 13)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (12, 3, 3)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel_no]) VALUES (13, 3, 4)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (14, 3, 9)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (15, 3, 15)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (16, 3, 19)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (17, 3, 21)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (18, 3, 25)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (19, 3, 27)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (20, 4, 2)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (21, 4, 3)
INSERT [dbo].[gorevlendirme] ([gorevlendirme_no], [proje_no],
[personel no]) VALUES (22, 4, 8)
```

```
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (23, 4, 10)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (24, 4, 20)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (25, 4, 27)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (26, 5, 3)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (27, 5, 5)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (28, 5, 11)
INSERT [dbo].[gorevlendirme] ([gorevlendirme_no], [proje_no],
[personel no]) VALUES (29, 5, 21)
INSERT [dbo].[gorevlendirme] ([gorevlendirme no], [proje no],
[personel no]) VALUES (30, 5, 26)
SET IDENTITY INSERT [dbo].[gorevlendirme] OFF
[dbo].[il]
INSERT [dbo].[il] ([il no], [il ad]) VALUES (N'25', N'ERZURUM')
INSERT [dbo].[il] ([il no], [il ad]) VALUES (N'34', N'ISTANBUL')
INSERT [dbo].[il] ([il_no], [il_ad]) VALUES (N'35', N'İZMİR')
G0
[dbo].[ilce]
SET IDENTITY INSERT [dbo].[ilce] ON
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (2,
N'ASKALE', N'25')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (4,
N'AVCILAR', N'34')
INSERT [dbo].[ilce] ([ilce_no], [ilce_ad], [il_no]) VALUES (5,
N'BEYLİKDÜZÜ', N'34')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (7,
N'BUCA', N'35')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (1, N'CAT',
N'25')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (6,
N'ESENYURT', N'34')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (3,
N'İSPİR', N'25')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (8,
N'KARŞIYAKA', N'35')
INSERT [dbo].[ilce] ([ilce no], [ilce ad], [il no]) VALUES (9,
N'KONAK', N'35')
SET IDENTITY INSERT [dbo].[ilce] OFF
G0
```

## [dbo].[personel]

```
SET IDENTITY INSERT [dbo].[personel] ON
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (1, N'Ahmet'
N'EKINCI', N'E', CAST(N'1985-03-25') AS Date), 2, CAST(N'2002-03-01') AS
Date), 1, 1, 35, 2500.0000, 350.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (2, N'Burak'
N'TURHAN', N'E', CAST(N'1980-04-15' AS Date), 3, CAST(N'2002-05-03' AS
Date), 2, 2, 30, 2800.0000, 250.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogum_yeri], [baslama_tarihi], [birim_no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (3, N'Ceyda',
N'SAKARYA', N'K', CAST(N'1983-03-23' AS Date), 7, CAST(N'2005-05-12'
AS Date), 2, 3, 30, 3000.0000, 250.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (4, N'Demet')
N'ÇOLAK', N'K', CAST(N'1982-05-05' AS Date), 5, CAST(N'2005-06-17' AS
Date), 3, 3, 40, 2800.0000, 350.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (5, N'Evrim',
N'CITAK', N'K', CAST(N'1987-12-05' AS Date), 1, CAST(N'2000-01-12' AS
Date), 2, 1, 30, 4500.0000, 500.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogum_yeri], [baslama_tarihi], [birim_no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (6, N'Figen',
N'ESMER', N'K', CAST(N'1982-10-22' AS Date), 4, CAST(N'1998-05-07' AS
Date), 1, 2, 35, 4000.0000, 250.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (7, N'Galip',
N'TANAR', N'E', CAST(N'1983-02-28' AS Date), 9, CAST(N'1997-05-07' AS
Date), 1, 2, 35, 5200.0000, 450.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (8, N'Emir'
N'YANIK', N'E', CAST(N'1975-05-07' AS Date), 2, CAST(N'2010-07-17' AS
Date), 2, 2, 45, 4500.0000, 450.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (9, N'Ilgin'
N'ACI', N'E', CAST(N'1974-05-01' AS Date), 2, CAST(N'2000-08-18' AS
Date), 3, 2, 40, 4200.0000, 400.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (10, N'İskender',
```

```
N'TAS', N'E', CAST(N'1974-07-02' AS Date), 7, CAST(N'1995-09-05' AS
Date), 4, 1, 40, 4400.0000, 400.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (11, N'Jale',
N'CAN', N'K', CAST(N'1976-09-18' AS Date), 5, CAST(N'1998-10-12' AS
Date), 2, 2, 45, 3250.0000, 450.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (12, N'Kamil',
N'ALBAYRAK', N'E', CAST(N'1976-08-19' AS Date), 9, CAST(N'2000-11-25'
AS Date), 1, 2, 30, 5200.0000, 250.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (13, N'Leman',
N'HASKIRIŞ', N'K', CAST(N'1978-09-20' AS Date), 6, CAST(N'1999-10-27'
AS Date), 1, 2, 35, 4200.0000, 350.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (14, N'Meltem',
N'UYSAL', N'K', CAST(N'1985-08-04' AS Date), 6, CAST(N'2000-05-27' AS
Date), 1, 2, 30, 2500.0000, 100.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (15, N'Necati',
N'UYSAL', N'E', CAST(N'1990-12-01' AS Date), 4, CAST(N'2000-03-06' AS
Date), 2, 1, 30, 2000.0000, 150.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (16, N'Osman',
N'UYSAL', N'E', CAST(N'1982-02-15' AS Date), 6, CAST(N'1995-05-12' AS
Date), 4, 3, 30, 4800.0000, 150.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (17, N'Ömer',
N'BUZDAĞ', N'E', CAST(N'1980-10-30' AS Date), 5, CAST(N'2001-08-10' AS
Date), 1, 2, 40, 4800.0000, 400.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogum_yeri], [baslama_tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (18, N'Perihan',
N'KANAT', N'K', CAST(N'1980-10-28' AS Date), 4, CAST(N'2001-07-11' AS
Date), 4, 1, 30, 2200.0000, 300.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogum_yeri], [baslama_tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (19, N'Ramiz',
N'ÇAKIR', N'E', CAST(N'1981-11-19' AS Date), 7, CAST(N'2001-07-30' AS
Date), 4, 3, 30, 2700.0000, 300.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (20, N'Sertac',
```

```
N'KÖSEDAĞ', N'E', CAST(N'1981-12-20' AS Date), 9, CAST(N'2002-12-20'
AS Date), 3, 2, 30, 2900.0000, 350.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (21, N'Sefik',
N'ÇAPANOĞLU', N'E', CAST(N'1982-02-20' AS Date), 6, CAST(N'1998-05-25'
AS Date), 3, 3, 30, 4800.0000, 200.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (22, N'Taner',
N'BOZOKLU', N'E', CAST(N'1983-07-21' AS Date), 5, CAST(N'2005-09-05'
AS Date), 1, 2, 30, 3000.0000, 200.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (23, N'Utku',
N'DUMAN', N'E', CAST(N'1975-06-13' AS Date), 6, CAST(N'2005-03-05' AS
Date), 1, 3, 30, 2800.0000, 200.0000)
INSERT [dbo].[personel] ([personel_no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (24, N'Ümit',
N'ŞİRİN', N'E', CAST(N'1978-04-02' AS Date), 7, CAST(N'1998-04-04' AS
Date), 2, 2, 35, 3300.0000, 250.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum_tarihi], [dogum_yeri], [baslama_tarihi], [birim_no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (25, N'Veysel',
N'ERTÜZÜN', N'E', CAST(N'1980-07-03' AS Date), 3, CAST(N'2002-07-18'
AS Date), 4, 3, 35, 3100.0000, 300.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan_no], [calisma_saati], [maas], [prim]) VALUES (26, N'Yakup',
N'GÖKÇE', N'E', CAST(N'1975-06-18' AS Date), 2, CAST(N'2002-03-25' AS
Date), 4, 3, 35, 3100.0000, 450.0000)
INSERT [dbo].[personel] ([personel no], [ad], [soyad], [cinsiyet],
[dogum tarihi], [dogum yeri], [baslama tarihi], [birim no],
[unvan no], [calisma saati], [maas], [prim]) VALUES (27, N'Zeliha',
N'CANİŞ', N'K', CAST(N'1978-03-03' AS Date), 5, CAST(N'2005-08-13' AS
Date), 1, 3, 40, 2500.0000, 500.0000)
SET IDENTITY INSERT [dbo].[personel] OFF
G0
```

## [dbo].[proje]

```
SET IDENTITY_INSERT [dbo].[proje] ON INSERT [dbo].[proje] ([proje_no], [proje_ad], [baslama_tarihi], [planlanan_bitis_tarihi]) VALUES (1, N'TEMİZ DÜNYA', CAST(N'2015-01-20' AS Date), CAST(N'2017-01-11' AS Date)) INSERT [dbo].[proje] ([proje_no], [proje_ad], [baslama_tarihi], [planlanan_bitis_tarihi]) VALUES (2, N'GÜVENLİ INTERNET', CAST(N'2017-05-15' AS Date), CAST(N'2020-06-09' AS Date)) INSERT [dbo].[proje] ([proje_no], [proje_ad], [baslama_tarihi],
```

```
[planlanan bitis tarihi]) VALUES (3, N'MUTLU ŞEHİR', CAST(N'2017-07-
11' AS Date), CAST(N'2019-11-29' AS Date))
INSERT [dbo].[proje] ([proje_no], [proje_ad], [baslama_tarihi],
[planlanan_bitis_tarihi]) VALUES (4, N'AKILLI EVLER', CAST(N'2018-02-
10' AS Date), CAST(N'2021-11-29' AS Date))
INSERT [dbo].[proje] ([proje_no], [proje_ad], [baslama_tarihi],
[planlanan bitis tarihi]) VALUES (5, N'SESSIZ ORTAM', CAST(N'2018-03-
01' AS Date), CAST(N'2019-11-29' AS Date))
SET IDENTITY INSERT [dbo].[proje] OFF
G0
[dbo].[unvan]
SET IDENTITY INSERT [dbo].[unvan] ON
INSERT [dbo].[unvan] ([unvan no], [unvan ad]) VALUES (2, N'İK UZMANI')
INSERT [dbo].[unvan] ([unvan no], [unvan ad]) VALUES (1, N'MÜHENDİS')
INSERT [dbo].[unvan] ([unvan no], [unvan ad]) VALUES (3, N'TEKNİSYEN')
SET IDENTITY INSERT [dbo].[unvan] OFF
G0
[UQ birim 09A4B74C694DEACF]
SET ANSI PADDING ON
G0
/***** Object: Index [UQ birim 09A4B74C694DEACF] Script Date:
7.02.2022 15:37:14 *****/
ALTER TABLE [dbo].[birim] ADD UNIQUE NONCLUSTERED
     [birim ad] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
G0
[UQ cocuk _DEC82C450BCB49EF]
/****** Object: Index [UQ cocuk DEC82C450BCB49EF] Script Date:
7.02.2022 15:37:14 *****/
ALTER TABLE [dbo].[cocuk] ADD UNIQUE NONCLUSTERED
     [dogum tarihi] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
G0
```

```
[proiePersonelTekil]
/***** Object: Index [projePersonelTekil] Script Date: 7.02.2022
15:37:14 *****/
ALTER TABLE [dbo].[gorevlendirme] ADD CONSTRAINT [projePersonelTekil]
UNIQUE NONCLUSTERED
     [proje no] ASC,
     [personel no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
G0
[UQ il ACA87A34CBDA6AFE]
SET ANSI PADDING ON
/***** Object: Index [UQ il ACA87A34CBDA6AFE] Script Date:
7.02.2022 15:37:14 *****/
ALTER TABLE [dbo].[il] ADD UNIQUE NONCLUSTERED
     [il adl ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
GO
[ilceTekil]
SET ANSI PADDING ON
/***** Object: Index [ilceTekil] Script Date: 7.02.2022 15:37:14
ALTER TABLE [dbo].[ilce] ADD CONSTRAINT [ilceTekil] UNIQUE
NONCLUSTERED
     [ilce ad] ASC,
     [il no] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
G0
[UQ proje 518BD24527F8F448]
SET ANSI PADDING ON
/***** Object: Index [UQ__proje__518BD24527F8F448] Script Date:
```

```
7.02.2022 15:37:14 ******/
ALTER TABLE [dbo].[proje] ADD UNIQUE NONCLUSTERED
     [proje ad] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE \overline{L}OCK\overline{S} = ON) ON [PRIMARY]
GO
[UQ unvan EB18F55A01DC46C8]
SET ANSI PADDING ON
G0
/***** Object: Index [UQ unvan _EB18F55A01DC46C8]
                                                       Script Date:
7.02.2022 15:37:14 *****/
ALTER TABLE [dbo].[unvan] ADD UNIQUE NONCLUSTERED
     [unvan ad] ASC
)WITH (PAD INDEX = OFF, STATISTICS NORECOMPUTE = OFF, SORT IN TEMPDB =
OFF, IGNORE DUP KEY = OFF, ONLINE = OFF, ALLOW ROW LOCKS = ON,
ALLOW PAGE LOCKS = ON) ON [PRIMARY]
G0
[DF personel prim 49C3F6B7]
ALTER TABLE [dbo].[personel] ADD DEFAULT ((0)) FOR [prim]
G0
[FK cocuk dogu yeri 4D94879B]
ALTER TABLE [dbo].[cocuk] WITH CHECK ADD FOREIGN KEY([dogu yeri])
REFERENCES [dbo].[ilce] ([ilce no])
G0
[FK cocukpersonel 4E88ABD4]
ALTER TABLE [dbo].[cocuk] WITH CHECK ADD FOREIGN KEY([personel_no])
REFERENCES [dbo].[personel] ([personel no])
G0
[FK gorevlend perso 534D60F1]
ALTER TABLE [dbo].[gorevlendirme] WITH CHECK ADD FOREIGN
KEY([personel no])
REFERENCES [dbo].[personel] ([personel no])
G0
```

```
[FK gorevlend proje 52593CB8]
ALTER TABLE [dbo].[gorevlendirme] WITH CHECK ADD FOREIGN
KEY([proie nol)
REFERENCES [dbo].[proje] ([proje no])
[FK ilce il no 412EB0B6]
ALTER TABLE [dbo].[ilce] WITH CHECK ADD FOREIGN KEY([il no])
REFERENCES [dbo].[il] ([il no])
G0
[FK personelbirim 47DBAE45]
ALTER TABLE [dbo].[personel] WITH CHECK ADD FOREIGN KEY([birim no])
REFERENCES [dbo].[birim] ([birim no])
G0
[FK personeldogum 46E78A0C]
ALTER TABLE [dbo].[personel] WITH CHECK ADD FOREIGN KEY([dogum_yeri])
REFERENCES [dbo].[ilce] ([ilce no])
G0
[FK_personelunvan_48CFD27E]
ALTER TABLE [dbo].[personel] WITH CHECK ADD FOREIGN KEY([unvan no])
REFERENCES [dbo].[unvan] ([unvan no])
G0
[SampleDB]
USE [master]
G0
ALTER DATABASE [SampleDB] SET READ WRITE
G0
```