

Team Control Number

**201906177**

Problem Chosen

**A**

---

ShuWei Cup

## Summary

aaaaaaaaaaaaaaaaaaaaaaaaaaaa

**keyword:** sweet spot; corked bat; coefficient of restitution;

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Background . . . . .	1
1.2	Work . . . . .	1
<b>2</b>	<b>Problem Analysis</b>	<b>1</b>
<b>3</b>	<b>Symbol and Assumptions</b>	<b>1</b>
3.1	Symbol Description . . . . .	1
3.2	Fundamental assumptions . . . . .	2
<b>4</b>	<b>Establishment and solution of the model</b>	<b>2</b>
4.1	The model of Problem 1 . . . . .	2
4.2	solution of the model 1 . . . . .	2
4.3	Conclusion . . . . .	3
4.4	The model of Problem 2 . . . . .	3
4.5	The model of Problem 3 . . . . .	3
4.6	The model of Problem 4 . . . . .	3
<b>5</b>	<b>Sensitivity Analysis</b>	<b>3</b>
<b>6</b>	<b>Strengths and Weaknesses</b>	<b>3</b>
6.1	Strengths . . . . .	3
6.2	Weaknesses . . . . .	4
<b>7</b>	<b>Conclusion</b>	<b>4</b>

# 1 Introduction

## 1.1 Background

## 1.2 Work

# 2 Problem Analysis

**Analysis of question one** Make reasonable predictions of the aging trend of China and the medical needs of the residents according to the data of residents' income, age structure of the population and the economic development level etc. in the relevant statistical analysis data of the National Bureau of Statistic. According to the relevant data from 2009 to 2018 in the National Bureau of statistics, the group first selects appropriate indicators and then establishes a grey prediction model to predict and analyze the population aging trend and residents' medical needs of the epidemic in 2009-2018. Then, through the Markov model, the data from 2009-2018 simulates the distribution of residual in each interval and calculates the expectation of the predicted residual in 2010-2019 Value. Finally, the prediction results and residual expectation are made to be different, and the inherent deviation of traditional grey prediction is corrected. Through the combination of the two models, the goal of scientific prediction of the future development of population aging and the trend of residents' medical needs is achieved. Its thought flow chart is shown in Figure ?? :

**Analysis of question two**

**Analysis of question three**

**Analysis of question four**

**Analysis of question five**

# 3 Symbol and Assumptions

## 3.1 Symbol Description

symbols	definitions
$v_i$	velocity of ball before collision
$v_f$	velocity of ball after collision
$V_f$	velocity of bat after collision
$S$	the shear modulus the bat
$Y$	Young's modulus of the bat

### 3.2 Fundamental assumptions

1. The bat is rigid, so there is no vibration in the bat(for the basic model).
2. The ball hit and rebound perpendicular to the bat and is in the plane of the swing.
3. The ball can be considered as a linear spring with friction.
4. The bat is a free object in collision,and both ends of the bat is completely free.
5. The vibration of the bat is harmonic(for augmented model).

## 4 Establishment and solution of the model

hands [?][?][?].

### 4.1 The model of Problem 1

### 4.2 solution of the model 1




Figure 1: location of point

$$m \cdot v_i = m \cdot v_f + M \cdot V_f \quad (1)$$

$$b \cdot m \cdot v_i + I \cdot \omega_i = b \cdot m \cdot v_f + I \cdot \omega_f \quad (2)$$

$$e_0 \cdot (v_i - \omega_i \cdot b) = V_f + \omega_f \cdot b - v_f \quad (3)$$

### 4.3 Conclusion




Figure 2: final velocity  $v_f$  varies by impact point location  $b$

### 4.4 The model of Problem 2

### 4.5 The model of Problem 3

### 4.6 The model of Problem 4

## 5 Sensitivity Analysis

## 6 Strengths and Weaknesses

### 6.1 Strengths

1. Vibration of bat is taken into account so that the accuracy of the model can be fairly good.
2. Physical explanation is put forward besides the model for a better understanding of the collision process.

3. Figures are used for explanation of the problem, thus making it more intuitive and easier to understand.

## 6.2 Weaknesses

1. The ball is actually nonlinear when deformation of the ball goes beyond a certain limit. The approximation of linear model turned out to be flawed when the force applied on the ball becomes very large.
2. Effective coefficient of restitution can not be calculated accurately. This affects the accuracy of the result of the model.

## 7 Conclusion

## References

- [1] Saad Ahmed Javed,Sifeng Liu. Correction to: Predicting the research output/growth of selected countries: application of Even GM (1, 1) and NDGM models[J]. Scientometrics,2019,120(3).
- [2] ???,???,???.????????????????????[J].??????,2018(15):74-75.
- [3] Yawen Wang,Zhongzhou Shen,Yu Jiang. Analyzing maternal mortality rate in rural China by Grey-Markov model[J]. Medicine,2019,98(6).
- [4] Saad Ahmed Javed,Sifeng Liu. Correction to: Predicting the research output/growth of selected countries: application of Even GM (1, 1) and NDGM models[J]. Scientometrics,2019,120(3).
- [5] ??,???,???.??????GM(1,N)-Markov????????[J].??????,2019(03):43-48.
- [6] ???,???,???,???.??GM(1,1)??????????GM(1,1)????????????????????[J].???????,2011,45(09):1075-1079.
- [7] Kate Childs,Christopher Davis,Mary Cannon,Sarah Montague,Ana Filipe,Lily Tong,Peter Simmonds,Donald Smith,Emma C. Thomson,Geoff Dusheiko,Kosh Agarwal. Suboptimal SVR rates in African patients with atypical Genotype 1 subtypes: implications for global elimination of Hepatitis C[J]. Journal of Hepatology,2019.
- [8] Yuyan Cao. Failure Prognosis for Electro-Mechanical Actuators Based on Improved SMO-SVR Method[A]. ???IEEE?????????????.Proceedings of 2016 IEEE Chinese Guidance, Navigation and Control Conference (IEEE CGNCC2016)[C].2016:6.