



MARINE ACCESSORIES CATALOG



ORDERING INFORMATION

WARRANTY & RETURNS:

All T-H Marine Supplies, Inc. products are covered by a one year limited warranty to be free from defective material or workmanship, unless otherwise stated in product literature.

Products are inspected to ensure that you receive quality goods. Requests for returns must be made to our office. We will replace, repair or issue credit at our discretion for defective items. Returns must have prior authorization and a RGA# issued. Invoice deductions will not be accepted without prior credit issued from T-H Marine Supplies, Inc. Any returned goods that are not covered by warranty will carry a restocking charge and must be approved before being returned. Freight must be prepaid on all returned goods. No returns will be allowed from OEM customers after 90 days from receipt of goods.

All catalog items are subject to changes or design improvements.

Many of our products are available retail packaged. For additional details or assistance with ordering, please contact your customer support representative for assistance.



T-H MARINE SUPPLIES
200 Finney Drive, SW
Huntsville, Alabama 25824



REGIONAL SALES REPRESENTATIVES

NORTHEAST & CANADA

Connecticut	New York
Maine	Pennsylvania
Maryland	Rhode Island
Massachusetts	Vermont
New Hampshire	Virginia
New Jersey	West Virginia

Atlantic Marketing Company

102 South Anguilla Road
Pawcatuck CT 06379

Phone: 860.535.8292 | **Fax:** 860.535.2960
amoffice@amconet.com | amconet.com

MIDWEST

Illinois	Missouri
Indiana	Nebraska
Iowa	North Dakota
Kansas	Ohio
Michigan	Oklahoma
Minnesota	South Dakota
	Wisconsin

Midwest Outdoor Marketing

5707 Osage Beach Parkway
Osage Beach, MO 65065

Phone: 573.317.1103 | **Fax:** 573.317.1022
info@momarketing.com | momarketing.com

SOUTH

Alabama	Louisiana
Arkansas	Mississippi
Florida	North Carolina
Georgia	South Carolina
Kentucky	Tennessee
	Texas

William F. Miller & Associates

2616 Grissom Drive
Nashville, TN 37204

Phone: 615.298.4444 | **Fax:** 615.269.4954
info@williamfmiller.com | williamfmiller.com

WEST

Arizona	Oregon
California	Utah
Colorado	Washington
Idaho	Wyoming
Montana	British Columbia
Nevada	Canada
New Mexico	Alaska
	Hawaii

West Coast Sales

15255 Dewey Crest Ln.
Anacortes WA 98221

Phone: 800.333.4163 | **Fax:** 760.734.4436
Msteiner@westcoastsales.com | westcoastsales.com

INTERNATIONAL

CF Rappresentanze Nautiche Srl
Carlo Chiole
+39 335 5227620
carlo@chiole.com

Paolo Berni
+39 349 2395935
paolo@cfrappresentanzenuautiche.it

Brunger Export

4901 N.W. 17th Way, Suite 600
Fort Lauderdale, FL 33309

Phone: 954.928.1245 | **Fax:** 954.928.1644
info@brungerexport.com | brungerexport.com



At T-H Marine, we've always been driven by a simple mission: *to provide awesome products that fuel your passion on the water.*

We've built this legacy with you. It's your trust and passion that has helped us grow from a small company to the industry leader we are today. You are not just part of our history - you are part of our future - and we're proud to have you by our side as we continue to push boundaries.

Whether you're chasing tournament wins, cruising the open waters, creating memories with friends and family, or building the watercraft that makes this all possible, we're here to support every moment.

Here's to the next 50 years of collaboration, innovation, and shared success. We are so proud to have you as part of the T-H Marine family, and we are excited for what's ahead.

Many thanks,
The T-H Marine Team



ORDERING INSTRUCTIONS	2
PERFORMANCE	7
ACCESS & STORAGE	31
RIGGING	41
TROLLING MOTOR	55
LADDERS	63
ROD & TACKLE	81
MOORING	91
LED LIGHTING	103
PLUMBING	147
ACCESSORIES	167
INDEX BY KEYWORD	188
INDEX BY SKU	192

PERFORMANCE


ATLAS[®]

The Industry Standard in Hydraulic Jack Plates

The **ATLAS[™]** line delivers smooth, fast, and reliable hydraulic lift. With patented performance and easy installation, it's built to raise your motor - *and your game.*

Key Advantages:

- Pre-drilled to accept hole-shot plates, shallow-water anchors, and emergency re-boarding ladders
- Self-lubricating polymer rods eliminate maintenance
- Lifetime frame warranty and 3-year hydraulic coverage - trusted by anglers and boat builders



**ATLAS[™]
CLASSIC**

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 625 lbs
HP: 300 max

SILVER		
Part #		Setback
AHJ-4V-DP		4"
AHJ-6V-DP		6"
AHJ-8V-DP		8"
AHJ-10V-DP		10"
AHJ-12V-DP		12"
AHJ-14V-DP		14"

BLACK		
Part #		Setback
AHJ-4V-B-DP		4"
AHJ-6V-B-DP		6"
AHJ-8V-B-DP		8"
AHJ-10V-B-DP		10"
AHJ-12V-B-DP		12"



**ATLAS[™]
HEAVY DUTY**

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 810 lbs
HP: 450 max

SILVER		
Part #		Setback
AHJ-4VHD-DP		4"
AHJ-6VHD-DP		6"
AHJ-8VHD-DP		8"
AHJ-10VHD-DP		10"
AHJ-12VHD-DP		12"
AHJ-14VHD-DP		14"

BLACK		
Part #		Setback
AHJ-4VHD-B-DP		4"
AHJ-6VHD-B-DP		6"
AHJ-8VHD-B-DP		8"
AHJ-10VHD-B-DP		10"
AHJ-12VHD-B-DP		12"



**ATLAS[™]
MAX**

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 1,000 lbs
HP: 450 max


SILVER		
Part #		Setback
AHJ-6GX-DP		6"

REPLACEMENT PARTS

Part #	Description
AHJACT-3-DP	Actuator
AHJRELAYKIT-2-DP	Wiring Harness
AHJSWITCH-1-DP	Switch
AHJMTR-1-DP	Motor (Plastic)
AHJMTR-2-DP	Motor (Metal)

ATLAS™ EDGE

POWERED BY T-H MARINE® // LIFTED BY POWER-POLE®



SPEED INDICATOR
Visual indicator of current lift speed; slow, medium, or fast.

LIFT CONTROL
Tap to lift or lower with ease. Double-tap down arrow to drop to the lowest position at full speed.

LIGHT SENSOR
Screen adjusts to day or night. No glare, no fade - just clear control.

CUSTOM PRE-SET
Tap once to move to one of three custom saved heights. Double-tap to get there at full speed.


SPEED SELECT
Dial in your lift speed based on water, load, or style. Choose from slow, medium, or fast.

SMOOTH CONTROL
Fine-tune your height for better efficiency.

ULTRA FAST
Adjust instantly for changing conditions.

HEAVY DUTY
For serious boaters who demand durability & power.

ZERO UP-KEEP
Brushless motor technology and sealed hydraulic unit means no maintenance.



The **ATLAS™ EDGE** is the elite version of the industry's most trusted jack plate. It's smarter, faster, and built for serious performance on the water.



ATLAS™ EDGE CLASSIC

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 625 lbs
HP: 300 max

SILVER

Part #	Setback
AHJE-4V-DP	4"
AHJE-6V-DP	6"
AHJE-8V-DP	8"
AHJE-10V-DP	10"
AHJE-12V-DP	12"
AHJE-14V-DP	14"

BLACK

Part #	Setback
AHJE-4V-B-DP	4"
AHJE-6V-B-DP	6"
AHJE-8V-B-DP	8"
AHJE-10V-B-DP	10"
AHJE-12V-B-DP	12"



ATLAS™ EDGE HEAVY DUTY

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 810 lbs
HP: 450 max

SILVER

Part #	Setback
AHJE-4VHD-DP	4"
AHJE-6VHD-DP	6"
AHJE-8VHD-DP	8"
AHJE-10VHD-DP	10"
AHJE-12VHD-DP	12"
AHJE-14VHD-DP	14"

BLACK

Part #	Setback
AHJE-4VHD-B-DP	4"
AHJE-6VHD-B-DP	6"
AHJE-8VHD-B-DP	8"
AHJE-10VHD-B-DP	10"
AHJE-12VHD-B-DP	12"



ATLAS™ EDGE MAX

HYDRAULIC RISE: 5.75"
TOTAL RISE: 8.25" - 9.75"
WEIGHT LIMIT: 1,000 lbs
HP: 450 max

SILVER

Part #	Setback
AHJE-6GX-DP	6"


To order visit thmarine.com or contact your local dealer



HOLE SHOT PLATES

- Models to fit all ATLAS® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

SKU	Description
AHJHSP-4V-DP	Fits ATLAS® AHJ-4V-DP - 4"
AHJHSP-6V-DP	Fits ATLAS® AHJ-6V-DP - 6"
AHJHSP-8V-DP	Fits ATLAS® AHJ-8V-DP - 8"
AHJHSP-T-8V-DP	Fits ATLAS® AHJ-8V-DP - 8" - with transducer cut out
AHJHSP-10V-DP	Fits ATLAS® AHJ-10V-DP - 10"
AHJHSP-T-10V-DP	Fits ATLAS® AHJ-10V-DP - 10" - with transducer cut out
AHJHSP-12V-DP	Fits ATLAS® AHJ-12V-DP - 12"
AHJHSP-T-12V-DP	Fits ATLAS® AHJ-12V-DP - 12" - with transducer cut out
AHJHSP-14V-DP	Fits ATLAS® AHJ-14V-DP - 14"



TRANSOM WEDGES

- Fits All Standard B.I.A. Bolt Patterns
- Full Contact Between Engine & Transom
- 2-1/4" W - 11-1/4" L - 1-1/16" to 3/16" Thickness
- Cast Aluminum

SKU	Description
TW-2 *	Transom Wedges - 1 Pair - 5 Degree Negative Tuck
TW-3 *	Reverse Transom Wedge - 1 Pair - 5 Degree Positive Tilt

* Add -DP to the end of SKU for retail packaging



WEDGES/SET BACK SPACERS

- 2 Degree Wedges Provide Extra Positive or Negative Trim
- Designed to be Stacked Together to Act as Set Back Spacers
- 1/2" x 4" x 11 1/4" Size

SKU	Description
20122 *	2 Degree Reversible Transom Wedges

Note: ATLAS® Micro Jacker® Not Compatible With Any Gauge Kit

* Add -DP to the end of SKU for retail packaging




MICRO JACKER®

- Perfect for Shallow Water Skiffs and Flat Boats
- Lightweight - 23 lbs
- Smallest Footprint Available - 14 5/8" x 11-1/2" H
- Fast Actuator - 8 Seconds Top to Bottom
- 115 HP Max and 425 lbs Max
- Optional Clamp-on Motor Adapter

SKU	Description
AHJM-4-DP	ATLAS® MICRO JACKER®
AHJM-CMA-DP	MICRO JACKER® Clamp-on Motor Adapter
7014 *	Replacement Wiring Harness

* Add -DP to the end of SKU for retail packaging



REPLACEMENT SKEGS

- Solid Cast Aluminum
- Welds to Lower Units
- Easily Cut to Shape

SKU	Description	A	B	C	D
RS-1-DP	OMC V6	5-1/2"	6"	10-1/4"	9"
RS-2-DP	OMC V4	4-1/2"	5-3/4"	9-1/2"	10"
RS-3-DP	OMC 40-80HP	4"	4-1/4"	7-1/2"	7"
RS-4-DP	Mercury V6*	3-1/2"	6-1/2"	9-1/4"	10-1/2"

*Mercury V6 Outboards and Mercruiser Stern Drives



TRANSOM WASHER PLATES


- Made of 3/8” 6061 T6 extruded alloy aluminum
- Eliminates bolts “biting” into transoms
- Distributes loads on high performance engines
- Hole center
 - Top plate 12 7/8”
 - Bottom plate 9 7/8”

SKU	Description
20022	Top Washer Plate
20032	Bottom Washer Plate
20000	Custom Washer Plates <i>*Call for details</i>




TRANSOM SUPPORT PLATES

- Distributes Stress of Engine Bolts
- High Quality Cast Aluminum
- All Plates 3/8” Thick



SKU	Description	A	B	C
TSP-1 *	Top Bolt Holes - Standard	15”	2”	13”
TSP-2 *	Lower Bolt Holes - Standard	12”	2”	10”
TSP-7 *	For Yamaha and Verado - 4 Bolt Holes	15-1/4”	3-3/4”	12-3/8”
TSP-7-M	Machined 4 Hole Transom Support Plate	15”	4”	12-7/8”

Note: Custom options available
** Add -DP to the end of SKU for retail packaging*



TORQUE TAB

- Counters Torque Pressure on Wheel
- Cast Aluminum - Stainless Hardware
- Easy to Install

SKU	Description
TAB-1 *	Torque Tab

** Add -DP to the end of SKU for retail packaging*



DIGITAL POSITION GAUGE KIT

- All Digital Readout
- Each Number Indicates 1/4” Rise
- Numbers from 0 to 20
- All ATLAS® Jacks are Pre-drilled to fit

SKU	Description	Dimensions
FAGK-1-DP	ATLAS® Gauge Kit - Black	Fits 4” & 8” Models
FAGK-2-DP	ATLAS® Gauge Kit - Black	Fits 6”, 10”, 12” & 14” Models
FAGK-1SS-DP	ATLAS® Gauge Kit - Stainless Steel	Fits 4” & 8” Models
FAGK-2SS-DP	ATLAS® Gauge Kit - Stainless Steel	Fits 6”, 10”, 12” & 14” Models



BOLT KIT

- Used fo mounting outboard to plate
- Kit Contains:
 - 4 each Stainless Steel Long Bolts
 - 4 each 1/2” x lock nuts - Brass with Nylon Insert
 - 8 each 1/2” flat washers - Stainless Steel

SKU	Description
BK-1-DP	Fine Thread with shoulder - 1/2-20 x 2-3/4”
BK-2-DP	Fine Thread, fully threaded - 1/2-20 x 3”



IGNITION KILL SWITCH

- Meets All Requirements of Emergency Stop Switches
- Isolated Circuits on Dual Units to Prevent Feedback
- Mounts Anywhere - Requires 1-1/2” Hole
- Coiled Lanyard

SKU	Description
KS-1 *	Single Outboard
KS-2 *	Single I/O
KS-12 *	Dual Outboard
KS-22 *	Dual I/O
L-4 *	Replacement Lanyard

** Add -DP to the end of SKU for retail packaging*



HOT FOOT® FOOT THROTTLE

- All Cast Aluminum - Stainless Steel Hardware
- Nylon & Teflon Bushings on all Critical Pivot Points
- Patented Idle Stop for FICHT & Optimax Engines
- Accepts All Engine Manufacturer Throttle Cables
- Cable not Included

SKU	Description
HF-1-DP	Hot Foot® Universal Model - Silver
HF-1B-DP	Hot Foot® Universal Model - Black
HFS-1-DP	Hot Foot® Replacement Spring (all models)



HOT FOOT® PRO TOP LOAD FOOT THROTTLE

- Topside Cable Connections
- Patented Idle Stop for FICHT & Optimax
- Stainless Steel Hardware with Teflon Brushings
- Cable not Included

SKU	Description
HF-1T-DP*	Hot Foot® Fits Johnson, Evinrude, Mercury & Mariner
HF-1CT-DP	Hot Foot® Fits Honda, Yamaha, Chrysler & Suzuki
HFS-1-DP	Hot Foot® Replacement Spring (all models)

*Compatible with the 3.8L V6 and 4.6L V8 Pro XS



HOT FOOT® SLIDE MOUNT

- Easy Adjustment of HOT FOOT®
- Stainless Steel Fasteners & Release Pin
- Allows 5" of Slide Adjustment

SKU	Description
HFM-1 *	Hot Foot® Slide Mount

* Add -DP to the end of SKU for retail packaging



BLINKER TRIM

Trim Control for Hydraulic Helms

- Built to withstand demanding conditions
- Designed for comfortable handling and precise trim control
- Includes 5 colored O-rings to personalize your setup
- Easily replaces your existing Finger Flex blinker trim
- Available for both single and dual switch configurations

SKU	Description
FFBT-SSS-DP	Single Control Switch
FFBT-DSS-DP	Dual Control Switch
FFBT-HDLO	Single Handle - Aluminum



MOTOR STOP

- High-strength rubber construction
- Protects transom and motor
- Absorbs shock and vibration during transport
- Designed to withstand UV rays, saltwater, and temperature extremes

SKU	Description
OMS-1-DP	Outbord Motor Support



MOTOR STIK®

- Fits over trim rams
- Supports your outboard while trailering
- Takes the pressure off of hydraulic system
- Most outboards 150hp and up

SKU	Description
MSS-1-DP	Outbord Motor Support (pair)





TRANSOM TRIM CONTROL

- Puts Tilt & Trim Control Anywhere
- Weather Resistant Control Switches
- Can Also Operate Power Jack Plates

SKU	Description
TTC-1 *	Transom Trim Control - 50 AMP

* Add -DP to the end of SKU for retail packaging



STEERING WHEEL TRIM CONTROL

- Rugged Urethane Coiled Cord
- Weatherproof Rubber Booted Switches
- Mount Easily to Steering Wheel Spokes
- Not for Use with Hydraulic Steering

SKU	Description
ST-1-DP *	Steering Wheel Trim Control - 50AMP

* Add -DP to the end of SKU for retail packaging



FLOOR MOUNTED TRIM CONTROL

- Foot Operated Tilt & Trim Control
- Pre-wired Matte Black Unit
- Weather Resistant Control Switches

SKU	Description
HT-1 *	FOOT TRIM® Floor Mounted Trim Control - 50AMP

* Add -DP to the end of SKU for retail packaging



TRIM HANDLE

- Puts Tilt & Trim Control Directly Onto Throttle Lever
- Weather Resistant 50 AMP Switches
- Fits pre-1979 OMC Control Handles

SKU	Description
EJT-1 *	Trim Handle - 50 AMP

* Add -DP to the end of SKU for retail packaging



SURE FOOT® TROLLING MOTOR SWITCH

- Foot control switch for electric Trolling Motors
- Rated to 50 AMPS D.C
- 15” Tilt Angle for ease of operation

SKU	Description
FCS-3-DP *	HD Foot Switch with button cover, assembled and packaged

* Add -DP to the end of SKU for retail packaging



HARD GRIP STEERING WHEEL

- Classic sport wheel with leather grain appearance
- Fits standard 3/4” tapered shaft


SKU	Specs
EDG-BULK	Diameter 12.57” / Dish 3” / Weight 3lbs



STEERING CONSOLE MOUNT

- .090 Welded Aluminum
- Wood reinforced wheel mount area,
- Adjustable height 10” to 20”

SKU	Description
SCM-2-DP	Steering Console Mount



THROTTLE CONTROL MOUNT

- Solid .090 aluminum
- Great for aluminum boats

SKU	Description
TCM-1 *	Throttle Control Mount

* Add -DP to the end of SKU for retail packaging



HI-JACKER® JACK PLATE

- 3/8" Aluminum - Two Piece Design
- Dual Stainless Steel Adjustment Rods
- Maximum 150HP Outboards
- 5" Setback - 4" Vertical Lift


SKU	Description
JP-1A-DP	HI-JACKER® Fixed Jack Plate



HI-JACKER® FIXED JACK PLATE

- Solid Aluminum Extrusion
- 3 - Engine Mount Holes - 2 - Transom Mount Holes
- Total Vertical lift of 5-1/2" - 4" Setback

SKU	Specs
JP-4FA-DP	Max 150HP
JP-4FAHD-DP	Max 300HP



MINI JACKER®


- "Clamp Style" Small Outboard Jack Plate
- Cast Aluminum Bracket
- Marine Grade Wood Transom Block
- 4" Setback - 3" Vertical
- Max Wt - 150lbs - Max HP-35

SKU	Description
MJ-1-DP	MINI JACKER® - for Outboards Only



- Provides Maximum Strength
- Prevents Side Slippage and Movement
- Easily Adjusts Up or Down with Center Bolt
- 6061-T6 1/2" Aluminum Material for Strength
- Handles All V6 and V8 Outboards up to 300 HP
- Vertical Rise - 5"

SKU	Description	Dimensions
JPZ-4-DP	Z-LOCK® Jack Plate	4"
JPZ-6-DP	Z-LOCK® Jack Plate	6"
JPZ-8-DP	Z-LOCK® Jack Plate	8"
JPZ-10-DP	Z-LOCK® Jack Plate	10"
JPZ-12-DP	Z-LOCK® Jack Plate	12"



Z-LOCK® HOLE SHOT PLATES

- Models to fit all Z-LOCK® Jacks
- Provides Improved Hole Shot
- Reduces Water Drag at Take Off

SKU	Description	Dimensions
JPZHSP-6	Z-LOCK® Hole Shot Plate	JPZ-6-DP
JPZHSP-8	Z-LOCK® Hole Shot Plate	JPZ-8-DP
JPZHSP-10	Z-LOCK® Hole Shot Plate	JPZ-10-DP



PRO HI-JACKER® JACK PLATES

- High Strength Aluminum - 3/8" Thick
- One-Piece Design - Top Adjust
- Locking Bars Allow One Wrench Adjust
- Maximum 175HP Outboards
- 4" Vertical Adjustment

SKU	Description
JP-6PW-DP	Pro HI-JACKER® Jack Plates - 6" setback (minimum)



TRANSOM WASHER PLATES

- Made of 3/8” 6061 T6 extruded alloy aluminum
- Eliminates bolts “biting” into transoms
- Distributes loads on high performance engines
- Hole center
 - Top plate 12 7/8”
 - Bottom plate 9 7/8”

SKU	Description
20022	Top Washer Plate
20032	Bottom Washer Plate



CUSTOM WASHER PLATES

- Made of 3/8” 6061 T6 extruded alloy aluminum
- Top washer can be custom engraved with minimum order
- Up to 16 characters can be engraved

SKU	Description
20000	Custom Washer Plates



HYDRAULIC POWER-LIFT® TRANSOM JACKS

- Ideal for high speed positioning of outboard motor
- PL-65HS will raise V-6 300 HP in approx 8 secs
- PL-65 has been in the market since 1982
- Mounting hardware included

5.5” MODEL PL-65HS

SKU	Description
65301	with gauge
65302	without gauge



5.5” MODEL PL-65*

SKU	Description
65001	with gauge
65002	without gauge

6” MODEL PL-65*

SKU	Description
65501	with gauge
65502	without gauge

10” MODEL PL-65-10HS

SKU	Description
61301	with gauge
61302	without gauge

10” MODEL PL-65-10

SKU	Description
61001	with gauge
61002	without gauge

**The model PL-65 is rated V-6 and smaller motors.
Not designed for V-8 Motors or racing applications.*



POSITION INDICATOR GAUGE KIT

- Sealed and drip proof
- Mounts in the dash for safe and convenient height determination
- Indicator features an up and down toggle switch

SKU	Description
6077	Position Indicator Gauge Kit





MANUAL POWER-LIFT® TRANSOM JACKS

ONE-PIECE DESIGN

- Made of 6061 T6 extruded aluminum alloy
- Stainless steel fasteners for maximum strength and durability
- Centrally located adjustment screw for positive alignment
- 5” Vertical adjustment

SKU	Description
61012	10” Set Back - Manual Model
65012	5 1/2” Set Back - Manual Model
65013	2” Set Back - Manual Model
65512	5 3/4” HD Manual Model



TWO-PIECE DESIGN

- Adjustable manual has 5” of slot adjustment at the motor mounting bracket and 1/2” inches of adjustment at transom bracket

SKU	Description
55012	5 1/2” Set Back
40012	4” Set Back



STATIC SET BACK PLATE

- Has 1 1/2” of adjustment at the transom bracket
- 1” of adjustment on the motor bracket
- Dimension from top of transom to top of motor side - 3 1/2”



SKU	Description
70012	7” Static Set Back Plate
90012	9” Static Set Back Plate



CMC® WEDGES/SET BACK SPACERS

- 2 Degree Wedges Provide Extra Positive or Negative Trim
- Designed to be Stacked Together to Act as Set Back Spacers
- 1/2” x 4” x 11 1/4” Size

SKU	Description
20122	2 Degree Reversible Transom Wedges



2 1/2” STATIC SET BACK PLATE

- 1 1/2” of adjustment at the transom bracket
- Most commonly used in conjunction with manual or hydraulic Power-Lift

SKU	Description
65213	2 1/2” Static Set Back Plate



5” VERTICAL EXTENSION

- Allows the motor to be mounted 5” higher than the standard mounting on transom
- A must for conversion from prop to jet drive

SKU	Description
50012	5” Vertical Extension

TRANSOM JACK SPECIFICATIONS

Item	Description	HP Rating	Travel	Set Back	Operation	Dimensions
61002	PL-65-10	up to V-6**	5”	10”	12V Elec Hydraulic	18-1/8” W x 16 1/2” H
65002	PL-65	up to V-6**	5”	5 1/2”	12V Elec Hydraulic	18-1/8” W x 16 1/2” H
65213*	2-1/2” Set Back	up to V-6**	1-1/2”	2 1/2”	Static	15-1/8” W x 13-5/8” H
65012	ML-65	up to V-6**	5”	5 1/2”	Manual	18-1/8” W x 16 1/2” H
61012	ML-65-10	up to V-6**	5”	10”	Manual	18-1/8” W x 16 1/2” H
55012	2-PC	up to V-6	5”	5 1/2”	Manual	18-1/8” W x 15 1/2” H (Mounted)
40012	2-PC	up to V-6	5”	4”	Manual	18-1/8” W x 15 1/2” H (Mounted)
70012*	Static Set Back	up to V-6**	3 1/2”	7”	Static	18-1/8” W x 15 1/2” H (Mounted)
90012*	Static Set Back	up to V-6**	5 3/4”	9”	Static	18-1/8” W x 15 1/2” H (Mounted)
50012	5” Vertical Ext	up to V-6	5”	1/2”	Static	5”W x 20 1/2” H (Mounted)
65501	PL-65 HD	up to V-8/400HP	5”	6”	Hydraulic	18-1/8” W x 16 1/2” H
65502	PL-65 HD	up to V-8/400HP	5”	6”	Hydraulic	18-1/8” W x 16 1/2” H
65512	ML-65 HD	up to V-8/400HP	5”	6”	Manual	18-1/8” W x 15 1/2” H

NOTE: ML-65 and the 4” & 5 1/2” set back plates are rated V-6 *Mounting hardware included **Rated for 4.6L V-8 Pro XS




ELECTRIC HYDRAULIC TILT N’ TRIM

PT-130 FEATURES

- Rated for 130 HP and Smaller Motors
- 6” Set Back to enhance boat stability and performance
- 20° of trim and a total of 90° of tilt and trim
- 1/2” 6061 T6 Extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Four SS motor mounting bolts included


SKU	Description
13001	with gauge
13002	without gauge



PT-35 FEATURES

- Rated for 35 HP and Smaller Motors
- 5 1/2” Set back to enhance boat stability and performance
- 84° of trim and tilt
- 1/4” 6061 T6 extruded aluminum construction with SS fasteners
- Electric hydraulic actuator rated at 7853 lbs of thrust
- Accommodates clamp-on/bolt-on motors without the need of an adapter
- Weighs only 24 pounds

SKU	Description
52100	Electric Hydraulic Tilt N’ Trim




NOTE: The inside dimension of the motor mounting area of the PT-35 is 11”. Before ordering, please make sure that the maximum width of the clamp mounting feet and/or mounting bolts of the motor that must fit into this area does not exceed the 11” limit. Refer to the transom view drawings. Mounting bolts are not included with the PT-35.



TRANSOM CLAMP MOTOR ADAPTER

- Made for quick and easy installation
- For installation of motors mounted with transom clamps

SKU	Description
13022	Transom Clamp Motor Adapter



TRANSOM SPACER FOR PONTOON BOAT

The transom spacers are 1” thick allowing you to mount the PT-130 with the 1/2” to 3/4” lip around the transom

SKU	Description
13032	Transom Spacer for Pontoon Boat



CMC® BREAKAWAY UNIT

- Rated for outboard motors up to a maximum 130 HP
- Mounted between the boat transom and the outboard motor
- It allows small boats and motors to slide over submerged logs
- Designed to minimize damage to the outboard motor
- The unit is pre-drilled with the standard B.I.A hole pattern

SKU	Description
13003	CMC® Breakaway Unit

NOTE: Designed for encounters while running at speeds of 5MPH in the forward direction

TILT N’ TRIM SPECIFICATIONS

Item	Description	HP Rating	Travel	Set Back	Operation	Material	Fasteners	Weight
13001	PT-130 With gauge	10HP to 130HP	90° Tilt & Trim	6”	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#40
13002	PT-130 w/o gauge	10HP to 130HP	90° Tilt & Trim	6”	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#39
52100	PT-35	35HP & Smaller	84° Tilt & Trim	5 1/2”	12V Elec Hydraulic	Extruded 6061-T6 Alum	Stainless Steel	#24

ACCESS + STORAGE



ANCHOR HANDLE LOCKS

- Easy Grip “Two Finger” Handle
- For Lids up to 3/4” Thick
- Fits 2-3/8” to 2-1/2” Hole
- Waterproof “O” Ring Seals

SKU	Description	Body Color	Handle Color
AL-1 *	Locking	Black	Black
AL-2 *	Locking	White	White
ALC-1 *	Locking	Black	Chrome
ALCN-1 *	Non-Locking	Black	Chrome
ALC-2 *	Locking	White	Chrome
ALCN-2 *	Non-Locking	White	Chrome
ALS-1	Anchor Lock Mounting Spacer	Black	

Cams/Zinc	Description	A (in)	B (in)
CAM-ZA	Straight	2 - 1/4”	
CAM-ZCXL	Offset	3 1/4”	1”
KEY-2	Replacement Key for ALL Models		

* Add -DP to the end of SKU for retail packaging



DECK LID SLAM LATCHES

- Web strap pull release with 32” strap
- Unit ships complete with striker
- Models to orient in 4 directions

SKU	Description
DL-1N	Deck Lid Slam Latch - North
DL-1S	Deck Lid Slam Latch - South
DL-1E	Deck Lid Slam Latch - East
DL-1W	Deck Lid Slam Latch - West



NAUTICAL SLAM LATCHES

- Low Profile Oval Design
- UV Stable - Corrosion Resistant
- Stainless Steel Striker Plate
- Fits 2” Round Hole

SKU	Description	Color
NFSL-5-1 *	1/16” to 7/8”	Black
NFSL-5-2 *	1/16” to 7/8”	White

* Add -DP to the end of SKU for retail packaging



LATCHES

SKU	Description	Color
HM5032-BL-L	Compression Latch, Locking	Black/Black Handle
HM5032-BL-NL	Compression Latch, Non-Locking	Black/Black Handle
HM5032-CR-L	Compression Latch, Locking	Black/Chrome Handle
HM5032-CR-NL	Compression Latch, Non-Locking	Black/Chrome Handle
HM5033	Arm 1 - Locking	Black
HM5034	Arm 2 - Locking	Black
HM5035	Arm 3 - Locking	Black
HM5069	Lever Latch, Locking	Black
HM5284-L-12	Slam Latch, Locking	Black
HM5284-NL	Slam Latch, Non-Locking	Black
HM5309L-L	Slam Latch, 2”, Locking	Stainless Steel
HM5309-NL	Slam Latch, 2”, Non-Locking	Stainless Steel



EARTH MAGNETIC LATCHES

- Powerful Magnetic Attraction
- Holds Lids and Doors Securely
- Encased in Plastic - Won’t Rust or Corrode

SKU	Description
MAGHL-2 *	Earth Magnetic Latch - 1 pair

* Add -DP to the end of SKU for retail packaging



RUBBER DRAW DOWN LATCH

- 304 Stainless Steel Catch and Pin
- Chemical and UV Resistant TPR Const
- Includes Latch and Catch
- Textured Grip
- Direct Replacement


MAX LOAD: 50LBS
HOLE SIZE: 0.175”
LENGTH: 3.75”
WIDTH: 1.125”
HEIGHT: 0.75”

SKU	Description
RDL-1	Rubber Draw Latch
DLK-1	Black Nylon Keeper



DESIGNER SERIES™ ACCESS HATCHES

- Cam Style Locks Hold Lid Securely
- Positive Lid Seal for Water Tight Fit
- Stainless Steel Hinges
- Height Above Deck - 5/8"



Non-Locking	Locking	Outside	Inside	Cut Out	ABYC CERTIFIED
HDSS-0714-"X"	HDSSL-0714-"X"	7-1/2" x 14-1/4"	4-5/8" x 11-1/4"	5-1/8" x 11-7/8"	✓
HDSS-1115-"X"	HDSSL-1115-"X"	11" x 15"	7-5/8" x 11-5/8"	8-1/4" x 12-1/8"	✓
HDSS-1119-"X"	HDSSL-1119-"X"	10-7/8" x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1317-"X"	HDSSL-1317-"X"	12-7/8" x 16-7/8"	9-5/8" x 13-1/2"	10-1/8" x 14-1/8"	✓
HDSS-1324-"X"	HDSSL-1324-"X"	12-7/8" x 23-3/4"	9-5/8" x 20-1/2"	10-1/8" x 21-1/8"	✓
HDSS-1330-"X"		12-7/8" x 29-3/4"	9-5/8" x 26-3/8"	10-1/8" x 27"	✓
HDSS-1620-"X"		16" x 20"	12-5/8" x 16-5/8"	13-1/8" x 17"	✓



Non-Locking w/ Deck Seal	Outside	Inside	Cut Out	ABYC CERTIFIED
HDSS-1119-1-DS	10-7/8" x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1317-"X"-DS	12-7/8" x 16-7/8"	9-5/8" x 13-1/2"	10-1/8" x 14-1/8"	✓
HDSS-1324-"X"-DS	12-7/8" x 23-3/4"	9-5/8" x 20-1/2"	10-1/8" x 21-1/8"	✓



Non-Locking w/ Deck Seal	Outside	Inside	Cut Out	ABYC CERTIFIED
HDSS-1013-"X"-REM	10" x 13"	6-3/4" x 9-3/4"	7-1/8" x 10-1/8"	✓
HDSS-1119-"X"-REM	10-7/8" x 18-7/8"	7-5/8" x 15-1/2"	8-1/4" x 16-1/8"	✓
HDSS-1317-"X"-REM	12-7/8" x 16-7/8"	9-5/8" x 13-1/2"	10-1/8" x 14-1/8"	✓
HDSS-1324-"X"-REM	12-7/8" x 23-3/4"	9-5/8" x 20-1/2"	10-1/8" x 21-1/8"	✓


"X" denotes color code:




1 = Black



2 = Polar White



3 = Sand



7 = Light Gray



DESIGNER SERIES™ VERTICAL ACCESS HATCHES

- Vertical access door with vent
- Slam Latch for Easy Opening and Closing
- Slotted Vent for Air Flow
- Stainless or Molded Latches Available

Part Number	Outside	Inside	Cut Out
HDSS-1620-"X"-"X"LV	16" x 20"	16" x 20"	13-1/8" x 17"
HDSS-1620-"X"-"X"V	16" x 20"	16" x 20"	13-1/8" x 17"

"X" denotes color code: 2 = polar white 3 = Sand



DESIGNER SERIES™ PORT LIGHT VENT HATCH

- Meets USCG regulation
- Easy open turn knobs, fully sealed when closed
- Built in screen for worry free ventilation
- Right size for smaller heads

Part Number	Description	ABYC CERTIFIED
DSPL-0310-2-DW-SMK-WS	Dream White - Smoke Lens w/ Screen	✓



DESIGNER SERIES™ GLOVE BOXES

- Cam Lock - Holds lid securely
- Positive Lid Seal for Water Tight
- Stainless Steel Hinges
- Push Button Lock with Lift Tab

Part Number	Description	Outside	Inside	Cut Out	ABYC CERTIFIED
GDSS4-0714-"X"	Non-Locking	7-1/2"W x 14"L	4-5/8" W x 11-1/4"L	5-1/2"W x 12"L	✓
GDSLBP4-0714-"X"	Locking	5-1/2" Deep	5" Deep		✓

"X" denotes color code: 1 = black 2 = polar white



DESIGNER SERIES™ TACKLE CENTERS
Locking versions available

SKU	Description	ABYC CERTIFIED
TDSS-0714-2T-"X"	7" x 14" Tackle Center - Includes (2) 3600 Trays - 10" Deep	✓
TDSS-1115-3T-"X"	11" x 15" Tackle Center - Includes (3) 3600 Trays - 10" Deep	✓
TDSS-1317-4T-"X"	13" x 17" Tackle Center - Includes (4) 3600 Trays - 10" Deep	✓

"X" denotes color code: 1 = black 2 = polar white



SURE-SEAL® TACKLE TRAY BOXES

- Vacuum Formed Tackle Centers
- Includes SURE-SEAL Hatch
- Popular Plano Style Trays

SKU	Description
TBOX-1115-3T-"X"	Box with 11" x 15" Hatch - Includes (3) Trays - 9" Deep

"X" denotes color code: 1P = black 2P = polar white 3P = Sand



LL-1



LLR-1

LID LIFTS

- Bottom Cup Prevents Water from Entering Box
- Large 3-Finger Opening on LLR's
- Easy to Install

SKU	Outside	Hole Size
LL-1 *	2-3/4" x 2-3/4"	2-1/8"
LLR-1 *	3-1/2" x 2-1/4"	2ea 1-1/2"

* Add -DP to the end of SKU for retail packaging



SURE-SEAL® ACCESS HATCHES

- Easy Access to Horizontal or Vertical Storage
- Watertight, Dual seals - Lid and Frame
- 180 Degree Door Opening

Non-Locking	Locking	Outside	Inside	Cut Out
HAT-1115-"X"	HATL-1115-"X"	10-3/4" x 15"	7-3/8" x 11-1/4"	8-3/4" x 12-5/8"
HAT-1317-"X"	HATL-1317-"X"	12-7/8" x 16-7/8"	9-5/8" x 13-1/2"	10-1/8" x 14-1/8"

"X" denotes color code: 1P = black 2P = polar white 3P = Sand



DOOR RESTRAINT STRAPS

- Restrains Doors, Hatches & Lids
- PVC Coated Stainless Steel Cable
- Stainless Steel "Eye" Ends
- Supports up to 250lbs, 750lbs for Heavy Duty

SKU	Heavy Duty	Length
DRS-4		4"
DRS-5		5"
DRS-7		7"
DRS-9		9"
DRS-9-250E		9" w/ 1/4" eyelets
DRS-1 *	DRS-1HD	13"
DRS-16	DRS-16HD	16"
DRS-18-250E		18" w/ 1/4" eyelets
DRS-20		20"
DRS-22-250E		22" w/ 1/4" eyelets

Note: Custom Sizes Available

* Add -DP to the end of SKU for retail packaging



LS-2



LS-3

- Stainless Steel Spring
- Supports 10 to 20 lb. Lids

SKU	Description	Supports	Dimensions
LS-2 *	Molded Nylon Ends	10lbs	7/16" x 8-1/2" L
LS-3 *	Offset Stainless Steel	10lbs	7/16" x 8-1/2" L
HS-1 *	Molded Nylon Ends	20lbs	5/8" x 12" L

* Add -DP to the end of SKU for retail packaging



SURE-SEAL® VERSATUBE® LOW PROFILE COMPARTMENT

- Deck Plate Storage Compartment
- Larger 5" Diameter for More Room
- Quick Open, Quarter-Turn Lid

SKU	Description
VTLP-8-1	8" Deep - Black Lid
VTLP-8-2	8" Deep - White Lid



SURE-SEAL® OVAL DECK PLATES

- Covers the Space of Two Deck Plates
- Watertight Pry-Out Lid Overlaps Frame
- Quick & Easy Access to Valves, Batteries or Fire Extinguishers

SKU	Outside	Inside	Cut Out
DPOVAL-6D-"X"	15-3/8" x 8-1/3"	13-1/8" x 6-1/8"	14-1/8" x 7-1/8"

"X" denotes color code: 1 = black 2 = polar white 3 = Sand



DESIGNER SERIES™ SCREW-DOWN DECK PLATES

- Tough Non-Corrosive Poly Material
- Textured Top-Smooth Tapered Edges

Black	White	Description	Dimensions
DSSDP-1-1 *	DSSDP-1-2	6"	4-1/2"
DSSDP-2-1 *	DSSDP-2-2	8"	6-1/4"

* Add -DP to the end of SKU for retail packaging



SCREW-DOWN DECK PLATES

Black	Off-White	Fish White	Outside Dimensions
SDP-1 *	SDP-1W	SDP-1FW *	5-5/8"
SDP-2 *	SDP-2W *	SDP-2FW *	8"
SDP-3 *		SDP-3FW *	10"

* Add -DP to the end of SKU for retail packaging



QUICK RELEASE DECK PLATE

- Cam Hatch Holds Secure
- Gripper in Lid Prevents Rotation
- Easy Opening and Closing

Non-Locking	Outside	Inside	Cut Out
DPCAM-6-"X"	8"	5-1/8"	6-1/4"
DPCAM-8-"X"	10"	7-1/8"	8-1/4"

"X" denotes color code: 1 = black 2 = polar white 3 = Sand



LOW PROFILE TWIST-OUT DECK PLATES

- Quick Twist-Out Lid
- Smooth Low Profile Lid - Overlaps Frame
- "O" Ring for Watertight Design

Textured	Smooth	Description	Outside	Cut Out
DPSLP-4-"X"	DPSLP-4S-"X"	4"	5-5/8"	4-1/2"
DPSLP-5-"X"	DPSLP-5S-"X"	5"	6-7/8"	5-1/2"
DPSLP-6-"X"		6"	8"	6-1/4"
DPSLP-8-"X"		8"	10"	8-1/4"

"X" denotes color code: 1 = black 2 = polar white 3 = Sand



SURE-SEAL® DECK PLATES

- Watertight - Lid Overlaps Frame
- Positive "O" Ring Seal
- Total UV & Chemical Stability

Screw-Out Style	Pry-Out Style	Outside	Inside	Cut Out
DPS-4-"X"		5-3/4"	4"	4-1/2"
DPS-6-"X"	DPP-6-"X"	8"	6"	6-1/4"

"X" denotes color code: 1 = black 2 = polar white 3 = Sand Java = Light Tan



DPS-1 DPS-3 DPS-JAVA

To order visit thmarine.com or contact your local dealer

RIGGING



UTILITY FLANGES

- Great for running wiring, hoses, fuel lines or plumbing
- Prevents damage to stringers and bulkheads
- Protects hoses and wires

Black	White	Sand	Size (ID)
PH-2			1-3/4"
		PH-3S	2-1/2"
TE-1	TE-1W	TE-1S	2-1/4"



ZIPPERED RIGGING SLEEVE

- Zips On & Off to protect cables and hoses
- Rugged sunbrella - Weather & UV Resistant
- Ends are secured with cable ties



SKU	Description	Size & Color
ZRS-1 *	Zippered Rigging Sleeve	48" Black

* Add -DP to the end of SKU for retail packaging



T-H FLEX™ SLEEVING

- Lightweight sleeving - Protects wire, cables and hoses
- Braided from high temperature yarns
- Expands up to four times its normal diameter

OEM #	Distributor #	Spool Size	Diameter
FLXB-50		500'	1/2"
FLXB-125		500'	1-1/4"
FLXB-150		500'	1-1/2"
FLXB-150FR		500'	1-1/2"
	FLX-25-DP	100'	1/4"
	FLX-50-DP	100'	1/2"
	FLX-75-DP	100'	3/4"
	FLX-125-DP	50'	1-1/4"
	FLX-150-DP	50'	1-1/2"
	FLX-200-DP	50'	2"



RIGGING FLANGE WITH FUEL HOSE PORT & RIGGING FLANGE HOSE UNION

- Completes professional rigging installation
- Complies with ABYC-NMMA Specs
- Split design of Union allows installation on Pre-Rigged boats
- Fuel Hose Ports ID = 3/4"
- Install with 2" ID T-H Marine Rigging Hose

Black	White	Description
RFHU-1	RFHU-2	Rigging Flange Hose Union
RFFHP-1	RFFHP-2	Rigging Flange with Fuel Hose Port

*Typical Installation shown. Fuel Hose not included.



TRI-SHAPE RIGGING FLANGE

- Hose fits over flange and into base
- Designed to prevent water leaks
- Fits 2" Hole

SKU	Description
RFT-1 *	Rigging Flange Only
RFT-1KIT	Triangular Rigging Flange Kit

* Add -DP to the end of SKU for retail packaging



RIGGING HOSES & FLANGES

- Protects cables, hoses and wiring from elements
- Molded polypropylene flange threaded to retain hose
- Vinyl cap provides closure for the engine end of hose

1.25" - 1.5" Diameter

Black	Gray	Description
RFHR-1-125		1-1/4" Hose 60' Roll
	RFHR-3-150	1-1/2" Hose 60' Roll

2" Diameter

Black	White	Gray	Chrome	Description
RF-1 *	RF-2 *		RF-1CP *	2" Flange
RF-1A *	RF-2A			2" Angled Flange
RFT-1				2" Tri-Shape Flange
RFHU-1	RFHU-2			2" Flange Hose Union
RFFHP-1 *	RFFHP-2			2" Flange + Fuel Hose Port
RFH-1	RFH-2	RFH-3		2" Hose, 50' Roll

2.5" Diameter

Black	White	Gray	Description
RF-2.5-1			2.5" Flange
RFH-2.5-1			2.5" Hose
RF-2.5Y-1	RF-2.5Y-2		2.5" Flange
RFH-HD-2.5	RFH-2HD2.5	RFH-3HD-2.5	2.5" Hose, 50' Roll

* Add -DP to the end of SKU for retail packaging



RIGGING HOSE KIT

- Protects cables, hoses, and wiring from elements
- Molded polypropylene threaded flange to retain hose
- Kit includes rigging hose and flange

SKU	Description
RFK-1 *	4' Rigging Hose and 2" Flange - Black
RFK-2 *	4' Rigging Hose and 2" Flange - White
RFK-2.5Y-1	4' Long, 2.5" Diameter Rigging Hose - Black
RFK-2.5Y-2	4' Long, 2.5" Diameter Rigging Hose - White
RFK-2.5Y-3	4' Long, 2.5" Diameter Rigging Hose - Gray
RFK-1CP *	Chrome 2" Rigging Flange & 4' Black Hose

* Add -DP to the end of SKU for retail packaging



OETIKER® STEPLESS® EAR HOSE CLAMPS

- Forms a full 360 degree circle
- Tongue and groove interlock design
- Fast Clamping with tool
- No leaks around hose
- Stainless Steel
- 100 each per bag



SKU	Size	Included in Kit	Retail 10-Pack
16700001	5.8 - 7.0 mm	Y	16700001X
16700004	7.8 - 9.5 mm	Y	16700004X
16700006	8.8 - 10.5 mm (3/8)	Y	16700006X
16700007	9.6 - 11.3 mm	Y	16700007X
16700010	10.8 - 13.3mm	Y	16700010X
16700011	11.0 - 13.8 mm		
16700012	11.5 - 14.0 mm	Y	16700012X
16700013	12.0 - 14.5 mm	Y	16700013X
16700016	13.2 - 15.7 mm	Y	16700016X
16700017	14.5 - 17.0 mm (5/8)	Y	16700017X *
16700020	15.3 - 18.5 mm	Y	16700020X *
16700024	17.8 - 21.0 mm (3/4)	Y	16700024X *
16700031	22.4 - 25.6 mm (1)	Y	16700031X *
16700037	26.9 - 30.1 mm (1-1/8")	Y	16700037X *
16700040	28.4 - 31.6 mm	Y	16700040X *
16705000	34.9 - 38.1 mm (1-1/2)		
16705989	37.8 - 41.0 mm	Y	16705989X *
14100396	Standard Jaw Pincer Pliers	Y	

* Add -DP to the end of SKU for retail packaging



OETIKER® STEPLESS® EAR CLAMP KIT

- Complete with crimping tool
- Contains 10 ea. of the 15 most needed sizes

SKU	Description
18500000-DP	Stepless® Clamp Rigging Kit (pliers included)



14100396

OETIKER® HOSE CLAMPS

- Clamp On - Quick & Secure
- Single Ear - All stainless steel
- Full size range for all marine hose

SKU	Description	Nominal Size
15500070	101R	26/64"
15500003	133R	1/2"
15500006	140R	35/64"
15500007	145R	9/16"
15500008	157R	5/8"
15500009	170R	11/16"
15500010	185R	23/32"
15500011	198R	3/4"
15500012	210R	13/16"
15500015	256R	1" (3/4")
15500016	271R	1-1/16"
15500022	361R	1-7/16" (1-1/8")
15500023	376R	1-15/32"
15500031	485R	1-7/8"

OETIKER® CLAMP INSTALLATION TOOLS

SKU	Description
14100396	Standard Jaw Pincers



STAINLESS STEEL HOSE CLAMPS (PAIR)

SKU	Description
HC-4 *	7/32" to 5/8"
HC-6 *	3/4" to 7/8"
HC-8 *	7/16" to 1"
HC-10 *	7/16" to 1-1/16"
HC-12 *	7/16" to 1-1/4"
HC-16 *	11/16" to 1-1/2"
HC-24 *	1" to 2"
HC-28 *	1-1/4" to 2-1/4"

* Add -DP to the end of SKU for retail packaging



BULKHEAD STRAIN RELIEF HOSE KIT

- Distributes strain from bends in hose
- Water tight
- Great for hydraulic steering hose
- Flange is 2-3/4” Dia. & Requires 1-1/4” Installation hole

SKU	Description
BSR-1-FH	Bulkhead Strain Relief for .250 OD to .485 OD Fuel Hose
BSR-1K *	Bulkhead Strain Relief Hose Kit
BSR-1K-CB *	Bulkhead Strain Relief - Chrome Brass Base

Note: Must Be Installed Prior to Attaching End Fittings

* Add -DP to the end of SKU for retail packaging



FLAPPER SCUPPER REPAIR KIT

- Repairs Most Scuppers
- Kit Contains:
 - 2 each 1-5/8” & 1-7/8” Flappers
 - Keepers and Stainless Fasteners

SKU	Description
FSRK-3 *	Flapper Scupper Repair Kit - Black

* Add -DP to the end of SKU for retail packaging



NYLON CABLE TIES

100 Pack	1000 Pack	Description	Length
004B-C *	004B-M	Cable Tie	4”
055B-C * & 055B	005B-M	Cable Tie	5-5/8”
007B-C *	007B-M *	Heavy Duty Cable Tie	7-1/2”
075B-RAD-C *	075B-RAD-M *	Radiused Cable Tie	7-1/2”
008B-C *	008B-M	Cable Tie	8”
011B-C *	011B-M *	Cable Tie	11”
014B-C *	014B-M *	Cable Tie	14”
145B-C		Screw Mount Cable Tie	14”

* Add -DP to the end of SKU for retail packaging



CLAM SHELL VENTS

Black	White	Stainless Steel	Description
CS-1 *	CS-2 *	CS-1SS	9/16 x 1-7/8”
CSS-1 *	CSS-2 *	CSS-1SS *	7/16 x 7/8”
		CS-SS-3	1-5/8” x 2-1/2”
		CS-SS-3-B (black)	1-5/8” x 2-1/2”

* Add -DP to the end of SKU for retail packaging



WIRE COVER

- Covers wire pass-thru holes
- Provides a finished look for wiring

SKU	Description
DWC-1 *	Decorative Wire Cover

* Add -DP to the end of SKU for retail packaging



VENT HOSE FLANGES

- Fits 3” or 4” I.D. wire supported vent hose
- Barbs prevent hose from slipping off

Black	Sand	Description
VHF-3	VHF-3WS	Vent Hose Flange, 3”
VHF-3	VHF-4WS	Vent Hose Flange, 4”



T-TOP ROD PASS-THROUGH GROMMET SET

- Concentric ring design locks the assembly securely
- Chafe guard for wire runs

SKU	Outside	Inside	Length
TTRP-2 *	3”	1.625”	2”

* Add -DP to the end of SKU for retail packaging



CHAFING RING INSERT

- Installs over the base flange of T-H Marine cable boots
- Reinforces cable boot and provides clean trim (color and sized matched with T-H Marine cable boots)

SKU	Fits
CRI-1 *	2.375” Chafing Ring Insert - Black
CRI-1FW *	2.375” Chafing Ring Insert - Fish White

* Add -DP to the end of SKU for retail packaging



CHROME PLATED PASS THRU DECK SEAL

- Provides water tight seal with transom
- Prevents wire/hose chaffing
- Two piece design allows installation around hose



SKU	Description
CDS-MCP *	Pass Thru Deck Seal - Straight
CDS-MCP716	Pass Thru Deck Seal - 7/16" Predrilled Hole

* Add -DP to the end of SKU for retail packaging



CABLE BOOT GROMMETS

- Protects cables, hoses and wires from chafing
- Flange fits into pass-thru hole
- Cable boot snaps into grommet

SKU	Fits
CBG-2 *	CB-2
CBG-1 *	CB-1
CBG-4 *	CB-4

* Add -DP to the end of SKU for retail packaging



REINFORCING RINGS FOR CABLE BOOTS

SKU	White	Fits
CBR-1 *		CB-1
CBR-2 *		CB-2
CBR-4 *	CBR-4W	CB-4

* Add -DP to the end of SKU for retail packaging



CABLE BOOTS

- Finishes & Protects pass thru hole for wires & cables
- Rugged marine vinyl - resists UV, Gasoline and Oil
- Cable tie snugs around wires and cables

Black	White	Fish White	Size
CB-2 *	CB-2W *	CB-2FW	2" Boot
CB-1 *	CB-1W *	CB-1FW *	3" Boot
CB-4 *	CB-4W *	CB-4FW	4-1/2" Boot
CBO-1			3" x 6" Oval Boot
CBO-4			6" x 9" Oval Boot


* Add -DP to the end of SKU for retail packaging



ROPE GROMMETS

- Fits 3" hole
- Molded Poly
- Flange Diameter - 3-7/8"

SKU	Color
RG-1	Black



UTILITY GROMMETS

- Protects items passing thru-bulkheads, braces or stringers
- Marine grade flexible vinyl

Black	White	Fish White	Outside	Hole Size
UG-1 *	UG-1W	UG-1FW	3-3/8"	2-3/8"
UG-2 *	UG-2W *	UG-2FW *	2-3/4"	1-3/4"
UG-3 *	UG-3W	UG-3FW *	4"	3"

* Add -DP to the end of SKU for retail packaging



OVAL GROMMET

Provides protection for cables and wiring

SKU	Size
OG-1 *	3.83" x 2.32"
OGL-1	3" x 9"


* Add -DP to the end of SKU for retail packaging



WIRE HARNESS HANGER

- Keeps wires safe and secure
- Unique arms creates superior contact with adhesives and glues
- Screw holes pre-drilled for strong installation
- Available tape version for convenient installation

SKU	Description
WHH-1	Black Nylon
WHH-1T	Black Nylon- W/ PSA Tape



OBLONG ANGLED CABLE COVER

- Great for routing cables or wires
- UV Weather resistant
- Covers steering cables or other rigging components
- Easy installation

SKU	Description
OACC-1	Oblong Angled Cable Cover



REMOVABLE CUP HOLDER

- Locking plastic insert for molded cup holder
- Patent Pending
- Easily removable for cleaning
- No drain hose needed

SKU	Description
LCH-1RC *	Removable Cup Holder
LCH-1SSRC *	Removable Cup Holder with Stainless Steel Rim

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL NO STEP CUP HOLDER

- Top quality 304 stainless steel
- No step, straight side design for larger beverage containers
- Peel and stick mounting gasket
- Mounts in standard 3-5/8" hole
- Includes drain hole and nipple for routing drainage

SKU	Description
LCH-1SS-NS *	Stainless Steel No Step Cup Holder
LCH-SSNS-RI *	Stainless Steel No Step Cup Holder with Rubber Insert

* Add -DP to the end of SKU for retail packaging



MOLDED DRINK HOLDERS WITH STAINLESS STEEL RIM

- Robust plastic drink holder with built-in drainage hole and nipple
- Corrosion resistant 316 stainless steel rim for a sleek finished look
- Installs in a standard 3.625" cutout
- Stepped cup to accommodate various drink sizes
- Depth (4") - Rim Dia. (4-1/8") - Hole Cut (3-5/8")

SKU	Description
LCH-1SR *	Molded Drink Holder with Fixed SS Rim

* Add -DP to the end of SKU for retail packaging



FOLDING DRINK HOLDER

- Opening measures 3.75" across
- Stainless steel mounting hardware

SKU	Description
LCH-52012 *	White
LCH-52016 *	Black


* Add -DP to the end of SKU for retail packaging



PREMIUM FLEXIBLE CUP HOLDER DRINK STABILIZER

- Soft and flexible molded inserts
- Fits snugly into drink holders to stabilize drinks of different sizes
- Prevent rattling sounds and drink spillage

SKU	Fits
LCH-DKS-2	Stainless Steel Cup Holders




A: Height 5.375"
B: Width Outside of Rim 4.547"
C: Width Under Rim 4.0625"
D: Width Bottom 2.875"
E: Width Inside Rim 4.000"

XL TUMBLER CUP HOLDER

- Made from 304 grade stainless steel
- Threaded hose fitting, with no pad, or a molded TPR pad
- Threaded hose fitting fits 3/8" barb adapter
- Fits 4 1/8" hole saw cutout

SKU	Description
LCH-SS-XL	XL tumbler cupholder (no pad)
LCH-SS-XL-P	XL tumbler cupholder (with molded TPR pad)



CUP HOLDER

- Resistant to UV, breakage and chemicals
- Short cup holder has drain holes on bottom
- Large cup holder accepts 3/8" ID hose for drainage

SKU	Color
LCH-1 *	Black
LCH-1W *	White
LCH-1WS *	Sand

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL CUP HOLDER

- Requires 3-5/8" hole
- Drain fits 3-5/8" hose

SKU	Description
LCH-1SS *	
MS-FPT38	Straight drain fitting, 3/8" hose barb fits T-H SS cup holders

* Add -DP to the end of SKU for retail packaging



FUEL SPLASH GUARDS

SKU	Fill Type	Width	Length	Hole Size
FSG-1XL	Vent or Round	4-1/4"	7-5/8"	2"
FSG-2	Round Fill	4-1/4"	6-1/8"	2"
FSG-2XL	Round Fill	4-1/4"	7-5/8"	2"
FSG-3	Fits Perko #139	4-1/4"	6-1/8"	2"
FSG-3XL	Fits Perko #139	4-1/4"	7-5/8"	2"
FSG-8C	Round Carbon Fill System	6-5/8"	5-1/4"	2"
FSG-10XL	Round Fill	4"	7-1/2"	2-1/4"
FSGG2-11		6-1/8"	4-13/16"	1-1/4"
FSGG2-11XL		4-5/8"	7-1/2"	

RUB RAIL FITTINGS

- Fits aluminum or rubber rails
- Non-corrosive molded ends
- Available in Black



SKU	Description
EC-150N	For 1-1/2" Wide Aluminum Molding w/Vinyl Insert
ECR-1 *	For 1-1/2" Wide Rubber Molding w/Insert
ECR-2 *	For 1-1/3" Wide Rubber Molding w/Insert
SR-1 *	Butt Splice for 1-1/4" to 1-1/2" Rub Rail. 2-1/4" Long
ECMW-2	End Cap Motor Well for 1-3/4" Wide Molding
TEC-1	Trim End Cap - 1/2" to 5/8" Trim
TEC-1L	Trim End Cap - Left - 1/2" to 5/8" Trim
TEC-1R	Trim End Cap - Right - 1/2" to 5/8" Trim
TTEC-1	End Cap - 1" W x 1-1/4" L x 3/8" T
SMEC-1	End Cap - 1-1/4" W x 1-3/8" x 5/16" T

* Add -DP to the end of SKU for retail packaging



DUAL USB OUTLET

- Dual Ports: 5V @ 1Amp and 5V @ 2.1Amp (DUSB-1, DUSB-2)
- Replacement for standard USB outlets
- Dual USB outlet with blue LED

SKU	Description
DUSB-1 *	Dual USB Outlet (ignition protected)
DUSB-2 *	Dual USB Outlet
DUSB-3	PD3.0-TypeC and QC3.0 Quick Charging

* Add -DP to the end of SKU for retail packaging

GRAB HANDLES

- Molded, UV resistant grab handles
- Stainless Steel accent rings
- Soft overmold on firm handle



SKU	Description
GHB-1-SS *	Soft Molded Grab Handle - Black
GHB-1G-SS	Soft Molded Grab Handle - Graphite Gray

- Molded - UV Resistant
- Textured for sure grip
- Hidden fasteners



SKU	Description
GHB-1 *	Black
GHB-1FW *	Fish White

* Add -DP to the end of SKU for retail packaging

LED GRAB HANDLE


- Fits standard T-H Marine Grab Handle footprint
- Coating is TRP rubber over a poly-blended structure
- Blue LED light
- Passed 400# pull test



SKU	Description
LED-GHBSS-B *	LED Grab Handle - Blue


* Add -DP to the end of SKU for retail packaging

TROLLING MOTOR



GFORCE®

POWER, PRECISION, AND CONTROL
FOR YOUR TROLLING MOTOR



G-FORCE® TROLL JACKET® Heavy Duty Cable Cover

- Wraps, velcros, and secures motor cables
- Eliminates the need for zip ties
- Protective & stylish
- US Patent Pending

SKU	Description
GFTJ-1-DP	TROLL JACKET®



G-FORCE® TROLL PERFECT® Trolling Motor Control Enhancer

Provides adjustable tension to control the effects of motor steering torque, high waves, heavy current, and excessive foot pedal play.

MOTORGUIDE

SKU	Description
GFTP-MG-BK-DP	Black
GFTP-MG-R-DP	Red
GFTP-MG-LG-DP	Lime Green
GFTP-MGX-BK-DP	X3/X5, Black
GFTP-MGX-R-DP	X3/X5, Red
GFTP-MGX-LG-DP	X3/X5, Lime Green

MINN KOTA

SKU	Description
GFTP-MK-BK-DP	Black
GFTP-MK-R-DP	Red
GFTP-MK-LG-DP	Lime Green



G-FORCE® GRASS GOAT™ Trolling Motor Weed Control

- Keeps your trolling motor clear of debris
- Stainless steel cutting-blade
- Reduces strain on batteries and heat on trolling motor

SKU	Description
GFGG-MG-DP	MotorGuide
GFGG-MKS-DP	Minn Kota (small)
GFGG-MKL-DP	Minn Kota (large)



G-FORCE® ELIMINATOR™ PROP NUT

- Built to make your trolling motor perform better, longer, and quieter.
- Patented design stabilizes the prop by providing a larger contact point.
- Reduces temperature for longer battery and trolling motor life.



					
MotorGuide	Black	Blue	Silver	Red	White
MotorGuide Tour Pro	GFEL-MG-BK-DP	GFEL-MG-BU-DP	GFEL-MG-C-DP	GFEL-MG-R-DP	
Minn Kota 80+	GFEL-MGT-BK-DP			GFEL-MGT-R-DP	
Minn Kota 75+	GFEL-MK-BK-DP	GFEL-MK-BU-DP	GFEL-MK-C-DP	GFEL-MK-R-DP	GFEL-MK-W-DP
Garmin Force	GFEL-MKS-BK-DP	GFEL-MKS-BU-DP	GFEL-MKS-C-DP	GFEL-MKS-R-DP	
Lowrance Ghost	GFEL-GF-BK-DP			GFEL-GF-R-DP	
	GFEL-LG-BK-DP			GFEL-LG-R-DP	




RMC-109

G-FORCE® TROLL TAMER®

- Locks trolling motor to deck to prevent damage
- Fits most Minn Kota & MotorGuide units
- All stainless steel, no rust or corrosion

SKU	Description	Fits	Motor to Deck
RMC-101MG-DP	Foot Controlled	MotorGuide 109 & X5	5" to 8"
RMC-101MK-DP	Foot Controlled	Minn Kota - Maxxum	5" to 8"
RMC-101FMK-DP	Foot Controlled	Minn Kota - Fortrex Minn Kota - Ultrex Lowrance - Ghost	5" to 8"
RMC-102MG-DP	Foot Controlled	MotorGuide Tour Pro	One size fits all
RMC-104MK-DP	Foot Controlled	Minn Kota - Maxxum	3-1/2" to 5"
RMC-105FMK-DP	Foot Controlled	Minn Kota - Maxxum	2-3/4" to 4-1/2"
RMC-108-DP	Wireless	Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5	5" to 8"
RMC-109-DP	Wireless	Minn Kota Terranova Riptide & Auto Pilot MotorGuide Xi5	8" to 12"



G-FORCE® HANDLE

Patented Trolling Motor Replacement Lift & Release Cord

- Stops cord & handle breakage
- Full grip cushioned handle
- 42" Stainless steel cable - Nylon jacket
- Fits most trolling motors
- Hook & loop restraint strap



Endorsed by Pro Angler
Gerald Swindle

SKU	Description	Color
GFH-1R-DP	Replacement Trolling Motor Cord	Red
GFH-1G-DP	Replacement Trolling Motor Cord	Black
GFH-CA1R-DP	Clamp On for Wireless Motor	Red



G-FORCE® EQUALIZER™

Trolling Motor Lift Assist

- Reduce lift weight by 50% +
- For MotorGuide trolling motor
- Sold in a pair

SKU	Description
GFEQ-MG-BU-DP	G-FORCE® Equalizer™ - Blue



G-FORCE® SILENCER™

Trolling Motor Vibration Pads

- Extends life of trolling motor
- Reduces noise and vibration
- Eliminates metal to metal contact

SKU	Description
GFES-RED-DP	G-FORCE® Silencer™ - Red
GFES-BLK-DP	G-FORCE® Silencer™ - Black



TROLLING MOTOR TERMINAL BLOCK

SKU	Description
TMTB-1	Trolling Motor Hardwired Terminal Block - Black PolyPro.



TROLLING MOTOR CIRCUIT BREAKER KIT

- Protect trolling motor from damage
- 3' of 8-Gauge wire to battery
- 50 AMP Circuit Breaker
- Works with 12 or 24 Volt Motors

SKU	Description
CBBK-1 *	Trolling Motor Circuit Breaker Kit

* Add -DP to the end of SKU for retail packaging



LED TROLLING MOTOR HEADLIGHT

- Mounts directly to trolling motor mount
- Waterproof - IP68 Rated LED Headlight
- Shockproof
- 50,000 Hour Life
- Corrosion proof aluminum and stainless steel
- 10W Single LED, 1000 Lumens

SKU	Description
LED-TMHL-DP	Trolling Motor Headlight - Black Housing



BOUNCE BUSTER COASTER

- Protects decks from bounce buster damage
- Fits Minn Kota bow mount stabilizer rods
- Stand-Off model fits into deep carpet with pad
- Protects carpeted decks from damage

SKU	Description
BBC-1 *	Bounce Buster Coaster
BBC-1P	Bounce Buster Coaster (with Stand-Off)

* Add -DP to the end of SKU for retail packaging



TROLLING MOTOR MOUNT

- Cast aluminum bracket - Marine wood mounting block
- Designed for clamp-on type electric trolling motors

SKU	Description
TMM-1-DP	Trolling Motor Mount

Important: Maximum trolling motor thrust of 36 pounds. Motor must be removed and stowed before operating boat or trailering. Not designed for outboards of any horsepower.



SURE FOOT® TROLLING MOTOR SWITCH

- Foot control switch for electric Trolling Motors
- Rated to 50 AMPS D.C
- 15" Tilt Angle for ease of operation

SKU	Description
FCS-3-DP	HD Foot Switch with button cover, assembled and packaged

LADDERS

DOCK LADDERS



STEP LADDERS

- Durable, lightweight aluminum
- Large, angled steps, w/ anti-skid tread
- Stainless steel J-hook hardware
- 300 lb. capacity
- Assembly required

SKU	Steps	Height	Width	Step Height	Step Depth	Handle Depth	Weight
ASE	3	54"	15"	12"	5.25"	15"	13 lbs
ASH	4	66"	15"	12"	5.25"	15"	17 lbs
ASH2	5	78"	15"	12"	5.25"	15"	18 lbs
ASH7	7	98"	15"	12"	5.25"	15"	23 lbs



FOLDING LADDERS

- Durable, lightweight aluminum
- Large, angled steps, w/ anti-skid tread
- Stainless steel J-hook hardware
- 300 lb. capacity
- Assembly required

SKU	Steps	Height	Width	Step Height	Step Depth	Handle Depth	Weight
ERR4	4	66"	16"	12"	5.25"	15"	15 lbs
ERR7	7	78"	16"	12"	5.25"	15"	16 lbs



SWING LADDERS

- Heavy duty aluminum anodized satin finish
- Large, angled steps
- Rotates out of the water when not in use
- Range of motion: 0 to 70 degrees
- Mounting hardware not included
- Assembly required

SKU	Steps	Height	Width	Step Depth	Weight
IDR5	5	75"	26"	6.5"	38 lbs
IDR6	6	75"	26"	6.5"	38 lbs
IDR7	7	75"	26"	6.5"	38 lbs



HINGED LADDERS

Width 20" / Handle Depth 20" / Step Height 12"

- Heavy duty aluminum anodized
- Ladder folds up above waterline
- Quick-release safety pin locks ladder in down position
- Assembly required



SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
DJW3	3	2"	20 lbs	DJW3-W	3	4"	22 lbs
DJW4	4	2"	22 lbs	DJW4-W	4	4"	24 lbs
DJW5	5	2"	24 lbs	DJW5-W	5	4"	26 lbs
DJW6	6	2"	36 lbs	DJW6-W	6	4"	31 lbs
DJW7	7	2"	38 lbs				



STATIONARY LADDERS

Width 20" / Handle Depth 14" / Step Height 12"

- Heavy duty aluminum anodized
- Great for seawalls and stationary docks
- Assembly required



SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
DJV3	3	2"	20 lbs	DJV4-W	4	4"	24 lbs
DJV4	4	2"	22 lbs	DJV5-W	5	4"	26 lbs
DJV5	5	2"	24 lbs	DJV7-W	7	4"	36 lbs
DJV6	6	2"	34 lbs				
DJV7	7	2"	33 lbs				



STAINLESS STEEL STATIONARY LADDER

Width 16" / Handle Depth 13" / Step Height 11"

- 1-1/2" diameter Stainless Steel tubing
- Wraparound PVC treads for sure footing
- Step section is easily removed for winter storage
- 400 lb. capacity
- Mounting hardware not included
- Assembly required

SKU	Steps	Weight
DMY5	5	22 lbs

DOCK LADDERS

LIFT LOCK LADDERS

Width 20" / Handle Depth 14" / Step Height 12"

- Heavy duty aluminum anodized
- 750 lb. capacity
- Mounting hardware not included
- Assembly required



SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
DJX3	3	2"	20 lbs	DJX3-W	3	4"	22 lbs
DJX4	4	2"	22 lbs	DJX4-W	4	4"	24 lbs
DJX5	5	2"	24 lbs	DJX5-W	5	4"	30 lbs
DJX6	6	2"	33 lbs	DJX6-W	6	4"	38 lbs
DJX7	7	2"	33 lbs	DJX7-W	7	4"	38 lbs

Width 20" / Handle Depth 14" / Step Height 12"

SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
EWI3	3	2"	20 lbs	EWI3-W	3	4"	22 lbs
EWI4	4	2"	22 lbs	EWI4-W	4	4"	24 lbs
EWI5	5	2"	24 lbs	EWI5-W	5	4"	30 lbs
EWI6	6	2"	33 lbs	EWI6-W	6	4"	38 lbs
EWI7	7	2"	33 lbs	EWI7-W	7	4"	38 lbs

Width 21" / Handle Depth 8" / Step Height 12"

SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
EFL3	3	2"	19 lbs	EFL3-W	3	4"	20 lbs
EFL4	4	2"	21 lbs	EFL4-W	4	4"	24 lbs
EFL5	5	2"	23 lbs	EFL5-W	5	4"	28 lbs
EFL6	6	2"	28 lbs				
EFL7	7	2"	33 lbs				

SKU	Steps	Step Depth	Weight	SKU	Steps	Step Depth	Weight
EFLSN3	3	2"	17 lbs	EFLSNW3	3	4"	16 lbs
EFLSN4	4	2"	19 lbs	EFLSNW4	4	4"	18 lbs
EFLSN5	5	2"	20 lbs	EFLSNW5	5	4"	19 lbs
EFLSN6	6	2"	21 lbs	EFLSNW6	6	4"	20 lbs
EFLSN7	7	2"	22 lbs	EFLSNW7	7	4"	21 lbs



GAT4



EZ-GAT



EZ-EW14-W

PREMIUM FLIP LADDERS

- Stainless Steel Tubing
- Telescopes and flips up
- 400 lb. capacity
- Mounting hardware not included

SKU	Steps	Height	Depth	Width	Weight
GAT-4	4	58"	21"	17"	20 lbs
EZ-GAT	4	58"	21"	17"	20 lbs

Width 20" / Handle Depth 14" / Step Height 12"

- Heavy duty aluminum anodized
- Folds up above waterline
- Quick-release safety pin locks ladder in down position
- 750 lb. capacity
- Mounting plates & hardware included
- Assembly required

SKU	Steps	Step Depth	Weight
EZ-EWI3	3	2"	19 lbs
EZ-EWI4	4	2"	21 lbs
EZ-EWI5	5	2"	23 lbs
EZ-EWI6	6	2"	25 lbs
EZ-EWI7	7	2"	27 lbs

SKU	Steps	Step Depth	Weight
EZ-EWI3-W	3	4"	21 lbs
EZ-EWI4-W	4	4"	23 lbs
EZ-EWI6-W	6	4"	27 lbs
EZ-EWI7-W	7	4"	29 lbs

DOCK LADDERS



DOG LADDER

- Heavy duty aluminum anodized
- 7” Custom deep steps extra wide for maximum comfort & safety
- Large angled wide platform for safe entry and exit
- Easy pull ladder up with the heavy duty nylon rope attached

SKU	Steps	Height	Depth	Width	Weight
JCJ	3	54”	12”	28”	28 lbs



PLATFORM WITH HANDRAIL

- Satin anodized aluminum
- Textured tread plate for safety
- 400 lb. capacity
- Easily bolts to dock
- Removable 1.75” dia. handrail
- Mounting hardware not included
- Assembly required


SKU	Step Width	Length	Handrail Height	Width
CUZ	24”	20”	36”	15.75”



PLATFORM LADDER

- Anodized aluminum
- Adjustable base legs to fit your application
- 1” square tubing
- Extra wide for easy entry and exit
- Handrails for stability for entry and exit
- Angled to accommodate variety of waterline depths
- Mounting hardware not included
- 450 lb capacity

SKU	Steps	Height Min	Depth	Width
IHV4	4	42”	48”	30”
IHV5	5	42”	48”	30”



DOCK BUMPERS

- Tough, blow-molded marine grade plastic with solid flap
- Protects corner and side of dock
- UV resistant
- Molded in color will not mar boat hull
- Easily mounts on dock with stainless steel hardware

SKU	Width	Height	Depth (Body)	Depth (Top Flap)
FBF1	23.5”	10.25”	1.25”	2.5”
FBF2	9”	10.5”	1.5”	2.75”

PONTOON LADDERS



REMOVABLE FOLDING LADDER

- Installs instantly with plastic cup mounts
- Folds and locks for compact storage
- 2.25" wide, injection molded, UV resistant, plastic steps
- 6" Hook Depth
- 300 lb. capacity
- Mounting hardware included

SKU	Description	Steps	Step Height	Overall Height	Width	Weight
ASC	Anodized Aluminum	4	10"	44.5"	15.5"	8 lbs
ASC4-SS	Stainless Steel	4	10"	44.5"	15.5"	8 lbs
ASC5	Anodized Aluminum	5	10"	54.5"	15.5"	9 lbs



FOLDING DECK LADDER

- Installs instantly with EHD flush mounts
- Folds down to 4 injection molded steps
- Cushioned standoff
- 1" anodized aluminum
- Stainless steel 6" gudgeons
- 300 lb. capacity
- Mounting hardware included

SKU	Description	Steps	Overall Height	Width	Weight
DUG	Anodized Aluminum	4	42"	15"	11 lbs



BOARDING LADDER

- Easily mounts to deck w/ included flush mount
- Hooks and cushioned standoffs fold flat for compact storage
- Durable 1" diameter anodized aluminum tube
- Comfortable molded poly step
- 300 lb. capacity
- Mounting hardware included

SKU	Description	Steps	Overall Height	Width	Weight
EPW	Boarding Ladder	4	39"	14"	10 lbs
DMM4	Pontoon Swim Ladder	4	36"	15"	8 lbs



TELESCOPING LADDER

- Installs instantly with plastic cup mounts
- Folds and locks for compact storage
- 2.25" wide, injection molded, UV resistant, plastic steps
- 6" Hook Depth
- 300 lb. capacity
- Mounting hardware included

SKU	Steps	Step Width	Overall Height	Width	Weight
DUF4	4		51"	16"	12 lbs
EJZ3	3	2.25"	40"	16"	11 lbs



FOLDING PONTOON LADDER

- Folds up for easy storage
- Satin anodized aluminum
- Quick release mounting brackets
- Stainless steel assembly hardware
- 250 lb. capacity

SKU	Overall Height	Width	Handle Depth	Step Width	Weight
ASL	40"	14.5"	10"	12"	8 lbs

- Folds up for easy storage
- Satin anodized aluminum
- May require drilling
- 250 lb. capacity

SKU	Overall Height	Width	Handle Depth	Weight
DLB	45"	14"	17"	9 lbs



DOUBLE WIDE LADDER

- Anodized aluminum
- Folds for easy storage, hinge guards prevent pinching
- 2.5" wide steps with anti-slip tread
- Standoffs for support against transom or hull
- May require drilling to mount to boat
- 250 lb. capacity

SKU	Overall Height	Width	Handle Depth	Step Width	Weight
KY2	46.6"	21.75"	12.25"	12.5"	8 lbs

PONTOON LADDERS



IDM

SWING GATE LADDER

- Permanent mount at side gate
- Stows flat against railing - eliminates storage problems
- Unique self-locking brackets - lock ladder in place
- Cushioned standoffs included - support ladder at pontoon logs
- Easy to install - stainless steel hardware and securing strap included
- Durable double walled 1" diameter
- Comfortable non-slip oval anodized aluminum steps

SKU	Length	Width
IDM	36"	24"



CSD1

CSD2

UNDER-DECK LADDER

- Convenient, under-deck design stays out of the way
- Mounts under deck, deploys easily
- Safer boarding away from prop and motor
- Aluminum
- Drilling required
- 300 lb. capacity
- Mounting hardware included


SKU	Description	Steps	Length	Width	Depth	Weight
CSD1	Flat Front	4	48"	17"	5.5"	19 lbs
CSD2	Round Front	4	48"	17"	5.5"	19 lbs
CSD1-5	Flat Front	5	59"	18"	5.5"	21 lbs
CSD2-5	Round Front	5	59"	18"	5.5"	21 lbs



TRITOON UNDER-DECK LADDER

- designed specifically for Tritoon pontoon boat applications
- Convenient, under-deck design stays out of the way
- Mounts under deck, deploys easily
- Safer boarding away from prop and motor
- Aluminum
- Drilling required
- 300 lb. capacity
- Mounting hardware included

SKU	Steps	Length	Width	Depth	Weight
IH5	5	59"	13"	5.5"	21 lbs



PONTOON GATE HOLDERS

- Holds gates in open position
- Fits up to 1-1/4" square tubing

SKU	Description
GH-1G	Gray

***Not designed as a safety or load bearing device**




GATE/DOOR STOP

- Prevents gates from swinging open while at anchor
- Easy to install, Includes mounting hardware

SKU	Description
GS-1 *	Gate Stop

** Add -DP to the end of SKU for retail packaging*



PONTOON GATE LATCH

- Entire unit installs on gate only
- Molded nylon for strength - no rattle
- Operates on right or left hinged gates
- Fits 1", 1-1/8" & 1-1/4" square tubing

SKU	Description
GL-1 *	Black
GL-2 *	Gray

Note: not designed as a safety or load bearing device

** Add -DP to the end of SKU for retail packaging*



PONTOON CADDY

- Stores virtually any pontoon
- Holds up to 4,000 lbs.
- Heavy duty high-density polyethylene
- Set of 4
- Weight 6 lbs. each

SKU	Width	Depth	Height	MOQ
FHO	17"	17"	12.5"	100

TRANSOM LADDERS



TELESCOPING DROP LADDER

- 2.25" wide, UV resistant, injectionmolded, plastic steps
- Electropolished stainless steel 304
- 400 lb. capacity
- Mounting hardware not included

SKU	Steps	Height	Width	Step Height	Weight
DMW2	2	23.5"	16"	11"	10 lbs
DMW3	3	37"	15.75"	11"	

SKU	Steps	Height	Width	Gudgeon Length	Weight
DMX2	2	23.5"	11.38"	5.75"	8 lbs
DMX3	3	34.5"	11.5"	5.83"	10 lbs
DMX4	4	45.5"	12"	6.5"	12 lbs



OVER-PLATFORM LADDER WITH HAND GRIP

- Fold out and over, telescope down easily
- Stainless steel steps, non-skid plastic tread
- Electropolished stainless steel 304
- 400 lb. capacity
- Mounting hardware not included

SKU	Steps	Length	Length Stowed	Width	Weight
EQB2	2	24"	13"	13"	7 lbs
EQB3	3	34"	15"	13"	8 lbs
EQB4	4	44"	18"	13"	10 lbs



LOCKING SIDE-MOUNT TELESCOPING LADDER

- Ideal for under swim platforms or under pontoon boat deck, side or bow
- Steps telescope down easily
- Flat poly treads for increased comfort
- Securing strap included
- Electropolished stainless steel 304
- 400 lb. capacity
- Mounting hardware not included

SKU	Steps	Length	Length Stowed	Width	Depth	Weight
FGB3	3	35"	17"	12"	15"	14 lbs



SKU	Steps	Height	Width	Weight
FOG2	2	23.5"	11.5"	5.5 lbs
FOG3	3	34.5"	11.5"	8 lbs
FOG4	4	45.5"	11.5"	11 lbs
FOGS-3	3	34.5"	11.5"	8 lbs
FOGS-4	4	45.5"	11.5"	11 lbs



UNDER-PLATFORM TELESCOPING LADDER

- Stows under platform
- Comfortable non-skid step surface
- Includes quick-lock strap
- Electropolished stainless steel 304
- 400 lb. capacity
- Mounting hardware included

SKU	Steps	Height	Width	Weight
EXF2	2	20.5"	11"	3.5 lbs
EXF3	3	29"	11"	4 lbs
ETC3	3	39"	11.75"	13 lbs



COMPACT LADDER

- Small boats transom-mounts 12" W x 6.5" H area
- Folds down for easy boarding
- Fits most angled or curved transoms
- Stainless steel fasteners & securing strap included
- Durable 1" diameter anodized aluminum tube
- Comfortable non-slip oval-shaped anodized aluminum steps
- Mounting hardware not included
- 250 lb. capacity

SKU	Steps	Length	Height	Width
EPU-2	2	15"	15"	12"
EPU-3	3	28"	25"	12"

TRANSOM LADDERS

SPORT/DIVER LADDER

- Dual 1.25" center post design
- Heavy duty - rated to 400 lbs.
- Superior corrosion resistant electropolished stainless steel
- Quick Release Mounting Bracket included
- Mounting hardware not included

SKU	Steps	Height	Width
IBD3	3	34"	13.5"
IBD4	4	42"	13.5"

- Easy boarding for swimmers or divers with fins & gear
- Comfortable non-skid step surface

SKU	Steps	Height	Width	Weight
EES3	3	34"	14"	13 lbs
EES4	4	50"	14"	14 lbs

- Stainless Steel
- Floor mount design
- Steps telescope easily
- 400lb weight capacity
- Does not include mounting plate


SKU	Steps
JBE	3
JBE-2	
IGU	4



O/B & O/I LADDER

- Curved top hand rails for greater grab area
- 2 step fold down extension into water
- Fits most angled or curved transoms
- Stainless steel fasteners and securing strap included
- 1" diameter anodized aluminum tube
- Comfortable contour traction molded poly steps
- 250 lb. capacity
- Mounting hardware not included

SKU	Steps	Length	Height	Width	Weight
ESI	3	41"	23"	16"	10 lbs
ESG2	2		13"	17"	5 lbs



TRANSOM PLATFORMS

- Durable HDPE platform is pre-drilled
- Stainless steel 304 arms and underside support rails
- Flat treads for extra comfort
- Stainless steel fasteners
- 300 lb. capacity
- Will require drilling
- Mounting hardware not included

Top Mount, 18" W, 15.5" L

SKU	Type	Weight	Description
EEQ	I/O	12"	(2) SS 304 Arms
EEQ1	O/B	11"	(1) SS 304 Arm
EEQ2	I/O	12"	No Ladder

I/O, 18" W, 15.5" L, (2) SS 304 Arms

SKU	Mount	Length Deployed	Length Stowed	Weight
EKT	Top	23"	13.5"	16 lbs
EKT2	Bottom	23"	13.5"	16 lbs
EKT3	Top	34"	14.5"	17 lbs
EKT4	Bottom	34"	14.5"	17 lbs
EKT5	Top	44"	15.5"	18 lbs

O/B, 18" W, 15.5" L, (1) SS 304 Arm

SKU	Mount	Length Deployed	Length Stowed	Weight
EKU	Bottom	23"	13.5"	15 lbs
EKU1	Top	23"	13.5"	16 lbs
EKU3	Bottom	34"	14.5"	16 lbs
EKU4	Top	34"	14.5"	18 lbs
EKU5	Bottom	44"	15.5"	17 lbs

GUNWALE LADDERS



HOOK LADDERS

- Anodized aluminum
- Folding vinyl covered hooks
- 250 lb. capacity

SKU	Steps	Height	Width	Hook Depth	Weight
DMT3A-7	3	40"	15"	7"	8 lbs
DMT3A-11	3	40"	15"	11"	8 lbs
DMT4A-7	4	50"	15"	7"	9 lbs
DMT4A-11	4	50"	15"	11"	9 lbs
DMT5A-7	5	60"	15"	7"	10 lbs
DMT5A-11	5	60"	15"	11"	10 lbs



- Stainless steel 304 tubing
- Folding vinyl covered hooks
- 400 lb. capacity

SKU	Steps	Height	Width	Hook Depth	Weight
DMT3-7	3	40"	15"	7"	8 lbs
DMT3-11	3	40"	15"	11"	8 lbs
DMT4-7	4	50"	15"	7"	9 lbs
DMT4-11	4	50"	15"	11"	9 lbs
DMT5-7	5	60"	15"	7"	10 lbs
DMT5-11	5	60"	15"	11"	10 lbs




BOAT LADDER

- Contour design hugs the hull for side boarding
- Attaches to floorboards with 3/8" line and swivel snap
- Vinyl sleeve will not mar hull fabric
- Durable 1" diameter anodized aluminum tube
- Comfortable molded poly steps
- 250 lb. capacity


SKU	Steps	Height	Width	Weight
E003	3	27"	13.5"	9 lbs



ROD + TACKLE



ROD TAMER® ROD STRAPS



- Holds Rods Securely - Will Not Snag Hooks
- Non-Corrosive Molded Ends and Hooks

Gunwale Mount

- Retracts Into Gunwale When Not in Use
- Requires 3/4" Hole


Deck Mount

- Strap Ends Mount Directly to Deck

SKU	Description	SKU	Description
RHDN-1	12" Gunwale Mount	RT-14 *	14" Deck Mount, Small Hook
RHDN-2	18" Gunwale Mount	RT-16	16" Deck Mount, Small Hook
RHD-1 *	12" Gunwale Mount, 3 Rods	RT-18 *	18" Deck Mount, 3 Rods
RHD-2 *	18" Gunwale Mount, 6 Rods	RT-22	22" Deck Mount, 6 Rods
RT-10	10" Rod Hold Down Strap	Custom lengths available	
RT-12	12" Rod Hold Down Strap		

* Add -DP to the end of SKU for retail packaging

ROD STORAGE HOLDERS



- Mounts Horizontally or Vertically
- Foam Insert Holds Rod Securely
- Holds up to 6 Rods

SKU	Description
FRH-1P-DP	Foam Rod Holder - Packaged Pair



ROD TUBES

- Rod Tubes Available in Oval and Round Shapes
- Various Mounting Flange Available
- Vinyl Caps Available to Fit All Tubes

SKU	Description	Dia	Hole Dim	Max Length
TEO-2.50-1-"X"	Med. Oval Rod Tube w/Black Flange	2.3"	2-1/2"	80"
TEO-2.50-2-"X"	Med. Oval Rod Tube w/White Flange	2.3"	2-1/2"	80"
TEO-2.50-3-"X"	Med. Oval Rod Tube w/Sand Flange	2.3"	2-1/2"	80"
TEO-3.00-1-"X"	Lg. Oval Rod Tube w/Black Flange	3"	3"	80"
TEO-3.00-2-"X"	Lg. Oval Rod Tube w/White Flange	3"	3"	80"
TEO-3.00-3-"X"	Lg. Oval Rod Tube w/Sand Flange	3"	3"	80"

SKU	Description
TE-1GT-"X"	Round 2.250" Dia. Tube w/Black Flange
TE-1FWGT-"X"	Round 2.250" Dia. Tube w/Black Flange
TE-1SGT-"X"	Round 2.250" Dia. Tube w/Black Flange

"X" = Length of Tube Desired in Inches Add "WCI" = With Cap Included

ROD TUBES & VINYL CAPS



SKU	Description	Dia	Hole Dim	Length
GT-1.375-"X"	Small	1.375"	1-3/8"	43"
GT-1.700-"X"	Medium	1.70"	1-3/4"	60"
GT-2.250-"X"	Large	2.25"	2-1/4"	80"
VCAP-1.697	Medium Vinyl Cap	1-11/16"		
VCAP-2.125	Large Vinyl Cap	2-1/8"		

X = Length of Tube Desired in Inches

ROD TUBE ENDS



- Tapered Inside to Protect Rod Tips
- Opening is 1-7/8", Requires 2" Hole

SKU	Description	Color	Fits
TE-1	Tube End	Black	GT-2.250
TE-1W	Tube End	Oyster	GT-2.250
TE-1FW	Tube End	Fish White	GT-2.250
TE-1S	Tube End	Sand	GT-2.250
PH-3	2-1/2" Pedestal Holder	Black	GT-2.60



ROD GROMMETS

- Flexible Marine Vinyl
- Protects Rod Tips Or Butts
- Also Great for Boat Hooks, Gaffs, etc.

Black	White	Fish White	O.D.	Max Hole
UG-1	UG-1W	UG-1FW	3-3/8"	2-3/8"
UG-2	UG-2W	UG-2FW	2-3/4"	1-3/4"
UG-3	UG-3W	UG-3FW	4"	3"

DP = Packaged Pair



PEDESTAL BASE PLUG

- Seals Pedestal Base when Seat is Removed
- Fits 1.77" Bases
- Slide Pin for Easy Removal
- Molded Material Won't Rust or Corrode

Black	Description
PBP-1 *	Pedestal Base Plug

* Add -DP to the end of SKU for retail packaging



MOLDED ROD RACKS

- Rugged One-Piece Poly
- UV Stable to Resist Fading
- Knife, Pliers & Lure Slots

Black	Description	Color	Amount
RHRM-2B *	Molded Rod Racks	Black	2 Rods
RHRM-2W *	Molded Rod Racks	White	2 Rods
RHRM-3B *	Molded Rod Racks	Black	3 Rods
RHRM-3W *	Molded Rod Racks	White	3 Rods

* Add -DP to the end of SKU for retail packaging



ALUMINUM ROD HOLDER

- Slotted to lock in rods and reels
- Mounting hardware not included

Black	Description
F003	3-Rod
F004	4-Rod



ROD HOLDER DRAIN CAPS

- Molded Marine Vinyl Drain Cap
- Accepts 3/8" Tubing (Not Included)

SKU	Description
RHBD-1 *	All T-H Rod Holders
RHBD-2SS	Most Stainless Steel Rod Holders
RHBD-2SST	Most Stainless Steel Rod Holders w/Tee

* Add -DP to the end of SKU for retail packaging



ROD RACKS

- UV Stabilized Polypro Tubes with Reel Slots
- Knife and Pliers Holders on all racks
- Stainless Steel Mounting Hardware

Black	Color
RHRB-3B	Black



RH-1

RH-4

ROD HOLDERS

- One-Piece Design for Easy Installation
- Rod Index in Bottom of All Models
- Fits 1-7/8" Hole

Black	White	Off White	Description	Length
RH-1 *	RH-1FW *		Angled 30°	8-3/4"
RH-2 *	RH-2FW *		Flat Top	8-3/4"
	RH-3FW	RH-3W	No Standoffs	11-7/8"
RHSF-3B *		RHSF-3W *	Fixed Standoffs	11-7/8"
RH-4			Angled, Oval Head (Fits 2" hole)	8-1/8"

* Add -DP to the end of SKU for retail packaging



HM5224

SKU	Description
HM5224-0	SS 316, Cast Top, 0°
HM5224 - 15	SS 316, Cast Top, 15°
HM5224 - 30	SS 316, Cast Top, 30°



TACKLE TITAN® MEGA Magnetic Lure Management System

The patented TACKLE TITAN® MEGA includes four pairs of Lure Hangers plus a galvanized metal mounting plate. Mount your system to the inside of a storage lid or sidewall to keep your lure collection safe and organized like never before.

Dimensions: 13”L x 1.75”H x 1.25”D
Stores 20 lures

SKU	Description
TT-TLMS1-DP	TACKLE TITAN® Management System



TACKLE TITAN® ORIGINAL Magnetic Lure Holder & Organizer

The TACKLE TITAN® can hold your lures and tools firmly, and release easily when pressure is applied. Mounts on any flat surface with included 3M tape or fasteners.

Dimensions: 13”L x 1.75”H x 1.25”D
Stores up to 9 lures + magnetic shelf

SKU	Description
TT-TITAN1-DP	TACKLE TITAN® Organizer (Black)
TT-TITAN2-DP	TACKLE TITAN® Organizer (White)



TACKLE TITAN® MINI Magnetic Lure Holder & Organizer

Dimensions: 6”L x 1.25”H x 1.25”D
Holds: Up to 4 lures + magnetic top shelf

SKU	Description
TT-MINI1-DP	TACKLE TITAN® Mini (Black)
TT-MINI2-DP	TACKLE TITAN® Mini (White)

TACKLE TITAN®
FOAM LURE RACK
Fishing Lure Rack, Pair

TT-FLH-1-DP	Black
TT-FLH-2-DP	White

Dimensions: 9" L
Easy installation with tape



TACKLE TITAN® GO-TO
Fishing Lure System

TT-CGTS1-DP	Black
TT-CGTS2-DP	White

Dimensions: 12"L x 1"H x 1"D
Includes: 2 racks, 12 rings, mounting hardware



TACKLE TITAN® DUO
Magnetic Lure Holder (Pair)

TT-TLMAN1-DP	Black
--------------	-------

Dimensions: 13"L x 1.75"H x 1.25"D
Holds: Up to 10 lures + magnetic top shelf



TACKLE TITAN® HOLDER
KNIFE & PLIER HOLDER (WITH SUCTION CUPS)

TT-52071-DP	White
-------------	-------

Dimensions: 4-1/8"W x 8-15/16"H x 3"D
Holds 1 set of pliers and carabiners, 2 knives & 13 hook and lure holders



TACKLE TITAN® LARGE CADDY

TT-52070-DP	White
-------------	-------

Dimensions: 11-3/4"W x 3-5/8"H x 5-1/2"D
Easy installation with two suction cups



TACKLE TITAN®
SUCTION CUP LURE

TT-54251-DP	Black
TT-54250-DP	White

Dimensions: 13.8"L x 3.4"H x 13.1"D
Holds: 25 hook and lure slots, 1 knife slot



TACKLE TITAN® LURE RACK

TT-TTS1-DP	Black
TT-TTS2-DP	White

Dimensions: 12"L x 1"H x 1"D
Easy installation with screws or tape



TACKLE TITAN® SINGLE

TT-52072-DP	White
-------------	-------

Dimensions: 6-1/2"W x 5-1/4"H x 3-1/4"D
Easy installation with two suction cups



TACKLE TITAN®
DRINK HOLDER

TT-52076-DP	White
-------------	-------

Dimensions: 6"W x 4"H x 4-3/8"D
Drink holder with two suction cups

MOORING



SEAT SWING BACK ARM

- Furniture Swing Back Arm
- Stainless steel
- Predrilled mounting holes

SKU	Description
HM5118-2	Seat Swing Back Arm 35" - V2



STAINLESS STEEL BIMINI EYE END

- Bimini Eye
- Cast 316 stainless steel

SKU	Description
HM5328	Bimini Eye End, 1"
HM5332	Bimini Eye End, 1.25"



STAINLESS STEEL CORNER CAP CASTING

- Cast stainless steel
- Fits most pontoons

SKU	Description
HM1005	Corner Cap Casting



PORT STERN CASTING

- Cast Aluminum
- Fits most pontoons

SKU	Description
HM1048	Port Stern Casting
MH1049	Stbd Stern Casting



STAINLESS STEEL PONTOON TRIM

SKU	Description
HM4022	Trim, Frt Crn Pontoon SS



STAINLESS STEEL CORNER CAP CASTING

- Cast stainless steel
- Fits most pontoons

SKU	Description
HM4068	Large Ladder Plug - Universal fit
HM4069	Round Ladder Plug
HM4070	Round Ladder Plug - Small
HM4096	Rectangle Ladder Plug
HM4097	Square Ladder Plug





NYLON BASE & SS COVER

SKU	Description
HM5038	Nylon Base
HM5039	Stainless Steel Cover



FOLDING CLEAT

- Compact design
- 304 stainless steel
- Length: 4.5”

SKU	Description
HM5120	Stainless Steel Folding Cleat - 4.5”L



SMALL BIMINI BRACKET

Silver powder coated aluminum

SKU	Description
HM5048	Nylon Base



HM5262

HM5263

CORNER CASTINGS

- Fits most pontoons
- 316 stainless steel

SKU	Description
HM5262	Stern Corner Casting
HM5263	Bow Corner Casting



Z-BRACKET

- Universal furniture mounting bracket
- Black powder coated steel

SKU	Description
HM5054	Black Z-Bracket



LOUVERED VENT

- Stamped stainless steel
- Universal size – 2.6” X 5.0”

SKU	Description
HM5092	Stainless Steel Louvered Vent



PONTOON GATE

- Stainless steel
- Universal fit

SKU	Description
HM5279	Universal Pontoon Gate



OVAL GATE CUP

- Oval mounting flange
- Universal fit
- 316 stainless steel

SKU	Description
HM5316	Oval Gate Cup



BIMINI HOOK

- 316 cast stainless steel
- 1/8” hook

SKU	Description
HM5322	Bimini Hook



SQUARE FOLDING CLEAT

- Hidden fasteners
- Universal fit
- 316 stainless steel

SKU	Description
HM5324	Square Folding Cleat
HM5324-G	Rubber Square Cleat Gasket - 1/16” thickness



FOLDING CLEAT

- Compact design
- 304 stainless steel
- Length: 4.5”

SKU	Description
HM5326	Square Folding Cleat
HM5326-G	Folding Cleat Gasket, 2mm



POP-UP CLEAT

- 5” total length
- 316 stainless steel
- Rubber gasket included

SKU	Description
HM5316	Oval Gate Cup



CORNER TRIM

- Universal pontoon corner trim
- 316 stainless steel

SKU	Description
HM581	Corner Trim



MOUNTING BRACE

- Universal pontoon corner trim
- 316 stainless steel

SKU	Description
HM5433	Armrest Mounting Brace



GATE CATCH

- 2 mounting holes

SKU	Description
HM5433	Armrest Mounting Brace



CORNER TRIM

- Silver powder coated cast aluminum
- Universal fit



SKU	Description
HM5509	Corner Trim, P/S, Aluminum - Silver
HM5523	Corner Trim, P/S, Aluminum - Black



CORNER TRIM

SKU	Description
HM5554	Stern Port, Cast Aluminum
HM5555	Stern Starboard, Cast Aluminum
HM5556	Stern Port, Brushed Aluminum
HM5557	Stern Starboard, Brushed Aluminum



FLOATING CUPHOLDER BRACKET

- 316 Stainless steel
- Universal design
- Hidden fasteners

SKU	Description
HM5530	Floating Cupholder bracket



SWING BACK BRACKET

- Universal design
- 304 stainless steel
- Pre-drilled mounting holes

SKU	Description
HM5300	Swing Back Bracket, Port
HM5301	Swing Back Bracket, Starboard



SUN DECK HOLD DOWN

- Universal design
- 304 stainless steel
- Pre-drilled mounting holes

SKU	Description
HM4051	Sun Deck Hold Down



DUAL CUPHOLDER BRACKET

- 316 Stainless steel
- Universal design
- Hidden fasteners

SKU	Description
HM5570	Dual Cupholder Bracket

REPLACEMENT PARTS

SKU	Description
HM4057	Ladder Strap
HM4062	Velcro Ladder Strap
HM4063	Ladder Bungee
HM5116	Ladder Clip with Hardware



2 PIECE KEYED FENDER HOLDER STAINLESS STEEL

- 316 cast stainless steel, high polished
- Easy to install
- Keyed feature to hold securely in place
- Moves from one side of the boat to the other using same mounting plate

SKU	Description
FH-SSC *	2 Piece keyed fender holder

* Add -DP to the end of SKU for retail packaging



2 PIECE KEYED FENDER HOLDER NYLON 2PK

- Keyed feature to hold securely in place
- Easy moves from one side of the boat to the other
- Packaged as a pair

SKU	Description
QRFH-1 *	2 Piece keyed fender holder - 2 pk, black
QRFH-2 *	2 Piece keyed fender holder - 2 pk, white
QRFH-7 *	2 Piece keyed fender holder - 2 pk, gray



PONTOON FENDER HANGER CLIPS

- Easily snaps onto pontoon rails
- Convenient way to attach docking fenders
- Stylish gray composite material
- Adjustable mount or fixed tie-down mounts available

SKU	Description
PFAC-1 *	Adjustable Tie-Down Clip - Gray
PFH-1G	Fixed Tie-Down Clip - Gray



MOLDED NYLON CLEATS

SKU	Description
CLEAT-4.5	4 - 1/2" Black
CLEAT-6 *	6" Black
CLEAT-8 *	8" Black

* Add -DP to the end of SKU for retail packaging



PONTOON DOOR STOPS

- Molded anti-rattle stop
- Fits up to 1-1/4" square tubing

Gray	Black	Type	Hinge
DS-1R *	DS-1RB	W/ribs	Right
DS-1L *	DS-1LB	W/ribs	Left
DS-2R	DS-2RB	No ribs	Right
DS-2L	DS-2LB	No ribs	Left

* Add -DP to the end of SKU for retail packaging



PONTOON RAIL SHIMS

- Uniformly raises rails off of the deck
- Unique slotted design for easy installation

Gray	Black	Tan	Thickness
SPA-250G	SPA-250B		1/4"
SPA-375G	SPA-375B		3/8"
SPA-500G	SPA-500B	SPA-500LB	1/2"



PONTOON FINGER GUARD

SKU	Color
PFPG-1B	Black
PFPG-1G	Gray
PFPG-1LB	Light Brown

LED LIGHTS

UNDERWATER LIGHTS



GEN 1 - UNDERWATER LED

- 12 Super bright high output LED's
- Built in thermal overheat protection
- Mounting hole diameter: 1/4"
- Dimensions: 3-7/8" x 7/8"

SKU	Housing	LED
LED-33258	Bronze	○
LED-33259 *	Bronze	●
LED-33260	Bronze	●
LED-32539 *	Stainless Steel	●
LED-32540 *	Stainless Steel	●
LED-32711 *	Stainless Steel	○ ●
LED-32714-RGBW *	Stainless Steel	RGBW

* Add -DP to the end of SKU for retail packaging

BLUE WATER® LED AFTERBURNER UNDERWATER LIGHT

Dimensions: 3.65" round x .75" thick



SKU	LED
LEDBW-700-2-B *	●
LEDBW-700-2-G *	●
LEDBW-700-2-R *	●
LEDBW-700-2-W *	○

* Add -DP to the end of SKU for retail packaging

PREMIUM LED

- Six high intensity LED's
- Stainless steel bezel - no rust



SKU	LED
LED-39060 *	○
LED-39061 *	●
LED-39062 *	●

* Add -DP to the end of SKU for retail packaging


MINI UNDERWATER LED LIGHT

- Cast 316 Stainless Steel
- Glass lens
- Auto-sensing, no controller required
- Change LED colors by continuous powering
- IP68 rated



SKU	Housing	LED
LED-32484 *	Stainless Steel	RGBW
LED-32485 *	Stainless Steel	●
LED-34287	Stainless Steel	●

* Add -DP to the end of SKU for retail packaging



2-wire RGB can be wired directly to toggle switch.
Full spectrum of colors scroll automatically at start.
Simple off/on again pauses on selected color.



HIGH INTENSITY UNDERWATER LED

- 6 Super bright LED's
- Stainless steel hardware included
- Surface size 3.5" x 1/5"
- H -1.2" with mounting spacer
- H - 0.7" spacer w/out spacer

SKU	LED
LED-51866 *	○
LED-51867 *	●
LED-51868	●
LED-32696-RGBW	RGBW

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL LED

- 316 Stainless steel bezel
- Six bright LED's
- No high heat

SKU	LED
LED-51900 *	○
LED-51901 *	●

* Add -DP to the end of SKU for retail packaging



EXTREME LED

- 20% Brighter than our standard LED
- Fully waterproof
- Polarity and thermal protection

SKU	LED
LED-SM171COB-W *	○
LED-SM172COB-B *	●
LED-SM173COB-G *	●

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL OVAL LED

- Waterproof IP68 Rated
- Size 5.7" x 1.7"
- Six (6) super bright LED diodes

SKU	LED
LED-SM7815-W *	○
LED-SM7815-B *	●
LED-SM7815-G *	●
LED-SM7815-RGB *	RGB

* Add -DP to the end of SKU for retail packaging



SPREADER LIGHTS

ILLUMINATE YOUR DECK



OVAL RECESSED SPREADER LED

- Powder coated aluminum case
- Recessed mounting
- 5-7/8”L x 1-3/4”W x 1-5/8”D

SKU	Housing
LED-39120 *	White
LED-39122 *	Black

* Add -DP to the end of SKU for retail packaging



RECESSED FLUSH MOUNT LED

- Powder coated aluminum
- Wide 145 degree angle light spread
- 4 Watts
- IP67 Rating
- 4-7/8”L x 1-3/4”W x 1-5/8” D

SKU	Housing
LED-51913 *	White
LED-51905 *	Black

* Add -DP to the end of SKU for retail packaging



LED MINI SPREADER

- 2” Docking Light
- Die-Cast Aluminum body
- 1000 Lumens
- IP68 Rated
- Draws 1.3A at 12V

SKU	Housing
LED-39690 *	White
LED-39691 *	Black

* Add -DP to the end of SKU for retail packaging



LED SUPER SPREADER LIGHT

- 1W LED Lights
- Die-cast aluminum, powder coated
- Optical grade PMMA lens
- IP67 rating
- Voltage 10-30V DC

SKU	Housing
LED-39901	White

* Add -DP to the end of SKU for retail packaging



LED SIDE DOCKING LIGHT

- Low profile design
- Extreme output LED lighting for docking at night

SKU	Housing
LED-319DL *	Stainless Steel

* Add -DP to the end of SKU for retail packaging



LED DOCKING LIGHT

- High intensity
- 3 LED Light for low light profile
- Connects to deutsch connector housing

SKU	Housing
LED-4093DL-PLG *	Stainless Steel

* Add -DP to the end of SKU for retail packaging

BLUE WATER® LED CYBERLITE



- 1,100 Lumens
- 12W
- Spot or Flood
- IP68
- 9-32V DC
- 3.25” x 3.5”

Spot	Housing
LEDBW-901-2-W *	White
LEDBW-901-2-BLK *	Black
Flood	Housing
LEDBW-901-2-W-FLD *	White
LEDBW-901-2-BLK-FLD *	Black

* Add -DP to the end of SKU for retail packaging



BLUE WATER® LED CYBER 400S

- 4,100 Lumens
- 30° High intensity hybrid beam
- IP68
- 9-32V DC
- 3.2” x 3.8”

Spot	Trim Color
LEDBW-908-2-BLK *	Black
LEDBW-908-2-GLD *	Gold
LEDBW-908-2-R *	Red
LEDBW-908-2-SVR *	Silver

* Add -DP to the end of SKU for retail packaging

LIGHT KITS

EVERYTHING YOU NEED



LED LIGHTING KIT FOR BOATS

- Kit includes:**
- (3) 4" Slim Line LED Utility Lights
 - (4) 12" Flex Strip LED Lights
 - (2) 24" Flex Strip Lights

SKU	LED
LED-BTKIT-WHT	○
LED-BTKIT-BLUE	●
LED-BTKIT-RED	●
LED-BTKIT-GREEN	●



LED LIGHTING KIT FOR TRAILERS

- Attaches to any trailer frame
- High bond 3M adhesive on flex strips
- Kit includes:
- (2) 24" Flex Strip LED Lights
- (2) 48" Flex Strip Lights

SKU	LED
LED-TRLKIT-WHT	○
LED-TRLKIT-BLUE	●
LED-TRLKIT-RED	●
LED-TRLKIT-GREEN	●



OVAL COURTESY LIGHT/ROCK LIGHT KITS

- Extreme high output lights
- Waterproof and shockproof
- 6 Pack kits are available in single or two colors




- 2 Pack Kit Includes**
- 2 LED Lights
 - 1 Switch
 - 2 Flat Rubber
 - Mounting Gaskets
 - 8 Mounting Screws
 - 4 Bolts

SKU	Housing	LED
LED-33255-2KT *	Black	○
LED-33256-2KT *	Black	●
LED-33257-2KT *	Black	●
LED-33308-2KT	Black	●
LED-33309-2KT	Black	●
LED-32651-2KT-RGB	White	RGB



- 6 Pack Kit Includes**
- 6 LED Lights
 - 1 Switch
 - 6 Flat Rubber
 - Mounting Gaskets
 - 24 Mounting Screws
 - 12 Bolts

SKU	Housing	LED
LED-33255-6KT *	Black	○
LED-33256-6KT *	Black	●
LED-33257-6KT *	Black	●
LED-33308-6KT *	Black	●
LED-33309-6KT	Black	●
LED-32650-6KT-RGB *	White	RGB
LED-32651-6KT-RGB *	Black	RGB
LED-RKRW-6KT *	Black	● (4) ○ (2)
LED-RKBW-6KT *	Black	● (4) ○ (2)
LED-RKGW-6KT	Black	● (4) ○ (2)




SKU	Housing
LED-SCRL-HRN	Single Color Rock Light Harness

* Add -DP to the end of SKU for retail packaging

PONTOON LIGHT KITS

LIGHT UP THE NIGHT



***WIRELESS**
LED-RGBCONT-1

***FLUSH MOUNT**
LED-RGBCONT-2F

RGB PONTOON LIGHT KIT

- Control RGB Lights with your choice of controller
- IP68 Fully waterproof
- Includes: RGB Controller, RGB Light Strips, Mounting Channels, Hardware & Instructions

SKU	Description
LED-PBDK20RGB-FC *	20' - Flush Mount Controller
LED-PBDK25RGB-FC *	25' - Flush Mount Controller
LED-PBDK20RGB *	20' - Wireless Controller
LED-PBDK25RGB *	25' - Wireless Controller

* Add -DP to the end of SKU for retail packaging



BLUE PONTOON LIGHT KIT

- IP68 - Fully waterproof and submersible
- Includes: (2) 20' or 25' LED Light Strips, Waterproof Wiring Harness, & Mounting Channels

SKU	Description
LED-PBDK20B *	20' Pontoon Light Kit
LED-PBDK25RGB-FC	25' Pontoon Light Kit (Blue)

* Add -DP to the end of SKU for retail packaging



LED MODULE STRING LIGHT KIT

- IP68 - Waterproof and submersible
- Includes: (2) 25' LED Module Strings, 24 3-LED modules per string
- Strings Include: Additional 20' of wire pigtail to route control to switch

SKU	Description
LED-34160	LED Modul String Light Kit (blue)



GEN-1 RGBW LED CONTROLLER

- Flush mount multi-color LED light controller
- Requires 3/4" hole for routing
- 4 Channel - 20 different modes - 5 speed settings

SKU	Description
LED-RGBCONT-2F *	GEN-1 - RGB LED Light Controller

* Add -DP to the end of SKU for retail packaging



LED-RGBCONT-3F



LED-RGBCONT-4R

RGBW LED LIGHT CONTROLLER

- Touch screen technology
- Illuminated power button
- Controls RGBW light color and intensity
- Water resistant

SKU	Description
LED-RGBCONT-3F *	RGBW LED Touch Screen Light Controller
LED-RGBCONT-4R *	RGBW LED Touch Screen Light Controller

* Add -DP to the end of SKU for retail packaging



WIRELESS RF CONTROLLER

- Wireless RF remote for RGB changing lights
- IP68 Fully waterproof
- 43 Dynamic Color Modes
- 30 Static Color Modes

SKU	Description
LED-RGBCONT-1 *	RGB LED Light Controller

* Add -DP to the end of SKU for retail packaging

LINEAR LIGHTING




LED FLEX STRIP LIGHT

- Moisture & Water Resistant
- Strong 3M mounting tape on back
- Available in 1’ft, 2’ft, 4’ft & 6’ft strips
- IP-65 Rated

SKU	Length	LED
LED-51946 *	12”	○
LED-51947 *	12”	●
LED-51948 *	12”	●
LED-51949 *	12”	●
LED-51950 *	24”	○
LED-51951 *	24”	●
LED-51952 *	24”	●
LED-51959 *	24”	●○
LED-51965 *	24”	●
LED-51953 *	48”	○
LED-51954 *	48”	●
LED-51955 *	48”	●
LED-51966 *	48”	●
LED-51956 *	72”	○
LED-51957 *	72”	●
LED-51963 *	72”	●○
LED-RLC	Mounting Channel - No Tape - 6’ ft	
LED-RLC-WT	Mounting Channel - With Tape - 6’ ft	

* Add -DP to the end of SKU for retail packaging

LED FLAT ROPE LIGHTS



- Bright LED continuous rope light
- IP67 - Fully waterproof - Silicone sleeve only
- Lengths from 14ft to 28ft
- Mounting channel has 3M high tenacity tape

SKU	Length	LED
LED-SM14-B *	14”	●
LED-SM20-B *	20”	●
LED-SM22-B *	22’	●
LED-SM24-B *	24’	●
LED-SM26-B *	26’	●
LED-SM28-B *	28’	●
LED-SM14-W *	14’	○
LED-SM20-W *	20’	○
LED-SM28-W *	28’	○
LED-SMSLC-6WT*	Flat Rope Light Mounting Channel - 6ft	

*Not compatible with RGB rope lights
* Add -DP to the end of SKU for retail packaging

LED FLAT ROPE LIGHTS - RGB



- Bright LED RGB continuous rope light
- IP68 - Fully waterproof - Silicone sleeve with silicone gel fill
- 12V DC, 7.2 Watts per Meter, 0.6 Amps per Meter
- 423 Lumens per meter

SKU	Length	LED
LED-SM16-RGB *	5m/16’	RGB
LED-SM20-RGB *	6m/20’	RGB
LED-SM25-RGB *	7.5m/25’	RGB
LED-RGBCONT-3F	RGBW LED Touch Screen Light Controller	
LED-SMSLC50-4WT *	Flat Rope Light Mounting Channel - 4ft	
LED-SMSLC-RGBW-4WT	RGBW Flat Rope Light Mounting Channel - 4ft	

* Add -DP to the end of SKU for retail packaging



LED FLEX STRIP LIGHT WITH TRACK

Includes low profile and easy to mount track

Battery Operated	Length	LED	White PCB Strip	Black PCB Strip	Length	LED
LED-39308 *	2x18"	○		LED-33279	4"	○
LED-39310 *	2x18"	●		LED-33280 *	4"	●
LED-39312 *	2x18"	●	LED-39330 *		4"	●
			LED-39331 *	LED-33282 *	4"	●
			LED-39320 *	LED-33275 *	6"	○
			LED-39321 *	LED-33276 *	6"	●
				LED-33278 *	6"	● ○
			LED-33267 *	LED-33271 *	12"	●
			LED-33268 *	LED-33272 *	12"	○
			LED-33269 *	LED-33273 *	12"	●
			LED-33270 *	LED-33274 *	12"	●

* Add -DP to the end of SKU for retail packaging



LED FLEX STRIP LIGHTS Battery Operated

- Water resistant battery box
- Uses three (3) AA batteries
- 18" Strips available in (3) colors

SKU	Length	Color
LED-39275 *	18"	○
LED-39276 *	18"	●
LED-39277	18"	●

* Add -DP to the end of SKU for retail packaging



FLEXIBLE LED LIGHT BAR

- Flexible silicon housing, mount on curved surfaces
- 100% waterproof

SKU	Length	LEDs	Color
LED-39685 *	10.34"	9	○
LED-39686 *	10.34"	9	●
LED-39687 *	12.93"	12	○
LED-39688 *	12.93"	12	●

* Add -DP to the end of SKU for retail packaging



LED MODULE POD LIGHT STRINGS

- 100% waterproof
- Three super bright LEDs per pod

SKU	Length	Color
LED-59265	20'	○
LED-59266	20'	●
LED-59267	20'	●
LED-59268	20'	●



MOUNTING TRACK & TRACK ENDS

- For use with T-H Marine LED Flex Strip Lights
- Track available in clear, black & white
- Adhesive strip for mounting

SKU	Description	Color
LED-39532	Flex Light Track Ends - 100 pack	White
LED-39537	Poly-Carb Flex Light Track with Adhesive - 6' Long	Black
LED-39538	Poly-Carb Flex Light Track with Adhesive - 6' Long	White

COURTESY LIGHTS



LED FRONT MOUNT LIGHT

- Front mount makes for easy installation
- Stainless steel screws, neoprene gasket, and butt splices
- 10" Wire leads, Mounting Hole: 3/4", Lens Diameter: 2-3/4"

SKU	Description	Color
LED-FML-BTS	Front Mount Light, Blue	●

STAINLESS LED PUCK LIGHTS

Polished stainless steel bezel



SKU	Dia	Color
LED-51827 *	3"	○
LED-51828 *	3"	●
LED-51897 *	3"	●
LED-51831 *	4"	○
LED-51832 *	4"	●

* Add -DP to the end of SKU for retail packaging

LED SURFACE MOUNT DOME LIGHT

- On/Off Rocker switch of bezel
- Super flux (P4) Type LEDs



SKU	Dia	Color
LED-51829 *	4"	○
LED-51830 *	4"	●○

* Add -DP to the end of SKU for retail packaging



RECESSED LED PUCK LIGHTS

- Epoxy to resist water, corrosion and vibration
- Requires 2" Diameter Hole
- Black, White & Chrome Bezel come with each light
- 6 LEDs per Light

SKU	Dia	Color
LED-51847 *	3"	○
LED-51848 *	3"	●
LED-51849 *	3"	●
LED-32658-RGBW *	3"	RGBW

* Add -DP to the end of SKU for retail packaging



PUSH-IN LED UTILITY LIGHT

- Stainless steel bezel
- Simple Push-In Installation
- Fits into a 3/4" hole

SKU	Dia	Color
LED-51977 *	1-1/8"	○
LED-51978 *	1-1/8"	●
LED-39113-FB-RGB	1-1/8"	RGB
LED-39115-FB-RGBW	1-1/8"	RGBW

* Add -DP to the end of SKU for retail packaging



MINI LED DUAL MOUNT

- 3 Bright LEDs
- Very low amp draw
- Dimensions: 2-1/8"L x 5/8"H x 1/2"W
- Stainless steel fasteners included

SKU	Color
LED-51880 *	○
LED-51898 *	●

* Add -DP to the end of SKU for retail packaging



PUSH-IN LED COCKPIT LIGHT

- White RGB (69500-RGB)
- Lumens 2.58
- Wattage RGB 0.6W
- Voltage 12V
- 3/4" hole

SKU	Color
LED-14044-RGB *	RGB

* Add -DP to the end of SKU for retail packaging



AUTOMATIC LED LID LIGHT

- Automatic On/Off LED light when lid is raised or lowered
- Stainless steel ball switch

SKU	Color
LED-39540 *	○

* Add -DP to the end of SKU for retail packaging



LIVEWELL/COURTESY LIGHTS

- Waterproof
- Neoprene scaling gasket included
- Bright 3-Element LED Bulb

SKU	O Dia	Hole	Color
LWL-1P-LED *	1-7/8"	1"	○
LWL-1P-LED-B *			●
LWLM-1P-LED *	1"	5/8"	○
LWLM-1P-LED-BLUE	1"	5/8"	●

* Add -DP to the end of SKU for retail packaging



FLUSH HEAD LED LIVEWELL LIGHTS

- Great for livewell illumination - Waterproof
- Requires 1" Hole
- 1 LED with diffuser lens
- Pigtail connection - 12V

SKU	Dia	Color
LED-51874 *	1-1/4"	○
LED-51875 *	1-1/4"	●

* Add -DP to the end of SKU for retail packaging



LED COMPANION WAY LIGHTS

- Opaque PC lens produces warm glow
- Sealed in epoxy to resist water, corrosion & vibration

SKU	Bezel	Color
LED-51816 *	Black	○
LED-51818 *	White	●
LED-51819 *	White	○
LED-51820 *	Chrome	●
LED-51822 *	Chrome	○
LED-51892	Black	●
LED-51895 *	Black	●

* Add -DP to the end of SKU for retail packaging



LED OVAL LIGHTS WITH PUSH-IN BUTTON LENS

- Built in switch - push in for "On/Off"
- Flange Overall - 5" x 3-1/8"
- Oval Hole - 3-1/4" x 2-1/8"

SKU	Bezel	Color	Description
LED-OCL-1	Black	○	
LED-OCL-2	White	○	
LED-OCL-1K *	Black	○	Light + Mounting Ring
LED-OCL-2K *	White	○	Light + Mounting Ring

Incandescent LED	Bezel	Color
OCL-1	Black	○
OCL-2	White	○

Mounting Ring Only	Bezel
OCLR-1	Black
OCLR-2	White

* Add -DP to the end of SKU for retail packaging



LED COURTESY COMPANION WAY LIGHTS

- LED Square 2.25" x 2.25"
- Frosted PC lens - 3 LEDS
- Hardware included

SKU	Bezel	Color
LED-51894* *	White	○
LED-51891* *	Black	○
LED-51876 *	White	○
LED-39050**	Black	○
LED-32660-RGBW-DP		RGB

*Hidden Fasteners **Hardware not included, no cover

* Add -DP to the end of SKU for retail packaging



LED COURTESY/ACCENT LIGHT

- Great for hatches, storage, compartment, etc
- Illuminate entries & steps

SKU	Bezel	Color
LED-39024 *	Chrome	○
LED-39027	Black	○
LED-39034 *	Chrome	○
LED-32665-RGBW *	No Bezel	○

* Add -DP to the end of SKU for retail packaging



LED MINI ACCENT LIGHT

- Versatile accent LED light
- Stainless Steel Bezel
- Two bright LEDs

SKU	Color
LED-39216 *	○
LED-39218 *	○
LED-39224	●
LED-32667-RGBW *	RGBW

* Add -DP to the end of SKU for retail packaging



LED OBLONG COURTESY LIGHTS

- Great for accent lighting, step, task, compartment, etc
- 1.25” W x 3” L
- Sealed with epoxy to resist water corrosion & vibration



SKU	Color
LED-51823 *	●
LED-51824 *	●
LED-51825 *	○
LED-32661-RGBW	RGBW

* Add -DP to the end of SKU for retail packaging



LED UTILITY STRIP LIGHT - SLIM LINE

- Great for lighting or decorating interior and exterior of boats, RVs, etc
- Low amp draw
- 100% Waterproof

SKU	Length	# of Lights	Color
LED-51800 *	4”	6	○
LED-51801 *	4”	6	●
LED-51803 *	4”	6	●
LED-32670-RGBW *	4”	6	RGBW
LED-51805 *	6”	12	○
LED-51806 *	6”	12	●
LED-32674-RGBW *	6”	12	RGBW
LED-51810 *	8”	18	○
LED-51811 *	8”	18	●
LED-32675-RGBW *	8”	18	RGBW
Battery Operated			
LED-39672 *	4”	6	●

* Add -DP to the end of SKU for retail packaging



LED RAIL LIGHTS

- Light rotates to direct where desired
- Low amp draw
- Powder coated aluminum

SKU	Length	# of Lights	Color
LED-51857 *	6”	12	○
LED-51858 *	4”	24	○

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL INDIRECT LED

- IP67 Compliant, interior and exterior
- Lumens - 50, 12v DC Amps: 45mA
- 1”W x 1”H x 1/2”D, Mounting hole 5/16”

SKU	Color
LED-33240 *	○
LED-33242 *	●
LED-33320	●
LED-32648-RGB *	RGB

* Add -DP to the end of SKU for retail packaging



LED ROUND COMPANION LIGHT

- Chrome cover with accent slit
- Waterproof
- Provides ambient lighting

SKU	Color
LED-39100 *	○
LED-39101 *	●
LED-32660-RGBW	RGB

* Add -DP to the end of SKU for retail packaging



SINGLE LED MODULE LIGHT

- IP68 - Waterproof
- Low power 12V DC, 0.2 Watts/0.017 Amps per LED
- Dimensions: 1.56”L x 1.11”W x 0.34”H

SKU	Color
LED-34190 *	●

* Add -DP to the end of SKU for retail packaging



TRIPLE LED STORAGE LIGHT

- Low power 12V DC
- Dimensions: 4-1/8”L x 1-5/16”W x 3/8”H
- Ignition protected

SKU	Color
LED-SM361PLG	○



QUAD LED MODULE LIGHT

- IP68 - Fully waterproof
- Low power 12V DC
- 0.2 Watts / 0.017 Amps per LED
- Contains four LEDs

SKU	Color
LED-34185 *	○

* Add -DP to the end of SKU for retail packaging



LED DOME LIGHT - OBLONG

- Dome light for indirect lighting
- Dimmable
- Push button light setting

SKU	Color
LED-32636	○



LED LOW PROFILE ROUND DOME

- Aluminum housing round dome
- Powder coated white
- Touch switch 100%/50%/25%

SKU	Color
LED-39857	○ (6) ● (6)
LED-39859	○ (6) ● (6)



BOLT LIGHT

- Powdercoated Aluminum Housing
- Impact resistant Polycarbonate Lens
- Tinned Marine Wire
- IP65 Rated

SKU	Size	Color
LED-11BL-RGBW	11mm	○
LED-11BL-B	11mm	●
LED-11BL-W	11mm	●

SKU	Size	Color
LED-6BL-B	6mm	●
LED-6BL-W	6mm	○

SKU	Bezel	Color
LED-11BL-A	11mm	●
LED-11BL-G	11mm	●
LED-11BL-R	11mm	●



LED LOW PROFILE DOME LIGHT

- Mounting Diameter 3/4"
- Lumens - 250
- 12v DC Amps: 410mA
- 6.75" dia. x 1.13"
- IP67
- Stainless Steel Bezel

SKU	Color
LED-33249	○
LED-33250	○ ●
LED-33251 *	○ ●

* Add -DP to the end of SKU for retail packaging



MOTION ACTIVATED LED DOME LIGHT

- Dome light for indirect lighting
- Dimmable

SKU	Color
LED-32638	○



OVAL COURTESY LIGHT

- Narrow beam pattern
- Operates on 12V DC
- 18 AWG wire
- 0.2W power consumption
- Weatherproof design - IP65

SKU	Color
LED-71000 *	○
LED-72000 *	●

* Add -DP to the end of SKU for retail packaging



OVAL COURTESY LIGHT/ ROCK LIGHT


- Extreme high output lights
- Waterproof and shockproof
- 3"W x 1.625"H

SKU	Bezel	Color
LED-33255 *	Black	○
LED-33256 *	Black	●
LED-33257 *	Black	●

SKU	Bezel	Color
LED-33308 *	Black	●
LED-32650-RGB	Black	RGB
LED-32651-RGB	White	RGB

* Add -DP to the end of SKU for retail packaging

NAVIGATION LIGHTS



LED-BNAVC-1



LED-BNAVC-2C

LED COMBINATION BOW NAVIGATION LIGHT

Flush Mount

- 316 Stainless steel housing
- 2 Nautical mile USCG Certification
- Meets ABYC-16

SKU	Description	Dimensions	Housing
LED-34185	Bow Nav Light	2-3/8"L x 2-1/16"W x 7/8" H	SS
LED-BNAVC-1 *	Combination Bow		SS
LED-BNAVC-1BK *	Bow Nav Light	2-3/8"L x 2-1/16"W x 7/8" H	Black
LED-LPBNV-1	Low Profile Combination	2-3/8"L x 1-7/8"W x 1" H	SS

* Add -DP to the end of SKU for retail packaging




LED LOW PROFILE ROUND DOME

Pole Mount

- Stamped stainless steel pole
- 2 Nautical mile USCG Certification
- Standard Nav Light plug-in base
- Meets ABYC-16

SKU	Length
LED-NAV-34197 *	20" - Angled
LED-NAV-34198 *	20" - Straight
LED-NAV-39498 *	12" - Straight
LED-NAV-39499 *	12" - Angled

* Add -DP to the end of SKU for retail packaging



LED SINGLE SIDE BOW NAVIGATION LIGHTS

Tear Shape/Low Profile

- 316 Stainless steel housing
- Meets ABYC-16
- Mounts horizontally
- 2 Nautical mile USCG Certification

SKU	Length
LED-BNAVS-1	2-3/8"L x 1-7/8" x 7/8"H



LED-LPNAV-2

LED-LPNAV-1

LED-LPNAV-3

LED SINGLE SIDE BOW NAVIGATION LIGHTS

Bullet Shape/Smallest Footprint

- 316 Stainless housing
- 2-1/4"L x 1"W x 11/16"H
- Meets ABYC-16, 1 Nautical Mile USCG Certification

SKU	Mounting
LED-LPNAV-1 *	Horizontal Deck Mount
LED-LPNAV-2 *	Vertical Angled Gunnel Mount (Shark-Eye)
LED-LPNAV-3	Vertical Straight Mount (Console/T-Top)

* Add -DP to the end of SKU for retail packaging



LED SINGLE SIDE BOW NAVIGATION LIGHTS

Compact Shark-Eye

- 316 Stainless housing
- 2 Nautical Mile USCG Certification
- Meets ABYC-16

SKU	Housing
LED-BNAVSSEYE-1	Stainless Steel



LED SINGLE SIDE BOW NAVIGATION LIGHTS

Traditional Shark-Eye

- 2 Nautical mile USCG Certification
- Meets ABYC-16
- NMMA Type accepted
- Stainless steel base
- Dimensions 7-1/2" L x 2-1/4"W

SKU	Description
SEL-1LED *	LED - 2NM
SEL-1 *	Incandescent - 1NM

* Add -DP to the end of SKU for retail packaging



LED FLEX STRIP BOW LIGHT

- Ideal for kayaks & small boats for visibility
- Not tested for USCG certification
- Waterproof battery pack (optional)

SKU	Length	Power Option
LED-52000 *	6"	12V
LED-39306 *	6"	(3) AA Batteries

* Add -DP to the end of SKU for retail packaging



24” SNAP FLEX NAVIGATION LIGHT

- UV Stable fiberglass shaft
- 2 Nautical Mile USCG Certification
- Meets ABYC-16
- Nylon base

SKU	Description
LED-NAV-50621 *	Snap Flex Navigation Light

* Add -DP to the end of SKU for retail packaging



LED STERN LIGHT - FIXED LENGTHS

- Low amp draw
- USCG Certified

SKU	Length	SKU	Length
LED-NAV-39509 *	48”	LED-NAV-39759 *	5”
		LED-NAV-34222C5	60”

* Add -DP to the end of SKU for retail packaging



LED STERN LIGHT - ADJUSTABLE LENGTH

- Low amp draw
- Fits standard light base
- USCG Certified

SKU	Length
LED-NAV-39513 *	40”- 72”

* Add -DP to the end of SKU for retail packaging



LED FOLDING STERN LIGHT
Aluminum Pole/Plastic or Stainless Base

- 2 Nautical mile USCG Certification
- Low amp draw

SKU	Base	Length	Mount
LED-NAV-39758 *	Plastic	10-1/2”	3 hole
LED-NAV-34228	Plastic	24”	2 hole
LED-NAV-34228-SB	Stainless	24”	2 hole
LED-NAV-34233		36”	

* Add -DP to the end of SKU for retail packaging



LED FOLDING STERN LIGHT
Fiberglass Pole/Stainless Base

- 2 Nautical mile USCG Certification
- Meets ABYC-16
- 3/16” stainless base
- Mounts on 1-1/4” square tubing
- Mounts on 3/4” round tubing

SKU	Length
LED-BTSL-36 *	36”


* Add -DP to the end of SKU for retail packaging



FLEXIBLE POLE STERN LIGHT

- Meets ABYC-16
- Patent Pending design
- UV stable fiberglass flexible pole
- Fits standard light base
- Includes 3 locking collar options
- 2 Nautical mile USCG Certification

SKU	Length
LED-NAV-USL-54	54”
LED-NAV-USL-60	60”



SNAP FLEX STERN LIGHT

- Patent Pending design
- UV stable fiberglass
- Spring-Loaded locking RC/ACAM
- 2 Nautical mile USCG Certification

SKU	Length
LED-NAVSFSL-48 *	48”
LED-NAVSFSL-60 *	60”
LED-NAVSFK-48*	48”
LED-NAVSFK-60*	60”



*Includes Base

* Add -DP to the end of SKU for retail packaging



LED-NAV-39522

NAV LIGHT BASES - 2 PRONG

- Pre-Wired pigtail wiring harness
- Rubber or tethered cover keeps inside base clean

SKU	Description
LED-NAV-39522 *	Nylon Low Profile - 2 Prong
LED-NAV-39524 *	Nylon Low Profile - 2 Prong
LED-NAV-39525 *	Stamped SS - Round
LED-NAV-39526 *	Swivel Top - Nylon
LED-NAV-39762 *	Base with Cover - Zamack 2 Prong

* Add -DP to the end of SKU for retail packaging



LED-NAV-39524



LED-NAV-39525



LED-NAV-39526



LED-NAV-39762

ACCESSORY LIGHTS



LED LIGHTED CUP HOLDER Stainless Steel Rim

- Robust UV stable molded housing
- Corrosion resistant
- 316 stainless steel rim
- Wired for 12V applications

SKU	Color
LED-LCH-BU *	●
LED-LCH-R *	●
LED-LCH-W *	○

* Add -DP to the end of SKU for retail packaging



LED LIGHTED CUP HOLDER No Step Stainless Steel

- 304 stainless steel
- Corrosion resistant
- Mounts in 3-5/8" hole
- Wired for 12V applications

SKU	Color
LED-LCHSS-NS-B	●
LED-LCHSS-NS-RGB *	RGB
LED-LCHSS-NS-W	○

* Add -DP to the end of SKU for retail packaging



LED LIGHTED CUP HOLDER No Step Stainless Steel with Insert

- Rubber insert secures beverage
- Mounts in standard 3-5/8" Hole
- Hole & nipple for routing drainage
- Padded bottom
- Wired for 12V applications
- Patent Pending

SKU	Color
LED-LCHSS-NSRI-B	●
LED-LCHSS-NSRI-G	●
LED-LCHSS-NSRI-R *	●
LED-LCHSS-NSRI-RGB *	RGB
LED-LCHSS-NSRI-W *	○

* Add -DP to the end of SKU for retail packaging



LED CUP HOLDER ACCENT RING

- Fits 3-1/4" to 3-1/2" Diameter
- Ring contains 18 LEDs

SKU	Color
LED-SMCHR-B *	●
LED-SMCHR-R *	●

* Add -DP to the end of SKU for retail packaging



LED CUP HOLDER INSERT

- Add color to your cup holder
- Eliminates rattle when in motion

SKU	Color
LED-CHI-W	○
LED-CHI-B *	●
LED-CHI-R	●
LED-CHI-G	●
LED-CHI-RGB *	RGB

* Add -DP to the end of SKU for retail packaging




LED SPEAKER ACCENT RING

- Light up your boat speakers
- Ring contains 30 LEDs

5" Diameter	6.5" Diameter	Color
LED-SMSKR-5B *	LED-SMSKR-B *	●
	LED-SMSKR-R	●
	LED-SMSKR-RGB	RGB

BLUEWATERLED®

LIGHT KITS



FRONT & REAR DECK KIT

LEDBW-98-4-"X"

- (2) 18 LED/12" Light Strips
- (2) 12 LED/8" Light Strips



FRONT DECK KIT

LEDBW-98-1-"X"


- (2) 18 LED/12" Light Strips



ULTIMATE DECK KIT

LEDBW-107-"X"

- (8) 30 LED/20" Light Strips
- (1) Dimmer Control



COMPARTMENT BOAT KIT

LEDBW-105-"X"

- (2) 30 LED/20" Light Strips for Rod Lockers
- (4) 15 LED/10" Light Strips for Compartments
- (2) 4 LED Submersible for Livewells
- (1) 4 LED Submersible for Cooler



PRO BOAT KIT

LEDBW-120-"X"

- (2) 30 LED/20" Light Strips for Rod Lockers
- (1) 30 LED/20" Light Strips for Battery Locker
- (4) 15 LED/10" Light Strips for Compartments
- (2) 18 LED/12" Light Strips for Front Deck
- (2) 12 LED/8" Light Strips for Rear Deck
- (2) 4 LED Submersible for Livewells
- (1) 4 LED Submersible for Cooler



TOTAL BOAT KIT

LEDBW-107-2-"X"

- (2) 30 LED/20" Light Strips for Rod Lockers
- (1) 30 LED/20" Light Strips for Battery Locker
- (4) 15 LED/10" Light Strips for Compartments
- (2) 18 LED/12" Light Strips for Front Deck
- (2) 12 LED/8" Light Strips for Rear Deck
- (2) 4 LED Submersible for Livewells
- (1) 4 LED Submersible for Cooler
- (2) 60 LED/40" Light Strips for Trailer Lighting



NIGHT BLASTER DECK KIT

LEDBW-106-"X"

- (2) 30 LED/20" Light Strips
- (4) 15 LED/10" Light Strips
- (1) Waterproof Push-Button Switch



EXTREME PRO X6 DECK KIT

LEDBW-80-2-"X"

- (6) Extreme Pro Deck Lights



EXTREME PRO X2 DECK KIT

LEDBW-81-"X"

- (2) Extreme Pro Deck Lights



ROD LOCKER KIT

LEDBW-108-"X"

- (2) 30 LED/20" Light Strips for Rod Lockers



ELITE LID KIT

LEDBW-109-"X"

- (2) 60 LED/40" Light Strips for Trailer Lighting
- (2) Surface Mount Push-Button Switches



ELITE LID LIGHT

LEDBW-109-1-"X"

- (1) 60 LED/40" Light Strips
- (1) Surface Mount Push-Button Switch



EXTREME PRO DECK LIGHT

LEDBW-82-2-"X"

- (1) Extreme Pro Deck Light



EXTREME PRO X2 MOTORGLOW

LEDBW-81-2-"X"

- (2) Extreme Pro Deck Lights



SMALL SPACE LIGHT PAIR

LEDBW-403-"X"

- (2) Tri-Beam with 3M™ Industrial Waterproof Adhesive Backing



LIVWELL/COOLER LIGHT PAIR

LEDBW-402-"X"

- (2) Quad-Beam with 3M™ Industrial Waterproof Adhesive Backing



BOW LIGHTING KIT

LEDBW-100-"X"

- (1) 15 LED/10" Red Light Strip
- (1) 15 LED/10" Green Light Strip
- Male Connectors & T-Tap Connectors



HIGH OUTPUT BLACKLIGHT KIT

LEDBW-101-UV *

- (2) 60 LED/40" High Output UV Light Strips
- (1) Mini-Rocker on/off Power Switch
- (1) 10'-18/2 Gauge Installation Wire
- Male Connectors & T-Tap Connectors



TRAILER KIT

LEDBW-111-"X"

- (2) 60 LED/40" Light Strips
- Male Connectors & T-Tap Connectors
- Submersible



PRO TRAILER KIT

LEDBW-111-1-"X"

- (2) 60 LED/40" Light Strips
- (1) Waterproof Push-Button Switch
- Male Connectors & T-Tap Connectors
- 20' of wire
- Submersible



ULTIMATE TRAILER KIT

LEDBW-110-"X"

- (4) 60 LED/40" Light Strips
- (2) 30 LED/20" Light Strips
- (1) Waterproof Push-Button Switch
- 40' of wire
- Submersible



AMBER
-A-



BLUE
-B-



GREEN
-G-



ORANGE
-O-



RED
-R-



WHITE
-W-

Replace "X" with color code above. See website or call for different color combinations and their part numbers.

* Add -DP to the end of SKU for retail packaging



TRAILER CUTOUT STEP LIGHT

LEDBW-113-"X"

- (2) 30 LED/20" Light Strips
- Male Connectors & T-Tap Connectors



POWER POLE LIGHTING KIT

LEDBW-121-"X"

- (2) 45 LED/30" Light Strips
- (1) Waterproof Push-Button Switch
- Male Connectors & T-Tap Connectors
- 10' of 18/2 wire



UNDERWATER LIGHT

LEDBW-700-2-"X"

Dimensions: 3.65" round x .75" thick
60W // IP Rating: IP68 // Stainless Steel



LOW IMPACT BLACKLIGHT KIT

LEDBW-103-UV

- (2) 60 LED/40" Low Output UV Light Strips
- (1) Mini-Rocker on/off Power Switch
- (1) 10'-18/2 gauge Installation Wire
- Male Connectors & T-Tap Connectors



HIGH OR LOW BLACKLIGHTS

LEDBW-102-UV *

LEDBW-104-UV *


- (1) 60 LED/40" High or Low Output UV Light Strip



TRAILER REVERSE LIGHT STRIPS

LEDBW-112-W *


- (2) 30 LED/20" Light Strips
- Male Connectors & T-Tap Connectors



CENTER CONSOLE KIT

LEDBW-152-"X"


- (4) Tri-Beam with 3M™ Adhesive Backing
- (1) Waterproof Switch



DELUXE SALT WTR DECK KIT

LEDBW-151-"X"

- (6) 60 LED/40" Light Strips
- (1) Dimmer Control



SALT WTR DECK KIT

LEDBW-150-"X"

- (4) 60 LED/40" Light Strips
- (1) Dimmer Control



CYBERLITE LIGHTING SYSTEM
1,100 Lumens / 12W
IP 68 / 9-32V DC / 3.25" x 3.5"

SKU	Description
LEDBW-901-2-BLK	Black Spot
LEDBW-901-2-BLK-FLD	Black Flood
LEDBW-901-2-W	White Spot
LEDBW-901-2-W-FLD	White Flood



CYBER 400S LIGHTING SYSTEM
4,100 Lumens / 30° High Intensity Hybrid Beam
IP 68 / 9-32V DC / 3.2" x 3.8" / 40W

SKU	Description
LEDBW-908-2-B *	Blue
LEDBW-908-2-BLK	Black
LEDBW-908-2-GLD	Gold
LEDBW-908-2-R	Red
LEDBW-908-2-SVR	Silver

* Add -DP to the end of SKU for retail packaging



CYBER HP7
Lightbar / 2,590 Lumens / 30W
IP 68 / 9-32V DC / 7.3" x 3" x 1.75

SKU	Description
LEDBW-HP-7-BLK	Black
LEDBW-HP-7-CAMO	Camo
LEDBW-HP-7-W	White



CYBER HP10
Lightbar / 4,300 Lumens / 50W
IP 68 / 9-32V DC / 10.5" x 3" x 1.75

SKU	Description
LEDBW-HP-10-BLK	Black
LEDBW-HP-10-CAMO	Camo
LEDBW-HP-10-W	White



CYBER HP13
Lightbar / 5,160 Lumens / 60W
IP 68 / 9-32V DC / 13" x 3" x 1.75

SKU	Description
LEDBW-HP-13-BLK	Black
LEDBW-HP-13-CAMO	Camo
LEDBW-HP-13-W	White



CYBER HP20
Lightbar / 5,160 Lumens / 60W
IP 68 / 9-32V DC / 19" x 3" x 1.75

SKU	Description
LEDBW-HP-20-BLK	Black
LEDBW-HP-20-CAMO	Camo
LEDBW-HP-20-W	White



CYBER HP25
Lightbar / 9,600 Lumens / 120W
IP 68 / 9-32V DC / 25" x 3" x 1.75

SKU	Description
LEDBW-HP-25-BLK	Black
LEDBW-HP-25-CAMO	Camo
LEDBW-HP-25-W	White



CYBER HP30
Lightbar / 12,000 Lumens / 150W
IP 68 / 9-32V DC / 31" x 3" x 1.75

SKU	Description
LEDBW-HP-30-BLK	Black
LEDBW-HP-30-CAMO	Camo
LEDBW-HP-30-W	White




CYBER HP40
Lightbar / 13,500 Lumens / 180W
IP 68 / 9-32V DC / 37" x 3" x 1.75

SKU	Description
LEDBW-HP-40-BLK	Black
LEDBW-HP-40-CAMO	Camo
LEDBW-HP-40-W	White



CYBER ANGLE MOUNTING BRACKETS
1.5" / 1.625" / 1.75" / 2" / 2.25" / 2.5" / 3"

LEDBW-917-BAM-S (single)
LEDBW-917-BAM-P (pair)



UNDERCARRIAGE LIGHTING

LEDBW-303-"X"

- (2) 60 LED/40" Light Strips
- (1) 30 LED/20" Light Strips
- (1) Surface Mount Push-Button
- (1) Fuse Holder with 3 amp fuse
- 20' of installation wire



TONNEAU COVER LIGHTING

LEDBW-605-"X"

- (1) Powder-Coated Steel Tonneau Cover Bracket with attached 60 LED/40" Light Strip
- T-tap Connectors
- 10' of Positive/Negative Wire



TRUCK BED LIGHTING

LEDBW-601-"X"

- (2) 30 LED/20" Light Strips
- (1) Waterproof Push-Button Switch
- Mounting Bases & Cable Ties
- T-tap & Male Connectors
- 10' of Positive/Negative Wire



EXTREME TRUCK BED LIGHTING

LEDBW-602-"X"

- (3) 30 LED/20" Light Strips
- (1) Waterproof Push-Button Switch
- Mounting Bases & Cable Ties
- T-tap & Male Connectors
- 10' of Positive/Negative Wire



TRUCK BED BLASTER

LEDBW-603-"X"

- (2) 60 LED/40" Light Strips
- (1) Waterproof Push-Button Switch
- Mounting Bases & Cable Ties
- T-tap & Male Connectors
- 10' of Positive/Negative Wire



TRUCK TOPPER LIGHTING

LEDBW-604-"X"

- (1) 60 LED/40" Light Strips
- (1) Waterproof Push-Button Switch
- Mounting Bases & Cable Ties
- T-tap & Male Connectors
- 10' of Positive/Negative Wire



**STANDARD
UTILITY TRAILER LIGHTING**

LEDBW-122-"X"

- (8) 12 LED/8" Light Strips
- (1) Waterproof Push-Button Switch



**PREMIUM
UTILITY TRAILER LIGHTING**

LEDBW-123-"X"

- (8) 15 LED/10" Light Strips
- (1) Waterproof Push-Button Switch



**EXTREME
UTILITY TRAILER LIGHTING**

LEDBW-171-"X"

- (6) 15 LED/10" Light Strips (for sides)
- (2) 15 LED/10" Light Strips (for front)
- (6) 30 LED/20" Light Strips
- (1) Waterproof Push-Button Switch



AMBER
-A-



BLUE
-B-



GREEN
-G-



ORANGE
-O-



RED
-R-



WHITE
-W-

Replace "X" with color code above. See website or call for different color combinations and their part numbers.



MOTORCYCLE LIGHTING

LEDBW-301-"X"

- (2) 12 LED/8" Light Strips
- (4) 9 LED/6" Light Strips
- 20' of Installation Wire & Ties



**EXTREME
MOTORCYCLE LIGHTING**

LEDBW-302-"X"

- (2) 15 LED/10" Light Strips
- (2) 12 LED/8" Light Strips
- (6) 9 LED/6" Light Strips
- 20' of Installation Wire & Ties



**STANDARD
KAYAK LIGHTING**

LEDBW-400-2-"X"

- (6) 12 LED/8" Light Strips
- (1) Waterproof Push Button Switch



**PREMIUM
KAYAK LIGHTING**

LEDBW-106-2-"X"

- (4) 15 LED/10" Light Strips
- (2) 30 LED/20" Light Strips
- (1) Waterproof Push Button Switch



**EXTREME
KAYAK LIGHTING**

LEDBW-401-"X"

- (2) 60 LED/40" High Output UV Lights
- (1) Red/Green Bow Strips
- (2) 15 LED/10" Light Strips
- (2) Green Small-Space Lights
- (1) 10' Wire with T-taps and Male Connectors



**STANDARD
STAR BUS LIGHTING**

LEDBW-1000-"X"

- (4) 10' Light Strips
- (5) Tri-Beam Pairs



**DELUXE
STAR BUS LIGHTING**

LEDBW-1001-"X"

- (4) 10' Light Strips
- (5) Tri-Beam Pairs
- (2) 30 LED/20" Light Strips
- (1) W60 LED/40" Light Strips



**STAR BUS
AWNING LIGHTING**

LEDBW-1002-"X"

- (4) 235" Light Strips with 3M™ Industrial Waterproof Adhesive Backing



**STANDARD
GOLF CART KIT**

LEDBW-600-"X"


- (4) 15 LED/10" Light Strips
- (1) Waterproof Push Button Switch
- T-taps and Male Connectors



HOUSEBOAT PATIO LIGHTING

LEDBW-353-"X"

- (2) 10' Light Strips
- (1) Dimmer Control



HOUSEBOAT PATIO PLUS

LEDBW-354-"X"

- (3) 10' Light Strips
- (1) Dimmer Control



**HOUSEBOAT PARTY TOP
DECK LIGHTING**

LEDBW-355-"X"

- (5) 10' Light Strips
- (1) Dimmer Control



**PONTOON INTERIOR
DECK LIGHTING**

LEDBW-352-"X"

- (2) 60 LED/40" Light Strips
- (4) 30 LED/20" Light Strips
- (1) Dimmer Control



**PONTOON BOAT
FLOOR LIGHTING**

LEDBW-350-"X"

- (8) 30 LED/20" Light Strips
- (1) Mini-Rocker Switch
- 20' of 18/2 (Pos/Neg) Installation Wire
- Inline Fuse Holder with 3 Amp Fuse



**PONTOON AWNING
LIGHTING**

LEDBW-351-"X"

- (2) 30 LED/20" Light Strips



**ENCLOSED
TRAILER LIGHTING**

LEDBW-160 *

- (4) 30 LED/20" Light Strips
- (1) Waterproof Push Button Switch

* Add -DP to the end of SKU for retail packaging



**OVERLAND
TRAILER LIGHTING**

LEDBW-175-2-"X"

- (6) 15 LED/10" Light Strips
- (2) Waterproof Push Button Switch



**UTILITY TRUCK
LIGHTING
4 TOOL BOXES**

LEDBW-508-"X"

- (4) 15 LED/10" Light Strips
- (2) Waterproof Push Button Switch
- (1) 25' of Wire



**UTILITY TRUCK
LIGHTING
6 TOOL BOXES**

LEDBW-506-"X"

- (4) 15 LED/10" Light Strips
- (2) 30 LED/20" Light Strips
- (2) Waterproof Push Button Switch
- (1) 25' of Wire



**UTILITY TRUCK
LIGHTING
8 TOOL BOXES**

LEDBW-308-"X"

- (6) 15 LED/10" Light Strips
- (2) 30 LED/20" Light Strips
- (2) Waterproof Push Button Switch
- (1) 25' of Wire





INDIVIDUAL LIGHT STRIPS



SKU	Description
LEDBW-118-"X"	12 LED/8" Light Strips
LEDBW-114-"X"	15 LED/10" Light Strips
LEDBW-115-"X"	18 LED/12" Light Strips
LEDBW-116-"X"	30 LED/20" Light Strips
LEDBW-117-"X"	60 LED/40" Light Strips

Custom length available: CL-LED



INSTALLATION KIT

LEDBW-501 *

- (20) T-Tap Connectors
- (20) Male Plug-Ins
- (10) Mounting Bases
- (10) Cable Ties
- (1) 20' +/- Wire

* Add -DP to the end of SKU for retail packaging



DIMMER ON/OFF CONTROL

LEDBW-200-2 *

Waterproof / 12 Volts DC / Up to 5 amps



PUSH BUTTON SWITCH

LEDBW-203 *

3M™ Industrial Waterproof Adhesive Backing



MINI ROCKER ON/OFF SWITCH

LEDBW-202 *

Simple to Install / Plug-In Style Rear Connection
13/16" Diameter Mounting Hole
Female Plug-In Connectors Included



QUICK WIRE SPLICE
(10 PACK)

LEDBW-502 *

Wire splice for 22/18 Gauge Wire makes wire splicing a quick and easy process.



T-TAP & MALE CONNECTORS

LEDBW-503 *

10 Pack

LEDBW-504 *

100 Pack



MALE CONNECTOR
(100 PACK)

LEDBW-505



LED CONNECTION WIRE

LEDBW-506

18/2 Shielded (25 feet)



INLINE FUSE HOLDER

LEDBW-500 *

3 amp fuse included



CYBER WIRING HARNESS/SWITCH

LEDBW-915

Single

LEDBW-916 *

Dual


PLUMBING



PRO-AIR SYSTEM® LIVEWELL AERATION

- Dual Outlets Can Aerate Two Livewells at Once
- 12 Volt DC Pump
- Fine Mesh Screen or Air Stones
- Pump Capacity - Approx. 30 Gals

SKU	Description
PAS-1	Complete Kit - With Air Stones
PAS-2	PAS-1 - No Switch
PAP-1	Pump Only
T-1	System Tubing - 500' Roll - 1/8"



EZ-PUMP™

- UV Stable and Poly Material
- Easy Installation - No Drilling or Running Hoses
- Prevents Livewell System Air Lock

SKU	Length	Intake	Size	Color
EZ-BLK-1 *	4-3/4"	1" to 3-1/2"	Long	Black
EZ-WHT-1 *	4-3/4"	1" to 3-1/2"	Long	White
EZ-SND-1	4-3/4"	1" to 3-1/2"	Long	Sand
EZ-BLK-2 *	3-3/8"	1" to 2-1/2"	Medium	Black
EZ-WHT-2 *	3-3/8"	1" to 2-1/2"	Medium	White

* Add -DP to the end of SKU for retail packaging



MAX-AIR® LIVEWELL VENTURI

- Injects Air into Livewell
- Fits 3/4" Hose

SKU	Description
MAV-2	MAX-AIR® Venturi Fitting Only
MAV-2K	MAX-AIR® Venturi Kit with Face Plate
MAV-2KT *	MAX-AIR® Venturi with Face Plate and 6' Tubing
MAV-FACEPLATE	Replacement Face Plate

* Add -DP to the end of SKU for retail packaging




BAIT TANK PLUMBING KIT

- Complete Kit for Plumbing Fixed or Portable Tanks
- Detailed Installation Instructions Included
- Kit Contains:
 - ODT-190 90° Overflow Drain Tube, 12"
 - TH-1202-B 1-1/8" Thru-Hull Drain Fitting
 - AHV-2 Aerator Spray Head for Current
 - TEE-3/4 Tee Fitting to Connect Both Heads to Pump

SKU	Description
BWK-2 *	Complete Baitwell Kit


* Add -DP to the end of SKU for retail packaging



WATER SCOOP

- Provides Fresh Water to Livewells While Underway
- Pressure Relief Holes Prevent Overpowering Pumps
- Can Be Used with Standard Aerator Pump

SKU	Description
WS-1	Water Scoop



AERATOR PUMP BRACKET

- Molded Aerator Pump Support
- 1-1/8" Pump Mounting Hole

SKU	Description
PB-90	Right Angle Bracket



AUTOMATIC AERATOR CONTROL

- Fully Adjustable Timer
- 10 Amp, Fully Waterproof
- Requires 3" Round or 2-1/2" Square Hole
- Auto Spray (On) Time ~ 45 Seconds
- Auto Delay (Off) Time ~ 45 Seconds (min) - 5-1/2 min (max)

SKU	Description
AAC-1 *	Automatic Aerator Control

* Add -DP to the end of SKU for retail packaging



AERATOR SPRAY HEAD/ WASH DOWN COMBO

- Adapts from hose fitting to spray head
- Multi-Directional
- Manual Shut-Off Valve

SKU	Description
AHVWD-90 *	Black
AHVWD-92 *	White



WDV-1

WASH DOWN FITTINGS

- Injection Molded - Rust Proof
- Standard Garden Hose Threads
- Protective Cap with Retainer
- Flange is 2-1/4” dia. Fits 1-1/4” Hole
- Fits 3/4” Hose

SKU	Fits	Color
WDV-1 *	Straight with Shut-off Valve	Black
WDV-1CP *	Straight with Shut-off Valve	Chrome
WDV-90 *	90 Degree with Shut-off Valve	Black
WD-1	Straight without Shut -off Valve	Black
WD-1CP	Straight without Shut-off Valve	Chrome

* Add -DP to the end of SKU for retail packaging



CHROME PLATED FITTING

- Strong Plating Process Strengthens Parts
- For Above Waterline Use

Straight	90 Degree	Extended Length	Description	Hose Size
TH-750CP *	TH-7590CP *		Thru-Hull	3/4”
TH-1200CP *	TH-1290CP *	TH-1200XLCP *	Thru-Hull	1-1/8”
	TH-1890CP *		Thru-Hull Short	1-1/8”
TH-1500CP *	TH-1590CP	TH-1500XLCP *	Thru-Hull	1-1/2”
RFTH-2BCP *			Scupper Thru Hull	1-1/2”
RF-1CP			Rigging Flange	

* Add -DP to the end of SKU for retail packaging



DAHI-118

DIRECTIONAL FLOW AERATOR HEADS

- Creates Circular Current
- Max Wall Thickness - 5/8”

SKU	Description	Hose Dia
DAH-90	Directional Flow Head, 90 Degrees	3/4”
DAH-45	Directional Flow Head, 45 Degrees	3/4”
DAHI-118	Adjustable Flow Head	
DAHIK-118 *	Adjustable Flow Head with Fitting	1-1/8”
DAHIK-750 *	Adjustable Flow Head with Fitting	3/4”
APD-190FT	Fitting for DAHI-118	3/4”
TH-1890T *	Fitting for DAHI-118	1-1/8”

* Add -DP to the end of SKU for retail packaging



AHV-92



AHV-90

AERATOR SPRAY HEADS

SKU	Description	Shut-Off	Barb	Hole Size	Thread Length
AH-90	Double Nut - Black	No	3/4”	1-1/16	5/8”
AH-92	Fixed Flange - White	No	3/4”	1-1/16	5/8”
AHV-1 *	Fixed Flange - Black	Yes	3/4”	1-1/16	5/8”
AHV-90 *	Adjustable Flow/ Valve - Black	Yes	3/4”	1-1/16	3/4”
AHV-92 *	Adjustable Flow/ Valve - White	Yes	3/4”	1-1/16	5/8”

* Add -DP to the end of SKU for retail packaging



TH-DFR-1292



TH-DFR-7592

DIRECTIONAL LIVEWELL FILL FITTING


- Provides Directional Current
- 90 Degree Design
- Allows Full Flow from Pump

SKU	Description
TH-DFR-1292	1/8” Barb - White
TH-DFR-7592	3/4” Barb - White



COCKPIT DRAINS

- Tapered or Flat Head Designs
- Flush Fit Drop-in Screens
- 90 Degree & White Only



SKU	Style	Head	A	B	C	D
TH-1992	Open Drain	Tapered	1-1/2”	2-3/8”	3”	1”
TH-1992S	Removable Screen	Tapered	1-1/2”	2-3/8”	3”	1”
TH-1992BH	Drain No Screen	Flat	1-1/2”	2-3/8”	3”	1”
TH-1992BHS	Drain No Screen	Flat	1-1/2”	2-3/8”	3”	1”
TH-1992R	Debris Bar Insert	Tapered	1-1/2”	2-3/8”	3”	1”
TH-1992FH	Open Drain	Flat	1-1/2”	2-3/8”	3”	1”
TH-1992FHS	Removable Screen	Flat	1-1/2”	2-3/8”	3”	1”
TH-1992FHR	Debris Bar Insert	Flat	1-1/2”	2-3/8”	3”	1”



DECK DRAIN THRU-HULLS WITH GRILLE

SKU	Description
TH-1502G-B	Straight - White
TH-1592G-B	90 Degree - White
FG-150	Grill for 1-1/2" Thru Hull



FLOW-MAX® BALL SCUPPERS

- Twist-Off Feature for Clearing Debris
- Retrofits all Hole Patterns
- Stainless Steel Lock for Safety
- Seal Slotted to fit Over 1-1/4" Motorwell Tube

SKU	Description	Size
FMS-1-0 *	FLOW-MAX® Ball Scupper - Clear	3" dia. x 2-1/2" H

* Add -DP to the end of SKU for retail packaging



COCKPIT SCUPPER DRAINS

- Check Ball Inside Prevents Water Backup
- Top Screen Removable for Cleaning

SKU	Description	Color	Hose Dia
CSD-92 *	90 Degree Outlet	White	1-1/2"
CSD-92WO	90 Degree Outlet w/o Check Ball	White	1-1/2"
CSD-90	90 Degree Outlet	Oyster	1-1/2"

* Add -DP to the end of SKU for retail packaging



INLINE SCUPPER

- Prevents Backwash
- Chemical Resistant

SKU	Description	Hose Size
ILS-750 *	Double Barb Inline Scupper - Black	3/4"
ILS-1200 *	Double Barb Inline Scupper - Black	1-1/8"
ILS-1500 *	Double Barb Inline Scupper - Black	1-1/2"

* Add -DP to the end of SKU for retail packaging




LARGE RECTANGULAR SCUPPER

- Quickly Drains Decks
- For Decks Above Waterline
- Maximum Drainage for Larger Boats
- Easily Clears Debris

SKU	Description	Dimensions
LRS-2 *	Regular Scupper - White	2" x 5-1/2"

* Add -DP to the end of SKU for retail packaging



DUCKBILL SCUPPERS

- Tough Thermoplastic Flapper
- Seals Tight Under Water Pressure
- Easy to Install Over Drain Tubes
- 1-13/16" ID and 2-3/4" OD

SKU	Description
DBS-2B *	Duckbill - Black/White

* Add -DP to the end of SKU for retail packaging



FLUSH MOUNT SCUPPER ADAPTERS

- Mounts Over 1" to 1-1/4" Drain Tubes
- Grooved Inside to Fit Over Drain Flange

SKU	Color
SA-1 *	Black/Black Flapper
SA-2 *	White/White Flapper
SA-2B *	White/Black Flapper
SA-3	Sand/Sand Flapper



ANGLED SCUPPER VALVE

- 316 Cast Stainless Steel and Nylon Versions
- TPR Flapper
- Angled design keeps the flapper closed
- Mounts over existing Transom Thru Hulls

SKU	Description
ASA-1	Black nylon ring w/ black flapper
ASA-2	White nylon ring w/ white flapper
ASA-1SS	Stainless steel ring w/ black flapper



PUSH-TOGETHER SCUPPERS

- Mating Rib Design Snaps Together
- Outside Flange Diameter 2-15/16"
- Install in 1-7/8"

SKU	Description	Hull Thickness	Color
RFS-1	Push-Together Scupper	1-1/2" to 3-5/8"	Black
RFS-2 *	Push-Together Scupper	1-1/2" to 3-5/8"	White

* Add -DP to the end of SKU for retail packaging



RECESSED THREADED THRU-HULL SCUPPERS

- Fits Hulls Up to 3-1/2” Thick (XS Models Fit 1-3/8” Hulls)

SKU	Description	Color
RFTH-2B *	Fits 1-1/2” or 2” Hose	White/Black Flapper
RFTH-2BCP	Fits 1-1/2” or 2” Hose	Chrome/Black Flapper
RFTH-1XS	Fits 1-1/2” or 2” Hose	Black Short Thread
RFTH-2XS	Fits 1-1/2” or 2” Hose	White Short Thread

* Add -DP to the end of SKU for retail packaging



FLEX FLANGE THRU-HULL DRAIN

- Unique Flexible Flange
- 1-1/2” Hose Barb
- Easily Connects to Scuppers

SKU	Description
TH-1502FF *	Flex Flange Drain 1-1/2”

* Add -DP to the end of SKU for retail packaging



SPLASH WELL DRAINS

- Push Together for Secure Fit
- Flexible to Prevent Breakage

Black	White	Fish White	Chrome	Max Thickness	Hole
SWD-1 *	SWD-1W *			1-7/8” to 3-1/8”	1”
SWD-3	SWD-3W *		SWD-3WCP *	2-3/4” to 4-1/2”	1-1/4”
			SWD-4WCP	1/2” to 3”	1-1/4”
SWD-5	SWD-5FW			2-3/4” to 12”	1-1/4”

* Add -DP to the end of SKU for retail packaging



ALL PURPOSE DRAINS/ HATCH DRAINS

- Low Profile Flat or Concave Head for Complete Drainage
- Requires 1-3/8” Hole

Black	White	Description	A	B	C	D
APD-1 *	APD-2 *	Straight - Concave	1-3/4”		3/4”	2”
APD-1F		Straight - Flat	1-3/4”		3/4”	2”
APD-190 *	APD-290 *	90° - Concave	1-3/4”	1/2”	3/4”	2”
APD-190F	APD-290F *	90° - Flat	1-7/8”	7/8”	3/4”	2.25”
APD-118		Straight - Concave	1-3/4”		1-1/8”	2”
PP-118		Plug for All Parts Above				

* Add -DP to the end of SKU for retail packaging



IMPACT & PUSH-IN DRAINS

- Low Profile Head for Complete Drainage
- Easily Push Into Place

SKU	Description	Dia	Length	Color
PD-1	Push-In Drain	3/8”	1-1/16”	Black
PD-2	Push-In Drain	3/8”	1-1/16”	White
IPD-580	Impact-Drain	5/8”	1/2”	Black
IPD-582	Impact-Drain	5/8”	1/2”	White
IPD-1000	Impact-Drain	1”	3/4”	Black
IPD-1000-5	Impact-Drain	1”	5-1/8”	Black
IPD-1002	Impact-Drain	1”	3/4”	White
DBAS-1W	Push-In Drain	3/8”	1-1/2”	White
DBBS-1G	Push-In Drain	3/8”	1-1/2”	Gray



SEAT PEDESTAL DRAINS

- Marine Grade Vinyl - Slide On
- Requires 1/4” Tubing

SKU	Description	Fits
SPD-1	Seat Pedestal Drain	1-1/4” Pedestal



FLOOR DRAIN LID PULLS

- Combination Drain with Lid Pull
- 5-1/4” Dia - Fits 3-3/4” Hole
- Perfect for Ski Lockers & Hatches

SKU	Description
FDP-4WS	Floor Drain/Pull - Off White, Sand



FLOOR DRAINS

- Drain with Flange for Secure Fit

Black	White	OD Dia	Cut Out
FD-2 *	FD-2W *	4-1/8”	2-1/4”
FD-4 *	FD-4W *	5-1/4”	3-3/4”

* Add -DP to the end of SKU for retail packaging



LOUVERED VENT COVERS

SKU	Outside Dia	Cut Out	Color
LV-1 *	5-1/4"	3-3/4"	Black
LV-1FW *	5-1/4"	3-3/4"	White

* Add -DP to the end of SKU for retail packaging



OVERFLOW DRAINS WITH FILTER

- Filter Prevents Baitfish or Debris from Passing Thru
- Thru-Hull Style Overflow - Fits 1-1/2" Hose

SKU	Description
TH-1502F-B	Overflow Drain - Straight, White
TH-1592F-B	Overflow Drain - 90 Degree, White
FF-150	Overflow Drain - Filter Only



PUSH-IN PLUG FOR DRAINS

- Stops Water in Livewell or Baitwell Drains
- Double rings for Positive Seal
- Marine Grade Molded Vinyl

SKU	Description
PP-150 *	Push-In Plug for 1-1/2" Thru-Hull Drains
PP-118	Push-In Plug for 1-1/8" Thru-Hull and All Purpose Drains
PP-125	Push-In Plug for 1-1/4" Thru-Hull Drains

* Add -DP to the end of SKU for retail packaging



DRAIN PLUGS

- Screw-In Plug - Stays Attached
- Tough Nylon Material - "O" Ring Seal
- Flange 1-1/2" x 2" - Fits 1" Hole

SKU	Description	Color
DP-1 *	Drain Plug	Black
DP-2 *	Drain Plug	White
DP-1FS	Drain Plug - Flexible Stem	Black

* Add -DP to the end of SKU for retail packaging



GARBOARD DRAIN PLUG & BASE

- 9/16" Plug, Fits 1" Hole
- Salt Water & UV Resistant

SKU	Description
GDP-1-CB *	Garboard Drain Plug & Base

* Add -DP to the end of SKU for retail packaging



AERATOR FILTER

- Protects Pumps From Debris
- Screws On Over Pump Intake Fitting
- Available with Snap-On Mount

SKU	Description	Fits Fittings
AF-1 *	Aerator Filter	3/4" or 1-1/8"

* Add -DP to the end of SKU for retail packaging



BAITWELL FILTER WITH MOUNT

- Fits Over Bait Well Drains
- Mounts Behind Drain Fitting

SKU	Description
BWF-1 *	Baitwell Filter - Fits 1-1/2" Thru-Hull

* Add -DP to the end of SKU for retail packaging



STAINLESS STEEL WIRE MESH STRAINERS

- Protects Pump from Debris or Bait Fish
- Formed Wire Mesh - Molded PVC Threaded Base

SKU	Description	Threads
AS-1 *	Aerator Pump Intake	3/4" - 14
AS-2 *	TH-1, 1XL, 90, 92 Thru-Hulls	1" - 8

* Add -DP to the end of SKU for retail packaging




MINIATURE STAINLESS AERATOR SCREEN

- Pushes Snug Into Thru-Hull Fittings
- For Recirculated Systems or Drains
- Easily Removed for Cleaning

SKU	Description
ASM-5 *	Fits 1-1/8" Thru-Hull Fittings & All APD's

* Add -DP to the end of SKU for retail packaging



THRU-HULL STRAINER MOUNTS

- Threaded to Fit AS-1 Stainless Screen
- Flange Allows Flush Fit - No Outside Nut
- Fits 3/4" Hose

SKU	Description	A	B
THSM-1 *	Fitting Mount	1-3/4"	4"
THSM-1XL	Long Fitting	3"	4-1/2"
THSM-1KIT *	Mount & Screen	1-3/4"	4"
AS-1	Screen Only		

* Add -DP to the end of SKU for retail packaging



OVERFLOW DRAIN TUBES

PUSH-IN TUBES

SKU	Description
ODT-1* *	Fits All T-H Marine 1-1/8” Thru Hulls - Straight - 12” L
ODT-190 *	Fits All T-H Marine 1-1/8” Thru Hulls - 90 Degree - 12” L
ODTS-1 *	Filter Screen for ODT-1 & ODT-190
ODT-2** *	Fits All T-H Marine 1-1/2” Thru Hulls - Straight - 18” L w/screen
ODT-290** *	Fits All T-H Marine 1-1/2” Thru Hulls - 90 Degree - 18” L w/ screen
ODTS-2 *	Filer Screen for ODT-2 & ODT-290

SCREW IN TUBES

SKU	Description
ODT-1-12TW*	Fits 1-1/8” Threaded Drain - Straight - 12” L
ODT-1-12GSTW *	Fits 1-1/8” Threaded Drain - with Top Screen Glued - 12” L
ODT-2T** *	Fits 1-1/2” Threaded Drain - with Screen - Straight - 18” L
ODT-2T-0.5MAV	1/2” Short Drain Tube - Drilled Cap - For pressurized live wells

*available in custom sizing up to 18” **available in custom sizing up to 24”

THREADED DRAINS

SKU	Description	Fitting
TH-1200T *	Thru-Hull Drain - 1-1/8” Barb	Straight
TH-1200XL *	Thru-Hull Drain - 1-1/8” Barb	Extra Log
TH-1290T *	Thru-Hull Drain - 1-1/8” Barb	90 Degrees
TH-1890T	Thru-Hull Drain - 1-1/8” Barb	Short 90 Degree
TH-1502T	Thru-Hull Drain - 1-1/2” Barb	Straight - White
TH-1592T	Thru-Hull Drain - 1-1/2” Barb	90 Degree - White

* Add -DP to the end of SKU for retail packaging



LIVEWELL OVERFLOW TUBE/
UTILITY STORAGE CLIPS

- Two sizes to fit 7/8” or 1-1/2” Tubes
- Mounts Anywhere - Holds Securely
- Holds Nav Light Poles, Overflow Tubes, Etc

SKU	Description	Fitting
ULC-1	Utility Storage Clips	ODT-1 or any 7/8” Tube
UC-1	Utility Storage Clips	ODT-2 or any 1-1/2” Tube
RUSC-1	Rubber Utility Storage Clips	ODT-1 or any 7/8” Tube



AERATOR FILTER DOMES

- Protects Pumps From Debris
- Twist-Off to Clean
- Mounts Behind Standard Thru-Hulls

SKU	Description	Hole ID	Application
AFD-2 *	Aerator Filter Dome	1”	3/4” Thru-Hull or Pump

* Add -DP to the end of SKU for retail packaging




CEACAP™ BULKHEAD
PASS THRU FITTING

- Watertight Seal for Cables, Tubing or Wires
- Self-Attaching - No hardware Needed
- Turn Down Washer Included

SKU	Slot Size	Hole Size	Flange Size	Color
TH-CC-1 *	1/4”	3/4”	1-1/4”	Black
TH-CC-2 *	1/4”	3/4”	1-1/4”	White
TH-CCL-1 *	9/32”	1”	1-1/2”	Black
TH-CCL-2 *	9/32”	1”	1-1/2”	White

* Add -DP to the end of SKU for retail packaging



OVERFLOW FITTINGS WITH FILTERS

- Prevents Drain Clogs
- Twist-Off to Clean
- Fits 1-1/2” ID Hose

SKU	Description	Size
TH-1500AFD	Overflow Fitting	Straight
TH-1500XSFAFD	Overflow Fitting	Straight Short
TH-1590AFD	Overflow Fitting	90 Degree
PP-150	Push Plug for Overflow	



THRU-HULL WASHER/GASKETS

- Water Tight Seals for Thru-Hulls
- Eliminates Need for Messy Sealant
- Gaskets Compress Flat/Almost Invisible

SKU	Description	Size
THW-750	Closed Cell Neoprene Foam	3/4”
THW-1200	Closed Cell Neoprene Foam	1-1/8”
THW-1500	Closed Cell Neoprene Foam	1-1/2”



THRU-HULL FITTINGS

- Sized to fit all marine hoses
- 90 degree features head & pass-around nut

STRAIGHT FITTING

Black	White	A	B	C	D	E
TH-650 *	TH-652 *	1-3/8"	3-3/8"	1-3/4"	5/8"	1"
TH-750 *	TH-752 *	1-3/8"	3-1/16"	1-3/4"	3/4"	1"
TH-1000	TH-1002 *	1-7/8"	3-1/2"	1-5/8"	1"	1-3/8"
TH-1200 *	TH-1202 *	1-7/8"	3-1/2"	1-3/4"	1-1/8"	1-3/8"
TH-1500 *	TH01502	2-7/8"	3-1/2"	1-5/8"	1-1/2"	2"
TH-1500XS	TH-1502XS *	2-7/8"	2-3/4"	1"	1-1/2"	2"
TH-750XL *	TH-752XL *	1-3/8"	4-1/2"	3"	3/4"	1"
TH-1200XL	TH-1202XL *	1-7/8"	5-3/8"	3-3/8"	1-1/8"	1-3/8"
TH-1500XL *	TH-1502XL *	2-7/8"	5-3/8"	1-3/4"	1-1/2"	2"

90 DEGREE FITTING

Black	White	A	B	C	D	E
TH-7590 *	TH-652	1-3/8"	2-1/2"	1"	3/4"	1"
TH-1290 *	TH-752	1-7/8"	3-1/2"	1-1/8"	1-1/8"	1-3/8"
TH-1890	TH-1002	1-7/8"	2-1/4"	3/4"	1-1/8"	1-3/8"
TH-1590 *	TH-1202	2-7/8"	4-1/4"	1-5/8"	1-1/2"	2"

* Add -DP to the end of SKU for retail packaging

STAINLESS STEEL CAP THRU-HULL FITTINGS

- Sized to fit all marine hoses
- 90 degree features head & pass-around nut



STRAIGHT FITTING

Stainless Steel	A	B	C	D	E
TH-650SSC	1.89"	3.4"	3.14"	5/8"	1.31"
TH-750SSC	1.89"	3.4"	3.14"	3/4"	1.31"
TH-1000SSC	1.89"	3.4"	3.14"	1"	1.31"
TH-1200SSC	1.89"	3.4"	3.14"	1-1/8"	1.31"
TH-1500SSC	2.36	4"	3.72"	1-1/2"	1.59"

90 DEGREE FITTING

Stainless Steel	A	B	C	D	E
TH-7590SSC	1.89"	3.4"	1.6"	5/8"	1.31"
TH-1090SSC	1.89"	3.5"	1.8"	3/4"	1.31"
TH-1290SSC-CP	1.89"	3.7"	1.8"	1"	1.31"
TH-1590SSC	1.89"	3.8"	1.8"	1-1/8"	1.31"
TH-6590SSC	1.89"	4.3"	1.8"	1-1/2"	1.59"



SEACOCK REMOTE OPERATION ARM


- Operate Seacock from Deck
- Stainless Steel Arm

Operation Arm

SKU	Length
SEACOCK-14	14"
SEACOCK-15.5	15.5"
SEACOCK-18.5	18.5"
SEACOCK-20	20"
SEACOCK-28	28"
SEACOCK-36	36"
SEACOCK-40	40"
SEACOCK-48	48"

Brackets

Bracket	Length	Description
SCB-118	11.75"	Single 1" Hole, 3 Mnt. Holes
SCB-237	6.75"	Single Bracket
SCB-527	4"	Single Bracket
SCB-528	6.25"	Bracket -Dual Hole
SCB-535	8.5"	Bracket -Dual Hole
SCB-555	8.75"	Bracket -Dual Hole
SCB-660	23.25"	Bracket -Dual Hole
SCBG-1	1" Round Rubber Grommet 3/4" Inside Dia	




APD-190F & APD-290F

- Flat Head
- Total Drainage
- Requires No Sump




TH-7590S & TH-1292S

- Spanner Head
- Low Clearance




TH-90 & TH-92

- Double Nut
- 90 Degree



TH-1XL-B

- Fixed Flange
- Outside Nut



TH-90XL-B

- Fixed Flange
- 90 Degree



TH-3S

- Flat Head
- Total Drainage
- Requires No Sump



TH-1502S2



TH-1502S2N

- Tight Clearance
- Two Piece Fitting
- With or w/o Jam Nut



PLUMBING FITTINGS

SKU	Description	Color	Hose ID	Threads
FA-3/4	Female Adapter - Straight	Gray	3/4”	3/4” - 14
FA-90	Female Adapter - 90 Degree	White	3/4”	3/4” - 14



90 DEGREE ELBOWS

SKU	Hose ID
ELL-3/8	3/8”
ELL- 3/4	3/4”
ELL-118 *	1-1/8”
ELL-112	1-1/2”

* Add -DP to the end of SKU for retail packaging



TEE-REDUCING

SKU	Color	A	B	C
TEE-150 *	Black	1-1/2”	3/4”	1-1/2”
TEE-250 *	Black	1-1/8”	3/4”	1-1/8”
TEE-350 *	Black	1-1/2”	1-1/8”	1-1/2”

* Add -DP to the end of SKU for retail packaging



TEES

SKU	Description	Hose ID	Color
TEE-3/8	TEE - 3 way	3/8”	Black
TEE-5/8	TEE - 3 way	5/8”	Black
TEE-3/4	TEE - 3 way	3/4”	Black
TEE-118 *	TEE - 3 way	1-1/8”	Black
TEE-112 *	TEE - 3 way	1-1/2”	Black

* Add -DP to the end of SKU for retail packaging



Y-FITTING

SKU	Size	Color
Y-118	Y - Fitting - 3 way - 1/1” Hose	Black
Y-750	Y - Fitting - 3 way - 3/4” Hose	Black
Y-112	Y - Fitting - 3 way - 1-1/2” Hose	Black



“T” FITTINGS

SKU	Description
MS-3TT34	“T” Fitting - 3 way 3/4” FNPT
MS-3TT100	“T” Fitting - 3 way 1” FNPT
MS-3TT112	“T” Fitting - 3 way 1-1/2” FNPT



ADAPTER FITTINGS

- Converts from Pipe Threads to Hose Barbs
- Tough Glass Filler Polymers

SKU	Description
MS-3A100	Adapter Fitting - 1” MPT to 1” Barb
MS-3A112	Adapter Fitting - 1-1/2” MPT to 1-1/2” Barb
MS-3A34	Adapter Fitting - 3/4” MPT x 3/4” Barb
MS-FPT38	Straight drain fitting, 3/8” hose barb fits T-H stainless steel cup holders



NIPPLE FITTINGS

- Connects Sea Cocks to Manifolds
- Male National Pipe Threads on Each End

SKU	Description
MS-3M100	Nipple Fitting - 1” MPT to 1” MPT



90 DEGREE ELBOW FITTINGS

SKU	Description
MS-3EL1234	Elbow Fitting - 1/2” MPT to 3/4” Hose Barb
MS-3EL34	Elbow Fitting - 3/4” MPT to 3/4” Hose Barb
MS-3EL100	Elbow Fitting - 1” MPT to 1” Hose Barb
MS-3EL112	Elbow Fitting - 1-1/2” MPT to 1-1/2” Hose Barb



WDN-1



WDN-2

WASH DOWN STATION & HOSE

- 1/2" Coiled poly hose
- UV & Chemical Resistant
- Non-Corrosive hose fittings & nozzle
- Station includes storage tube & screw-out cover

SKU	Description
WDSB-"X"-."Y"	Wash Down Station w/15' Blue Hose & Choice of Color & Nozzle
WDSW-"X"-."Y"	Wash Down Station w/15' White Hose & Choice of Color & Nozzle
WDH-15B-"Y"	Wash Down Hose Only - 15' Blue Hose & Choice of Nozzle
WDH-25B-"Y"	Wash Down Hose Only - 25' Blue Hose & Choice of Nozzle
WDH-15W-"Y"	Wash Down Hose Only - 15' White Hose & Choice of Nozzle
WDH-25W-"Y"	Wash Down Hose Only - 25' White Hose & Choice of Nozzle
WDN-1 *	Nozzle Only - Pistol Grip Style
WDN-2	Nozzle Only - Straight Style
WDHBR-15B-B *	Wash Down Hose Only - 15' Blue Hose & Pistol Grip Nozzle

"X" Denotes color code: 1=Black 2=White
"Y" Denotes nozzle type: B=Pistol grip C=Straight
* Add -DP to the end of SKU for retail packaging

WASH DOWN HOSE HOLDER STATION

- Surface mount affixes anywhere on deck
- Complete 25" wash down hose and nozzle
- Comes with 5' of supply hose to attach to wash down fitting

SKU	Description
WDHH-25B-C *	Hose Holder with Blue Hose & Nozzle
WDHH-25W-C *	Hose Holder with White Hose & Nozzle
WDHHO-25G-C	Gray Hose, 3/8" Barbed Bulkhead Fitting

* Add -DP to the end of SKU for retail packaging



ACCESSORIES



LB-ADAPTER/1

LOC-R-BAR® BOAT SECURITY SYSTEM

- Strong adjustable stainless steel bar prevents theft
- Locks rod locker boxes securely
- Unique alarm padlock alerts for intruders

SKU	Description
LB-LRBS113S	LOC-R-BAR® Complete Alarm System
LB-ADAPTER/1A	LOC-R-BAR® Front Compartment Adapter
LB-SET-BKS-03A-03B	Set of Mounting Brackets

Note: Shown with optional compartment adapter. Cannot be used on aluminum boats.



BANSHEE® ALARM PADLOCK

- Great for trailer couplers, gear boxes, rod lockers, etc.
- Vibration activated as alarm increases
- Can be de-activated for trailering

SKU	Description
LB-TLRLCK-DP *	BANSHEE® Alarm Padlock

* Add -DP to the end of SKU for retail packaging



TWO-WAY BOAT ALARM SYSTEM™

- Alerts you up to 3000 yards when activated
- Two way remote alerts with sound, light & vibration
- Shock sensor with sensitivity adjustment

SKU	Description
TWA-1-DP *	Two Way Alarm System - Complete Set
TWAR-1-DP *	Two Way Alarm - Additional Remote Control Unit

* Add -DP to the end of SKU for retail packaging



Z-LAUNCH™ Watercraft Launch Cord

- All stainless hardware
- Expands to more than 2x the length
- Unlike rope, will not jerk your watercraft
- Great for ramps with “no power” laws

SKU	Length	Boat Type
ZL-10-DP	10’	Boats to 16’
ZL-20-DP *	20’	Boats 23’ to 35’



QUICK FLUSH®

- Snaps On - Quickly flushes salt or sand from outboard
- Slide valve stays on engine - “O” Ring Sealed
- Kit Includes: Slide valve, Quick connect, Rubber Washer
- Inspection stream hole in valve

SKU	Description
QF-1K *	Johnson - Evinrude*
QF-2K *	Merc/Yamaha/Other



MOTOR STIK®

- Fits over trim rams
- Supports your outboard while trailering
- Takes the pressure off of hydraulic system
- Most outboards 150hp and up

SKU	Description
MSS-1 *	Outboard Motor Support (pair)

* Add -DP to the end of SKU for retail packaging



EVINRUDE G2 MOTOR SUPPORT

- Protects Evinrude G2 motor and boat transom while trailering
- Protects boat steering system and releases pressure on engine hydraulic system

SKU	Width	Base Width	Length
MS-EG2	7.5”	12”	18”



FUEL CONTAINER HOLD-DOWN KIT

- Securely holds portable fuel tanks up to 62” circumference
- Quick release buckles for quick & easy removal
- Kits Includes: (2) 62” Poly Strap, (4) Footman Loops w/ hardware

SKU	Description
FCH-1 *	Fuel Container Hold-Down Complete Kit

* Add -DP to the end of SKU for retail packaging



COOLER MOUNTING KITS

- Secures any size cooler to deck
- Recessed fasteners allow full in-corner mounting
- Nylon bungee straps - stainless steel center hook
- Kit includes: (4) Corner brackets, (2) Bungee straps

SKU	Description
CMK-1 *	Complete Cooler Mounting Kit
STRAP-12BWS	1/4” B&W Bungee Mount Strap, 12” length
STRAP-22BWS	1/4” B&W Bungee Mount Strap, 22” length

* Add -DP to the end of SKU for retail packaging



SUCTION CUP LEVER TIE DOWN

- Spring locking D hook
- Quick locking and releasing lever

SKU	Description
TD-54778 *	Suction Cup Lever Tie Down - 4 pack

* Add -DP to the end of SKU for retail packaging



ALL PURPOSE HOLDING STRAP KITS

- Tough 62” polypropylene strap secure any loose article
- Quick release buckle makes removal a snap
- Two footman loops and stainless hardware included

SKU	Description
APS-1 *	Kit w/Plastic Buckle & 2 Molded Footman Loops
BSK-1SS	Kit w/Stainless Steel Buckle & 2 Molded Footman Loops

* Add -DP to the end of SKU for retail packaging



PROP SPOT™ SPARE PROP RETAINER

- Secures spare propeller in any location
- Holds any size propeller and its thrust washers
- Tough graphite retaining rod

SKU	Description
PRR-1	Prop Spot™ Rod Only



PADDLE KEEPER

- Unique concept for paddle storage
- Holds paddle either vertical, horizontal or overhead

SKU	Description
PK-1 *	Paddle Keeper

* Add -DP to the end of SKU for retail packaging



WINDSHIELD FASTENER

SKU	Description
WSH-1	Windshield Fastener - Wing Nut Head
WSH-1F	Windshield Fastener - Flush Mount Slotted Head
WSH-1PR *	Windshield Holder Clips (pair)

* Add -DP to the end of SKU for retail packaging



BATTERY HOLDER TRAY FOR OPTIMA® BATTERIES

- Shaped inserts fit both z® D27M & D32M Series
- Rugged poly tray with 8 mounting slots
- Poly strap with stainless steel buckle
- Resistant to UV and corrosion

SKU	Description
NBH-31-SSC-OPT	Battery Tray for Optima® Batteries
NBHIOPT-31	Battery Tray Insert Only

24/27 SERIES COMBO BATTERY TRAY



- Holds either 24 or 27 series deep cycle batteries
- Rugged poly tray with 8 mounting slots
- Poly strap with quick release buckle
- Resistant to UV and corrosion

SKU	Description
NBHC-247P *	24/27 Series Combo Battery Tray
NBHC-247P-20B	24/27 Series Combo Battery Tray - 20 pack - Bulk

* Add -DP to the end of SKU for retail packaging



BATTERY HOLDER REPLACEMENT STRAPS

SKU	Description
BS-1 *	Replacement Strap w/poly Buckle
BS-1-42SS *	Replacement Strap w/SS Buckle - 42"
BS-1-54SS *	Replacement Strap w/SS Buckle - 54"
BSK-1SS	Replacement Strap w/SS Buckle, 2 SS Footman Loops

* Add -DP to the end of SKU for retail packaging



DUAL BATTERY HOLDER TRAY

- Holds Two Series 27 Deep Cycle Batteries
- Patented poly strap with quick release buckle
- Meets NMMA & ABYC specs for battery retention

SKU	Description	Outside Dim	Inside Dim
DBH-27P *	Plastic Buckle	14-1/2"	12-3/4"
DBH-27-SC	SS Buckle	14-1/2"	12-3/4"

* Add -DP to the end of SKU for retail packaging



BATTERY HOLDER TRAY Stainless Steel Buckle

- Quality 316 stainless buckle
- Meets all NMMA & ABYC Specs
- Recessed mounts - no tabs

SKU	Series	Length (Inside)	Width (Inside)	Width (Outside)	Height
NBH-24-SSC *	24	10-5/8"	7"	8"	1'
NBH-27-SSC *	27	12-1/2"	7"	8-1/2"	1'
NBH-31-SSC *	29/31	13"	7"	8-1/8"	1'
BS-1-42SS	Replacement Strap w/Stainless Steel Buckle				



SKU	Stainless Rods	Series	Length (Inside)	Width (Inside)	Width (Outside)
NBH-24P *	NBH-24S	24	10-5/8"	7"	8"
NBH-27P *	NBH-27S	27	12-1/2"	7"	8-1/2"
NBH-31P *	NBH-31S	29/31	13"	8"	8-1/8"
BS-1	Replacement Strap w/Poly Buckle				

* Add -DP to the end of SKU for retail packaging



FRAME TOP BATTERY TRAY Frame Top Holds Batteries Securely

- Top frame encompasses entire battery perimeter
- Thick base holds heaviest batteries
- Recessed fasteners

SKU	Fits Series	Inside Dim	Outside Dim
BHF-27S *	27	6-7/8"W x 12" L	7-1/2" W x 14-1/4" L

* Add -DP to the end of SKU for retail packaging



BUNGEE/SHOCK CORDS

- Parts needed to construct custom straps for any application
- Parts offered separately or can be purchased as a custom part

Straps	Description	Size	Color
BCORD-14B	Bungee/Shock Cord	1/4” x 500’	Black
BCORD-14BW	Bungee/Shock Cord	1/4” x 500’	Black & White
PCORD-14B	Polyurethane Cord	1/4” x 280’	Black
Hooks	Description	Size	Color
RTHOOK-1	Hook	For 1/4”	Black
RTSM-1	Screw Mount	For 1/4”	Black
Eyes	Description	Size	Color
EYE-1	Molded Eye Strap	1/2” ID	Black
EYESS-1	Stainless Steel Eye	3/8” ID	Stainless



TRAILER WINCH

- 4:1 Gear ratio
- Zinc plated/powder coated/dacromet/EDC finishing
- Neutral position provides easy release of strap or cable
- Meets or exceeds applicable industry or SAE specifications

SKU	Description
W1000D	1000LB/450KG
W1200D	1200LB/540KG
W1400D	1400LB/630KG
W1600D	1600LB/720KG



2-SPEED TRAILER WINCH

- Zinc plated/powder coated/dacromet/EDC finishing
- Two speed operation loads large objects easily
- Change speeds without moving handle from from shaft to shaft

SKU	Description
W1800D	1800LB/816KGF SINGLE GEAR SINGLE DRIVE
W2000D	2000LB/950KGF DUAL GEAR
W2500D	2500LB/1080KGF SINGLE GEAR SINGLE DRIVE
W3200D	3200LB/1440KGF SINGLE GEAR SINGLE DRIVE



BIMINI TOP STRAP

- Universal strap - 96” Length
- Stainless steel hardware

SKU	Description
TD-55130 *	Black Strap
TD-55132 *	White Strap

* Add -DP to the end of SKU for retail packaging



STAINLESS TOGGLE BOLT

- 304 Stainless Steel Toggle
- High Impact Polystyrene Straps & Handgrip
- Nylon Sliding Collar
- Great for Tables, Seat Bases, Trolling Motors
- For use in areas where access is limited
- Available in bulk or 6-Pack

SKU	Description
TB-1420	Max load: 600lbs, Mounting depth: 0.375” - 3.625”, Hole size: 0.5”



HYDRA® CABLE EXTENDER

- Extend the length of your cables
- Stainless steel hardware, 5/16-18 stud
- Simple design that solves electrical rigging problems

SKU	Description
HCE-K *	HYDRA® Cable Extender

* Add -DP to the end of SKU for retail packaging



ANCHOR MASTER® Anchor Retrieval System

- Buoy provides resistance - Anchor raises
- 12” Buoy - Stainless ring & snap - Rope

SKU	Description	Rope Type
AR-1*	Complete ANCHOR MASTER® System	Poly
AR-1N* *	Complete ANCHOR MASTER® System	Tw Nylon
AR-0 *	ANCHOR MASTER® Without Buoy	Poly
AR0-1	Stainless Steel Ring Only	

* Handles 20lb Fluke Style Anchor

* Add -DP to the end of SKU for retail packaging



PROP MASTER®
PROPELLER WRENCH

- Fits all 1-1/16” Prop Nuts (40HP+)
- Rugged nylon resists stripping
- 9/16” Garboard drain socket
- Non-Corrosive in salt environment

SKU	Description
PMW-1 *	Propeller Wrench

* Add -DP to the end of SKU for retail packaging



PROP MASTER®
PROPELLER STOP

- Simple to use
- Securely holds prop while changing

SKU	Description
PMPS-1 *	Propeller Stop

* Add -DP to the end of SKU for retail packaging



STEER STOP® STEERING LOCK

- Locks hydraulic steering when trailering
- Clips onto hydraulic steering rams
- Keeps engine straight and prevents damage to transom

SKU	Description
SS-3 *	STEER STOP® Steering Lock Set - 4”


* Add -DP to the end of SKU for retail packaging



MARINE GRADE VINYL CAP

- Protects bolt & screw threads
- Large sizes fit rod tubes

SKU	Description	Length
VCAP-1.687	1-11/16”	1-1/2”
VCAP-2.125	2-1/8”	1-1/2”
VCAP-2.25	2-1/4”	1-1/2”
VCAP-2.625	2-5/8”	1-1/2”



AQUA CLIPS®

- Holds items securely
- Rugged poly & stainless steel spring resists sun & salt
- Fits standard 7/8” rail

SKU	Description
AUC-2	White - Bulk Each
AUC-2PR *	White - Packaged - 1 Pair
AUC-9PR *	Blue - Packaged - 1 Pair

FISH CARE & CONSERVATION



G-JUICE® FRESHWATER & SALTWATER

- Approved for use with THE OXYGENATOR®
- Non-toxic to humans, pets, and aquatic life
- Removes nitrites, ammonia, chlorine, chloramines, & heavy metals

FRESHWATER

SKU	Size
U21-FW	1 oz
U28-FW	8 oz
U216-FW	16 oz
U264-FW	64 oz
U2.3FW-12PK	1/3 oz (12 pack)

SALTWATER

SKU	Size
U28-SW *	8 oz
U216-SW *	16 aoz
U264-SW *	64 aoz

* Add -DP to the end of SKU for retail packaging



Endorsed by Pro Angler
Gerald Swindle



CONSERVATION CULL® SYSTEM

- Allows quicker culling
- Uses a stronger plastic clip to hold tight around the lip
- Buoy holder for quick and easy storage of each cull ball

SKU	Description
GFC-CCSG2-DP *	CONSERVATION CULL® System
GFC-WK-DP *	CONSERVATION CULL® Weights

* Add -DP to the end of SKU for retail packaging



MINNOWMAKER™

Specially concentrated solution designed to keep minnows healthy after the hatching process. This liquid concentrate dilutes perfectly for all minnow storage conditions: Minnow holding tanks, minnow transport, bait wells, bait buckets.

SKU	Size
U2MM1-DP *	1 oz
U2MM16-DP *	16oz
U2MM128-DP *	128oz

* Add -DP to the end of SKU for retail packaging



MR. CRAPPIE® CARE

- Specially formulated for Crappie, Panfish, Minnows & other Baitfish
- Replaces slime coat and helps stop bleeding
- Non-toxic to humans, pets and aquatic life

SKU	Size
U2C1-FW	1 oz
U2C8-FW	8 oz
U2C64-FW	64 oz
U2C128-FW	128 oz
U23FW-12PK	1/3 oz (12 pack)



OXYGENATOR®

- Produces 100% Pure Oxygen in Live Wells
- Keeps Catch Alive and Healthy
- 12 Volts - Less Than 1 Amp

SKU	Description
O2-BK3 *	Packaged
O2-BKM3	Bulk OEM

* Add -DP to the end of SKU for retail packaging



KONG® EXTREME Endorsed by Kevin VanDam

- Tames the largest beast of marine electronics
- Zero movement in the roughest water conditions
- Marine grade mount for freshwater or saltwater
- All 6061 T6 aircraft aluminum & SS



SKU	Description
SKLK-KONG-1-DP *	KONG® Extreme

* Add -DP to the end of SKU for retail packaging



KONG® WAVE TAMER

- Heavy gauge aluminum construction
- Protects electronics from extreme conditions
- Universal hole pattern, fits most electronic brackets

SKU	Description
SKTM-F-BK *	KONG® Wave Tamer - Black
SKTM-F-R *	KONG® Wave Tamer - Red

* Add -DP to the end of SKU for retail packaging



MINI KONG®

- Unique “DOWEL PIN LOCK” - no slip joints
- Quick release spring loaded base
- Multi-position pivot points in base
- Four models to fit any electronic unit
- Anodized aluminum stainless steel

SKU	Description
SKLK-LAST *	Mini KONG® 5” arm - 6” top plate
SKLK-LALT *	Mini KONG® 5” arm - 12” top plate
SKLK-NAST *	Mini KONG® No arm - 6” top plate
SKLK-SAST *	Mini KONG® 3” arm - 6” top plate

* Add -DP to the end of SKU for retail packaging



SUN GLOVES

50+ UPF lycra back for maximum sun protection

SUNGL-SM	Small
SUNGL-MD	Medium
SUNGL-OS *	Large
SUNGL-XL	X-Large

* Add -DP to the end of SKU for retail packaging



WAVEAWAY™ SUNGLASS AND SCREEN CLEANER

Keep your screens clean and protected from the elements. Wave Away™ is specifically formulated to clean and protect LCD screens. It is alcohol & ammonia free and designed to stick where it's sprayed. Kit includes a bottle of screen cleaner, microfiber cloth, and a velvet drawstring bag for storing.

SKU	Description
WAVE-15KIT-DP	Wave Away™ 1.5oz Kit



WAVEAWAY™ DISPLAY POP DISPLAY PACKAGING

Point of Purchase display box with 24 individual Wave Away™ kits included.

SKU	Description
WAVE-15POP-DP	Wave Away™ POP Display Packaging



HYDROWAVE® KVD

SKU

HW-PKG-H2KVD

- HYDROWAVE® is shock and water resistant
- Play or pause sounds easily
- Control volume
- Gain advantage in catching more fish

Kevin VanDam exclusive sound patterns:

- | | |
|---------------------|---------------------|
| Shallow Power | Off Shore Schooling |
| Shallow Finesse | Off Shore Finesse |
| Vegetation | Marinas/Docks |
| Top Water Schooling | Crawfish |
| Off Shore Structure | |

16 original sound patterns:

- | | |
|-------------------|----------------------------|
| Power Pattern | Feeding Frenzy |
| Bait Blitz | Deep Bait |
| Delayed Schooling | Crawfish on Gravel Finesse |
| Schooling Blitz | Crawfish on Sand Finesse |
| Surface Bait | Blue Back Finesse |
| Spawning Bait | Blue Back Frenzy |
| Ultra Finesse | Bream Bed |
| Finesse | Active Pads |



HYDROWAVE® H2
WALLEYE

SKU

HW-PKG-H2WALL

9 sound patterns:

- | | |
|----------------|------------------|
| Shad Passive | Perch Bedding |
| Shad Frenzy | Perch Frenzy |
| Shad Schooling | Crawfish Passive |
| Shad Spawning | Crawfish Frenzy |
| Perch Passive | |



HYDROWAVE® H2
BASS EDITION

SKU

HW-100038-11P

16 original sound patterns:

- | | |
|-------------------|----------------------------|
| Power Pattern | Feeding Frenzy |
| Bait Blitz | Deep Bait |
| Delayed Schooling | Crawfish on Gravel Finesse |
| Schooling Blitz | Crawfish on Sand Finesse |
| Surface Bait | Blue Back Finesse |
| Spawning Bait | Blue Back Frenzy |
| Ultra Finesse | Bream Bed |
| Finesse | Active Pads |



HYDROWAVE®
INSHORE
SALTWATER EDITION

SKU

HW-PKG-H2INSH

16 sound patterns:

- | | |
|------------------------|-----------------|
| Baitfish Frenzy | Croaker Frenzy |
| Baitfish Passive | Croaker Passive |
| Baitfish Schooling | Crab Frenzy |
| Baitfish Finesse | Crab Passive |
| Baitfish Ultra Finesse | Mullet Frenzy |
| Baitfish Blitz | Mullet Passive |
| Herring Frenzy | Shrimp Frenzy |
| Herring Passive | Shrimp Passive |

ALL UNITS INCLUDE: Expansion port for additional sounds, waterproof speaker, 14' cord, mounting hardware



H2 REPLACEMENT
SPEAKER

HW-ASSY-2.0SPKR

The HYDROWAVE® H2 Omni Directional 16 bit speaker offers CD quality sound



H2 MOUNTING
BRACKET

HW-MNT-KIT

Mounts the HYDROWAVE® to any surface and allows easy removal when not in use



ACCESSORY BAG

HW-ASSY-2.0BAG

Includes everything needed to mount your existing HYDROWAVE® system on a new boat



H2 2ND BOAT
PACKAGE

HW-PKG-2.0BOAT

Everything necessary for anglers to pre rig each individual boat with all the needed components to run a HYDROWAVE®



TRANSOM BRACKET

HW-ASSY-SPKRTRM

Allows to mount the HYDROWAVE® speaker to the transom



*REPLACE “X” WITH TYPE:
PEB / GRIT / SANTO



PEBBLE (PEB)



GRIT (GRIT)



SANTOPRENE (SANTO)

GATORSKINZ™

Experience superior grip with GatorSkinz™ Non Skid traction step pads, ideal for both wet and dry environments. Made from 70% recycled materials, this easy-to-apply solution ensures safety and stability on a variety of surfaces.

- Durable grit or pebble finish for optimal traction
- 3M KeelShield® adhesive system for unmatched bonding
- Requires no curing time
- Adheres to metal, fiberglass, and wood

BLACK

SKU	Size
GSBLK-“X”-1FT-DP	12” x 24”
GSBLK-“X”-2FT-DP	24” x 24”
GSBLK-“X”-3FT-DP	36” x 24”
GSBLK-“X”-4FT-DP	48” x 24”
GSBLK-“X”-5FT-DP	60” x 24”
GSBLK-“X”-6FT-DP	72” x 24”
GSBLK-“X”-7FT-DP	84” x 24”
GSBLK-“X”-8FT-DP	96” x 24”
GSBLK-“X”-9FT-DP	108” x 24”
GSBLK-“X”-10FT-DP	120” x 24”
GSBLK-“X”-20FT-DP	300” x 24”
GSBLK-“X”-50FT-DP	50’ x 24”

LIGHT GRAY

SKU	Size
GSLGY-GRIT-1FT-DP	12” x 24”
GSLGY-GRIT-2FT-DP	24” x 24”
GSLGY-GRIT-3FT-DP	36” x 24”
GSLGY-GRIT-4FT-DP	48” x 24”
GSLGY-GRIT-5FT-DP	60” x 24”
GSLGY-GRIT-6FT-DP	72” x 24”
GSLGY-GRIT-7FT-DP	84” x 24”
GSLGY-GRIT-8FT-DP	96” x 24”
GSLGY-GRIT-9FT-DP	108” x 24”
GSLGY-GRIT-10FT-DP	120” x 24”

GREEN

SKU	Size
GSGRN-GRIT-1FT-DP	12” x 24”
GSGRN-GRIT-2FT-DP	24” x 24”
GSGRN-GRIT-3FT-DP	36” x 24”
GSGRN-GRIT-4FT-DP	48” x 24”
GSGRN-GRIT-5FT-DP	60” x 24”
GSGRN-GRIT-6FT-DP	72” x 24”
GSGRN-GRIT-7FT-DP	84” x 24”
GSGRN-GRIT-8FT-DP	96” x 24”
GSGRN-GRIT-9FT-DP	108” x 24”
GSGRN-GRIT-10FT-DP	120” x 24”

VANILLA

SKU	Size
GSVAN-GRIT-1FT-DP	12” x 24”
GSVAN-GRIT-2FT-DP	24” x 24”
GSVAN-GRIT-3FT-DP	36” x 24”
GSVAN-GRIT-4FT-DP	48” x 24”
GSVAN-GRIT-5FT-DP	60” x 24”
GSVAN-GRIT-6FT-DP	72” x 24”
GSVAN-GRIT-7FT-DP	84” x 24”
GSVAN-GRIT-8FT-DP	96” x 24”
GSVAN-GRIT-9FT-DP	108” x 24”
GSVAN-GRIT-10FT-DP	120” x 24”

WHITE

SKU	Size
GSWHT-GRIT-1FT-DP	12” x 24”
GSWHT-GRIT-2FT-DP	24” x 24”
GSWHT-GRIT-3FT-DP	36” x 24”
GSWHT-GRIT-4FT-DP	48” x 24”
GSWHT-GRIT-5FT-DP	60” x 24”
GSWHT-GRIT-6FT-DP	72” x 24”
GSWHT-GRIT-7FT-DP	84” x 24”
GSWHT-GRIT-8FT-DP	96” x 24”
GSWHT-GRIT-9FT-DP	108” x 24”
GSWHT-GRIT-10FT-DP	120” x 24”



GATORSKINZ™ STEP PAD 16” X 4”

SKU	Description
GSSTEPBLK-GRIT-DP	Black/Grit
GSSTEPBLK-PEB-DP	Black/Pebble
GSSTEPGRN-GRIT-DP	Green/Grit
GSSTEPLGY-GRIT-DP	Lt. Gray/Grit
GSSTEPWHT-GRIT-DP	White/Grit



KEELSHIELD™ KEEL GUARD

KeelShield is the ultimate solution for protecting your boat’s keel, offering durable, long-lasting defense against abrasions and impacts. Its easy installation and premium materials ensure you maintain your boat’s value while preventing costly repairs.

- Simple Prep-Peel-Stick installation without curing
- Made of strong Urethane Polymers
- Backed by a lifetime warranty and satisfaction guarantee
- Proudly made in the USA

REPLACE “X” WITH COLOR CODE

SKU	Size	Boat Length	SKU	Size / Color
KS1“X”-DP	1’		KS108BLK	108’ / black
KS2“X”-DP	2’		KS108DG	108’ / dark gray
KS3“X”-DP	3’		KS108LG	108’ / light gray
KS4“X”-DP	4’		KS108NVY	108’ / navy blue
KS5“X”-DP	5’	Up to 14’	KS108OWHT	108’ / off white
KS6“X”-DP	6’	15’ - 16’	KS108RED	108’ / red
KS7“X”-DP	7’	17’ - 18’	KS108ROY	108’ / royal blue
KS8“X”-DP	8’	19’ - 21’	KS108WHT	108’ / white
KS9“X”-DP	9’	22’ - 24’	KS108YEL	108’ / yellow
KS10“X”-DP	10’	25’ - 26’		
KS11“X”-DP	11’	27’ - 28’		
KS12“X”-DP	12’	29’ +		
KS50“X”-DP	50’			

BLACK (BLK)



NAVY BLUE (NVY)



DARK GRAY (DGY)



LIGHT GRAY (LGY)



RED (RED)



ROYAL (ROY)



WHITE (WHT)



OFF WHITE (OWH)



YELLOW (YEL)



GATOR PATCH

Quickly repair various surfaces. This water tight solution is perfect for fiberglass or aluminum boats, kayaks, and more.

- Cures in under an hour with UV light
- Bonds securely to nearly all materials
- Fits flat or curved surfaces

SKU	Size
GP-318-DP	3"X18"
GP-36-DP	3"X6"
GP-69-DP	6"X9"
GP-912-DP	9"X12"



BOWSHIELD

Designed to prevent damage from docks and trailer stops. Crafted from durable 316 marine grade stainless steel, this shield ensures easy installation and long-lasting performance.

- Easy DIY installation with a 24-hour cure urethane adhesive
- Made of 22 gauge 316 marine grade mirror finished stainless steel Available in two sizes to fit bow rollers up to 5" and 8"

SKU	Size
BSS-DP	6.5" x 6"
BSM-DP	7.5" x 9"



SKEGSHIELD™

Prevent damage and protect your skeg. Installs in minutes to repair a broken skeg. Multiple models available to fit your exact outboard or inboard engine. (Mercury, Yamaha, Evinrude, Mercruiser, Mariner, Suzuki, Johnson, Honda, Force, Volvo Penta, and Tohatsu)

- Easy DIY installation
- Made of durable 18 gauge – 316 stainless steel
- Drain hole to prevent water retention

Use the engine guide on our website to find your SkegShield: thmarine.com/skegshield

SS00500-DP	SS00505-DP	SS00512-DP	SS00517-DP	SS00523-DP
SS00501-DP	SS00506-DP	SS00513-DP	SS00518-DP	SS00524-DP
SS00502-DP	SS00508-DP	SS00514-DP	SS00519-DP	SS00525-DP
SS00503-DP	SS00510-DP	SS00515-DP	SS00520-DP	SS00526-DP
SS00504-DP	SS00511-DP	SS00516-DP	SS00522-DP	SS00527-DP



A-B-C

ACCESS + STORAGE	39
ACCESS HATCHES	34
ACCESSORIES	183
ACCESSORY BAG	183
ACCESSORY LIGHTS	130
ACTIVE PADS	182
ACTUATOR	9
ADAPTER FITTINGS	163
AERATOR CONTROL	148
AERATOR FILTER	157
AERATOR HEADS	151
AERATOR PUMP BRACKET	149
AERATOR SCREEN	157
AERATOR SPRAY HEADS	151
ALUMINUM ROD HOLDER	84
ANCHOR HANDLE LOCKS	32
ANCHOR LOCK MOUNTING	32
ANCHOR RETRIEVAL SYSTEM	175
ANGLED SCUPPER VALVE	153
AQUA CLIPS	177
ARMREST MOUNTING BRACE	97
ATLAS	9
ATLAS EDGE	11
ATLAS GAUGE KIT	15
ATLAS MICRO JACKER	12
AUTOMATIC AERATOR CONTROL	148
AUTOMATIC LED LID LIGHT	120
AWNING LIGHTING	140
BAIT TANK PLUMBING KIT	149
BAITWELL FILTER	157
BANSHEE ALARM PADLOCK	169
BATTERY HOLDER	172
BIMINI EYE	92
BLINKER TRIM	18
BLUE WATER LED	109
BOARDING LADDER	70
BOAT LADDER	78
BOAT SECURITY SYSTEM	169
BOLT KIT	15
BOLT LIGHT	125
BOUNCE BUSTER COASTER	61
BOW CORNER CASTING	95
BOW LIGHTING KIT	134
BRACKETS	161
BULKHEAD STRAIN	46
BUNGEE/SHOCK CORDS	174
CABLE BOOT GROMMETS	48
CABLE BOOTS	48
CABLE TIE	46
CAR & TRUCK APPLICATIONS	138
CEACAP	159
CENTER CONSOLE KIT	135
CHAFING RING INSERT	47
CIRCUIT BREAKER KIT	61
CLAM SHELL VENTS	47
CMC BREAKAWAY UNIT	29
COCKPIT SCUPPER DRAINS	152
COMPACT LADDER	75
COMPANION WAY LIGHTS	121
COMPARTMENT BOAT KIT	132
COMPRESSION LATCH	33
CONNECTORS	145
CONSERVATION	178
COOLER MOUNTING KITS	171

CORD	174
CORNER CASTINGS	95
CORNER TRIM	97
CORROSION RESISTANT	130
COURTESY LIGHTS	118
COVERS WIRE PASS-THRU HOLES	47
CREATES CIRCULAR CURRENT	151
CSD1	72
CSD2	72
CUP HOLDER	51
CUSHIONED STANDOFF	70
CUSTOM LENGTHS AVAILABLE	82
CUSTOM SIZES AVAILABLE	37
CUSTOM WASHER PLATES	24
CYBER 400S	136
CYBER ANGLE	137
CYBER HP10	137
CYBER HP13	137
CYBER HP20	137
CYBER HP25	137
CYBER HP30	137
CYBER HP40	137
CYBER HP7	137
CYBER WIRING HARNESS/SWITCH	145
CYBERLITE	136

D-E-F

DEBRIS BAR INSERT	151
DECK LID SLAM LATCH - EAST	32
DECK LID SLAM LATCH - NORTH	32
DECK LID SLAM LATCH - SOUTH	32
DECK LID SLAM LATCH - WEST	32
DECK LID SLAM LATCHES	32
DECK LIGHTING	142
DECK MOUNT	82
DECK PLATE STORAGE COMPARTMENT	37
DECK PLATES	38
DECORATIVE WIRE COVER	47
DEEP BAIT	182
DEFLECTOR	101
DELAYED SCHOOLING	182
DELUXE	140
DELUXE SALT WTR DECK KIT	135
DEPLOYED	77
DESIGNER SERIES	38
DIGITAL POSITION GAUGE KIT	15
DIMMER ON/OFF CONTROL	145
DOCK BUMPERS	69
DOCK LADDERS	64
DOG LADDER	68
DOME LIGHT	125
DOOR RESTRAINT STRAPS	37
DOUBLE WIDE LADDER	71
DRAIN PLUGS	156
DRINK HOLDER	89
DUAL BATTERY HOLDER TRAY	173
DUAL CONTROL SWITCH	18
DUAL CUPHOLDER BRACKET	98
DUAL USB OUTLET	53
DUCKBILL SCUPPERS	153
EAR HOSE CLAMPS	44
EARTH MAGNETIC LATCHES	33
ELITE LID KIT	132
EXTREME LED	106
FASTENERS	29
FILL FITTING	150

FISH CARE	178
FISHING LIGHT	179
FISHING LURE SYSTEM	88
FITTING MOUNT	157
FIXED STANDOFFS	85
FLAPPER SCUPPER REPAIR KIT	46
FLEXIBLE LED LIGHT BAR	117
FLEXIBLE POLE STERN LIGHT	129
FLOATING CUPHOLDER BRACKET	98
FLOOR DRAIN LID PULLS	155
FLOOR DRAINS	155
FLOOR LIGHTING	142
FLUSH FIT DROP-IN SCREENS	151
FLUSH HEAD LED LIVEWELL LIGHTS	120
FOAM LURE RACK	88
FOAM ROD HOLDER	82
FOLDING CLEAT	96
FOLDING DRINK HOLDER	50
FOLDING LADDERS	64
FOLDING PONTOON LADDER	71
FOOT CONTROL SWITCH	61
FOOT THROTTLE	17
FRONT & REAR DECK KIT	133
FUEL CONTAINER	171
FUEL SPLASH GUARDS	52
FURNITURE SWING BACK ARM	94

G-H-I-K

G-FORCE ELIMINATOR	58
G-FORCE EQUALIZER	59
G-FORCE GRASS GOAT	57
G-FORCE HANDLE	59
G-FORCE SILENCER	59
G-FORCE TROLL JACKET	57
G-FORCE TROLL PERFECT	57
G-FORCE TROLL TAMER	58
G-JUICE FRESHWATER	178
GARBOARD DRAIN PLUG & BASE	156
GATE CATCH	97
GATE/DOOR STOP	73
GEN 1 - UNDERWATER LED	104
GLOVE BOXE	35
GOLF CART KIT	141
GRAB HANDLES	53
GROMMET SET	47
GUNWALE LADDERS	78
HANDRAIL	68
HARD GRIP STEERING WHEEL	21
HATCH DRAINS	154
HIGH INTENSITY LED	106
HIGH OR LOW BLACKLIGHTS	134
HINGED LADDERS	65
HOLDER DRINK STABILIZER	51
HOLE SHOT PLATES	12
HOOK LADDERS	78
HOOKS	82
HOT FOOT	17
HOUSEBOAT PARTY TOP	142
HOUSEBOAT PATIO LIGHTING	141
HYDRA CABLE EXTENDER	175
HYDROWAVE	182
HYDROWAVE H2	182
HYDROWAVE KVD	182
IGNITION KILL SWITCH	15
INLINE FUSE HOLDER	145
INLINE SCUPPER	152

INSHORE	182
KAYAK LIGHTING	141
KONG EXTREME	180
KONG WAVE TAMER	180
KVD EXPANSION	183

L-M-N

LADDERS	79
LATCHES	33
LED CUP HOLDER INSERT	131
LED DOCKING LIGHT	109
LED FLEX STRIP LIGHT	114
LED GRAB HANDLE	53
LED LIGHTED CUP HOLDER	131
LED LIGHTING KIT	110
LED MINI ACCENT LIGHT	122
LED MINI SPREADER	108
LED RAIL LIGHTS	123
LED ROUND COMPANION LIGHT	123
LED SIDE DOCKING LIGHT	109
LED SINGLE SIDE BOW	127
LED SPEAKER ACCENT RING	131
LED SUPER SPREADER LIGHT	109
LED SURFACE MOUNT DOME LIGHT	118
LED TROLLING MOTOR HEADLIGHT	60
LID & HATCH SUPPORT SPRINGS	36
LID LIFTS	37
LIFT CONTROL	10
LIFT LOCK LADDERS	66
LIGHT SENSOR	10
LIGHTING	142
LIGHTING SYSTEM	136
LINEAR LIGHTING	114
LIVEWELL AERATION	148
LIVEWELL/COURTESY LIGHTS	120
LOCKING	36
LOUVERED VENT	94
LOW IMPACT BLACKLIGHT KIT	134
MESH STRAINERS	157
MICRO JACKER	12
MINI JACKER	22
MINI KONG	180
MINI LED DUAL MOUNT	119
MINI ROCKER ON/OFF SWITCH	145
MINI UNDERWATER LED LIGHT	105
MINNOWMAKER	179
MOLDED NYLON CLEATS	100
MOLDED ROD RACKS	84
MOORING	101
MOTOR	55
MOTOR STIK	18
MOTOR STOP	18
MOTOR SWITCH	21
MOTORCYCLE LIGHTING	141
MOTORGLOW	133
MOTORGUIDE	57
MOUNT & SCREEN	157
MOUNTING BRACE	97
MOUNTING BRACKETS	137
MOUNTING GASKETS	111
MOUNTING RING	121
MOUNTING TRACK & TRACK ENDS	117
MR. CRAPPIE BAIT BLASTER	179
MR. CRAPPIE CARE	179
NAUTICAL SLAM LATCHES	32
NAVIGATION LIGHTS	126

NIGHT BLASTER DECK KIT	133
NIPPLE FITTINGS	163
NO STEP CUP HOLDER	50
NYLON CABLE TIES	46

O-P-Q-R

OBLONG ANGLED CABLE COVER	49
OETIKER HOSE CLAMPS	45
OETIKER STEPLESS	44
OPTIMA BATTERIES	172
OUTBORD MOTOR SUPPORT	18
OVAL COURTESY LIGHT	125
OVAL GROMMET	49
OVAL RECESSED SPREADER LED	108
OXYGENATOR	179
PADDLE KEEPER	172
PASS THRU FITTING	159
PASS THRU DECK SEAL	48
PEDESTAL BASE PLUG	84
PERFORMANCE	9
PLATFORM LADDER	68
PLUMBING FITTINGS	162
PONTOON AWNING	142
PONTOON CADDY	73
PONTOON DOOR STOPS	101
PONTOON FENDER HANGER CLIPS	100
PONTOON FINGER GUARD	101
PONTOON GATE	95
PONTOON GATE HOLDERS	73
PONTOON GATE LATCH	73
PONTOON INTERIOR	142
PONTOON LADDERS	70
PONTOON LIGHT KITS	112
PONTOON RAIL SHIMS	101
PONTOON SPLASH GUARD	101
PONTOON SWIM LADDER	70
PONTOON TRIM	93
PORT STERN CASTING	93
POSITION INDICATOR GAUGE KIT	24
PREMIUM FLEXIBLE CUP	51
PREMIUM FLIP LADDERS	67
PREMIUM LED	105
PRO BOAT KIT	132
PRO TRAILER KIT	135
PROP MASTER	177
PROP RETAINER	171
PROP SPOT	171
PROPELLER STOP	177
PROPELLER WRENCH	177
PUSH BUTTON SWITCH	145
QUAD LED MODULE LIGHT	124
QUICK FLUSH	170
QUICK RELEASE DECK PLATE	39
QUICK WIRE SPLICE	145
REMOVABLE FOLDING LADDER	70
RGB PONTOON LIGHT KIT	112
RGB ROCK LIGHT HARNESS	111
RGBW LED LIGHT CONTROLLER	113
RIGGING	53
RIGGING FLANGE	150
RIGGING HOSE KIT	44
RIGGING HOSES & FLANGES	43
ROCK LIGHT	125
ROD + TACKLE	89
ROD GROMMETS	84
ROD HOLDER DRAIN CAPS	85

ROD HOLDERS	85
ROD LOCKER KIT	132
ROD RACKS	85
ROD STORAGE HOLDERS	82
ROD TAMER ROD STRAPS	82
ROD TUBE ENDS	83
ROD TUBES	83
ROD TUBES & VINYL CAPS	83
ROPE GROMMETS	49
RUB RAIL FITTINGS	52
RUBBER DRAW LATCH	33

S-T-U

SALTWATER DECK KIT	135
SCREW IN TUBES	158
SCREW MOUNT	174
SCREW MOUNT CABLE TIE	46
SCUPPER ADAPTERS	153
SCUPPER THRU HULL	150
SEACOCK REMOTE	161
SEAT PEDESTAL DRAINS	155
SINGLE LED MODULE LIGHT	123
SLAM LATCH	33
SMALL BIMINI BRACKET	94
SNAP FLEX STERN LIGHT	129
SPEED INDICATOR	10
SPEED SELECT	10
SPLASH WELL DRAINS	154
SPORT/DIVER LADDER	76
SPREADER LIGHTS	108
SQUARE FOLDING CLEAT	96
SQUARE LADDER PLUG	93
STAINLESS STEEL CUP HOLDER	51
STAINLESS STEEL LED	106
STAINLESS TOGGLE BOLT	174
STAR BUS LIGHTING	140
STATIC SET BACK PLATE	26
STATIONARY LADDERS	65
STEER STOP STEERING LOCK	177
STEERING CONSOLE MOUNT	21
STEERING WHEEL TRIM CONTROL	20
STEP LADDERS	64
STORAGE	31
SUCTION CUP LURE	88
SUN DECK HOLD DOWN	99
SUN GLOVES	181
SUNGLASS AND SCREEN CLEANER	181
SURE FOOT TROLLING	21
SWING BACK BRACKET	99
SWING GATE LADDER	72
SWING LADDERS	64
T-H FLEX	42
T-TAP CONNECTORS	138
TACKLE CENTER	35
TACKLE TITAN	88
TEES	162
TELESCOPING LADDER	75
TERMINAL BLOCK	60
THROTTLE CONTROL MOUNT	21
THRU-HULL	150
TOP WASHER PLATE	14
TORQUE TAB	14
TRAILER KIT	135
TRAILER LIGHTING	142
TRAILER WINCH	175
TRANSOM BRACKET	183

TRANSOM JACKS	26
TRANSOM LADDERS	74
TRANSOM PLATFORMS	77
TRANSOM SUPPORT PLATES	14
TRANSOM TRIM CONTROL	20
TRANSOM WASHER PLATES	24
TRANSOM WEDGES	13
TRIM HANDLE	20
TRIPLE LED MODULE LIGHT	124
TRIPLE LED STORAGE LIGHT	123
TROLL JACKET	57
TROLLING MOTOR	61
TROLLING MOTOR MOUNT	60
TRUCK BED BLASTER	139
TRUCK BED LIGHTING	138
TRUCK TOPPER LIGHTING	139
ULTIMATE DECK KIT	133
ULTIMATE TRAILER KIT	135
UNDERCARRIAGE LIGHTING	138
UNDERWATER LIGHTS	104
UTILITY FLANGES	42
UTILITY GROMMETS	49
UTILITY STORAGE CLIPS	158
UTILITY TRAILER LIGHTING	140
UTILITY TRUCK	142
UV LIGHT STRIP	134

V-W-Y-Z

VENT HOSE FLANGES	47
VERTICAL ACCESS HATCHES	35
WASH DOWN COMBO	149
WASH DOWN FITTINGS	150
WAVEAWAY	181
WEDGES/SET BACK SPACERS	13
WIRELESS	58
WIRING HARNESS	9
Y-FITTING	162
Z-LAUNCH	170
Z-LOCK HOLE SHOT PLATE	23
Z-LOCK JACK PLATE	23
ZIPPERED RIGGING SLEEVES	42

6077	24
13001	28
13002	28
13003	29
13022	29
13032	29
20000	14
20022	14
20032	14
20122	27
40012	26
50012	27
52100	28
61001	25
61002	25
61301	25
61302	25
65001	25
65002	25
65012	26
65013	26
65213	27
65301	25
65302	25
65501	25
65502	25
65512	26
70012	26
90012	26
14100396	44
15500003	45
15500006	45
15500007	45
15500008	45
15500009	45
15500010	45
15500011	45
15500012	45
15500015	45
15500016	45
15500022	45
15500023	45
15500031	45
15500070	45
16700001	44
16700004	44
16700006	44
16700007	44
16700010	44
16700011	44
16700012	44
16700013	44
16700016	44
16700017	44
16700020	44
16700024	44
16700031	44
16700037	44
16700040	44
16705000	44
16705989	44
HW-MNT-KIT	183
004B-C	46
004B-M	46
005B-M	46
007B-C	46

A-B-C

007B-M	46
008B-C	46
008B-M	46
011B-C	46
011B-M	46
014B-C	46
014B-M	46
055B-C	46
075B-RAD-C	46
075B-RAD-M	46
18500000-DP	45
20122	13
55012	26
61012	26
7014G-DP	12
AAC-1	148
AF-1	157
AFD-2	159
AH-90	151
AH-92	151
AHJ-10V-B-DP	9
AHJ-10V-DP	9
AHJ-10VHD-B-DP	9
AHJ-10VHD-DP	9
AHJ-12V-B-DP	9
AHJ-12V-DP	9
AHJ-12VHD-B-DP	9
AHJ-12VHD-DP	9
AHJ-14V-DP	9
AHJ-14VHD-DP	9
AHJ-4V-DP	9
AHJ-4V-B-DP	9
AHJ-4VHD-B-DP	9
AHJ-4VHD-DP	9
AHJ-6GX-DP	9
AHJ-6V-B-DP	9
AHJ-6V-DP	9
AHJ-6VHD-B-DP	9
AHJ-6VHD-DP	9
AHJ-8V-B-DP	9
AHJ-8V-DP	9
AHJ-8VHD-B-DP	9
AHJ-8VHD-DP	9
AHJACT-3-DP	11
AHJE-10V-B-DP	11
AHJE-10V-DP	11
AHJE-10VHD-B-DP	11
AHJE-10VHD-DP	11
AHJE-12V-B-DP	11
AHJE-12V-DP	11
AHJE-12VHD-B-DP	11
AHJE-12VHD-DP	11
AHJE-14V-DP	11
AHJE-14VHD-DP	11
AHJE-4V-B-DP	11
AHJE-4V-DP	11
AHJE-4VHD-B-DP	11
AHJE-4VHD-DP	11
AHJE-6GX-DP	11
AHJE-6V-B-DP	11
AHJE-6V-DP	11
AHJE-6VHD-B-DP	11
AHJE-6VHD-DP	11

AHJE-8V-B-DP	11
AHJE-8V-DP	11
AHJE-8VHD-B-DP	11
AHJE-8VHD-DP	12
AHJHSP-10V-DP	12
AHJHSP-12V-DP	12
AHJHSP-14V-DP	12
AHJHSP-4V-DP	12
AHJHSP-6V-DP	12
AHJHSP-8V-DP	12
AHJHSP-T-10V-DP	12
AHJHSP-T-12V-DP	12
AHJHSP-T-8V-DP	12
AHJM-4-DP	12
AHJM-CMA-DP	9
AHJMTR-1-DP	9
AHJRELAYKIT-2-DP	9
AHJSWITCH-1-DP	151
AHV-1	151
AHV-90	151
AHV-92	149
AHVVD-90	149
AHVVD-92	32
AL-1	32
AL-2	32
ALC-1	32
ALC-2	32
ALCN-1	32
ALCN-2	32
ALS-1	154
APD-1	154
APD-118	154
APD-190	154
APD-190F	151
APD-190FT	154
APD-1F	154
APD-2	154
APD-290	154
APD-290F	171
APS-1	175
AR-0	175
AR-1	175
AR-1N	175
AR0-1	157
AS-1	157
AS-2	153
ASA-1	153
ASA-1SS	153
ASA-2	70
ASC	70
ASC4-SS	70
ASC5	64
ASE	64
ASH	64
ASH2	64
ASH7	71
ASL	157
ASM-5	177
AUC-2	177
AUC-2PR	177
AUC-9PR	60
BBC-1	60
BBC-1P	174
BCORD-14B	174
BCORD-14BW	173
BHF-27S	15

BK-1-DP	15
BK-2-DP	172
BS-1	172
BS-1-42SS	172
BS-1-54SS	171
BSK-1SS	186
BSM-DP	46
BSR-1-FH	46
BSR-1K	46
BSR-1K-CB	186
BSS-DP	157
BWF-1	149
BWK-2	32
CAM-ZA	32
CAM-ZCXL	48
CB-1	48
CB-1FW	48
CB-1W	48
CB-2	48
CB-2FW	48
CB-2W	48
CB-4	48
CB-4FW	48
CB-4W	60
CBBK-1	48
CBG-1	48
CBG-2	48
CBG-4	48
CBO-1	48
CBO-4	48
CBR-1	48
CBR-2	48
CBR-4	48
CBR-4W	48
CDS-MCP	48
CDS-MCP716	100
CLEAT-4.5	100
CLEAT-6	100
CLEAT-8	171
CMK-1	47
CRI-1	47
CRI-1FW	47
CS-1	47
CS-1SS	47
CS-2	47
CS-SS-3	152
CSD-90	152
CSD-92	152
CSD-92WO	72
CSD1	72
CSD1-5	72
CSD2	72
CSD2-5	47
CSS-1	47
CSS-1SS	47
CSS-2	68
CUZ	151

D-E-F

DAH-45	151
DAH-90	151
DAHI-118	151
DAHIK-118	151
DAHIK-750	155
DBAS-1W	155

DBBS-1G	173
DBH-27-SC	173
DBH-27P	153
DBS-2B	65
DJV3	65
DJV4	65
DJV4-W	65
DJV5	65
DJV5-W	65
DJV6	65
DJV7	65
DJV7-W	65
DJW3	65
DJW3-W	65
DJW4	65
DJW4-W	65
DJW5	65
DJW5-W	65
DJW6	65
DJW6-W	65
DJW7	66
DJX3	66
DJX3-W	66
DJX4	66
DJX4-W	66
DJX5	66
DJX5-W	66
DJX6	66
DJX6-W	66
DJX7	66
DJX7-W	71
DLB	33
DLK-1	32
DLSL-1E	32
DLSL-1N	32
DLSL-1S	32
DLSL-1W	70
DMM4	78
DMT3-11	78
DMT3-7	78
DMT3A-11	78
DMT3A-7	78
DMT4-11	78
DMT4-7	78
DMT4A-11	78
DMT4A-7	78
DMT5-11	78
DMT5-7	78
DMT5A-11	78
DMT5A-7	74
DMW2	74
DMW3	74
DMX2	74
DMX3	74
DMX4	65
DMY5	156
DP-1	156
DP-1FS	156
DP-2	39
DPCAM-6	39
DPCAM-8	38
DPOVAL-6D	39
DPP-6	39
DPS-4	39
DPS-6	39
DPSLP-4	39

DPSLP-4S	39
DPSLP-5	39
DPSLP-5S	39
DPSLP-6	39
DPSLP-8	37
DRS-1	37
DRS-16	37
DRS-16HD	37
DRS-18-250E	37
DRS-1HD	37
DRS-20	37
DRS-22-250E	37
DRS-4	37
DRS-5	37
DRS-7	37
DRS-9	37
DRS-9-250E	101
DS-1L *	101
DS-1LB	101
DS-1R *	101
DS-1RB	101
DS-2L	101
DS-2LB	101
DS-2R	101
DS-2RB	35
DSSDP-1-1	38
DSSDP-1-2	38
DSSDP-2-1	38
DSSDP-2-2	38
DUF4	71
DUG	70
DUSB-1	53
DUSB-2	53
DUSB-3	53
DWC-1	47
EC-150N	52
ECMW-2	52
ECR-1	52
ECR-2	52
EDG-BULK	21
EEQ	77
EEQ1	77
EEQ2	77
EES3	76
EES4	76
EFL3	66
EFL3-W	66
EFL4	66
EFL4-W	66
EFL5	66
EFL5-W	66
EFL6	66
EFL7	66
EFLSN3	66
EFLSN4	66
EFLSN5	66
EFLSN6	66
EFLSN7	66
EFLSNW3	66
EFLSNW4	66
EFLSNW5	66
EFLSNW6	66
EFLSNW7	66
EJT-1	20
EJZ3	71
EKT	77

EKT2	77
EKT3	77
EKT4	77
EKT5	77
EKU	77
EKU1	77
EKU3	77
EKU4	77
EKU5	77
ELL- 3/4	162
ELL-112	162
ELL-118	162
ELL-3/8	162
EOO3	78
EPU-2	75
EPU-3	75
EPW	70
EQB2	74
EQB3	74
EQB4	74
ERR4	64
ERR7	64
ESG2	76
ESI	76
ETC3	74
EWI3	66
EWI3-W	66
EWI4	66
EWI4-W	66
EWI5	66
EWI5-W	66
EWI6	66
EWI6-W	66
EWI7	66
EWI7-W	66
EXF2	74
EXF3	74
EYE-1	174
EYESS-1	174
EZ-BLK-1	149
EZ-BLK-2	149
EZ-EWI3	67
EZ-EWI3-W	67
EZ-EWI4	67
EZ-EWI4-W	67
EZ-EWI5-W	67
EZ-EWI6	67
EZ-EWI6-W	67
EZ-EWI7	67
EZ-EWI7-W	67
EZ-GAT	67
EZ-SND-1	149
EZ-WHT-1	149
EZ-WHT-2	149
FA-3/4	162
FA-90	162
FAGK-1-DP	15
FAGK-1SS-DP	15
FAGK-2-DP	15
FAGK-2SS-DP	15
FCH-1	171
FCS-3-DP	60
FD-2	155
FD-2W	155
FD-4	155
FD-4W	155

FDP-4WS	155
FF-150	156
FFBT-AH-1-DP	18
FFBT-AH-2-DP	18
FFBT-DSSA-DP	18
FFBT-SSSA-DP	18
FG-150	152
FGB3	75
FH-SSC	100
FHO	73
FLX-125-DP	42
FLX-150-DP	42
FLX-200-DP	42
FLX-25-DP	42
FLX-50-DP	42
FLX-75-DP	42
FLXB-125	42
FLXB-150	42
FLXB-150FR	42
FLXB-50	42
FMS-1-0	152
FOG2	75
FOG3	75
FOG4	75
FOGS-3	75
FOGS-4	75
FOO3	84
FOO4	84
FRH-1P-DP	82
FSG-10XL	52
FSG-1XL	52
FSG-2	52
FSG-2XL	52
FSG-3	52
FSG-3XL	52
FSG-8C	52
FSGG2-11	52
FSGG2-11XL	52
FSRK-3	46
GAT-4	67
GDP-1-CB	156
GDSLPB4-0714	35
GDSS4-0714	35
GFC-CCSG2-DP *	178
GFC-WK-DP	178
GFEL-GF-BK-DP	58
GFEL-GF-R-DP	58
GFEL-LG-BK-DP	58
GFEL-LG-R-DP	58
GFEL-MG-BK-DP	58
GFEL-MG-BU-DP	58
GFEL-MG-C-DP	58
GFEL-MG-R-DP	58
GFEL-MGT-BK-DP	58
GFEL-MGT-R-DP	58
GFEL-MK-BK-DP	58
GFEL-MK-BU-DP	58
GFEL-MK-C-DP	58
GFEL-MK-R-DP	58
GFEL-MK-W-DP	58
GFEL-MKS-BK-DP	58
GFEL-MKS-BU-DP	58
GFEL-MKS-C-DP	58

GFEL-MKS-R-DP	58
GFEQ-MG-BU-DP	59
GFES-BLK-DP	59
GFES-RED-DP	59
GFGG-MG-DP	57
GFGG-MKL-DP	57
GFGG-MKS-DP	57
GFH-1G-DP	59
GFH-1R-DP	59
GFH-CA1R-DP	59
GFTJ-1-DP	57
GFTP-MG-BK-DP	57
GFTP-MG-LG-DP	57
GFTP-MG-R-DP	57
GFTP-MGX-BK-DP	57
GFTP-MGX-LG-DP	57
GFTP-MGX-R-DP	57
GFTP-MK-BK-DP	57
GFTP-MK-LG-DP	57
GFTP-MK-R-DP	57
GH-1G	73
GHB-1	53
GHB-1-SS	53
GHB-1FW	53
GHB-1G-SS	53
GL-1	73
GL-2	73
GP-318-DP	186
GP-36-DP	186
GP-69-DP	186
GP-912-DP	186
GS-1	73
GSEBLK	184
GSGRN-GRIT-10FT-DP	184
GSGRN-GRIT-1FT-DP	184
GSGRN-GRIT-2FT-DP	184
GSGRN-GRIT-3FT-DP	184
GSGRN-GRIT-4FT-DP	184
GSGRN-GRIT-5FT-DP	184
GSGRN-GRIT-6FT-DP	184
GSGRN-GRIT-7FT-DP	184
GSGRN-GRIT-8FT-DP	184
GSGRN-GRIT-9FT-DP	184
GSLGY-GRIT-10FT-DP	184
GSLGY-GRIT-1FT-DP	184
GSLGY-GRIT-2FT-DP	184
GSLGY-GRIT-3FT-DP	184
GSLGY-GRIT-4FT-DP	184
GSLGY-GRIT-5FT-DP	184
GSLGY-GRIT-6FT-DP	184
GSLGY-GRIT-7FT-DP	184
GSLGY-GRIT-8FT-DP	184
GSLGY-GRIT-9FT-DP	184
GSSTEPBLK-GRIT-DP	185
GSSTEPBLK-PEB-DP	185
GSSTEPGRN-GRIT-DP	185
GSSTEPPLGY-GRIT-DP	185
GSSTEPWHT-GRIT-DP	185
GSVAN-GRIT-10FT-DP	184
GSVAN-GRIT-1FT-DP	184
GSVAN-GRIT-2FT-DP	184
GSVAN-GRIT-3FT-DP	184
GSVAN-GRIT-4FT-DP	184
GSVAN-GRIT-5FT-DP	184
GSVAN-GRIT-6FT-DP	184
GSVAN-GRIT-7FT-DP	184

GSVAN-GRIT-8FT-DP	184
GSVAN-GRIT-9FT-DP	184
GSWHT-GRIT-10FT-DP	184
GSWHT-GRIT-1FT-DP	184
GSWHT-GRIT-2FT-DP	184
GSWHT-GRIT-3FT-DP	184
GSWHT-GRIT-4FT-DP	184
GSWHT-GRIT-5FT-DP	184
GSWHT-GRIT-6FT-DP	184
GSWHT-GRIT-7FT-DP	184
GSWHT-GRIT-8FT-DP	184
GSWHT-GRIT-9FT-DP	184
GT-1.375	83
GT-1.700	83
GT-2.250	83
HAT-1115	36
HAT-1317	36
HC-10	45
HC-12	45
HC-16	45
HC-24	45
HC-28	45
HC-4	45
HC-6	45
HC-8	45
HCE-K	175
HDSS-0714	34
HDSS-1013-REM	34
HDSS-1115	34
HDSS-1119	34
HDSS-1119-1-DS	34
HDSS-1119-REM	34
HDSS-1317	34
HDSS-1317-DS	34
HDSS-1317-REM	34
HDSS-1324	34
HDSS-1324-DS	34
HDSS-1324-REM	34
HDSS-1330	34
HDSS-1620	34
HDSSL-0714	34
HDSSL-1115	34
HDSSL-1119	34
HDSSL-1317	34
HDSSL-1324	34
HF-1-DP	16
HF-1CT-DP	16
HF-1T-DP	16
HF-2-DP	16
HFM-1	16
HFS-1-DP	16
HM1005	92
HM1048	93
HM4022	93
HM4051	99
HM4057	99
HM4068	93
HM4069	93
HM4070	93
HM4096	93
HM4097	93
HM5032-BL-L	33
HM5032-BL-NL	33
HM5032-CR-L	33
HM5032-CR-NL	33
HM5033	33

HM5034	33
HM5035	33
HM5038	94
HM5039	94
HM5048	94
HM5054	94
HM5069	33
HM5092	94
HM5118-2	92
HM5120	95
HM5224 - 15	85
HM5224 - 30	85
HM5224-0	85
HM5262	95
HM5263	95
HM5279	95
HM5284-L-12	33
HM5284-NL	33
HM5300	99
HM5301	99
HM5309-NL	33
HM5309L-L	33
HM5316	96
HM5322	96
HM5324	96
HM5324-G	96
HM5326	96
HM5326-G	96
HM5328	92
HM5332	92
HM5433	97
HM5509	98
HM5523	98
HM5530	98
HM5554	98
HM5555	98
HM5556	98
HM5557	98
HM581	97
HS-1	36
HT-1	20
HW-100038-11P	182
HW-ASSY-2.OBAG	183
HW-ASSY-2.OSPKR	183
HW-ASSY-SPKRTRM	183
HW-PKG-2.OBOAT	183
HW-PKG-H2INSH	182
HW-PKG-H2KVD	182
HW-PKG-H2WALL	182
IBD3	76
IBD4	76
IDM	72
IDR5	64
IDR6	64
IDR7	64
IGU	76
IHV4	68
IHV5	68
IHY5	72
ILS-1200	152
ILS-1500	152
ILS-750	152
IPD-1000	155
IPD-1000-5	155
IPD-1002	155

IPD-580	155
IPD-582	155
J-K-L	
JBE	76
JBE-2	76
JCJ	68
JP-1A-DP	22
JP-4FA-DP	22
JP-4FAHD-DP	22
JP-6PW-DP	23
JPZ-10-DP	23
JPZ-12-DP	23
JPZ-4-DP	23
JPZ-6-DP	23
JPZ-8-DP	23
JPZHSP-10	23
JPZHSP-6	23
JPZHSP-8	23
KEY-2	32
KS-1	15
KS-12	15
KS-2	15
KS-22	15
KS1	185
KS10	185
KS108BLK	185
KS108DG	185
KS108LG	185
KS108NVY	185
KS108OWHT	185
KS108RED	185
KS108ROY	185
KS108WHT	185
KS11	185
KS12	185
KS2	185
KS3	185
KS4	185
KS50	185
KS6	185
KS7	185
KS8	185
KS9	185
KY2	71
L-4	15
LB-ADAPTER/1A	169
LB-LRBS113S	169
LB-SET-BKS-03A-03B	169
LB-TLRLCK-DP	169
LCH-1	51
LCH-1RC	50
LCH-1SR	50
LCH-1SS	51
LCH-1SS-NS	50
LCH-1SSRC	50
LCH-1W	51
LCH-1WS	51
LCH-52012	50
LCH-52016	50
LCH-DKS-2	51
LCH-SS-XL	51
LCH-SS-XL-P	51
LCH-SSNS-RI	50
LED-11BL-A	125

LED-11BL-B	125
LED-11BL-G	125
LED-11BL-R	125
LED-11BL-RGBW	125
LED-11BL-W	125
LED-14044-RGB	119
LED-319DL	109
LED-32484	105
LED-32485	105
LED-32539	104
LED-32540	104
LED-32636	125
LED-32638	125
LED-32648-RGB	123
LED-32650-6KT-RGB	111
LED-32650-RGB	125
LED-32651-2KT-RGB	111
LED-32651-6KT-RGB	111
LED-32651-RGB	125
LED-32658-RGBW	119
LED-32660-RGBW	121
LED-32661-RGBW	122
LED-32665-RGBW	121
LED-32667-RGBW	122
LED-32670-RGBW	122
LED-32674-RGBW	122
LED-32675-RGBW	122
LED-32711	104
LED-32714-RGBW	104
LED-33240	123
LED-33242	123
LED-33249	125
LED-33250	125
LED-33251	125
LED-33255	125
LED-33255-2KT	111
LED-33255-6KT	111
LED-33256	125
LED-33256-2KT	111
LED-33256-6KT	111
LED-33257	125
LED-33257-2KT	111
LED-33257-6KT	111
LED-33258	104
LED-33259	104
LED-33260	104
LED-33267	116
LED-33268	116
LED-33269	116
LED-33270	116
LED-33271	116
LED-33272	116
LED-33273	116
LED-33274	116
LED-33275	116
LED-33276	116
LED-33278	116
LED-33279	116
LED-33280	116
LED-33282	116
LED-33308	125
LED-33308-2KT	111
LED-33308-6KT	111
LED-33309-2KT	111
LED-33309-6KT	111
LED-33320	123

LED-34160	113
LED-34185	126
LED-34190	123
LED-34287	105
LED-39024	121
LED-39027	121
LED-39034	121
LED-39050	121
LED-39060	105
LED-39061	105
LED-39062	105
LED-39100	123
LED-39101	123
LED-39113-FB-RGB	119
LED-39115-FB-RGBW	119
LED-39120	108
LED-39122	108
LED-39216	122
LED-39218	122
LED-39224	122
LED-39275	116
LED-39276	116
LED-39277	116
LED-39306	127
LED-39308	116
LED-39310	116
LED-39312	116
LED-39320	116
LED-39321	116
LED-39330	116
LED-39331	116
LED-39532	117
LED-39537	117
LED-39538	117
LED-39540	120
LED-39672	122
LED-39685	117
LED-39686	117
LED-39687	117
LED-39688	117
LED-39690	108
LED-39691	108
LED-39857	125
LED-39859	125
LED-39901	109
LED-4093DL-PLG	109
LED-51800	122
LED-51801	122
LED-51803	122
LED-51805	122
LED-51806	122
LED-51810	122
LED-51811	122
LED-51816	120
LED-51818	120
LED-51819	120
LED-51820	120
LED-51822	120
LED-51823	122
LED-51824	122
LED-51825	122
LED-51827	118
LED-51828	118
LED-51829	118
LED-51830	118
LED-51831	118

LED-51832	118
LED-51847	119
LED-51848	119
LED-51849	119
LED-51857	123
LED-51858	123
LED-51866	106
LED-51867	106
LED-51868	106
LED-51874	120
LED-51875	120
LED-51876	121
LED-51880	119
LED-51891	121
LED-51892	120
LED-51894	121
LED-51895	120
LED-51897	118
LED-51898	119
LED-51900	106
LED-51901	106
LED-51905	108
LED-51913	108
LED-51946	114
LED-51947	114
LED-51948	114
LED-51949	114
LED-51950	114
LED-51951	114
LED-51952	114
LED-51953	114
LED-51954	114
LED-51955	114
LED-51956	114
LED-51957	114
LED-51959	114
LED-51963	114
LED-51965	114
LED-51966	114
LED-51977	119
LED-51978	119
LED-52000	127
LED-59265	117
LED-59266	117
LED-59267	117
LED-59268	117
LED-6BL-B	125
LED-6BL-W	125
LED-71000	125
LED-72000	125
LED-BNAVC-1	126
LED-BNAVC-1BK	126
LED-BNAVS-1	127
LED-BNAVSSEYE-1	127
LED-BTKIT-BLUE	110
LED-BTKIT-GREEN	110
LED-BTKIT-RED	110
LED-BTKIT-WHT	110
LED-BTSL-36	128
LED-CHI-B	131
LED-CHI-G	131
LED-CHI-R	131
LED-CHI-RGB	131
LED-CHI-W	131
LED-FML-BTS	118
LED-GHBSS-B	53

LED-LCH-BU	130
LED-LCH-R	130
LED-LCH-W	130
LED-LCHSS-NS-B	130
LED-LCHSS-NS-RGB	130
LED-LCHSS-NS-W	130
LED-LCHSS-NSRI-B	131
LED-LCHSS-NSRI-G	131
LED-LCHSS-NSRI-R	131
LED-LCHSS-NSRI-RGB	131
LED-LCHSS-NSRI-W	131
LED-LPBNV-1	126
LED-LPNAV-1	127
LED-LPNAV-2	127
LED-LPNAV-3	127
LED-NAV-34197	126
LED-NAV-34198	126
LED-NAV-34228	128
LED-NAV-34228-SB	128
LED-NAV-34233	128
LED-NAV-39498	126
LED-NAV-39499	126
LED-NAV-39509	128
LED-NAV-39513	128
LED-NAV-39522	129
LED-NAV-39524	129
LED-NAV-39525	129
LED-NAV-39526	129
LED-NAV-39758	128
LED-NAV-39759	128
LED-NAV-39762	129
LED-NAV-50621	128
LED-NAV-USL-54	129
LED-NAV-USL-60	129
LED-NAVSFSL-48	129
LED-NAVSFSL-60	129
LED-OCL-1	121
LED-OCL-1K	121
LED-OCL-2	121
LED-OCL-2K	121
LED-PBDK20B	112
LED-PBDK20RGB	112
LED-PBDK20RGB-FC	112
LED-PBDK25RGB	112
LED-RGBCONT-1	115
LED-RGBCONT-2F	115
LED-RGBCONT-3F	115
LED-RGBCONT-4R	113
LED-RKBW-6KT	111
LED-RKGW-6KT	111
LED-RKRW-6KT	111
LED-RLC	114
LED-RLC-WT	114
LED-SCRL-HRN	111
LED-SM14-B	115
LED-SM14-W	115
LED-SM16-RGB	115
LED-SM171COB-W	106
LED-SM172COB-B	106
LED-SM173COB-G	106
LED-SM20-B	115
LED-SM20-RGB	115
LED-SM20-W	115
LED-SM22-B	115
LED-SM24-B	115
LED-SM25-RGB	115

LED-SM26-B	115
LED-SM28-B	115
LED-SM28-W	115
LED-SM361PLG	123
LED-SM7815-B	106
LED-SM7815-G	106
LED-SM7815-RGB	106
LED-SM7815-W	106
LED-SMCHR-B	131
LED-SMCHR-R	131
LED-SMSKR-5B	131
LED-SMSKR-B	131
LED-SMSKR-R	131
LED-SMSKR-RGB	131
LED-SMSLC-6WT	115
LED-SMSLC-RGBW-4WT	115
LED-SMSLC50-4WT	115
LED-TMHL-DP	60
LED-TRLKIT-BLUE	110
LED-TRLKIT-GREEN	110
LED-TRLKIT-RED	110
LED-TRLKIT-WHT	110
LEDBW-10	134
LEDBW-1000	140
LEDBW-1001	140
LEDBW-1002	140
LEDBW-101-UV	134
LEDBW-102-UV	134
LEDBW-103-UV	134
LEDBW-104-UV	134
LEDBW-105	132
LEDBW-106	133
LEDBW-106-2	141
LEDBW-107	133
LEDBW-107-2	132
LEDBW-108	132
LEDBW-109	132
LEDBW-109-1	132
LEDBW-110	135
LEDBW-111	135
LEDBW-111-1	135
LEDBW-112-W	134
LEDBW-113	135
LEDBW-114	144
LEDBW-115	144
LEDBW-116	144
LEDBW-117	144
LEDBW-118	144
LEDBW-120	132
LEDBW-121	135
LEDBW-122	140
LEDBW-123	140
LEDBW-150	135
LEDBW-151	135
LEDBW-152	135
LEDBW-160	142
LEDBW-171	140
LEDBW-175-2	142
LEDBW-200-2	145
LEDBW-202	145
LEDBW-203	145
LEDBW-301	141
LEDBW-302	141
LEDBW-303	138
LEDBW-308	142
LEDBW-350	142
LEDBW-351	142

LEDBW-352	142
LEDBW-353	141
LEDBW-354	141
LEDBW-355	142
LEDBW-400-2	141
LEDBW-401	141
LEDBW-402	134
LEDBW-403	133
LEDBW-500	145
LEDBW-501	144
LEDBW-502	145
LEDBW-503	145
LEDBW-504	145
LEDBW-505	145
LEDBW-506	142
LEDBW-506	145
LEDBW-508	142
LEDBW-600	141
LEDBW-601	138
LEDBW-602	139
LEDBW-603	139
LEDBW-604	139
LEDBW-605	138
LEDBW-700-2	135
LEDBW-700-2-B	105
LEDBW-700-2-G	105
LEDBW-700-2-R	105
LEDBW-700-2-W	105
LEDBW-80-2	133
LEDBW-81	133
LEDBW-81-2	133
LEDBW-82-2	133
LEDBW-901-2-BLK	109
LEDBW-901-2-BLK	136
LEDBW-901-2-BLK-FLD	109
LEDBW-901-2-BLK-FLD	136
LEDBW-901-2-W	109
LEDBW-901-2-W	136
LEDBW-901-2-W-FLD	109
LEDBW-901-2-W-FLD	136
LEDBW-908-2-B	136
LEDBW-908-2-BLK	109
LEDBW-908-2-BLK	136
LEDBW-908-2-GLD	109
LEDBW-908-2-GLD	136
LEDBW-908-2-R	109
LEDBW-908-2-R	136
LEDBW-908-2-SVR	109
LEDBW-908-2-SVR	136
LEDBW-915	145
LEDBW-916	145
LEDBW-917-BAM-P	137
LEDBW-917-BAM-S	137
LEDBW-98-1	133
LEDBW-98-4	133
LEDBW-HP-10-BLK	137
LEDBW-HP-10-CAMO	137
LEDBW-HP-10-W	137
LEDBW-HP-13-BLK	137
LEDBW-HP-13-CAMO	137
LEDBW-HP-13-W	137
LEDBW-HP-20-BLK	137
LEDBW-HP-20-CAMO	137
LEDBW-HP-20-W	137
LEDBW-HP-25-BLK	137
LEDBW-HP-25-CAMO	137
LEDBW-HP-25-W	137

LEDBW-HP-30-BLK	137
LEDBW-HP-30-CAMO	137
LEDBW-HP-30-W	137
LEDBW-HP-40-BLK	137
LEDBW-HP-40-CAMO	137
LEDBW-HP-40-W	137
LEDBW-HP-7-BLK	137
LEDBW-HP-7-CAMO	137
LEDBW-HP-7-W	137
LL-1	37
LLR-1	37
LRS-2	152
LS-2	36
LS-3	36
LV-1	156
LV-1FW	156
LWL-1P-LED	120
LWL-1P-LED-B	120
LWLM-1P-LED	120
LWLM-1P-LED-BLUE	120

M-N-O-P

MAGHL-2	33
MAV-2	148
MAV-2K	148
MAV-2KT	148
MAV-FACEPLATE	148
MH1049	93
MJ-1-DP	22
MS-3A100	163
MS-3A112	163
MS-3A34	163
MS-3EL100	163
MS-3EL112	163
MS-3EL1234	163
MS-3EL34	163
MS-3M100	163
MS-3TT100	163
MS-3TT112	163
MS-3TT34	163
MS-EG2	170
MS-FPT38	51
MSS-1	170
MSS-1-DP	18
NBH-24-SSC	173
NBH-24P	173
NBH-24S	173
NBH-27-SSC	173
NBH-27P	173
NBH-27S	173
NBH-31-SSC	173
NBH-31-SSC-OPT	172
NBH-31P	173
NBH-31S	173
NBHC-247P	172
NBHC-247P-20B	172
NBHIOPT-31	172
NFSL-5-1	32
NFSL-5-2	32
O2-BK3	179
O2-BKM3	179
OACC-1	49
OCL-1	121
OCL-2	121
OCLR-1	121
OCLR-2	121

ODT-1	158
ODT-1-12GSTW	158
ODT-1-12TW	158
ODT-190	158
ODT-2	158
ODT-290	158
ODT-2T	158
ODT-2T-0.5MAV	158
ODTS-1	158
ODTS-2	158
OG-1	49
OGL-1	49
OMS-1-DP	18
PAP-1	148
PAS-1	148
PAS-2	148
PB-90	149
PBP-1	84
PCORD-14B	174
PD-1	155
PD-2	155
PFAC-1	100
PFH-1G	100
PFPG-1B	101
PFPG-1G	101
PFPG-1LB	101
PH-2	42
PH-3	83
PH-3S	42
PK-1	172
PMPs-1	177
PMW-1	177
PP-118	156
PP-125	156
PP-150	156
PRR-1	171

Q-R-S

QF-1K	170
QF-2K	170
QRFH-1	100
QRFH-2	100
QRFH-7	100
RDL-1	33
RF-1	43
RF-1A	43
RF-1CP	43
RF-2	43
RF-2.5-1	43
RF-2.5Y-1	43
RF-2.5Y-2	43
RF-2A	43
RFFHP-1	43
RFFHP-2	43
RFH-2.5-1	43
RFH-2HD2.5	43
RFH-3HD-2.5	43
RFH-HD-2.5	43
RFHR-1-125	43
RFHR-3-150	43
RFHU-1	43
RFHU-2	43
RFK-1	44
RFK-1CP	44
RFK-2	44
RFK-2.5Y-1	44

RFK-2.5Y-2	44
RFK-2.5Y-3	44
RFS-1	153
RFS-2	153
RFT-1	43
RFT-1KIT	43
RFTH-1XS	154
RFTH-2B	154
RFTH-2BCP	150
RFTH-2XS	154
RG-1	49
RH-1	85
RH-1FW	85
RH-2	85
RH-2FW	85
RH-3FW	85
RH-3W	85
RH-4	85
RHBD-1	85
RHBD-2SS	85
RHBD-2SST	85
RHD-1	82
RHD-2	82
RHDN-1	82
RHDN-2	82
RHRB-3B	85
RHRM-2B	84
RHRM-2W	84
RHRM-3B	84
RHRM-3W	84
RHSF-3B	85
RHSF-3W	85
RMC-101FMK-DP	58
RMC-101MG-DP	58
RMC-101MK-DP	58
RMC-102MG-DP	58
RMC-104MK-DP	58
RMC-105FMK-DP	58
RMC-108-DP	58
RMC-109-DP	58
RS-1-DP	13
RS-2-DP	13
RS-3-DP	13
RS-4-DP	13
RT-10	82
RT-12	82
RT-14	82
RT-16	82
RT-18	82
RT-22	82
RTHOOK-1	174
RTSM-1	174
RUSC-1	158
SA-1	153
SA-2	153
SA-2B	153
SA-3	153
SCB-118	161
SCB-237	161
SCB-527	161
SCB-528	161
SCB-535	161
SCB-555	161
SCB-660	161
SCBG-1	161
SCM-2	21
SDP-1	38

SDP-1FW	38
SDP-1W	38
SDP-2	38
SDP-2FW	38
SDP-2W	38
SDP-3	38
SDP-3FW	38
SEACOCK-14	161
SEACOCK-15.5	161
SEACOCK-18.5	161
SEACOCK-20	161
SEACOCK-28	161
SEACOCK-36	161
SEACOCK-40	161
SEACOCK-48	161
SEL-1	127
SEL-1LED	127
SKLK-KONG-1-DP	180
SKLK-LALT	180
SKLK-LAST	180
SKLK-NAST	180
SKLK-SAST	180
SKTM-F-BK	180
SKTM-F-R	180
SMEC-1	52
SPA-250B	101
SPA-250G	101
SPA-375B	101
SPA-375G	101
SPA-500B	101
SPA-500G	101
SPA-500LB	101
SPD-1	155
SR-1	52
SS-3	177
SS00500-DP	186
SS00501-DP	186
SS00502-DP	186
SS00503-DP	186
SS00504-DP	186
SS00505-DP	186
SS00506-DP	186
SS00508-DP	186
SS00510-DP	186
SS00511-DP	186
SS00512-DP	186
SS00513-DP	186
SS00514-DP	186
SS00515-DP	186
SS00516-DP	186
SS00517-DP	186
SS00518-DP	186
SS00519-DP	186
SS00520-DP	186
SS00522-DP	186
SS00523-DP	186
SS00524-DP	186
SS00525-DP	186
SS00526-DP	186
SS00527-DP	186
ST-1-DP	20
STRAP-12BWS	171
STRAP-22BWS	171
SWD-1	154
SWD-1W	154
SWD-3	154
SWD-3W	154

SWD-3WCP	154
SWD-4WCP	154
SWD-5-FW	154
T-1	148
TAB-1	14
TB-1420	174
TBOX-1115-3T	36
TCM-1	21
TD-54778	171
TD-55130	174
TD-55132	174
TDSS-0714-2T	35
TDSS-1115-3T	35
TDSS-1317-4T	35
TE-1	42
TE-1FW	83
TE-1FWGT	83
TE-1GT	83
TE-1S	42
TE-1SGT	83
TE-1W	42
TEC-1	52
TEC-1L	52
TEC-1R	52
TEE-112	162
TEE-118	162
TEE-150	162
TEE-250	162
TEE-3/4	162
TEE-3/8	162
TEE-350	162
TEE-5/8	162
TEO-2.50-1	83
TEO-2.50-2	83
TEO-2.50-3	83
TEO-3.00-1	83
TEO-3.00-2	83
TEO-3.00-3	83
TH-1000	160
TH-1000SSC	160
TH-1002	160
TH-1090SSC	160
TH-1200	160
TH-1200CP	150
TH-1200SSC	160
TH-1200T	158
TH-1200XL	158
TH-1200XLCP	150
TH-1202	160
TH-1202XL	160
TH-1290	160
TH-1290CP	150
TH-1290SSC-CP	160
TH-1290T	158
TH-1292S	161
TH-1500	160
TH-1500AFD	159
TH-1500CP	150
TH-1500SSC	160
TH-1500XL	160
TH-1500XLCP	150
TH-1500XS	160
TH-1500XSFAFD	159
TH-1502F-B	156

T-U-V

TH-1502FF	154
TH-1502G-B	152
TH-1502SN	161
TH-1502T	158
TH-1502XL	160
TH-1502XS	160
TH-1590	160
TH-1590AFD	159
TH-1590CP	150
TH-1590SSC	160
TH-1592F-B	156
TH-1592G-B	152
TH-1592T	158
TH-1890	160
TH-1890CP	150
TH-1890T	151
TH-1992	151
TH-1992BH	151
TH-1992BHS	151
TH-1992FH	151
TH-1992FHR	151
TH-1992FHS	151
TH-1992R	151
TH-1992S	151
TH-1XL-B	161
TH-3S	161
TH-650	160
TH-650SSC	160
TH-652	160
TH-6590SSC	160
TH-750	160
TH-750CP	150
TH-750SSC	160
TH-750XL	160
TH-752	160
TH-752XL	160
TH-7590	160
TH-7590CP	150
TH-7590S	161
TH-7590SSC	160
TH-90	161
TH-90XL-B	161
TH-92	161
TH-CC-1	159
TH-CC-2	159
TH-CCL-1	159
TH-CCL-2	159
TH-DFR-1292	150
TH-DFR-7592	150
TH01502	160
THSM-1	157
THSM-1KIT	157
THSM-1XL	157
THW-1200	159
THW-1500	159
THW-750	159
TMM-1-DP	60
TMTB-1	60
TSP-1	14
TSP-2	14
TSP-7	14
TSP-7-M	14
TT-52070	89
TT-52071	89
TT-52072	89
TT-52076	89
TT-54250	88

TT-54251	88
TT-CGTT51	88
TT-CGTT52	88
TT-FLH-1	88
TT-FLH-2	88
TT-MINI1	87
TT-MINI2	87
TT-TITAN1	87
TT-TITAN2	87
TT-TLMAN1	88
TT-TLMS1	87
TT-TTS1	88
TT-TTS2	88
TTC-1	20
TTEC-1	52
TTRP-2	47
TW-2	13
TW-3	13
TWA-1-DP	169
TWAR-1-DP	169
U2.3FW-12PK	178
U21-FW	178
U216-FW	178
U23FW-12PK	179
U264-FW	178
U28-FW	178
U2C1-FW	179
U2C128-FW	179
U2C64-FW	179
U2C8-FW	179
U2MM1-DP	179
U2MM128-DP	179
U2MM16-DP	179
UC-1	158
UG-1	49, 84
UG-1FW	49, 84
UG-1W	49, 84
UG-2	49, 84
UG-2FW	49, 84
UG-2W	49, 84
UG-3	49, 84
UG-3FW	49, 84
UG-3W	49, 84
ULC-1	158
VCAP-1.687	177
VCAP-1.697	83
VCAP-2.125	83
VCAP-2.25	177
VCAP-2.625	177
VHF-3WS	47
VHF-4WS	47
VTLP-8-1	37
VTLP-8-2	37

W-Y-Z

W1000D	175
W1200D	175
W1400D	175
W1600D	175
W1800D	175
W2000D	175
W2500D	175
W3200D	175
WAVE-15KIT-DP	181
WAVE-15POP-DP	181
WD-1	150

WD-1CP	150
WDH-15B	164
WDH-15W	164
WDH-25B	164
WDH-25W	164
WDHBR-15B-B	164
WDHH-25B-C	164
WDHH-25W-C	164
WDHHO-25G-C	164
WDN-1	164
WDN-2	164
WDSB	164
WDSW	164
WDV-1	150
WDV-1CP	150
WDV-90	150
WHH-1	49
WHH-1T	49
WS-1	148
WSH-1	172
WSH-1F	172
WSH-1PR	172
Y-112	162
Y-118	162
Y-750	162
ZL-10-DP	170
ZL-20-DP	170
ZRS-1	42



