



**TACO**<sup>®</sup>  
MARINE

**2026 MAINTENANCE &  
MARINE ACCESSORIES**

# RUB RAIL

## RUB RAIL OVERLAY INSERT KITS


# SUPRO-FLEX




Introducing the Semi-Rigid SuproFlex Rub Rail Kit with a Flexible Vinyl Overlay Insert – an all-in-one Rub Rail replacement kit that compliments a variety of boat types, including bass boats, and freshwater and saltwater bay boats. Semi-Rigid SuproFlex features a semi-rigid vinyl back and a 95-durometer, firmer face, and pairs exclusively with our attractive Flexible Overlay Vinyl Insert for added protection from impact and style. Additionally, this co-extruded vinyl rub rail features shock-absorbing channels for higher impact resistance and requires less heat during installation when compared to other semi-rigid or rigid profiles. This rub rail kit is available in a variety of sizes and colors, and includes stainless steel end caps and screws.



- ▶ Co-extruded to provide two levels of hardness
- ▶ Semi-Rigid backing and 95-durometer front
- ▶ Pairs exclusively with V12-9992 Flexible Overlay Vinyl Insert (included in kit)
- ▶ Shock-absorbing channels for higher impact resistance
- ▶ Lighter weight than traditional vinyl rub rail
- ▶ Requires no pre-forming and minimal heating
- ▶ Predrilled for fasteners
- ▶ Kit includes stainless-steel end caps and screws



**V11-9991**



**V11-9993**

| PART NUMBER     | DESCRIPTION                                                        | UPC          |
|-----------------|--------------------------------------------------------------------|--------------|
| V11-9991BBK60-2 | SuproFlex Rub Rail Kit, Small, Black w/ Black Insert Overlay, 60'  | 631367093635 |
| V11-9991WWK60-2 | SuproFlex Rub Rail Kit, Small, White w/ White Insert Overlay, 60'  | 631368093641 |
| V11-9993BBK60-2 | SuproFlex Rub Rail Kit, Medium, Black w/ Black Insert Overlay, 60' | 631369093657 |
| V11-9993BBK80-2 | SuproFlex Rub Rail Kit, Medium, Black w/ Black Insert Overlay, 80' | 631370093660 |
| V11-9993WWK80-2 | SuproFlex Rub Rail Kit, Medium, White w/ White Insert Overlay, 80' | 631371093676 |

# RUB RAIL

## RUB RAIL KITS




# SUPRO-FLEX


SuproFlex Rub Rail Kits are lightweight and ultra-flexible – saving you time and providing a seamless precision fit. The innovative SuproFlex series is co-extruded vinyl that provides two levels of hardness – ensuring enhanced protection from impact. SuproFlex Rub Rail requires minimal heating – reducing installation time and manpower. Additionally, SuproFlex Rub Rail requires no pre-forming and easily molds to most hull shapes. This rub rail kit is available in a variety of sizes and colors.




- ▶ Tight-radius bending can be made with minimal heating
- ▶ Easy handling making these rub rails a good choice for do-it-yourself boaters
- ▶ Accepts flex chrome insert V12-0307CP and V12-9980CP
- ▶ Kit includes SuproFlex Rub Rail, Flex Chrome Insert, stainless-steel end caps and stainless-steel mounting screws



**V11-9960**



**V11-9990**



**V11-9970**

| PART NUMBER      | DESCRIPTION                                                            | UPC           |
|------------------|------------------------------------------------------------------------|---------------|
| V11-9960BBK60-2  | SuproFlex Rub Rail Kit, Small, Black w/Flex Chrome Insert, 60'         | 6310040900003 |
| V11-9960WCM60-2  | SuproFlex Rub Rail Kit, Small, Frosty White w/Flex Chrome Insert, 60'  | 6310050900019 |
| V11-9990BBK60-2  | SuproFlex Rub Rail Kit, Small, Black w/Flex Chrome Insert, 60'         | 6310110900072 |
| V11-9990WCM60-2  | SuproFlex Rub Rail Kit, Medium, Frosty White w/Flex Chrome Insert, 60' | 6310100900066 |
| V11-9990BBK80-2  | SuproFlex Rub Rail Kit, Medium, Black w/Flex Chrome Insert, 80'        | 6310060900025 |
| V11-9990WCM80-2  | SuproFlex Rub Rail Kit, Medium, Frosty White w/Flex Chrome Insert, 80' | 6310070900031 |
| V11-9990GRD80-2  | SuproFlex Rub Rail Kit, Medium, Gray w/Flex Chrome Insert, 80'         | 6310500900460 |
| V11-9970BKA100-1 | SuproFlex Rub Rail, Large, Blake, 100', Individual Coil                | 6310080900047 |
| V12-9980CP100-1  | Flex Chrome Insert 15/16" X 17/32", 100', Individual Coil for V11-9970 | 6310090900053 |
| F16-0276         | Stainless Steel End Cap for V11-9970                                   | 6310150900115 |


# RUB RAIL INSERTS



Flex Chrome Rub Rail Inserts are the easiest and most cost-effective way to give your boat the elegant look of stainless steel without the price tag. Developed originally for automotive exterior trim applications, our Flex Chrome passed extensive automotive testing for heat/humidity freeze cycle, salt spray, shock and accelerated weathering. It will not corrode, even if penetrated.

## FLEX CHROME INSERT, 3/4" X 1/2"


- Denser substrates provide more robust protection
- Authentic "chrome" finish
- Durable materials will provide years of maintenance-free service
- Pairs with V11-9960 and V11-9990 SuproFlex Rub Rail
- Patent number US6349662



| PART NUMBER   | DESCRIPTION                      | HEIGHT | WIDTH | UPC          |
|---------------|----------------------------------|--------|-------|--------------|
| V12-0307CP60  | Flex Chrome Insert, L: 60'       | 3/4"   | 1/2"  | 631100090969 |
| V12-0307CP80  | Flex Chrome Insert, L: 80'       | 3/4"   | 1/2"  | 631101090975 |
| V12-0307CP200 | Flex Chrome Insert, L: 200'      | 3/4"   | 1/2"  | 630838082604 |
| V12-0307GRD88 | Flex Chrome Insert, Gray, L: 88' | 3/4"   | 1/2"  | 631102090981 |

## FLEX CHROME INSERT, 15/16" X 7/32"


- Denser substrates provide more robust protection
- Authentic "chrome" finish
- Durable materials will provide years of maintenance-free service
- Pairs with V11-9970 SuproFlex Rub Rail
- Patent number US6349662



| PART NUMBER     | DESCRIPTION                 | HEIGHT | WIDTH  | UPC          |
|-----------------|-----------------------------|--------|--------|--------------|
| V12-9980CP100-1 | Flex Chrome Insert, L: 100' | 15/16" | 17/32" | 631009090053 |

## VINYL INSERT FOR PONTOON BOATS

- Vinyl insert used with most pontoon boats
- Soft PVC insert provides cushion effect to absorb impact
- Insert is 1/2" W x 1-3/16" H



| PART NUMBER     | DESCRIPTION                                                     | PACK | UPC          |
|-----------------|-----------------------------------------------------------------|------|--------------|
| V12-4144BKA50-1 | Flexible Vinyl, Black Rub Rail Insert, 1/2"W x 1-3/16"H x 50'L  | 4    | 630838019181 |
| V12-4144BKA70-1 | Flexible Vinyl, Black Rub Rail Insert, 1/2"W x 1-3/16"H x 70'L  | 4    | 630838019198 |
| V12-4144BKA250  | Flexible Vinyl, Black Rub Rail Insert, 1/2"W x 1-3/16"H x 250'L | 2    | 630838019174 |

# RUB RAIL

## RUB RAIL KITS



Our all-in-one, convenient Vinyl Rub Rail Kits have everything you need to replace your boat's Rub Rail. These affordable kits are designed to meet the functional and aesthetic requirements of most boats. Each kit comes with one continuous coil of seamless Flexible Rub Rail, an insert (when applicable), end caps, screws and an installation guide.



| PART NUMBER      | DESCRIPTION                                              | PACK | UPC          |
|------------------|----------------------------------------------------------|------|--------------|
| V11-0809BBK50-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Blk Insert, 50'        | 4    | 630838007447 |
| V11-0809BBK70-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Blk Insert, 70'        | 4    | 630838007454 |
| V11-0809BWK50-2  | Flex Vinyl Rub Rail Kit, Wht/Wht Insert, 50'             | 4    | 630838004637 |
| V11-2423BBK50-2  | Flex Vinyl Rub Rail Kit, 1 7/8" Blk/Blk Insert, 50'      | 4    | 630838004712 |
| V11-2423BBK70-2  | Flex Vinyl Rub Rail Kit, 1 7/8" Blk/Blk Insert, 70'      | 4    | 630838004729 |
| V11-3426BBK50-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Blk Insert, 50'        | 2    | 630838004781 |
| V11-3426BBK70-2  | Flex Rub Rail Kit, 7/8", Blk/Blk Insert, 70'             | 2    | 630838004798 |
| V11-3447BBK50-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Blk Insert, 50'        | 4    | 630838007508 |
| V11-3447BBK70-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Blk Insert, 70'        | 4    | 630838007515 |
| V11-3447BWK50-2  | Flex Vinyl Rub Rail Kit, Blk R/R, Wht Insert, 50'        | 4    | 630838004866 |
| V11-3447WWK50-2  | Flex Vinyl Rub Rail Kit, Wht R/R, Wht Insert, 50'        | 4    | 630838008963 |
| V11-4135BKA30-3  | Semi Rigid Rub Rail Kit, 1 7/8" Blk, 30'                 | 4    | 630838018771 |
| V11-9795BBK50D-2 | Semi Rigid Rub Rail Kit w/Insert, Blk, 50'               | 4    | 630838029104 |
| V11-9811WCM70-2  | Semi Rigid Rub Rail Kit w/Flex Chrome Insert, White, 70' | 4    | 630838080785 |

# RUB RAIL


## RIGID RUB RAIL KITS



### CUT LENGTHS FOR EASY SHIPPING

Get Rigid Vinyl Rub Rail delivered to your location with this exclusive cut length kit program! Choose from TACO's 9 most popular Rigid Vinyl Rub Rail profiles to have shipped UPS or FedEx direct to your location. No special freight carrier needed! Each rigid profile and, if applicable, stainless-steel insert, will be cut in shorter sizes with pre-drilled holes for easy installation. Vinyl inserts will arrive in one continuous coil.

**Drawings  
not to scale**



| PART NUMBER         | DESCRIPTION                              | COLOR        | INSERT<br>REQUIRED<br>(NOT INCLUDED) | UNIT |
|---------------------|------------------------------------------|--------------|--------------------------------------|------|
| V21-3670BKA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Black        | N/A                                  | EA   |
| V21-3670WHA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Arctic White | N/A                                  | EA   |
| V21-3671BKA20D2-3   | Cut into three pieces (7.5' X 7.5' X 5') | Black        | N/A                                  | EA   |
| V21-9501WHC20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Frosty White | V12-0303                             | EA   |
| V21-9502WHC20DV05-3 | Cut into three pieces (7.5' X 7.5' X 5') | Frosty White | S11-4650P6-1                         | EA   |
| V21-9602WHA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Arctic White | S11-4511P6-1                         | EA   |
| V21-9659BKA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Black        | S11-4511P6-1                         | EA   |
| V21-9659WHC20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Frosty White | S11-4511P6-1                         | EA   |
| V21-9678BKA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Black        | V12-4144                             | EA   |
| V21-9678WHA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Arctic White | V12-4144                             | EA   |
| V21-9679BKA20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Black        | S11-4511P6-1                         | EA   |
| V21-9679WHC20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Frosty White | S11-4511P6-1                         | EA   |
| V21-9866WHC20D-3    | Cut into three pieces (7.5' X 7.5' X 5') | Frosty White | S11-4511P6-1                         | EA   |

# RUB RAIL

## RUB RAIL & NAVIGATION LIGHTS



### RIGID VINYL FLEX CORE RUB RAIL

- Solid, rigid PVC cap stock exhibits traditional surface characteristics, appearance and impact properties
- Lightweight, easy handling and installation
- Vacuum calibration tooling allows for tighter dimensional tolerance and sizing consistency
- Drilled and countersunk on 8" centers
- Uses stainless steel inserts S11-4511P (6', 12' & 20')
- High-density core offers improved shock-absorbent impact resistance
- Available in a continuous coil, eliminating butt joints around gunwale
- Improved bending characteristics and ability to cold form



IDEAL  
FOR BOATS  
UP TO 40'

**V21-9906**

IDEAL  
FOR BOATS  
UP TO 30'


**V21-9959**




| PART NUMBER    | DESCRIPTION                                                      | UNIT | PACK | UPC          |
|----------------|------------------------------------------------------------------|------|------|--------------|
| V21-9906WHC60D | Rigid Vinyl Flex-Core Rub Rail, Frosty White, 2" x 60' coil      | Each | 4    | 630838084691 |
| V21-9906BKA60D | Rigid Vinyl Flex-Core Rub Rail, Black, 2" x 60' coil             | Each | 4    | 630838084684 |
| V21-9959WHC50D | Rigid Vinyl Flex-Core Rub Rail, Frosty White, 1-9/16" x 50' coil | Each | 4    | 630838084363 |
| V21-9959WHC60D | Rigid Vinyl Flex-Core Rub Rail, Frosty White, 1-9/16" x 60' coil | Each | 4    | 630838084370 |

### RUB RAIL MOUNTED LED NAVIGATION LIGHTS

- 3-Watt Port (Red) and Starboard (Green) LEDs
- Low-draw, less than 0.25 Amperes
- Low-voltage 12-14VDC
- Enables more deck space
- Includes stainless steel or nylon cover
- Reliable, long-life LEDs will provide years of maintenance-free service
- 6602 designed to fit V21-9659 and V21-9959 Rigid Vinyl Flex Core Rub Rail profiles or other like profiles
- 6800D designed to fit the V21-9906 or the profiles that use the 3/4" stainless-steel inserts
- Meets ABYC/USCG requirements for 2 NM range
- Ideal for up to 30' boats
- Patent USD760427 on F38-6602-1




**F38-6602-1**



**F38-6800D**



**F38-9960**



**F38-6810B**

| PART NUMBER | DESCRIPTION                                            | PACK | UPC          |
|-------------|--------------------------------------------------------|------|--------------|
| F38-6602-1  | Rub Rail Mounted Navigation Light Set                  | 6    | 630838082857 |
| F38-6710    | Rub Rail Mounted Navigation Light Set                  | 12   | 631208092049 |
| F38-6800D   | Rub Rail Mounted Navigation Light Set                  | 6    | 630931089272 |
| F38-6810B-1 | Rub Rail Mounted Navigation Light Set                  | 12   | 630959089551 |
| F38-9960    | Rub Rail Mounted Navigation Light Set (SuproFlex Only) | 12   | 631363093592 |




**F38-6710**

# RUB RAIL

## COMMERCIAL RUB RAIL


A boat has contours that challenge the need for Rub Rail protection. We meet those needs using the highest-quality vinyl components and precision engineering. Our Rigid Vinyl Rub Rail provides the ultimate in durability and elegance.




**V21-9954**




**V21-9942**




**V21-9938**



**V21-9941**



**V21-9953**



**V21-9939**



**V21-9940**

| PART NUMBER   | LENGTH | HEIGHT | WIDTH  | TYPE  | COLOR | DRILLED | UPC          |
|---------------|--------|--------|--------|-------|-------|---------|--------------|
| V21-9938BKA20 | 20'    | 3"     | 1-1/2" | Rigid | Black | No      | 630904089001 |
| V21-9938WHA20 | 20'    | 3"     | 1-1/2" | Rigid | White | No      | 630905089017 |
| V21-9939BKA20 | 20'    | 3"     | 3/4"   | Rigid | Black | No      | 630906089023 |
| V21-9939WHA20 | 20'    | 3"     | 3/4"   | Rigid | White | No      | 630907089039 |
| V21-9940BKA20 | 20'    | 4"     | 7/8"   | Rigid | Black | No      | 630908089045 |
| V21-9940WHA20 | 20'    | 4"     | 7/8"   | Rigid | White | No      | 630909089051 |
| V21-9941WHA20 | 20'    | 1-1/4" | 1-1/8" | Rigid | White | No      | 630838019419 |
| V21-9942BKA20 | 20'    | 2-1/4" | 1-1/2" | Rigid | Black | No      | 630902088983 |
| V21-9942WHA20 | 20'    | 2-1/4" | 1-1/2" | Rigid | White | No      | 630903088999 |
| V21-9953BKA20 | 20'    | 3"     | 7/8"   | Rigid | Black | No      | 630969089657 |
| V21-9953WHA20 | 20'    | 3"     | 7/8"   | Rigid | White | No      | 630970089660 |
| V21-9954BKA20 | 20'    | 3-3/4" | 1-3/8" | Rigid | Black | No      | 630967089635 |
| V21-9954WHA20 | 20'    | 3-3/4" | 1-3/8" | Rigid | White | No      | 63096808964  |

*All profiles are MOQ required.*

# TRIM & MOLDING

## HATCH TAPE, WEATHER SEAL & FLEX TRIM



### HATCH TAPE

Creates a tight, rattle-free seal with adhesive backing for convenient installation. Made of durable and flexible rubber compound.

### WEATHER SEAL

Absorbs shock and reduces vibration. Durable EDPM synthetic rubber compound. Adhesive backing is ideal for live-wells, exterior doors, instrument covers and electronic boxes.

### FLEX TRIM

Covers unfinished edges and follows almost any contour or radius.



#### FLEX TRIM

#### WEATHER SEAL

| PART NUMBER   | DESCRIPTION                                      | PACK | UPC          |
|---------------|--------------------------------------------------|------|--------------|
| V30-0109B10-1 | 5/8" Black Neoprene Seal, 10' retail pkd.        | 6    | 630838020309 |
| V30-0113B10-1 | 3/8" Black Neoprene Seal, 10' retail pkd.        | 6    | 630838020323 |
| V30-0744B8-2  | 3/4" X 1/8" Black Hatch Tape 8' retail pkd.      | 12   | 630838020378 |
| V30-0748B8-2  | 3/4" X 1/4" Black Hatch Tape 8' retail pkd.      | 12   | 630838020385 |
| V30-1005B25-1 | 3/16" Black Flexible Vinyl Trim, 25' retail pkd. | 12   | 630838005702 |
| V30-1005W25-1 | 3/16" White Flexible Vinyl Trim, 25' retail pkd. | 12   | 630838005726 |
| V30-1008B25-1 | 1/4" Black Flexible Vinyl Trim, 25' retail pkd.  | 12   | 630838005740 |
| V30-1008W25-1 | 1/4" White Flexible Vinyl Trim, 25' retail pkd.  | 12   | 630838005764 |
| V30-1312B25-1 | 3/8" Black Flexible Vinyl Trim, 25' retail pkd.  | 12   | 630838008154 |
| V30-1312W25-1 | 3/8" White Flexible Vinyl Trim, 25' retail pkd.  | 12   | 630838008178 |
| V30-1333B10-1 | 3/8" Black Neoprene Seal, 10' retail pkd.        | 12   | 630838020439 |

# CANVAS

## STAINLESS STEEL TUBING CUT PIECES



Strong, durable stainless steel tube for grab rails, bow rails and canvas top frames provide function and safety to your boat and finesse the boat's appearance.

- Ideally suited for bow and grab rails, canvas top frames
- Offered in a variety of sizes and wall thickness to suit wide range of applications
- Ideal for using with TACO Marine Top Fittings

### STAINLESS STEEL TUBE 1" X .065"

#### S14-1065



### STAINLESS STEEL TUBE 7/8" X .065"

#### S14-7865



### STAINLESS STEEL TUBE 1-1/4" X .065"

#### S14-1465




| PART NUMBER  | DESCRIPTION                                        | PACK | UPC          |
|--------------|----------------------------------------------------|------|--------------|
| S14-1065P4-1 | 304 Stainless Steel Tube, 1" OD x .065" x 4' L     | 9    | 631176091723 |
| S14-1065P6-1 | 304 Stainless Steel Tube, 1" OD x .065" x 6' L     | 9    | 631177091789 |
| S14-1065P8-1 | 304 Stainless Steel Tube, 1" OD x .065" x 8' L     | 9    | 631178091745 |
| S14-7865P4-1 | 304 Stainless Steel Tube, 7/8" OD x .065" x 4' L   | 12   | 631172091680 |
| S14-7865P6-1 | 304 Stainless Steel Tube, 7/8" OD x .065" x 6' L   | 12   | 631173091696 |
| S14-7865P8-1 | 304 Stainless Steel Tube, 7/8" OD x .065" x 8' L   | 12   | 631174091701 |
| S14-1465P4-1 | 304 Stainless Steel Tube, 1-1/4" OD x .065" x 4' L | 6    | 631179091751 |
| S14-1465P8-1 | 304 Stainless Steel Tube, 1-1/4" OD x .065" x 8' L | 6    | 631180091764 |
| S14-1049P6-1 | 304 Stainless Steel Tube, 1" OD x .049" x 6' L     | 12   | 630838004460 |
| S14-7849P6-1 | 304 Stainless Steel Tube, 7/8" OD x .049" x 6' L   | 12   | 630838004552 |

# CANVAS

## BALL & SOCKET FITTINGS



- ▶ Polished stainless steel Type-316L
- ▶ Delrin insert provides quiet, rattle-free and smooth operation
- ▶ Top cap pivot design offers full rotation
- ▶ Deck hinges are offered in concave and flat mounts and will also fit windshield headers
- ▶ Secure fit
- ▶ Fits standard tube sizes
- ▶ Easy installation



**F11-0177S • F12-0181S**



**F11-0180S**



**F11-1001AS**



**F12-0300S**



**F13-0242**



**F13-0241**



**F13-0301**



**F13-244BN**

| PART NUMBER      | DESCRIPTION                                   | TUBE SIZE          | TUBE DEPTH | FASTENER     | UNIT | PACK | UPC          |
|------------------|-----------------------------------------------|--------------------|------------|--------------|------|------|--------------|
| F11-0177S-1      | Top Cap                                       | 7/8"               | 1-1/8"     | Set Screw    | Each | 12   | 630880088760 |
| F12-0181S-1      | Top Cap                                       | 1"                 | 1-1/8"     | Set Screw    | Each | 12   | 630883088798 |
| F11-1001AS       | Jaw Slide                                     | 7/8"               | -          | Set Screw    | Each | 50   | 630838027162 |
| F12-0300S        | Jaw Slide                                     | 1"                 | -          | Set Screw    | Each | 50   | 630838027186 |
| F11-0180S-1      | 90° Top Cap (Side Mount)                      | 7/8"               | 1-1/8"     | Set Screw    | Each | 12   | 630881088776 |
| F13-0241/244BN-1 | Flat Deck Hinge w/ Pin & Lanyard              | 7/8" *             | -          | #8 Flat Head | Each | 12   | 630838024017 |
| F13-0301/244BN-1 | Flat Deck Hinge w/ Pin & Lanyard              | 7/8", 1", 1-1/4" * | -          | #8 Flat Head | Each | 12   | 630838024031 |
| F13-0242/244BN-1 | Concave Deck Hinge w/ Pin & Lanyard           | 7/8" *             | -          | #8 Flat Head | Each | 12   | 630838024024 |
| F13-0244BN-1     | Stainless Steel Pin & Lanyard w/ Plastic Knob | -                  | -          | -            | Each | 12   | 630885088819 |

\* Deck hinges are compatible with 3/4", 7/8", 1" and 1-1/4" tube

# MARINE ACCESSORIES

## FENDER LOCKS FOR FIBERGLASS BOATS



### QUICK RELEASE FENDER LOCK

- 7/8" ID for large rope
- Designed for simple single-hand operation
- Allows easy installation and removal of float-style fenders
- Large push-button for comfortable operation
- Stainless-steel Type-316L
- Overall height above deck: 1-3/5"
- Drain plug: 1/4" NPT



F16-0151-1



F16-1051R-1

| PART NUMBER | DESCRIPTION                                    | UNIT | PACK | UPC          |
|-------------|------------------------------------------------|------|------|--------------|
| F16-0151-1  | Quick Release Fender Lock w/ 7/8" Eye Diameter | Each | 12   | 630838084059 |
| F16-0151R-1 | Quick Release Fender Lock (Receiver Only)      | Each | 12   | 630838084882 |

### QUICK RELEASE FENDER LOCK FOR FIBERGLASS

- Manufactured from stainless steel Type-316L
- Overall height above deck is 1-11/16"
- Features a 1" diameter button
- Nylon ring washer to separate dissimilar metals
- Mounting application fastens from the bottom of the Receiver



| PART NUMBER | DESCRIPTION                               | UNIT | PACK | UPC          |
|-------------|-------------------------------------------|------|------|--------------|
| F16-0200-1  | Stainless Steel Quick Release Fender Lock | Each | 12   | 630890088866 |

# MARINE ACCESSORIES

## FENDER LOCKS FOR PONTOON BOATS



### ALUMINUM QUICK RELEASE FENDER LOCK

- Manufactured from 6000-series Aluminum
- Designed for pontoon boats
- Features a 1" diameter button
- Fits 1" to 1-1/4" square tube
- Mounting application fastens from the bottom of the square tube



NEW

| PART NUMBER   | DESCRIPTION                                        | UNIT | PACK | UPC          |
|---------------|----------------------------------------------------|------|------|--------------|
| F18-0186VEL-1 | Aluminum Quick Release Fender Lock, Satin Anodized | Each | 12   | 631209092055 |

# MARINE LUMBER

## KingStarboard®



- Available in full and half sheets and cut sizes individually shrink-wrapped for retail merchandising
- UV-stabilized, marine-grade polymer specifically designed to withstand harsh marine environments
- Excellent resistance to sun and salt water
- Ideal wood replacement for cabinets, dock and step boxes
- Easily drilled, cut and routed



| PART NUMBER     | LENGTH | WIDTH | HEIGHT | COLOR | PACK | UPC          |
|-----------------|--------|-------|--------|-------|------|--------------|
| P10-2506WHA12-1 | 6"     | 12"   | 1/4"   | White | 4    | 630838087883 |
| P10-2512WHA12-1 | 12"    | 12"   | 1/4"   | White | 4    | 630838087890 |
| P10-2512WHA27-1 | 12"    | 27"   | 1/4"   | White | 12   | 630838025335 |
| P10-2524BLK54-1 | 24"    | 54"   | 1/4"   | Black | 4    | 630838012229 |
| P10-2524WHA27-1 | 24"    | 27"   | 1/4"   | Black | 12   | 630838025328 |
| P10-2524WHA54-1 | 24"    | 54"   | 1/4"   | White | 4    | 630838012212 |
| P10-5012BLK27-1 | 12"    | 27"   | 1/2"   | Black | 9    | 630838009250 |
| P10-5012WHA27-1 | 12"    | 27"   | 1/2"   | White | 9    | 630838008994 |
| P10-5024BLK27-1 | 24"    | 27"   | 1/2"   | Black | 9    | 630838009267 |
| P10-5024BLK54-1 | 24"    | 54"   | 1/2"   | Black | 4    | 630838009274 |
| P10-5024WHA27-1 | 24"    | 27"   | 1/2"   | White | 9    | 630838009007 |
| P10-5024WHA54-1 | 24"    | 54"   | 1/2"   | White | 4    | 630838009014 |
| P10-7512BLK27-1 | 12"    | 27"   | 3/4"   | Black | 9    | 630838009403 |
| P10-7512WHA27-1 | 12"    | 27"   | 3/4"   | White | 9    | 630838009304 |
| P10-7524WHA27-1 | 24"    | 27"   | 3/4"   | White | 6    | 630838009311 |
| P10-7524WHA54-1 | 24"    | 54"   | 3/4"   | White | 4    | 630838009328 |

## KINGSTARBOARD® ANTI-SKID POLYMER SHEET

- UV-stabilized, high-density polyethylene
- High-friction surface in a diamond pattern finish helps drainage when wet
- Conforms to ASTM D2047 Slip Resistant
- Resists most stains and does not change color
- Rotting and chemical resistant or delaminate



### Applications

- Bow Pulpits
- Decking
- Hatches
- Ladder Steps
- Boarding Areas
- Swim Platforms
- Shower Floors
- Stairways and Entry Ways
- Step Threads

| PART NUMBER     | DESCRIPTION                   | LENGTH | WIDTH | HEIGHT | PACK | UPC          |
|-----------------|-------------------------------|--------|-------|--------|------|--------------|
| P14-5012WHA27-1 | KingStarboard Anti-Skid Sheet | 12"    | 27"   | 1/2"   | 9    | 630838085186 |
| P14-7512WHA27-1 | KingStarboard Anti-Skid Sheet | 12"    | 27"   | 3/4"   | 9    | 630838085209 |

# LED LIGHTS

## DECK LIGHTS



All of our LED Deck Lights are USCG, ISO and SAE certified for Ignition Protection.\*

### 4-LED DECK LIGHT - FLAT MOUNT



- Ideal for hardtops, consoles, interior cabins and under gunnels
- Compact design bolts directly to any flat surface 5" L and 1-3/8" W
- 10 watt equivalent to a 55-watt halogen flood light
- Powerful 700-lumen output with 100° spread beam angle
- Very low power consumption (0.9 amps @ 12V, 0.5 amps @ 24V)
- Available in white UV-resistant polycarbonate housing
- Anodized aluminum heatsink
- Available mounting options:  
Stainless-steel swivel bracket or 3M adhesive tape



### T-TOP LIGHT WITH ALUMINUM HOUSING & TUBE LIGHT

- 108 LEDs
- Available with either white / red or white / blue lights
- 300-lumens white light / 150-lumens color light
- Efficient 100,000 hours of operation
- Low draw <.5 Amperes
- Waterproof (non-submersible)
- Impact-resistant polycarbonate lens
- Fits most existing fluorescent T-top light housings
- Polished, anodized aluminum housing (F38-2050B-1 and F38-2050R-1)
- 14' wiring cable



**F38-2060**



**F38-2050**

| PART NUMBER | DESCRIPTION                                                | LED COLOR  | PACK | UNIT | UPC          |
|-------------|------------------------------------------------------------|------------|------|------|--------------|
| F38-8800W-1 | 4-LED Deck Light - Flat Mount, White Housing               | White      | 6    | Each | 630838087739 |
| F38-2050B-1 | LED T-TOP Light w/ Aluminum Housing (White w/ Blue Lights) | White/Blue | 6    | Each | 630838084127 |
| F38-2050R-1 | LED T-TOP Light w/ Aluminum Housing (White w/ Red Lights)  | White/Red  | 6    | Each | 630838084134 |
| F38-2060B-1 | LED T-TOP Light (White w/ Blue Lights)                     | White/Blue | 6    | Each | 630838084141 |
| F38-2060R-1 | LED T-TOP Light (White w/ Red Lights)                      | White/Red  | 6    | Each | 630838084158 |

\*Completely sealed lights have been tested in an explosive environment and exposed to an explosive atmosphere in high temperatures that includes powering on-off 50 times without igniting the atmosphere at a temperature not exceeding 200° C. These certificates demonstrate the ability to consistently provide product that meets statutory and regulatory requirements that assure customer satisfaction and safety. Ideal for use in engine rooms, battery compartments and anywhere fire safety is of most importance.

# MARINE ACCESSORIES

## MULTI-PURPOSE 15° PORTABLE CLEAT

- ▶ Stainless steel Type-304
- ▶ Large S-shape 9" cleat design
- ▶ Accommodates up to 3/4" dock line for larger boat applications
- ▶ Tube O.D. 1.25" fits into standard rod holders 1-5/8" diameter
- ▶ Loop hole design to hang fenders over the side
- ▶ Ideal for hanging hose while washing boat
- ▶ Packaged in mesh bag for easy drying if stored wet and to avoid scratching deck or storage surfaces on the boat




| PART NUMBER   | DESCRIPTION                           | UNIT | PACK | UPC          |
|---------------|---------------------------------------|------|------|--------------|
| F16-0861POL-1 | Multi-Purpose Cleat - 15° SS Type 304 | EA   | 4    | 631376093725 |

## COME ON BOARD HANDLE



- ▶ Manufactured from stainless steel Type-304
- ▶ Unique finger-molded groove handle designed for comfortable, secure grip
- ▶ The stainless-steel receiver base is ideal for gunnel or transom platform mounting
- ▶ Attaches permanently to gunnel mount
- ▶ Multiple piece design for easy storage
- ▶ Packaged in mesh bag for easy drying if stored wet and to avoid scratching deck or storage surfaces on the boat



F16-0800


F16-0810

| PART NUMBER | DESCRIPTION                                                | UNIT | PACK | UPC          |
|-------------|------------------------------------------------------------|------|------|--------------|
| F16-0800-1  | "Come On Board" Handle (Fixed Base Mount - 56-1/4" Length) | Each | 2    | 630838084905 |
| F16-0800C-1 | "Come On Board" Handle Fixed Base Mount Receiver Only      | Each | 4    | 630838084981 |
| F16-0810-1  | "Come On Board" Handle (Rod Holder Mount - 57-1/2" Length) | Each | 2    | 630838084899 |

## OUTRIGGER LINE TENSIONER



- ▶ Stainless-steel Type-316L construction
- ▶ Includes 18-8 stainless-steel mounting hardware
- ▶ Mushroom head threaded bolt
- ▶ Adjustable for boats with 1" to 2-1/2" gunnel thickness
- ▶ Easy Ronstan medium cam cleat for 1/8" to 1/2" rope
- ▶ Heavy-duty lock washer to prevent loosening from excess vibration
- ▶ Electro-polished bracket with countersunk mounting holes



| PART NUMBER | DESCRIPTION              | UNIT | WEIGHT  | PACK | UPC          |
|-------------|--------------------------|------|---------|------|--------------|
| F16-0204-1  | Outrigger Line Tensioner | Each | .88 lbs | 4    | 630879088757 |

# POLY ACCESSORIES

## TRAILER GLYDE SLICKS


- ▶ Launch and load your boat with ease
- ▶ Eliminates friction between the bottom of the boat and the runners
- ▶ Easily installed on carpeted or bare bunks
- ▶ Evenly distributes the weight of the boat
- ▶ Light-duty Glyde Slicks are ideal for boats under 600 lbs.
- ▶ Includes stainless-steel screws and instructions



| PART NUMBER | DESCRIPTION                | DIMENSIONS                    | PACK | UNIT | UPC          |
|-------------|----------------------------|-------------------------------|------|------|--------------|
| P05-06W     | 6, Light Duty Glyde Slicks | 2' L x 1-5/8" W x 7/16" Thick | 12   | Each | 045038586065 |
| P05-08W     | 8, Light Duty Glyde Slicks | 2' L x 1-5/8" W x 7/16" Thick | 12   | Each | 045038586089 |

## BUNGEE ROD HOLDER

- ▶ Perfect for under-gunnel rod storage
- ▶ Includes mounting plates and hardware for easy installation
- ▶ Bungee cords keep your rods safe and secure
- ▶ UV-stabilized high-density polyethylene
- ▶ Sold as a pair



| PART NUMBER | DESCRIPTION             | PACK | UNIT | UPC          |
|-------------|-------------------------|------|------|--------------|
| P03-132W    | 2-Rod Bungee Rod Holder | 4    | Each | 045038511227 |
| P03-133W    | 3-Rod Bungee Rod Holder | 4    | Each | 630838032043 |
| P03-134W    | 4-Rod Bungee Rod Holder | 4    | Each | 045038511340 |

**P03-134**

## SURFACE MOUNT ROD HOLDERS

### P04-0111W

- ▶ UV-stabilized high-density polyethylene
- ▶ Front access hole

### P04-011W

- ▶ UV-stabilized high-density polyethylene
- ▶ Pre-drilled mount access holes
- ▶ Integrated standoffs for easy mounting
- ▶ Stainless-steel hardware



**P04-0111W**

**P04-011W**

| PART NUMBER | DESCRIPTION                        | INSIDE DIA. | PACK | UNIT | UPC          |
|-------------|------------------------------------|-------------|------|------|--------------|
| P04-011W    | Thru Bolt Surface Mount Rod Holder | 1-3/4"      | 27   | Each | 045038501013 |
| P04-0111W   | Stand-Off Surface Mount Rod Holder | 1-3/4"      | 27   | Each | 045038525118 |

# SPORT FISHING

## ROD STORAGE

### CLAMP-ON SS ADJUSTABLE ROD HOLDER

- Adjustable clamp to fit multiple pipe and tube sizes
- For use on vertical and horizontal pipe/tube
- Rotate and lock-in fishing angle
- Polished finish




| PART NUMBER   | TUBE OD   | PIPE              | ROD HOLDER ID | PACK | UNIT | UPC          |
|---------------|-----------|-------------------|---------------|------|------|--------------|
| F16-2600POL-1 | 7/8" & 1" | ----              | 1-3/4"        | 6    | Each | 630838022136 |
| F16-2623POL-1 | 1 1/4"    | 1-1/16" & 1-5/16" | 1-3/4"        | 6    | Each | 630838028534 |
| F16-2630POL-1 | 1-11/16"  | 1-15/16"          | 1-7/8"        | 6    | Each | 630838022006 |



### ROD HANGER & ROD HANGER RACK

- Secure storage for big-game and spinning rods
- Spring locking rod tip holder
- Polished stainless-steel/Delrin rod hanger components
- Store multiple rods in convenient easy-mount racks with pre-drilled recessed mounting holes
- UV-stabilized poly racks with beveled edges offer a finished look



F16-2752-1

| PART NUMBER | DESCRIPTION                        | PACK | UNIT | UPC          |
|-------------|------------------------------------|------|------|--------------|
| F16-2700-1  | Rod Hanger Components Kit          | 6    | Each | 630838021139 |
| F16-2751-1  | 2-Rod Hanger Rack, Stainless Steel | 6    | Pair | 630838030087 |
| F16-2753-1  | 3-Rod Hanger Rack, Stainless Steel | 6    | Pair | 630838032036 |
| F16-2752-1  | 4-Rod Hanger Rack, Stainless Steel | 6    | Pair | 630838030094 |



F16-2700-1

### DELUXE POLY ROD RACK

- Rugged reinforced polyethylene
- Adjust, add or remove easily with standard Allen wrench
- Clamp adjusts to fit two pipe/tube sizes
- 1-3/4" ID flared rod holder
- Rotates and locks in place



P03-062



| PART NUMBER | DESCRIPTION                | PACK | UNIT | UPC          |
|-------------|----------------------------|------|------|--------------|
| P03-062W    | 2-Rod Deluxe Poly Rod Rack | 8    | Each | 045038543228 |
| P03-063W    | 3-Rod Deluxe Poly Rod Rack | 8    | Each | 045038543334 |
| P03-064W    | 4-Rod Deluxe Poly Rod Rack | 8    | Each | 045038543440 |



P03-064

# SPORT FISHING

## ROD STORAGE



### ADJUSTABLE TRANSOM MOUNT ROD RACK



- ▶ Brushed anodized aluminum for long-lasting performance and beauty
- ▶ Mounts to transom to maximize on-board rod storage
- ▶ Splines offer adjustable rack angle to fit any boat's transom
- ▶ Easy bolt-on installation



| PART NUMBER   | DESCRIPTION                                          | PACK | UNIT | UPC          |
|---------------|------------------------------------------------------|------|------|--------------|
| F31-3504BSA-1 | 4-Rod Transom Mount Rack, 1-7/8" Rod Holder ID, 10"H | 4    | Each | 630838030346 |

### ALUMINUM ROD RACK

- ▶ Brushed anodized aluminum for long-lasting performance and beauty
- ▶ Mounts to transom to maximize on-board rod storage
- ▶ Splines offer adjustable rack angle to fit any boat's transom
- ▶ Easy bolt-on installation



F31-3004BSA-1

| PART NUMBER   | DESCRIPTION                                      | PACK | UNIT | UPC          |
|---------------|--------------------------------------------------|------|------|--------------|
| F31-3003BSA-1 | 3-Rod Holder Rack, 1 1/2" Rod Holder ID, 8-1/2"H | 4    | Each | 630838030148 |
| F31-3004BSA-1 | 4-Rod Holder Rack, 1 1/2" Rod Holder ID, 8-1/2"H | 4    | Each | 630838030155 |

# HINGES

## COMMAND RATCHET HINGES



Constructed from high-grade stainless steel and brass, our Command Ratchet Hinges are ideal for sunpads, bolsters and lounge backrests. The 9-3/8" heavy-duty specialty hinge features a 15° locking inclination and ratchets up to four positions. The 18-1/2" heavy-duty specialty hinge features one locking position at 61.5°.



### COMMAND RATCHET HINGE 9-3/8"

- ▶ Polished, marine-grade stainless-steel Type-304
- ▶ All brass bearings for durability
- ▶ Meets ABYC H-31 standards class B\* application, 250lb ft of torque load for pair
- ▶ 15° locking inclination increments starting at 30°
- ▶ Easily adaptable to many applications
- ▶ Designed for up to 4" thick cushions
- ▶ Returns to horizontal position at 100°
- ▶ Countersunk for #10 fastener or 1/4-20 bolt
- ▶ Sold in pairs

### COMMAND RATCHET HINGE 18-1/3"

- ▶ Polished, marine-grade stainless-steel Type-304
- ▶ Mounts above the deck
- ▶ One locking position at 62.5°
- ▶ Hard stop at 105°
- ▶ Can be used for seat-backs up to 22" long
- ▶ Single or double seat capacity
- ▶ Meets ABYC H-31 standards class B\* application, 500 ft-lb. of torque load for pair
- ▶ 500-hour salt fog test
- ▶ For cushions up to 4" thick
- ▶ Sold in pairs

Patent numbers US 8,875,347 and US 9,249,827

| PART NUMBER | DESCRIPTION           | LENGTH  | WIDTH | GAUGE | SCREW            | UPC          |
|-------------|-----------------------|---------|-------|-------|------------------|--------------|
| H25-0016    | Command Ratchet Hinge | 9-3/8"  | 3"    | .10"  | #10 or 1/4" bolt | 630838084042 |
| H25-0048    | Command Ratchet Hinge | 18-1/2" | 3"    | .10"  | #10 or 1/4" bolt | 631399093955 |

# LEANING POSTS



## NEPTUNE PREMIUM LEANING POST

- Removable fiberglass storage tray
- Four flush-mounted aluminum rod holders
- Folding foot rest
- Wrap around grab rail
- Durable aluminum seat hinges
- 72-qrt cooler storage area with strap
- Hand-laid fiberglass deck
- Aluminum frame, marine-grade pipe
- Hand-polished mirror finish and anodized after fabrication
- No painted welds or crazing around bends
- Continuous flat bar mounting pads
- Mildew, fungus and UV-resistant



## UNIVERSAL LEANING POST BACKREST

- Universal design to fit most leaning posts
- Arms install at desired width to fit rod holders
- Arms fold for easy storage when not in use



## NEPTUNE III LEANING POST NEPTUNE III DELUXE LEANING POST

- Four poly tulip rod holders (L10-2005BSA-1)
- Four aluminum tulip rod holders and Back Rest/Grabrail (L10-2010BSA-1)
- Folding foot rest
- Cooler storage area and strap
- Aluminum frame, spiral sanded, bright dip anodized
- One-piece welded frame construction made from marine-grade aluminum
- Seat cushions constructed with marine-grade vinyl, foam and PVC board substrate
- Anti-warp and anti-rot
- Mildew, fungus and UV-resistant
- Stock frames for immediate shipping



L10-2005BSA-1



L10-2010BSA-1

| PRODUCT NUMBER | DESCRIPTION                                                                     | UNIT | PACK | UPC          |
|----------------|---------------------------------------------------------------------------------|------|------|--------------|
| L10-1001-1     | Neptune Premium Leaning Post w/ fiberglass storage                              | Each | 4    | 630838023294 |
| L10-1002-1     | Universal Leaning Post Backrest w/ folding arms                                 | Each | 4    | 630838023331 |
| L10-2005BSA-1  | Neptune III Leaning Post w/ 4 Poly Rod Holders                                  | Each | 4    | 630838082949 |
| L10-2010BSA-1  | Neptune III Deluxe Leaning Post w/ Backrest, Grab Rail & 4 Aluminum Rod Holders | Each | 4    | 630838082840 |

# LEANING POSTS



## NEPTUNE II LEANING POST



- Polished, anodized aluminum frame with grab-rail
- Four aluminum rod holders
- Folding foot rest
- Full-length mounting pads
- 72-quart storage area with strap
- Convenient, removable soft side under-seat storage bag
- Mildew, fungus and UV-resistant marine-grade vinyl fabric
- Features four adjustable aluminum rod holders and a folding footrest
- Continuous flat bar mounting pads



## NEPTUNE TACKLE STORAGE BAG

- Large center storage space accommodates four full-size 3700 Plano boxes, four Plano 3600 boxes and four smaller Plano boxes
- Two 9" inner pockets - ideal for storing personal items
- One 29" long tool compartment for safely storing all tackle gear
- Includes welt track clips for hanging on Neptune II Leaning Post
- Two double zippered outer pockets - ideal for up to five fluorocarbon spools
- Carbon gray 1000 denier fabric with black trim and YKK marine-grade zippers
- Hard-shell bottom liner with 6 rubber feet and drain holes




| PRODUCT NUMBER | DESCRIPTION                                           | UNIT | PACK | UPC          |
|----------------|-------------------------------------------------------|------|------|--------------|
| L10-1003-1     | Neptune II Leaning Post w/ Neptune Tackle Storage Bag | Each | 4    | 630838025403 |
| L10-1003BAG    | Neptune Tackle Storage Bag                            | Each | 2    | 630838029067 |

# ABOUT TACO



**We create and provide the finest products across an expansive line of categories, listed below. We use only the highest quality materials, including Type-316L stainless steel, marine-grade aluminum alloys and weather-resistant plastic resins and compounds. Our breadth of capabilities and marine expertise means we have you covered from stem to stern.**

- 
- ▶ SPORT FISHING
  - ▶ RUB RAIL
  - ▶ SEATING & TABLE PEDESTALS
  - ▶ CANVAS & SHADE
  - ▶ TOP & TOWER FABRICATION
  - ▶ TRIM & MOLDING
  - ▶ HINGES & LATCHES
  - ▶ LED LIGHTS & ELECTRONICS
  - ▶ DOCKSIDE ACCESSORIES

# TACO ONBOARD✓

DRIVEN BY PEOPLE • FOCUSED ON YOU

EMPOWERED BY  PATRICK

## FOLLOW US ON SOCIAL MEDIA



@tacomarine



@tacomarine



@tacomarine



@tacomarine



TACO Marine



@taco\_marine



### HEADQUARTERS

TACO Metals, LLC.

[sales@tacometals.com](mailto:sales@tacometals.com)

### DISTRIBUTION AND SALES

Largo, FL  
Summerville, SC  
Sparta, TN

### MANUFACTURING

Sparta, TN  
Largo, FL  
Kunshan, China