



METRO MARINE LIGHTING

CATALOG



Metro Marine has a rich legacy of innovation and leadership in both optics & LED control technology.

**Metro Marine
Lights the Water Better!**



www.MetroMarineLighting.com




METRO
MARINE
LIGHTING


Cutting Edge Under Water Lighting for Docks, Pilings & Sea Walls

Why Metro Marine is Unique:

**METRO's UVC TECHNOLOGY
PREVENTS BIOFOULING!**



**METRO's ASSEMBLY METHOD
ELIMINATES CONDENSATION!**





How Metro Marine 'Lights the Water Better'

Optical Lensing

Utilizing Precision Optical Lensing, we offer both 45° and 90° beam angles. Our lights can penetrate both deeper and wider out into the water

Full Spectrum Color Mixing

Unlike traditional RGB+White fixtures, our F-Series RGBW Underwater Lights feature true Dynamic Full Spectrum control for superior whites and vibrant color blends.

State-of-the-art LEDs

With true precision optical lensing, combined with full spectrum color using Nichia's state-of-the-art LEDs, Our colors are richer and more vibrant—lighting the water better.

F-Series Full Spectrum (RGBW) Boat Mount Fixtures



F-BMR1-FS-45





F-BME1-H-FS-90




F-BME1-V-FS-45

- Dynamic Full Spectrum Color
- Available in 45° and 90° Beam Angles
 - Round: 5.47" Diameter
 - Elongated: 7.23" X 2.91"
- RGBW Fixtures draw approx 85W Each
- Lm. Output: (avg.) 5000 Lm per Fixture
 - Nichia LEDs

45° & 90° Optical Lensing




What's Needed for Full Spectrum (RGBW) Boat Mount Fixtures?



- Hubs should be connected directly to constant power
- Unified Bonding System
- DMX Controller w/ mobile app
- Max Cable run length from Fixture to Hub: 300ft (92m)

What's Needed for Single Color Boat Mount Fixtures?



- HUBs should be connected directly to constant power
- Unified Bonding System
- Max Cable run length from Fixture to Hub: 300ft (92m)



METRO
MARINE
LIGHTING

UNDERWATER FIXTURES FOR BOATS (24)



F-BMR1-FS-45
Boat Mount



F-BMR1-FS-90
Boat Mount



F-BMR1-B3-45
Boat Mount



F-BMR1-B3-90
Boat Mount



F-BMR1-A3-45
Boat Mount



F-BMR1-A3-90
Boat Mount



F-BMR1-W3-45
Boat Mount



F-BMR1-W3-90
Boat Mount



F-BME1-V-FS-45
Boat Mount



F-BME1-V-FS-90
Boat Mount




F-BME1-H-FS-45
Boat Mount



F-BME1-H-FS-90
Boat Mount



F-BME1-V-B3-45
Boat Mount



F-BME1-V-B3-90
Boat Mount



F-BME1-V-A3-45
Boat Mount



F-BME1-V-A3-90



F-BME1-V-W3-45



F-BME1-V-W3-90



F-BME1-H-B3-45
Boat Mount



F-BME1-H-B3-90
Boat Mount



F-BME1-H-A3-45
Boat Mount



F-BME1-H-A3-90
Boat Mount



F-BME1-H-W3-45
Boat Mount



F-BME1-H-W3-90
Boat Mount

Underwater Lighting for Docks, Pilings & Seawalls



F-SMR1-A3-45



F-SME1-H-FS-90



F-PMR1-FS-45



F-PME1-V-W3-90

Unique Piling Mount Design




- Fits all pilings between 7"-14" diameter
- Quick, easy installation
- No growth on lenses!

New Surface Mount Fixture Design




- Mounts Horizontally or Vertically
- Easy to install
- Lenses stay clear!

What's Needed For Full Spectrum (RGBW) Surface & Piling Mount Fixtures



- HUBs should be connected directly to constant power
- Unified Bonding System
- DMX Controller w/ mobile app
- Fixtures mounted below low water mark
- Max Cable run length from Fixture to Hub: 300ft (92m)

What's Needed For Single Color Surface & Piling Mount Fixtures



- HUBs should be connected directly to constant power
- Unified Bonding System
- Fixtures mounted below low water mark
- Max Cable run length from Fixture to Hub: 6.0m

UNDERWATER FIXTURES FOR DOCKS (40)



F-PMR1-FS-45

Piling Mount



F-PMR1-FS-90

Piling Mount



F-SMR1-FS-45

Surface Mount




F-SMR1-FS-90

Surface Mount



F-PMR1-B3-45

Piling Mount



F-PMR1-B3-90

Piling Mount



F-PMR1-A3-45

Piling Mount



F-PMR1-A3-90

Piling Mount




F-PMR1-W3-45

Piling Mount




F-PMR1-W3-90

Piling Mount



F-SMR1-B3-45

Surface Mount



F-SMR1-B3-90

Surface Mount



F-SMR1-A3-45
Surface Mount



F-SMR1-A3-90
Surface Mount



F-SMR1-W3-45
Surface Mount



F-SMR1-W3-90
Surface Mount



F-PME1-V-FS-45
Piling Mount



F-PME1-V-FS-90
Piling Mount



F-SME1-V-FS-45
Surface Mount



F-SME1-V-FS-90
Surface Mount



F-SME1-H-FS-45
Surface Mount



F-SME1-H-FS-90
Surface Mount




F-PME1-V-B3-45
Piling Mount



F-PME1-V-B3-90
Piling Mount



F-PME1-V-A3-45
Piling Mount



F-PME1-V-A3-90
Piling Mount



F-PME1-V-W3-45
Piling Mount



F-PME1-V-W3-90
Piling Mount



F-SME1-V-B3-45
Surface Mount




F-SME1-V-B3-90
Surface Mount



F-SME1-V-A3-45
Surface Mount



F-SME1-V-A3-90
Surface Mount



F-SME1-V-W3-45
Surface Mount



F-SME1-V-W3-90
Surface Mount



F-SME1-H-B3-45
Surface Mount



F-SME1-H-B3-90
Surface Mount



F-SME1-H-A3-45
Surface Mount



F-SME1-H-A3-90
Surface Mount



F-SME1-H-W3-45
Surface Mount



F-SME1-H-W3-90
Surface Mount



METRO
MARINE
LIGHTING

HUBs, Controllers & Switches



F-HB-4-MC3
Single Color HUB



F-HB-2-FS5
RGBW HUB



CTR-3-DATA
Full Spectrum (Pro Model)
Controller



CTR-4-DATA
Full Spectrum Controller



SW-01-TGL
Toggle Switch



SW-R1-PSW
Push On/ Push Off Switch

DOCK BOX



Surface/Piling Mounts & Cables



F-R1-SMT
Surface Mount for F-Series
Round Fixtures



F-E1HV-SMT
Surface Mount for F-Series
Elongated Fixtures



F-E1V-PMT
Piling Mount for F-Series
Vertical Elongated Fixtures



F-R1-PMT
Piling Mount for F-Series Round
Fixtures



F-MC-3M-EX
Jumper Cable for Single Color
Fixtures (3 Meters)



F-FS-3M-EX
Jumper Cable for Full Spectrum
Fixtures (3 Meters)



RS-3M-EX
Switch Control Cable for F-HB-
4-MC3 (3 Meters)



DATA-4M-EX
Data Cable for F-HB-2-FS5 (4
Meters)



DATA-3M-EX
Data Cable for F-HB-2-FS5 (3
Meters)



DATA-6M-EX
Data Cable for F-HB-2-FS5 (6
Meters)



DATA-0M-EX
Data Cable for F-HB-2-FS5 (0.6
Meters)



F-Series Fixture & Accessories Ordering Guide



F-BME1-H-FS-45

FIXTURE SERIES TYPE	MOUNTING TYPE	HOUSING MODEL	FIXTURE ORIENTATION	COLOR TECHNOLOGIES	BEAM ANGLE
F F-Series	BM Boat Mount PM Piling Mount SM Surface Mount	R1 Round #1 E1 Elongated #1	(none) Round H Horizontal V Vertical	FS Full Spectrum (RGBW) B3 Blue (Single Color) A3 Aqua (Single Color) W3 White (Single Color) G3 Green (Single Color)	45 45° Beam Angle 90 90° Beam Angle ASY Asymmetric

HUBS



F-HB-2-FS5

F F-Series	HB HUB	2 2 Outputs 4 4 Outputs	FS5 Full Spectrum MC3 Single Color
-------------------	---------------	--	---

CABLES



DATA-4M-EX

DATA Data Cable	OM 0.5 m. 3M 3 m. 4M 4 m. 6M 6 m.	EX Extension
------------------------	--	---------------------

MOUNTS



F-E1V-PMT

F F-Series	R1 Round #1 E1V Vertical Elongated #1 E1HV Horizontal & Vertical Elongated #1	PMT Piling Mount SMT Surface Mount
-------------------	--	---

CONTROLLERS/SWITCHES



CTR-3-DATA

CTR Controller SWT Switch	3 #3 4 #4 O1 #01 R1 Round #1	DATA Data TGL Toggle PSW Push On/Off
--	---	---



**METRO
MARINE
LIGHTING**

For information, contact your
Brunger Export Sales Team:

4901 NW 17th Way, Suite 600
Ft. Lauderdale, FL 33309
info@brungerexport.com

Tel: (954) 928-1245
Fax: (954) 928-1644

www.BrungerExport.com