SIEMENS

Launch Pad

User Guide

Copyright Notice

Notice

Document information is subject to change without notice by Siemens Industry, Inc. Companies, names, and various data used in examples are fictitious unless otherwise noted. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Siemens Industry, Inc.

All software described in this document is furnished under a license agreement and may be used or copied only in accordance with license terms.

For further information, contact your nearest Siemens Industry representative.

Copyright 2017 Siemens Industry, Inc.

To the Reader

Your feedback is important to us. If you have comments about this manual, please submit them to: SBT_technical.editor.us.sbt@siemens.com

Other product or company names mentioned herein may be the trademarks of their respective owners.

Printed in the USA.

Cyber security disclaimer

Products, solutions and services from Siemens include security functions to ensure the secure operation of building automation and control, fire safety, security management, and physical security systems. The security functions on these products, solutions and services are important components of a comprehensive security concept.

Drafting, implementing and managing a comprehensive and up-to-date security concept, customized to individual needs, is nevertheless necessary, and may result in additional plant- or site-specific preventive measures to ensure secure operation of your site regarding building automation and control, fire safety, security management, and physical security. These measures may include, for example, separating networks, physically protecting system components, user training, multi-level defensive measures, etc.

For additional information on security as part of building technology and our product, solution and service offerings, please contact your Siemens sales representative or project department. We strongly recommend to always comply with our security advisories on the latest security threats, patches and other related measures.

http://www.siemens.com/cert/en/cert-security-advisories.htm

Adobe AIR copyright

Adobe® AIR® Copyright ® 2007 - 2017. Adobe Systems Incorporated. All Rights Reserved. Adobe, Adobe AIR and AIR are either trademarks or registered trademarks in the United States and/or other countries.

Table of Contents

Launch Pad Overview	6
nstalling the Launch Pad Application	7
Deploying the Browser-Based FPWeb UI Client Application Using Siemens Launch Pad	8
Deploying the Application MC using the Siemens Launch Pad	. 10
Deploying Licenses Using the Siemens Launch Pad	. 12
Selecting Languages in Launch Pad	. 14
Launch Pad Menus	. 15
Launching the Adobe AIR-based FPWeb UI	. 16
Adding another Application Shortcut Button to the Siemens Launch Pad	18

Launch Pad Overview

Launch Pad provides easy access to the applications required for configuring, monitoring, and controlling the Building Automation System. It includes the BACnet Field Panel Web User Interface (FPWeb UI) as standard. During the installation of Launch Pad (an Adobe AIR application), the FPWeb UI files are automatically installed on the hard drive.

If the FPWeb UI files are deployed to a field panel (Siemens Modular or Compact 36), the same FPWeb UI files are loaded onto the field panel and can be accessed through a Web browser. Hence the FPWeb UI is identical when accessed through Launch Pad or through a browser. Accessing the FPWeb UI through Launch Pad does provide a cleaner look. For more information about the FPWeb UI functionality (managing trends, schedules, points, PPCL programs, and more), see the *BACnet Field Panel Web Server User Guide* (125-3584).

The Launch Pad also allows you to deploy the Application MC tool to a field panel, load licenses, add shortcuts to other applications, and access user documentation.

General Description

The Siemens Launch Pad is an Adobe AIR-based application that allows you to do the following:

- Launch Adobe AIR-based FPWeb UI which allows you to interact with Siemens
 Ethernet BACnet Field Panels with Web Services enabled, and provides a more
 intuitive user interface for database interaction in comparison to line-by-line
 command prompts.
- Deploy browser-based FPWeb UI to field panels.
- Deploy browser-based Application MC to field panels.
- Deploy licenses to field panels.
- Add shortcut buttons so that other commonly-used Building Automation System applications are easily accessible and can be launched from Launch Pad.
- A shortcut button is automatically added, if WCIS has been installed along with Launch Pad.
 - WCIS (Windows Controller Interface Software) is an application to startup/commission Siemens Terminal Equipment Controllers (TECs).



Installing the Launch Pad Application

Prerequisite

Any previously installed stand-alone version of Launch Pad must be removed before installing Launch Pad through the Firmware Tools installation package.

Steps

- 1. Double-click the appropriate installer package (32-bit or 64-bit) and follow the installation prompts.
- 2. On the installer's **Custom Setup** screen, ensure that the Launch Pad application will be installed on the local hard drive.
- 3. Double-click the Launch Pad icon that was created on the desktop by the installer:



Deploying the Browser-Based FPWeb UI Client Application Using Siemens Launch Pad


ļ

NOTICE


You must complete this procedure in order to access the FPWeb UI from Desigo® CC^{TM} .

To install or upgrade the browser-based FPWeb UI using Siemens Launch Pad:

1. From the Tools menu, click Deploy FPWeb UI to Panel.



⇒ The FPWeb UI Deployment dialog box displays.




- 2. Under Select Languages, select the language(s) you want to deploy to the field panel. The selected languages will be available in the browser-based FPWeb UI. NOTE: To select a language in which to view Launch Pad, see the Selecting Languages in Launch Pad [→ 14] section.
 - **NOTE:** If the browser-based FPWeb UI was already deployed from a previous revision, you must delete any unwanted language (.mo) files from the field panel using the HMI.
- 3. In the **Hostname/IP** field, enter the name or the IP address of the Siemens Modular or Compact 36 field panel to which you are deploying.
- 4. In the **Username** and **Password** fields, enter a valid user name and password.

Click the Start button. The status screens display.





6. Click the **Close** button when the deployment is complete.



FPWeb UI Deployment Error

If there is not enough memory available for deployment, the following error displays:




Deploying the Application MC using the Siemens Launch Pad

To install or upgrade the Application MC using the Siemens Launch Pad:

1. From the Tools menu, select Deploy Application MC to Panel.




⇒ The **Application MC Deployment** dialog box displays.



- 2. In the **Hostname/IP** field, enter the name or the IP address of the panel which has a connected USB drive to which you are deploying.
- 3. In the Username and Password fields, enter a valid user name and password.
- 4. In the Select Applications list, select any applications for which you want to view graphics after Application MC is deployed. It is recommended that you select only the necessary applications, because as the number of applications selected increases, so will the deployment time.

NOTE: You can re-deploy Application MC in order to add more applications. The existing applications will not be overwritten.

Click Start. The progress bar displays.




6. Click the Close button when the deployment is complete.



Application MC Deployment Errors

• If a USB drive is not found on the field panel, the following error displays:



 If there is not enough memory available for deployment, the following error displays:



Deploying Licenses Using the Siemens Launch Pad


Prerequisite

Purchase and obtain a license file.


Steps

To deploy a license using the Siemens Launch Pad:


1. From the Tools menu, click Deploy License to Panel.



⇒ The License Deployment dialog box displays.



- 2. In the **Hostname/IP** field, enter the name or the IP address of the panel to which you are deploying a license.
- 3. Enter a valid user name and password.
- **4.** Click **Browse** to browse to the license file location. The application automatically filters for the .**lic** file type.
- Choose the appropriate license file.NOTE: Some licenses will coldstart the panel for activation.
- Click Open.The status message displays. The license deployment may take a few minutes.




7. Click Close when the deployment is complete.



License Deployment Errors


- If the field panel does not have Firmware Revision 3.3.1 or later, the license will not deploy. The status message will display until you click Close.
- If the **Deployment Complete** message does not display within 5 minutes, click the Close button and verify the revision of firmware in the field panel.
- If the incorrect license is deployed, the following error message displays:



Selecting Languages in Launch Pad

Complete this procedure if you want to view the Launch Pad static text in a language other than English (default).

1. Click the language drop down menu in the upper right of the Launch Pad home page to display the available languages:



2. Click the desired language.

Launch Pad Menus


Menu	Task	From the menu, select this item	
File	Exit the tool	Exit	
Tools	Load or upgrade the Web Server User Interface	Deploy Web Server to Panel See the Installing the Launch Pad Application [→ 7] section for more information.	
Help	View the Launch Pad User Guide	Show Launch Pad User Guide	
	View the BACnet Field Panel Web Server User Guide	Show Web Server User Guide	
	View the Application MC User Guide	Show Application MC User Guide	
	View the Web Server and Siemens Launch Pad version numbers	About	

Launching the Adobe AIR-based FPWeb UI


To launch the Adobe AIR-based FPWeb UI:

- 1. Click the FPWeb UI shortcut button on the Launch Pad home page.

 - ⇒ The FPWeb UI Welcome Page displays within the Siemens Launch Pad window.



- 2. Enter a valid Hostname/IP, Username, and Password.
- 3. To save your login information, select the Save Login Info check box.
- 4. Click Login.
- 5. To return to the Launch Pad home page:
 - If the FPWeb UI's Logoff button displays, click the Logoff button.
 NOTE: This will close your Web Server session.
 - If the FPWeb UI's Welcome Page displays, click the Launch Pad's Home button at the top right.



Adding another Application Shortcut Button to the Siemens Launch Pad

Adding an application shortcut button to the Siemens Launch Pad allows you to easily start a commonly-used application (such as the ABT Site) using Launch Pad.

To add another application shortcut button to the Siemens Launch Pad:

- 1. Click the Add Application button on the Siemens Launch Pad home page.
 - ⇒ The Add Application dialog box displays:



2. In the **Title** field, enter a name for the application shortcut you want to add. Recommended character limit is 20 alphanumeric characters.

Example: Type ABT Site.

- 3. Do one of the following:
 - Click the Browse button next to the Path field.
 - Type or paste the file path into the Path field.
 Example: Browse to the .exe file for the ABT Site, or type the file path into the field.
- **4.** Select the **application .exe** file or **application shortcut .lnk** file to be run when the shortcut button is clicked from Launch Pad.
- 5. Click Open.
 - ⇒ The **Path** field is populated with the file path.
- **6.** Do one of the following:
 - Click the Browse button next to the Icon Path field.
 - Type or paste the file path into the Icon Path field.
 NOTE: You can create an icon using your computer's screen capture tool.
- 7. Select the icon file to be used.

NOTE: File format must be .gif, .jpg or .png. Recommended image size is 256x256 pixels.

Example: Select the ABT Site icon (created using a screen capture tool).



- 8. Click Open.
 - ⇒ The **Icon Path** field is populated with the file path.
- (Optional) In the Description field, enter a description of the application to be added to the shortcut button. Recommended characters limit is 35 characters.
 Example: Type SystemOne Tool.
- 10. Click Add.

NOTE: The shortcut button information cannot be edited. To change the name, files paths, or description, you must delete the shortcut button and create a new one.

Deleting an Application Shortcut Button

To delete an added application shortcut button, right-click the button in the Siemens Launch Pad, and click **Delete**.



NOTE:

When an application shortcut button is selected from the Siemens Launch Pad home page, the application is launched in its own window.

WCIS Application Shortcut Button



The WCIS shortcut button is only added if WCIS has been installed under the same parent directory as Launch Pad.



NOTE:

You have the option to delete the WCIS shortcut button at any time as well as adding another shortcut button to start a different installation of WCIS on your system.

Issued by Siemens Industry, Inc. Building Technologies Division 1000 Deerfield Pkwy Buffalo Grove IL 60089 Tel. +1 847-215-1000 © Siemens Industry, Inc., 2017 Technical specifications and availability subject to change without notice.