


12,650,016 members (27,005 online)

1 jash.liao ▼ 1K Sign out



Add Shipping, Tracking & Rate Calculation to your Apps
Developer Components for Every Technology, Platform, and IDE

in software

DOWNLOAD FREE TRIAL

[home](#) [articles](#) [quick answers](#) [discussions](#) [features](#) [community](#) [help](#)

Search for articles, questions, tips

Articles » Desktop Development » Dialogs and Windows » Dialogs



EasySize - Dialog resizing in no time!



Marc Richarme, 24 Mar 2007



4.95 (223 votes)

Rate:

An easy way to position controls in resizable dialogs or property pages using just a few macros




Is your email address OK? You are signed up for our newsletters but your email address is either unconfirmed, or has not been reconfirmed in a long time. Please **click here to have a confirmation email sent** so we can confirm your email address and start sending you newsletters again. Alternatively, you can **update your subscriptions**.

[Download source files - 1.71 Kb](#)

[Download demo project - 13.9 Kb](#)





Introduction

Have you ever thought of how annoying it actually was to spend a lot of time doing a basic GUI for your simple applications instead of focusing on the actual 'content'? Take for example a resizing dialog or property page. You need to write code for each control that will tell it where to go when the thing is resized, and this can take up a lot of time. Now I know that I'm not the first one to give a solution to this ([CResizableDialog](#)), but this article is on my approach.

Description

Basically, all you need to do is design your dialog the way you want it to look in the resource editor (don't forget to make it resizable), and then define how the controls will behave when the dialog is resized using one single macro for each control.

Usage

Note that all this works exactly the same way with both **CDialog** and **CPropertyPage**

1. **#include** *EasySize.h* to your *stdafx.h* (or put it in your include directory and **#include** *<EasySize.h>* , which I recommend)
2. Add **DECLARE_EASYSIZE** anywhere in your class declaration:

[Hide](#) [Copy Code](#)

```
class CEasySizeDemoDlg : public CDialog
{
    DECLARE_EASYSIZE
    ...
}
```

3. Create an **OnInitDialog** handler if it doesn't already exist, and put this in the end of it: **INIT_EASYSIZE;** :

[Hide](#) [Copy Code](#)

```
BOOL CEasySizeDemoDlg::OnInitDialog()
{
    CDialog::OnInitDialog();
    ...
    INIT_EASYSIZE;
    return TRUE; // return TRUE unless you set the focus to a control
}
```

4. Create an **OnSize** handler and add the **UPDATE_EASYSIZE;** macro to it:

[Hide](#) [Copy Code](#)

```
void CEasySizeDemoDlg::OnSize(UINT nType, int cx, int cy)
{
    CDialog::OnSize(nType, cx, cy);
    UPDATE_EASYSIZE;
}
```

5. Optional - If you want your dialog to have a minimum size, then create an **OnSizing** handler and add the **EASYSIZE_MINSIZE** macro as below:

[Hide](#) [Copy Code](#)

```
void CEasySizeDemoDlg::OnSizing(UINT fwSide, LPRECT pRect)
{
    CDialog::OnSizing(fwSide, pRect);
    EASYSIZE_MINSIZE(280,250, fwSide, pRect);
}
//(in this example, 280 is the minimum width and 250 the
//minimum height we want our dialog to have)
```

6. Now you have to create the "EasySize Map" (or whatever you want to call it) in which you will specify the behavior of each dialog item. It can be placed anywhere inside your class implementation. The map looks like this:

[Hide](#) [Copy Code](#)

```
BEGIN_EASYSIZE_MAP(class_name)
    ...
    EASYSIZE(control, left, top, right, bottom, options)
```

```
...
END_EASYSIZE_MAP
```

The map from the demo application looks like this:

Hide Shrink ▲ Copy Code

```
...
//}}AFX_MSG_MAP
END_MESSAGE_MAP()

BEGIN_EASYSIZE_MAP(CEasySizeDemoDlg)
    EASYSIZE(IDC_TITLE,ES_BORDER,ES_BORDER,
        ES_BORDER,ES_KEEPSIZE,ES_HCENTER)
    EASYSIZE(IDC_RADIO1,ES_BORDER,ES_BORDER,
        ES_KEEPSIZE,ES_KEEPSIZE,0)
    EASYSIZE(IDC_RADIO2,ES_BORDER,ES_BORDER,
        ES_KEEPSIZE,ES_KEEPSIZE,0)
    EASYSIZE(IDC_CONTENT,ES_BORDER,ES_BORDER,
        ES_BORDER,ES_BORDER,0)
    EASYSIZE(IDC_STATUSFRAME,ES_BORDER,ES_KEEPSIZE,
        ES_BORDER,ES_BORDER,0)
    EASYSIZE(IDC_STATUS,ES_BORDER,ES_KEEPSIZE,
        ES_BORDER,ES_BORDER,0)
    EASYSIZE(IDOK,ES_KEEPSIZE,ES_KEEPSIZE,
        ES_BORDER,ES_BORDER,0)
    EASYSIZE(IDCANCEL,ES_KEEPSIZE,ES_KEEPSIZE,
        ES_BORDER,ES_BORDER,0)
    EASYSIZE(IDC_MYICON1,ES_BORDER,IDC_RADIO2,IDC_CONTENT,
        IDC_STATUSFRAME,ES_HCENTER|ES_VCENTER)
    EASYSIZE(IDC_MYICON2,ES_BORDER,ES_BORDER,IDC_TITLE,
        ES_KEEPSIZE,ES_HCENTER)
END_EASYSIZE_MAP

////////////////////////////////////
// CEasySizeDemoDlg message handlers
...
```

Looks confusing? It's not once you get the point (and I know I'm not good at explaining it) Read on.

EASYSIZE Macro

The **EASYSIZE** macro is used in the EasySize Map to specify what behavior your controls will have on dialog resize. It looks like this:

Hide Copy Code

```
EASYSIZE(control,left,top,right,bottom,options)
```

control is the ID of the dialog item you want re-positioned (which will be referred to as the 'current control' further on).

left, top, right and bottom can be either the ID of another control in the dialog (not the current control), or one of the special values, **ES_BORDER** and **ES_KEEPSIZE**.

Basically, if you specify an ID, the distance from the current control and the item designated by the ID will remain the same when the dialog is resized: The current control will 'stick' to the other item. **ES_BORDER** works the same way as if you had specified a control ID, except that it's the distance between the current control and the dialog border that will be kept constant. Specifying **ES_KEEPSIZE** in, let's say **left**, will keep the width of the current control the same, and will make the current control right-aligned to whatever you specified in **right**. The width (or height, if you specified **ES_KEEPSIZE** in **top** or **bottom**) of the current control will always remain what it is in the dialog resource. (I know this explanation sucks, but look at the demo application if you are confused or post you question in the board below). Obviously **ES_KEEPSIZE** cannot be specified in both "**left** and **right**" or "**top** and **bottom**".

options can be a combination of **ES_HCENTER**, **ES_VCENTER** and 0 (use 0 if you don't want any of the other). **ES_HCENTER** horizontally centers the control between the two items specified in **left** and **right** (both of those can not be **ES_KEEPSIZE**!). The width of the current control will always remain the same as in the dialog resource. **ES_VCENTER** works the same way, but for vertical centering (using **top** and **bottom**, and where the height will remain constant).

Conclusion

Well I hope you figured out how this works, because it really can make your life easier. Note that using these macros will probably make your compiled code slightly bigger and slower than if you had coded the resizing routines manually, but in most cases the change is so small not even you will notice.

Last Update - Just corrected a few typos.

License

This article has no explicit license attached to it but may contain usage terms in the article text or the download files themselves. If in doubt please contact the author via the discussion board below.

A list of licenses authors might use can be found [here](#)

Share

EMAIL

TWITTER

About the Author



Marc Richarme

Engineer Nokia

Denmark 

My programming experience started a long time ago in QBasic (on a 25MHz 486).

I'm now mainly using Java, C++, C, MFC, Perl and PHP, but have used quite a number of other languages as well for various projects.

You may also be interested in...




Announcing Ubuntu and Wind River Pulsar support with Intel® IoT Developer Kit 5.0



SAPrefs - Netscape-like Preferences Dialog



Visual COBOL New Release: Small point. Big deal



Generate and add keyword variations using AdWords API



Using the Intel® Edison Module to Control Robots



Window Tabs (WndTabs) Add-In for DevStudio

Comments and Discussions

























Add a Comment or Question



Search Comments

Go

| | | |
|---|------------------------|------------------------|
| Easy way to remove flickering | Member 9325582 | 24-Jul-16 7:15 |
| i have a question to use it | Member 12518308 | 12-May-16 20:00 |
| great | xdjinjian | 4-Mar-15 21:42 |
| ERROR | lhrlemon | 8-Nov-14 18:03 |
| Re: ERROR | Ujjwal Gangwal | 7-Oct-16 16:22 |
| thx | Member 10893993 | 19-Jun-14 15:43 |
| In VS2010,this work can not work | Member 10882375 | 15-Jun-14 0:28 |
| Works Great! Thanks | Member 9126019 | 5-Apr-14 17:08 |
| nice | me525 | 3-Apr-14 14:41 |
| good but.. | Lord Hol Napult | 30-Jan-14 3:30 |
| thx | hkrazy | 3-Jan-14 0:33 |
| great | 张 vivian | 18-Dec-13 11:52 |
| Nice ! | mou_yq | 9-Dec-13 21:11 |
| My vote of 4 | Miaoz | 14-Oct-13 13:24 |
| good | liaoyungchun | 20-Aug-13 16:54 |
| My vote of 5 | kobe_guang | 23-Jan-13 10:34 |
| about EASYSIAE micro | November 2013 | 16-Jan-13 16:32 |

| | | |
|---|---|------------------------|
|  My vote of 5  |  tr0217 | 27-Nov-12 15:54 |
|  My vote of 5  |  zhanglipeng | 23-Nov-12 10:34 |
|  Would need a more version where windows can be added and removed dynamically  |  llothar | 20-Nov-12 1:08 |
|  My vote of 5  |  qcth | 15-Nov-12 16:17 |
|  EASYSIZE controls do not show when dialog open  |  Member 9360202 | 7-Nov-12 4:53 |
|  My vote of 5  |  ylh071032 | 4-Sep-12 15:44 |
|  Great!!!  |  _oleg_ | 25-Aug-12 4:19 |
|  re:  |  Proc_AJ | 4-Aug-12 12:17 |
| <div> Last Visit: 18-Dec-16 17:03 Last Update: 20-Dec-16 6:11 Refresh <div>1 2 3 4 5 6 7 8 Next »</div> </div> | | |

 General
 News
 Suggestion
 Question
 Bug
 Answer
 Joke
 Praise
 Rant
 Admin

Use Ctrl+Left/Right to switch messages, Ctrl+Up/Down to switch threads, Ctrl+Shift+Left/Right to switch pages.

[Permalink](#) | [Advertise](#) | [Privacy](#) | [Terms of Use](#) | [Mobile](#)
Web02 | 2.8.161218.1 | Last Updated 23 Mar 2007

請選取語言 ▼

Layout: [fixed](#) | [fluid](#)

Article Copyright 2001 by Marc Richarme
Everything else Copyright © [CodeProject](#), 1999-2016