---

title: Music Appreciation and Discovery API v0.2.0 language_tabs:

- python: Python
- javascript: Node.js language_clients:
- python: “”
- javascript: “” toc_footers: [] includes: [] search: false highlight_theme: darkula headingLevel: 2

Music Appreciation and Discovery API v0.2.0

> *Scroll down for code samples, example requests and responses. Select a language for code samples from the tabs above or the mobile navigation menu.*

A coursework API for track exploration, reviews, tags, collections, and simple analytics. Built with FastAPI, SQLAlchemy, and SQLite.

General

Root

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /`

Return a welcome message with links to documentation.

> *Example responses*
>
> *200 Response*

```
{}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

Status Code **200**

Response Root Get

Name	Type	Required	Restrictions	Description

This operation does not require authentication

Health

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/health', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/health',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /health`

Return a simple health-check response.

> *Example responses*
>
> *200 Response*

```
{}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

Status Code **200**

Response Health Health Get

Name	Type	Required	Restrictions	Description

This operation does not require authentication

Genres

List Genres

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/genres', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/genres',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /genres`

Return all genres ordered alphabetically.

> *Example responses*
>
> *200 Response*

```
[
  {
    "id": 0,
    "name": "string",
    "description": "string"
  }
]
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

Status Code **200**

Response List Genres Genres Get

Name	Type	Required	Restrictions	Description
Response List Genres Genres Get	[GenreRead]	false	none	[Schema for genre responses.]
» GenreRead	GenreRead	false	none	Schema for genre responses.
»» id	integer	true	none	none
»» name	string	true	none	none
»» description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
»»» *anonymous*	null	false	none	none

This operation does not require authentication

Get Genre

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/genres/{genre_id}', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/genres/{genre_id}',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /genres/{genre_id}`

Return a single genre by its ID.

Parameters

Name	In	Type	Required	Description
genre_id	path	integer	true	none

> *Example responses*
>
> *200 Response*

```
{
  "id": 0,
  "name": "string",
  "description": "string"
}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	GenreRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Tracks

List Tracks

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/tracks', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/tracks',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /tracks`

List tracks with optional filtering, sorting, and pagination.

Parameters

Name	In	Type	Required	Description
title	query	any	false	Filter tracks by title (partial match)
artist	query	any	false	Filter tracks by artist name (partial match)
genre	query	any	false	Filter tracks by genre name (partial match)
mood	query	any	false	Filter tracks by mood keyword (partial match)
sort_by	query	string	false	Sort field: title, artist, rating, play_count
order	query	string	false	Sort order: asc or desc
limit	query	integer	false	Maximum number of results
offset	query	integer	false	Number of results to skip

> *Example responses*

> *200 Response*

```
[
  {
    "id": 0,
    "title": "string",
    "artist_name": "string",
    "album_title": "string",
    "duration_seconds": 0,
    "mood": "string",
    "play_count": 0,
    "average_rating": 0,
    "genre": {
      "id": 0,
      "name": "string",
      "description": "string"
    }
  }
]
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

Status Code **200**

Response List Tracks Tracks Get

Name	Type	Required	Restrictions	Description
Response List Tracks Tracks Get	[TrackRead]	false	none	[Schema for track responses (includes nested genre).]
» TrackRead	TrackRead	false	none	Schema for track responses (includes nested genre).
»» id	integer	true	none	none
»» title	string	true	none	none
»» artist_name	string	true	none	none
»» album_title	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
»»» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
»» duration_seconds	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»» *anonymous*	integer	false	none	none

or

Name	Type	Required	Restrictions	Description
»»» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
»» mood	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
»»» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
»» play_count	integer	true	none	none
»» average_rating	number	true	none	none
»» genre	GenreRead	true	none	Schema for genre responses.
»»» id	integer	true	none	none
»»» name	string	true	none	none
»»» description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»»» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
»»»» *anonymous*	null	false	none	none

This operation does not require authentication

Get Track

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/tracks/{track_id}', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/tracks/{track_id}',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /tracks/{track_id}`

Return a single track by its ID.

Parameters

Name	In	Type	Required	Description
track_id	path	integer	true	none

> *Example responses*
>
> *200 Response*

```
{
  "id": 0,
  "title": "string",
  "artist_name": "string",
  "album_title": "string",
  "duration_seconds": 0,
  "mood": "string",
  "play_count": 0,
  "average_rating": 0,
  "genre": {
    "id": 0,
    "name": "string",
    "description": "string"
  }
}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	TrackRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Reviews

Create Review

> *Code samples*

```python
import requests
headers = {
  'Content-Type': 'application/json',
  'Accept': 'application/json'
}

r = requests.post('/reviews', headers = headers)

print(r.json())
```

```javascript
const inputBody = '{
  "track_id": 0,
  "reviewer_name": "Alice",
  "rating": 4,
  "comment": "A beautiful and moving piece."
}';
const headers = {
  'Content-Type':'application/json',
  'Accept':'application/json'
};

fetch('/reviews',
{
  method: 'POST',
  body: inputBody,
  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`POST /reviews`

Create a new review for a track.

> *Body parameter*

```
{
  "track_id": 0,
  "reviewer_name": "Alice",
  "rating": 4,
  "comment": "A beautiful and moving piece."
}
```

Parameters

Name	In	Type	Required	Description
body	body	ReviewCreate	true	none

> *Example responses*
>
> *201 Response*

```
{
  "id": 0,
  "track_id": 0,
  "reviewer_name": "string",
  "rating": 0,
  "comment": "string",
  "created_at": "2019-08-24T14:15:22Z",
  "updated_at": "2019-08-24T14:15:22Z"
}
```

Responses

Status	Meaning	Description	Schema
201	Created	Successful Response	ReviewRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

List Reviews

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/reviews', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/reviews',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /reviews`

List reviews with optional filtering and pagination.

Parameters

Name	In	Type	Required	Description
track_id	query	any	false	Filter reviews by track ID
reviewer_name	query	any	false	Filter by reviewer name (partial match)
min_rating	query	any	false	Minimum rating filter
limit	query	integer	false	Maximum number of results
offset	query	integer	false	Number of results to skip

> *Example responses*
>
> *200 Response*

```
[
  {
    "id": 0,
    "track_id": 0,
    "reviewer_name": "string",
    "rating": 0,
    "comment": "string",
    "created_at": "2019-08-24T14:15:22Z",
    "updated_at": "2019-08-24T14:15:22Z"
  }
]
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

Status Code **200**

Response List Reviews Reviews Get

Name	Type	Required	Restrictions	Description
Response List Reviews Reviews Get	[ReviewRead]	false	none	[Schema for review responses.]
» ReviewRead	ReviewRead	false	none	Schema for review responses.
»» id	integer	true	none	none
»» track_id	integer	true	none	none
»» reviewer_name	string	true	none	none
»» rating	integer	true	none	none
»» comment	string	true	none	none
»» created_at	string(date-time)	true	none	none
»» updated_at	string(date-time)	true	none	none

This operation does not require authentication

Get Review

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/reviews/{review_id}', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/reviews/{review_id}',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /reviews/{review_id}`

Return a single review by its ID.

Parameters

Name	In	Type	Required	Description
review_id	path	integer	true	none

> *Example responses*
>
> *200 Response*

```
{
  "id": 0,
  "track_id": 0,
  "reviewer_name": "string",
  "rating": 0,
  "comment": "string",
  "created_at": "2019-08-24T14:15:22Z",
  "updated_at": "2019-08-24T14:15:22Z"
}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	ReviewRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Update Review

> *Code samples*

```
import requests
headers = {
  'Content-Type': 'application/json',
  'Accept': 'application/json'
}

r = requests.put('/reviews/{review_id}', headers = headers)

print(r.json())
```

```
const inputBody = '{
  "reviewer_name": "string",
  "rating": 1,
  "comment": "string"
}';
const headers = {
  'Content-Type':'application/json',
  'Accept':'application/json'
};

fetch('/reviews/{review_id}',
{
  method: 'PUT',
  body: inputBody,
  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`PUT /reviews/{review_id}`

Update an existing review (partial update supported).

> *Body parameter*

```
{
  "reviewer_name": "string",
  "rating": 1,
  "comment": "string"
}
```

Parameters

Name	In	Type	Required	Description
review_id	path	integer	true	none
body	body	ReviewUpdate	true	none

> *Example responses*
>
> *200 Response*

```
{
  "id": 0,
  "track_id": 0,
  "reviewer_name": "string",
  "rating": 0,
  "comment": "string",
  "created_at": "2019-08-24T14:15:22Z",
  "updated_at": "2019-08-24T14:15:22Z"
}
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	ReviewRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Delete Review

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.delete('/reviews/{review_id}', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/reviews/{review_id}',
{
  method: 'DELETE',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`DELETE /reviews/{review_id}`

Delete a review by its ID.

Parameters

Name	In	Type	Required	Description
review_id	path	integer	true	none

> *Example responses*
>
> *422 Response*

```
{
  "detail": [
    {
      "loc": [
        "string"
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Responses

Status	Meaning	Description	Schema
204	No Content	Successful Response	None
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Tags

Create Tag

> *Code samples*

```python
import requests
headers = {
  'Content-Type': 'application/json',
  'Accept': 'application/json'
}

r = requests.post('/tags', headers = headers)

print(r.json())
```

```javascript
const inputBody = '{
  "track_id": 0,
  "tag_name": "melancholic",
  "created_by": "Alice"
}';
const headers = {
  'Content-Type':'application/json',
  'Accept':'application/json'
};

fetch('/tags',
{
  method: 'POST',
  body: inputBody,
  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`POST /tags`

Create a user tag for a track.

> *Body parameter*

```
{
  "track_id": 0,
  "tag_name": "melancholic",
  "created_by": "Alice"
}
```

Parameters

Name	In	Type	Required	Description
body	body	UserTagCreate	true	none

> *Example responses*
>
> *201 Response*

```
{
  "id": 0,
  "track_id": 0,
  "tag_name": "string",
  "created_by": "string",
  "created_at": "2019-08-24T14:15:22Z"
}
```

Responses

Status	Meaning	Description	Schema
201	Created	Successful Response	UserTagRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

List Tags

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/tags', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/tags',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /tags`

List user tags with optional track filtering.

Parameters

Name	In	Type	Required	Description
track_id	query	any	false	Filter tags by track ID

> *Example responses*
>
> *200 Response*

```
[
  {
    "id": 0,
    "track_id": 0,
    "tag_name": "string",
    "created_by": "string",
    "created_at": "2019-08-24T14:15:22Z"
  }
]
```


Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

Status Code **200**

Response List Tags Tags Get

Name	Type	Required	Restrictions	Description
Response List Tags Tags Get	[UserTagRead]	false	none	[Schema for user tag responses.]
» UserTagRead	UserTagRead	false	none	Schema for user tag responses.
»» id	integer	true	none	none
»» track_id	integer	true	none	none
»» tag_name	string	true	none	none
»» created_by	string	true	none	none
»» created_at	string(date-time)	true	none	none

This operation does not require authentication

Delete Tag

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.delete('/tags/{tag_id}', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/tags/{tag_id}',
{
  method: 'DELETE',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`DELETE /tags/{tag_id}`

Delete a user tag by its ID.

Parameters

Name	In	Type	Required	Description
tag_id	path	integer	true	none

> *Example responses*
>
> *422 Response*

```
{
  "detail": [
    {
      "loc": [
        "string"
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Responses

Status	Meaning	Description	Schema
204	No Content	Successful Response	None
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Collections

List Collections

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/collections', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/collections',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /collections`

Return all collections ordered by creation date.

> *Example responses*
>
> *200 Response*

```
[
  {
    "id": 0,
    "name": "string",
    "description": "string",
    "created_by": "string",
    "created_at": "2019-08-24T14:15:22Z"
  }
]
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

Status Code **200**

Response List Collections Collections Get

Name	Type	Required	Restrictions	Description
Response List Collections Collections Get	[CollectionRead]	false	none	[Schema for collection list responses.]
» CollectionRead	CollectionRead	false	none	Schema for collection list responses.
»» id	integer	true	none	none
»» name	string	true	none	none
»» description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
»»» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
»»» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
»» created_by	string	true	none	none
»» created_at	string(date-time)	true	none	none

This operation does not require authentication

Create Collection

> *Code samples*

```
import requests
headers = {
  'Content-Type': 'application/json',
  'Accept': 'application/json'
}

r = requests.post('/collections', headers = headers)

print(r.json())
```

```
const inputBody = '{
  "name": "Evening Chill",
  "description": "Tracks for winding down.",
  "created_by": "Alice"
}';
const headers = {
  'Content-Type':'application/json',
  'Accept':'application/json'
};

fetch('/collections',
{
  method: 'POST',
  body: inputBody,
  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`POST /collections`

Create a new track collection.

> *Body parameter*

```
{
  "name": "Evening Chill",
  "description": "Tracks for winding down.",
  "created_by": "Alice"
}
```

Parameters

Name	In	Type	Required	Description
body	body	CollectionCreate	true	none

> *Example responses*
>
> *201 Response*

```
{
  "id": 0,
  "name": "string",
  "description": "string",
  "created_by": "string",
  "created_at": "2019-08-24T14:15:22Z"
}
```

Responses

Status	Meaning	Description	Schema
201	Created	Successful Response	CollectionRead
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Get Collection

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/collections/{collection_id}', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/collections/{collection_id}',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /collections/{collection_id}`

Return a collection with its track items.

Parameters

Name	In	Type	Required	Description
collection_id	path	integer	true	none

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

This operation does not require authentication

Delete Collection

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.delete('/collections/{collection_id}', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/collections/{collection_id}',
{
  method: 'DELETE',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`DELETE /collections/{collection_id}`

Delete a collection and all its items.

Parameters

Name	In	Type	Required	Description
collection_id	path	integer	true	none

> *Example responses*
>
> *422 Response*

```
{
  "detail": [
    {
      "loc": [
        "string"
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Responses

Status	Meaning	Description	Schema
204	No Content	Successful Response	None
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Add Track To Collection

> *Code samples*

```
import requests
headers = {
  'Content-Type': 'application/json',
  'Accept': 'application/json'
}

r = requests.post('/collections/{collection_id}/items', headers = headers)

print(r.json())
```

```
const inputBody = '{
  "track_id": 0,
  "note": "Great opening track."
}';
const headers = {
  'Content-Type':'application/json',
  'Accept':'application/json'
};

fetch('/collections/{collection_id}/items',
{
  method: 'POST',
  body: inputBody,
  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`POST /collections/{collection_id}/items`

Add a track to an existing collection.

> *Body parameter*

```
{
  "track_id": 0,
  "note": "Great opening track."
}
```

Parameters

Name	In	Type	Required	Description
collection_id	path	integer	true	none
body	body	CollectionItemCreate	true	none

> *Example responses*
>
> *201 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
201	Created	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

This operation does not require authentication

Remove Item From Collection

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.delete('/collections/{collection_id}/items/{item_id}', headers
= headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/collections/{collection_id}/items/{item_id}',
{
  method: 'DELETE',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`DELETE /collections/{collection_id}/items/{item_id}`

Remove a track item from a collection.

Parameters

Name	In	Type	Required	Description
collection_id	path	integer	true	none
item_id	path	integer	true	none

> *Example responses*
>
> *422 Response*

```
{
  "detail": [
    {
      "loc": [
        "string"
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

Responses

Status	Meaning	Description	Schema
204	No Content	Successful Response	None
422	Unprocessable Entity	Validation Error	HTTPValidationError

This operation does not require authentication

Analytics

Top Rated Tracks

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/analytics/top-rated-tracks', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/analytics/top-rated-tracks',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /analytics/top-rated-tracks`

Return the highest-rated tracks that have at least one review.

Parameters

Name	In	Type	Required	Description
limit	query	integer	false	Number of top tracks to return

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

This operation does not require authentication

Genre Summary

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/analytics/genre-summary', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/analytics/genre-summary',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /analytics/genre-summary`

Return a summary of each genre including track count and average rating.

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

This operation does not require authentication

Top Tags

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/analytics/top-tags', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/analytics/top-tags',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /analytics/top-tags`

Return the most frequently used tags across all tracks.

Parameters

Name	In	Type	Required	Description
limit	query	integer	false	Number of top tags to return

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline
422	Unprocessable Entity	Validation Error	HTTPValidationError

Response Schema

This operation does not require authentication

Mood Distribution

> *Code samples*

```
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/analytics/mood-distribution', headers = headers)

print(r.json())
```

```
const headers = {
  'Accept':'application/json'
};

fetch('/analytics/mood-distribution',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /analytics/mood-distribution`

Return the distribution of moods across all tracks.

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

This operation does not require authentication

Review Activity

> *Code samples*

```python
import requests
headers = {
  'Accept': 'application/json'
}

r = requests.get('/analytics/review-activity', headers = headers)

print(r.json())
```

```javascript
const headers = {
  'Accept':'application/json'
};

fetch('/analytics/review-activity',
{
  method: 'GET',

  headers: headers
})
.then(function(res) {
    return res.json();
}).then(function(body) {
    console.log(body);
});
```

`GET /analytics/review-activity`

Return overall review activity summary and per-reviewer breakdown.

> *Example responses*
>
> *200 Response*

```
null
```

Responses

Status	Meaning	Description	Schema
200	OK	Successful Response	Inline

Response Schema

This operation does not require authentication

Schemas

CollectionCreate

```
{
  "name": "Evening Chill",
  "description": "Tracks for winding down.",
  "created_by": "Alice"
}
```

CollectionCreate

Properties

Name	Type	Required	Restrictions	Description
name	string	true	none	none
description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
created_by	string	true	none	none

CollectionItemCreate

```
{
  "track_id": 0,
  "note": "Great opening track."
}
```

CollectionItemCreate

Properties

Name	Type	Required	Restrictions	Description
track_id	integer	true	none	none
note	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

CollectionRead

```
{
  "id": 0,
  "name": "string",
  "description": "string",
  "created_by": "string",
  "created_at": "2019-08-24T14:15:22Z"
}
```

CollectionRead

Properties

Name	Type	Required	Restrictions	Description
id	integer	true	none	none
name	string	true	none	none
description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
created_by	string	true	none	none
created_at	string(date-time)	true	none	none

GenreRead

```
{
  "id": 0,
  "name": "string",
  "description": "string"
}
```

GenreRead

Properties

Name	Type	Required	Restrictions	Description
id	integer	true	none	none
name	string	true	none	none
description	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

HTTPValidationError

```
{
  "detail": [
    {
      "loc": [
        "string"
      ],
      "msg": "string",
      "type": "string"
    }
  ]
}
```

HTTPValidationError

Properties

Name	Type	Required	Restrictions	Description
detail	[ValidationError]	false	none	none

ReviewCreate

```
{
  "track_id": 0,
  "reviewer_name": "Alice",
  "rating": 4,
  "comment": "A beautiful and moving piece."
}
```

ReviewCreate

Properties

Name	Type	Required	Restrictions	Description
track_id	integer	true	none	none
reviewer_name	string	true	none	none
rating	integer	true	none	none
comment	string	true	none	none

ReviewRead

```
{
  "id": 0,
  "track_id": 0,
  "reviewer_name": "string",
  "rating": 0,
  "comment": "string",
  "created_at": "2019-08-24T14:15:22Z",
  "updated_at": "2019-08-24T14:15:22Z"
}
```

ReviewRead

Properties

Name	Type	Required	Restrictions	Description
id	integer	true	none	none
track_id	integer	true	none	none
reviewer_name	string	true	none	none
rating	integer	true	none	none
comment	string	true	none	none
created_at	string(date-time)	true	none	none
updated_at	string(date-time)	true	none	none

ReviewUpdate

```
{
  "reviewer_name": "string",
  "rating": 1,
  "comment": "string"
}
```

ReviewUpdate

Properties

Name	Type	Required	Restrictions	Description
reviewer_name	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
rating	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	integer	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
comment	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

TrackRead

```
{
  "id": 0,
  "title": "string",
  "artist_name": "string",
  "album_title": "string",
  "duration_seconds": 0,
  "mood": "string",
  "play_count": 0,
  "average_rating": 0,
  "genre": {
    "id": 0,
    "name": "string",
    "description": "string"
  }
}
```

TrackRead

Properties

Name	Type	Required	Restrictions	Description
id	integer	true	none	none
title	string	true	none	none
artist_name	string	true	none	none
album_title	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
duration_seconds	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	integer	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
mood	any	false	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	null	false	none	none

continued

Name	Type	Required	Restrictions	Description
play_count	integer	true	none	none
average_rating	number	true	none	none
genre	GenreRead	true	none	Schema for genre responses.

UserTagCreate

```
{
  "track_id": 0,
  "tag_name": "melancholic",
  "created_by": "Alice"
}
```

UserTagCreate

Properties

Name	Type	Required	Restrictions	Description
track_id	integer	true	none	none
tag_name	string	true	none	none
created_by	string	true	none	none

UserTagRead

```
{
  "id": 0,
  "track_id": 0,
  "tag_name": "string",
  "created_by": "string",
  "created_at": "2019-08-24T14:15:22Z"
}
```

UserTagRead

Properties

Name	Type	Required	Restrictions	Description
id	integer	true	none	none
track_id	integer	true	none	none
tag_name	string	true	none	none
created_by	string	true	none	none
created_at	string(date-time)	true	none	none

ValidationError

```
{
  "loc": [
    "string"
  ],
  "msg": "string",
  "type": "string"
}
```

ValidationError

Properties

Name	Type	Required	Restrictions	Description
loc	[anyOf]	true	none	none

anyOf

Name	Type	Required	Restrictions	Description
» *anonymous*	string	false	none	none

or

Name	Type	Required	Restrictions	Description
» *anonymous*	integer	false	none	none

continued

Name	Type	Required	Restrictions	Description
msg	string	true	none	none
type	string	true	none	none