中山大学软件学院 2010 级软件工程专业(2013 春季学期)

# 《软件系统分析与设计》期末考试试题(样卷)

(考试形式: 开卷 考试时间: 2 小时)



### 《中山大学授予学士学位工作细则》第六条

## 考试作弊不授予学士学位

方向:	
出卷: 审核:	
注意:答案一定要写在答卷中,写在本试题卷中不给分。本试卷要和答卷一起交回。	
ー、单选题(60 marks,3 marks each) 1. How many statements are true?	
(1) The UML is the de facto <i>standard diagramming notation</i> for drawing or presenting software model. 不确定 P8	
(2) In Design Class Diagram(DCD), a association line between classes may	
has an association name. FP182 关联线表示的属性,不需要关联名称 (3) UML property-string denote characteristic of UML Attributes of UML	
Class.       不确定 P188 特性是表示元素特征的已命名的值         A 0, B 1, C 2, D 3	
2. How many statements are true?	
(1) The precondition of buy drink for a vending machine(售货机) is "OK"	
displayed. F 找不到证据	
(2) Software engineering is the application of a systematic,	
disciplined, quantifiable approach to develop software. T定义	
(3) In DCD, use a navigability arrow(导航箭头) to indicate that a Register	
object has an attribute of one Sale object. T p182 导航箭头由源对象指向目标对象,表示reg 个属性是sale对象	ster的—
3. How many statements are true?	
(1) Finding conceptual classes with noun phrase identification is a useful	
T通过识别名词短语寻找概念类  (2) XP "story card" practice is acceptable for catching requirements in	
UP. T test0里面有解释	
(3) In GoF Composite pattern, the whole object and its part objects have	
the same interface. TP328 定义组合和原子对象的类,使它们实现相同的接口	
A 0, B 1, C 2, D 3	
4. How many statements are true?	
(1) Arrow line indicates the relation of a user use use cases in UML Use	
Case Diagram. F用例图里面不需要箭头	

(2) Informally, a use case is a specific sequence of actions and

interactions between actors and the system. F场景是参与者和系统之间的一系列特定的活动和交互

用例是一组相关的成功和失败场景集合

```
(3) "condition: actions ..." structure can be used to describe a Use case
Main Success Scenario. F 主成功场景是无条件的成功场景 P50
A 0, B 1, C 2, D 3
5. How many statements are true?
(1) The requirements and object-oriented analysis focused on learning to
do the thing right. F do the right thing P143
(2) In software design, Aggregation over Composition
                                                        F 组合优于聚合 P191
(3) Spend significant time doing class diagrams than UML interactive
diagrams. F应该把时间花费在交互图上,而不仅是类图上 P159
A 0, B 1, C 2, D 3
6. How many statements are true?
(1) It is more than "a few" weeks long for most projects in Inception. FP39
(2) A "/" symbol before the attribute name is wrong in domain model. F 见test0
(3) In Agile modeling, a suitable iteration length is two to six weeks
time box.
A 0, B 1, C 2, D 3
                                                                 F 实现单实例,一般用lazy
7. How many statements are true?
                                                                 initialization P322
(1) To implement a singleton class, we prefer eager initialization
(2) During OOA, there is an emphasis on finding and describing the objects
or conception in the problem domain. T在OOA中,强调的是在问题领域内发现和描述对象(或概念)
(3) "Find Product Help" with underline in a use case text means emphasis.
                                                                         F 见test0
A 0, B 1, C 2, D 3
8. How many statements are true?
(1) Use Case name must start with a verb.
                                           T 用例名称以动词开始 P50
(2) In Agile Principles, our highest priority is early and continuously
delivers valuable software to customer.
(3) A domain model can show UI elements and database in a business project. F软件制品如窗口
                                                                       或数据库,不适用
A 0, B 1, C 2, D 3
9. How many statements are true?
(1) In elaboration, we do not need deliver a runnable product to user for
testing. F 大多数需求分析是在细化阶段进行的,并且伴以具有产品品质的早期编程和测试 P37
(2) "+doSomething (b:B)" of class A means that the class A dependent on the
class B. T但我找不到出外
(3) In the UP, requirements are categorized according to the FURPS+ model.
                                                              T 在统一过程中,需要
A 0, B 1, C 2, D 3
                                                              按照"FURPS+"模型进
10. How many statements are true?
                                                              行分类 P42
(1) In Design Class Diagram (DCD), attributes are usually assumed private
if no visibility is given.
                            T 如果没有给出可见性,则通常假设属性为私有。P182
(2) SSD should involving other external systems. In general, the external
system place at the left of the ":system". F 应该是放在右边 P129和P297对比来看
(3) The sequence of software development in UP should be: 1) define the
requirements; 2) design the architecture; 3) implement. FP30
```

A 0, B 1, C 2, D 3

### 二、分析设计题(40 marks, 10 marks each)

Read the following material carefully, and then do the tasks.(请用中文作答)

### 材料大致如 lab2

Task1: Describe the steps to find use cases.

Task2: Drawing a Use Case Diagram according to the material.