

Troubleshooting: The Bulk Copy Parameters Were Invalid



Olalekan Adebayo
Updated 2 years ago

Issue summary

When cloning a data model, you may encounter an error:

The BulkCopy parameters were invalid. - Copy to and Copy from must contain the same set of dimensions - The versioning configuration "X" is invalid. Delete it and attempt the operation again.



Job Error on Step 1



- ▼ The BulkCopy parameters were invalid. - Copy to and Copy from must contain the same set of dimensions - The versioning configuration Current Plan Backup is invalid. Delete it and attempt the operation again.

Suggested solution

1. Navigate to the **Modeler** tab.
2. Select the *Data Model* you are trying to clone.
3. Select **Versioning**.
4. In the **Versioning Configuration** section, select the configuration name referenced in the error message from the drop-down menu.

The screenshot shows the 'Versioning Configuration' page. At the top right, there is a dropdown menu set to 'My Versioning Test'. The main area has a section titled 'Filter Dimension by Members' with 'Entity' set to 100 and 'Year' set to 2030. Below this are two sections: 'Copy From' (Period 01) and 'Copy To' (Period 02). Under 'Copy Line Item Details', there is a dropdown set to 'No Line Item Details' and a checkbox for 'Version Parent Members'. There are also two checkboxes: 'Clear all destination intersection values before copying' and 'Run Calcs'. At the bottom are three buttons: a red 'Delete Configuration' button, a green 'Save' button, and a grey 'Run' button.

5. Fix the versioning parameters and select **Save**.
 1. If the configuration is no longer required, select **Delete Configuration**.
6. Re-clone the data model.

Cause

This may occur if the data model you are trying to clone contains a saved versioning configuration that is incorrect or has errors.

Keywords

bulkcopy parameters, clone model, versioning.

Was this article helpful?



0 out of 0 found this helpful

Recently viewed articles

[How-To: Downloading All Vena Data From Your Tenant or Environment](#)

[How-To: Undoing a Versioning ETL job with Line-Item Details \(LIDs\)](#)

[How-To: Undo a Versioning ETL Job Without Line-Item Details](#)

[How-To: Creating a Testing Environment by Cloning a Data Model \(Clone & Remap\)](#)

[How-To: Adjusting How Vena Treats Zero Values in the Database](#)