# How-To: Combining Dimensions Using Multiple Expressions for Slices to Clear

**O**

Omair Riasat
Updated 1 year ago

Combine dimensions using **Multiple Expressions** to create more advanced slices to clear.

## Why use this feature?

There may be times when you need to combine dimensions to define a more specific slice of data to be cleared. Using multiple expressions can achieve this.

## Before you begin

To follow the instructions in this article, you will need at least **Modeler** access.

## How to

1. Navigate to the **Modeler** tab.
2. Select **Data Transformations**.
3. In Channels, select the appropriate **Destination**.
4. Use a comma to separate your MQL query into separate expressions. This will allow you to combine dimensions to form a more specific slice of data.
5. Consider the example below. Here the MQL is split into two expressions by the comma. The first part before the comma defines Period 3 of the year 2023. The second part defines the entire year of 2024. In this example, the two expressions are combined so that the slices to clear are defined

as only Period 3 of 2023 and the entirety of 2024.



## Was this article helpful?

0 out of 1 found this helpful

# Related articles

How-To: Restoring a Dimension Member That Was Mistakenly Deleted

How-To: Use Clear Slices to Clear Intersections During an ETL Load

How-To: Mapping Custom Dynamic Member Sets With the Expression Editor

Explainer: What is Data Model Standardization?

How-To: Creating and Managing Data Permissions

# Recently viewed articles

Explainer: What Is the Maximum Number of Dimension Members and Member Name Characters

How-To: Assigning Dimension Types and Standard Members

How-To: Mapping Standard Vena Templates with Template Studio