(1) Directory Operation

```
zaq@zaq-hp: ~/B22040825
zaq@zaq-hp:~$ pwd
/home/zaq
zaq@zaq-hp:~$ cd ~
zaq@zaq-hp:~$ pwd
/home/zaq
zaq@zaq-hp:~$ mkdir B22040825
zaq@zaq-hp:~$ ls

⊕ 公共 模板 视频 图片 文档 下载 音乐 桌面 B22040825 linux课程 snap

zaq@zaq-hp:~$ cd B22040825/
zaq@zaq-hp:~/B22040825$ mkdir chengsiyu
zaq@zaq-hp:~/B22040825$ ls
zaq@zaq-hp:~/B22040825$ cd chengsiyu/
zaq@zaq-hp:~/B22040825/chengsiyu$ cd ..
zaq@zaq-hp:~/B22040825$ rm chengsiyu/
rm: 无法删除 'chengsiyu/': 是一个目录
zaq@zaq-hp:~/B22040825$ rmdir chengsiyu/
zaq@zaq-hp:~/B22040825$ ls
zaq@zaq-hp:~/B22040825$
```

(2) File operation

```
zaq@zaq-hp:-/B22040825$ touch chengsiyu.txt
zaq@zaq-hp:-/B22040825$ ls
chengsiyu.txt
zaq@zaq-hp:-/B22040825$ echo "hello world" > chengsiyu.txt
zaq@zaq-hp:-/B22040825$ cat chengsiyu.txt
hello world
zaq@zaq-hp:-/B22040825$ cp chengsiyu.txt chengsiyu2.txt
zaq@zaq-hp:-/B22040825$ ls
chengsiyu2.txt chengsiyu.txt
zaq@zaq-hp:-/B22040825$ mv chengsiyu.txt B22040825.txt
zaq@zaq-hp:-/B22040825$ ls
B22040825.txt chengsiyu2.txt
zaq@zaq-hp:-/B22040825$ ]s
```

(3) User Management

```
b22040825@zaq-hp: ~
重新输入新的密码:
抱歉,密码不匹配。
新的密码:
重新输入新的密码:
passwd: 已成功更新密码
正在改变 b22040825 的用户信息
请输入新值,或直接敲回车键以使用默认值
      全名 []:
      房间号码 []:
      工作电话 []:
      家庭电话 []:
      其它 []:
这些信息是否正确? [Y/n] t
这些信息是否正确? [Y/n] y
info: 正在添加新用户"b22040825"到附加组"users" ...
info: 正在添加用户"b22040825"到"users"组...
root@zaq-hp:/home/zaq/B22040825# usermod -g student b22040825
root@zaq-hp:/home/zaq/B22040825# su b22040825
b22040825@zaq-hp:/home/zaq/B22040825$ cd ~
b22040825@zaq-hp:~$ touch chengsiyu.txt
b22040825@zaq-hp:~$ ls -l
总计 0
-rw-r--r-- 1 b22040825 student 0 10月 14 10:08 chengsiyu.txt
b22040825@zaq-hp:~$
```

(4) Permission management

```
zaq@zaq-hp: ~/b22040825
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
-rw-rw-r-- 1 zag zag 0 10月 14 10:13 demo
zaq@zaq-hp:~/b22040825$ chmod a= demo
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
------ 1 zaq zaq 0 10月 14 10:13 demo
zaq@zaq-hp:~/b22040825$ chmod +t demo
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
-----T 1 zaq zaq 0 10月 14 10:13 demo
zaq@zaq-hp:~/b22040825$ chmod u+s demo
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
---S----T 1 zaq zaq 0 10月 14 10:13 <mark>demo</mark>
zaq@zaq-hp:~/b22040825$ chmod u+rx demo
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
-r-s----T 1 zag zag 0 10月 14 10:13 demo
zaq@zaq-hp:~/b22040825$ chmod g+rws demo
zaq@zaq-hp:~/b22040825$ ls -l
总计 0
-r-srwS--T 1 zaq zaq 0 10月 14 10:13 <mark>demo</mark>
zaq@zaq-hp:~/b22040825$
```

(5) Other management (page1)

```
zaq@zaq-hp: ~
-rw-rw-r-- 1 zaq zaq 247 10月 14 10:18 <mark>backup.tar.gz</mark>
drwxrwxr-x 2 zaq zaq 4096 10月 12 11:19 linux课程
drwxrwxr-x 2 zag zag 4096 10月 14 10:18 others
drwx----- 7 zaq zaq 4096 10月 14 2024 snap
zaq@zaq-hp:~$ tar -xzvf backup.tar.gz
others/
others/backup.tar.gz
others/2.txt
others/1.txt
zaq@zaq-hp:~$ ls -l
总计 48
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 公共
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 模板
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 视频
drwxr-xr-x 3 zaq zaq 4096 10月 14 2024 🔣片
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 文档
drwxr-xr-x 5 zaq zaq 4096 10月 - 3 14:42 下载
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 音乐
drwxr-xr-x 2 zaq zaq 4096 9月 10 14:33 桌面
-rw-rw-r-- 1 zaq zaq 247 10月 14 10:18 <mark>backup.tar.gz</mark>
drwxrwxr-x 2 zaq zaq 4096 10月 12 11:19 linux课程
drwxrwxr-x 2 zaq zaq 4096 10月 14 10:18 others
drwx----- 7 zaq zaq 4096 10月 14 2024 snap
zaq@zaq-hp:~$
```

(5) Other management (page2)

```
zaq@zaq-hp:-/b22040825$ touch text.txt
zaq@zaq-hp:-/b22040825$ grep '^n' text.txt
no, I study in njupt.
zaq@zaq-hp:-/b22040825$ grep '\.00$' text.txt
this line ends with .00
He is 15. It is 16.00
zaq@zaq-hp:-/b22040825$ grep '5\..' text.txt
He is 15. It is 16.00
zaq@zaq-hp:-/b22040825$ grep '^[wy]' text.txt
wy is the short of my name.
zaq@zaq-hp:-/b22040825$
```