

May 2, 2019

Module Documentation	1
1.1 Entities	1
1.1.0.1 ogit/Factory/Machine	1
1.1.0.2 ogit/Product	1
1.1.0.3 ogit/Factory/StorageTank	2
1.1.0.4 ogit/Factory/StorageInventory	2
1.1.0.5 ogit/Factory/Factory	3
1.1.0.6 ogit/Factory/ProductionLine	3
1.1.0.7 ogit/Location	4
1.2 Verbs	5
1.2.0.1 ogit/contains	5
1.2.0.2 ogit/Factory/hasAl	5
1.2.0.3 ogit/locatedIn	5
1.2.0.4 ogit/produces	6
1.2.0.5 ogit/uses	6
1.3 Attributes	7
1.3.0.1 ogit/name	7
1 3 0 2 ogit/description	7

# **Chapter 1**

# **Module Documentation**

# 1.1 Entities

1.1.0.1 ogit/Factory/Machine

TODO.

• id: http://www.purl.org/ogit/Factory/Machine

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

# incoming edges

• ogit/contains <= ogit/Factory/ProductionLine

# 1.1.0.2 ogit/Product

A commercially distributed good or service

• id: http://www.purl.org/ogit/Product

• valid-from: Thu Feb 08 00:00:00 UTC 2018

· creator: Viktor Voss

• scope: SGO

• parent: ogit/Node

1.1 Entities 2

#### attributes

- · optional:
  - ogit/name

#### incoming edges

• ogit/produces <= ogit/Factory/ProductionLine

# 1.1.0.3 ogit/Factory/StorageTank

#### TODO.

• id: http://www.purl.org/ogit/Factory/StorageTank

• valid-from: Fri Oct 19 00:00:00 UTC 2018

· creator: Kaushik

• scope: NTO

· parent: ogit/Node

# incoming edges

• ogit/uses <= ogit/Factory/Factory

# 1.1.0.4 ogit/Factory/StorageInventory

# TODO.

• id: http://www.purl.org/ogit/Factory/StorageInventory

• valid-from: Fri Oct 19 00:00:00 UTC 2018

· creator: Kaushik

· scope: NTO

· parent: ogit/Node

# incoming edges

ogit/uses <= ogit/Factory/Factory</li>

1.1 Entities 3

#### 1.1.0.5 ogit/Factory/Factory

#### TODO.

• id: http://www.purl.org/ogit/Factory/Factory

• valid-from: Fri Oct 19 00:00:00 UTC 2018

creator: Kaushikscope: NTO

· parent: ogit/Node

#### outgoing edges

- ogit/Factory/hasAl => ogit/Factory/ProductionLine
- ogit/locatedIn => ogit/Location
- ogit/uses => ogit/Factory/StorageInventory
- ogit/uses => ogit/Factory/StorageTank

# 1.1.0.6 ogit/Factory/ProductionLine

#### TODO.

- id: http://www.purl.org/ogit/Factory/ProductionLine
- valid-from: Fri Oct 19 00:00:00 UTC 2018

· creator: Kaushik

• scope: NTO

· parent: ogit/Node

### incoming edges

 $\bullet \ \, \text{ogit/Factory/hasAl} <= \text{ogit/Factory/Factory}$ 

# outgoing edges

- ogit/contains => ogit/Factory/Machine
- ogit/produces => ogit/Product

1.1 Entities 4

#### 1.1.0.7 ogit/Location

A place where some service is offered or requested. In many cases this will be related to a an address of an Organization. Similar to http://purl.org/goodrelations/v1#Location

• id: http://www.purl.org/ogit/Location

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

· scope: SGO

• parent: ogit/Node

#### attributes

- · mandatory:
  - ogit/name
- optional:
  - ogit/description

# incoming edges

• ogit/locatedIn <= ogit/Factory/Factory

1.2 Verbs 5

#### 1.2 Verbs

#### 1.2.0.1 ogit/contains

This relationship indicates that something is part of something else. see also "includes"

```
• id: http://www.purl.org/ogit/contains
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

• ogit/Factory/ProductionLine => ogit/Factory/Machine

#### 1.2.0.2 ogit/Factory/hasAl

#### TODO.

```
• id: http://www.purl.org/ogit/Factory/hasAl
```

valid-from: Fri Oct 19 00:00:00 UTC 2018

· creator: arago GmbH

#### **Allowed Connection**

ogit/Factory/Factory => ogit/Factory/ProductionLine

#### 1.2.0.3 ogit/locatedIn

indicate that something has its place somewhere

```
• id: http://www.purl.org/ogit/locatedIn
```

· valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

• ogit/Factory/Factory => ogit/Location

1.2 Verbs 6

#### 1.2.0.4 ogit/produces

This relationship indicates that one produces some work for another.

• id: http://www.purl.org/ogit/produces

• valid-from: Mon Aug 08 00:00:00 UTC 2016

• creator: Alexander Ryabtsev

#### **Allowed Connection**

• ogit/Factory/ProductionLine => ogit/Product

#### 1.2.0.5 ogit/uses

This relationship indicates that some entity is used by some other.

• id: http://www.purl.org/ogit/uses

valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

#### **Allowed Connection**

- ogit/Factory/Factory => ogit/Factory/StorageInventory
- ogit/Factory/Factory => ogit/Factory/StorageTank

1.3 Attributes 7

# 1.3 Attributes

# 1.3.0.1 ogit/name

Contains a name.

```
• id: http://www.purl.org/ogit/name
```

• valid-from: Thu May 21 00:00:00 UTC 2015

· creator: Peter Larem

used

- mandatory:
  - ogit/Location
- optional:
  - ogit/Product

# 1.3.0.2 ogit/description

Contains a description.

- id: http://www.purl.org/ogit/description
- valid-from: Thu May 21 00:00:00 UTC 2015
- · creator: Peter Larem

used

- optional:
  - ogit/Location