UserMeta

May 2, 2019

1 ogit/UserMeta 1

2 Module Documentation 2

2.1 Entities . . . 2

2.1.0.1 ogit/UserMeta/Question . . . 2

2.1.0.2 ogit/Auth/Account . . . 2

2.1.0.3 ogit/UserMeta/Filter . . . 3

2.1.0.4 ogit/Person . . . 4

2.1.0.5 ogit/UserMeta/Preferences . . . 5

2.1.0.6 ogit/UserMeta/Game . . . 5

2.2 Verbs . . . 6

2.2.0.1 ogit/defines . . . 6

2.2.0.2 ogit/UserMeta/asks . . . 6

2.2.0.3 ogit/likes . . . 6

2.2.0.4 ogit/UserMeta/loses . . . 7

2.2.0.5 ogit/UserMeta/plays . . . 7

2.2.0.6 ogit/UserMeta/wins . . . 7

2.3 Attributes . . . 8

2.3.0.1 ogit/email . . . 8

2.3.0.2 ogit/alternativeName . . . 8

2.3.0.3 ogit/notification . . . 8

2.3.0.4 ogit/sourceId . . . 9

2.3.0.5 ogit/mobilePhone . . . 9

2.3.0.6 ogit/status . . . 9

2.3.0.7 ogit/lastName . . . 10

2.3.0.8 ogit/middleName . . . 10

2.3.0.9 ogit/Auth/Account/statusReason . . . 10

2.3.0.10 ogit/firstName . . . 11

2.3.0.11 ogit/title . . . 11

2.3.0.12 ogit/content . . . 11

2.3.0.13 ogit/Auth/Account/type . . . 12

2.3.0.14 ogit/name . . . 12

2.3.0.15 ogit/Auth/Account/acceptedProjectTerms . . . 12

2.3.0.16 ogit/Auth/Account/acceptedTerms . . . 13

2.3.0.17 ogit/officePhone . . . 13

2.3.0.18 ogit/fax . . . 13

2.3.0.19 ogit/Auth/Account/allowCookies . . . 14

2.3.0.20 ogit/otherPhone . . . 14

2.3.0.21 ogit/webPage . . . 14

2.3.0.22 ogit/Auth/Account/acceptedPrivacy . . . 15

2.3.0.23 ogit/position . . . 15

Chapter 1

ogit/UserMeta

This NTO pertains to generic meta around an ogit/Person. Initially used for Game Meta in aragoId

Chapter 2

Module Documentation

2.1 Entities

2.1.0.1 ogit/UserMeta/Question

A question which is part of a game, played to obtain meta data around user behaviour and perception

- id: http://www.purl.org/ogit/UserMeta/Question
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de
- scope: NTO
- parent: ogit/Node

incoming edges

- ogit/UserMeta/asks <= ogit/UserMeta/Game

2.1.0.2 ogit/Auth/Account

An account is used for authentication and authorization.

- id: http://www.purl.org/ogit/Auth/Account
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/Auth/Account/type
  - ogit/name
  - ogit/status
- optional:
  - ogit/Auth/Account/acceptedPrivacy
  - ogit/Auth/Account/acceptedProjectTerms
  - ogit/Auth/Account/acceptedTerms
  - ogit/Auth/Account/allowCookies
  - ogit/Auth/Account/statusReason
  - ogit/email

outgoing edges

- ogit/defines => ogit/UserMeta/Filter

2.1.0.3 ogit/UserMeta/Filter

A filter set by user, indicating preferences

- id: http://www.purl.org/ogit/UserMeta/Filter
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: stravlos@arago.de
- scope: NTO
- parent: ogit/Node

attributes

- mandatory:
  - ogit/content
  - ogit/name

incoming edges

- ogit/defines <= ogit/Auth/Account
- ogit/defines <= ogit/Person

2.1.0.4 ogit/Person

A Person represents a human identity.

- id: http://www.purl.org/ogit/Person
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem
- scope: SGO
- parent: ogit/Node

attributes

- optional:
  - ogit/alternativeName
  - ogit/email
  - ogit/fax
  - ogit/firstName
  - ogit/lastName
  - ogit/middleName
  - ogit/mobilePhone
  - ogit/notification
  - ogit/officePhone
  - ogit/otherPhone
  - ogit/position
  - ogit/sourceId
  - ogit/status
  - ogit/title
  - ogit/webPage

outgoing edges

- ogit/UserMeta/loses => ogit/UserMeta/Game
- ogit/UserMeta/plays => ogit/UserMeta/Game
- ogit/UserMeta/wins => ogit/UserMeta/Game
- ogit/defines => ogit/UserMeta/Filter
- ogit/likes => ogit/UserMeta/Preferences

2.1.0.5 ogit/UserMeta/Preferences

User Preferences is a part of the User Model, a collection of information that describes the user's needs, preferences and interests

- id: http://www.purl.org/ogit/UserMeta/Preferences
- valid-from: Mon Oct 01 00:00:00 UTC 2018
- creator: amerdeev@arago.de
- scope: NTO
- parent: ogit/Node

incoming edges

- ogit/likes <= ogit/Person

2.1.0.6 ogit/UserMeta/Game

Something which is played to obtain meta data around user behaviour and perception

- id: http://www.purl.org/ogit/UserMeta/Game
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de
- scope: NTO
- parent: ogit/Node

incoming edges

- ogit/UserMeta/loses <= ogit/Person
- ogit/UserMeta/plays <= ogit/Person
- ogit/UserMeta/wins <= ogit/Person

outgoing edges

- ogit/UserMeta/asks => ogit/UserMeta/Question

2.2 Verbs

2.2.0.1 ogit/defines

General relationship indicating that some entitiy defines some other.

- id: http://www.purl.org/ogit/defines
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Auth/Account => ogit/UserMeta/Filter
- ogit/Person => ogit/UserMeta/Filter

2.2.0.2 ogit/UserMeta/asks

This verb represents that a games asks a question

- id: http://www.purl.org/ogit/UserMeta/asks
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- ogit/UserMeta/Game => ogit/UserMeta/Question

2.2.0.3 ogit/likes

Indicates if an entity (mostly Person) likes something else.

- id: http://www.purl.org/ogit/likes
- valid-from: Tue Sep 15 00:00:00 UTC 2015
- creator: Peter Larem

Allowed Connection

- ogit/Person => ogit/UserMeta/Preferences

2.2.0.4 ogit/UserMeta/loses

This verb represents that a user has lost a game

- id: http://www.purl.org/ogit/UserMeta/loses
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- ogit/Person => ogit/UserMeta/Game

2.2.0.5 ogit/UserMeta/plays

This verb represents that a user has played a game

- id: http://www.purl.org/ogit/UserMeta/plays
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- ogit/Person => ogit/UserMeta/Game

2.2.0.6 ogit/UserMeta/wins

This verb represents that a user has won a game

- id: http://www.purl.org/ogit/UserMeta/wins
- valid-from: Tue Jul 19 00:00:00 UTC 2016
- creator: bneal@arago.de

Allowed Connection

- ogit/Person => ogit/UserMeta/Game

2.3 Attributes

2.3.0.1 ogit/email

An email address.

- id: http://www.purl.org/ogit/email
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Auth/Account
  - ogit/Person

2.3.0.2 ogit/alternativeName

Alternative name of something. In context of a Person this can be the full name or an alias/nick name.

- id: http://www.purl.org/ogit/alternativeName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.3 ogit/notification

A notification.

- id: http://www.purl.org/ogit/notification
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.4 ogit/sourceId

The Id of the source system.

- id: http://www.purl.org/ogit/sourceId
- valid-from: Thu Jun 11 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.5 ogit/mobilePhone

A mobile phone number.

- id: http://www.purl.org/ogit/mobilePhone
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.6 ogit/status

A status for an entity. At this level of specification no list of values is specified. However, applications using this attribute are expected to allow only a fixed list of values that seems usefual in the application's semantic context.

- id: http://www.purl.org/ogit/status
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/Auth/Account
- optional:
  - ogit/Person

2.3.0.7 ogit/lastName

Last name of a person.

- id: http://www.purl.org/ogit/lastName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.8 ogit/middleName

Middle name of a person.

- id: http://www.purl.org/ogit/middleName
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.9 ogit/Auth/Account/statusReason

Status Reason of an ogit/Auth/Account

- id: http://www.purl.org/ogit/Auth/Account/statusReason
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

2.3.0.10 ogit/firstName

First name of a person

- id: http://www.purl.org/ogit/firstName
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.11 ogit/title

Title of any kind. In the context of a Person this can be a courtesy title, an academic title, or a job tilte.

- id: http://www.purl.org/ogit/title
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- optional:
  - ogit/Person

2.3.0.12 ogit/content

A string holding any type of content: plain string, XML fragments, RDF documents, ...

- id: http://www.purl.org/ogit/content
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/UserMeta/Filter

2.3.0.13 ogit/Auth/Account/type

Type of an account. Values: person, application

- id: http://www.purl.org/ogit/Auth/Account/type
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- mandatory:
  - ogit/Auth/Account

2.3.0.14 ogit/name

Contains a name.

- id: http://www.purl.org/ogit/name
- valid-from: Thu May 21 00:00:00 UTC 2015
- creator: Peter Larem

used

- mandatory:
  - ogit/Auth/Account
  - ogit/UserMeta/Filter

2.3.0.15 ogit/Auth/Account/acceptedProjectTerms

Flag about whether HIRO Project terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedProjectTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

2.3.0.16 ogit/Auth/Account/acceptedTerms

Flag about whether usage terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedTerms
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

2.3.0.17 ogit/officePhone

The phone number in the office.

- id: http://www.purl.org/ogit/officePhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.18 ogit/fax

The number of a fax.

- id: http://www.purl.org/ogit/fax
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.19 ogit/Auth/Account/allowCookies

Flag about whether cookies are allowed

- id: http://www.purl.org/ogit/Auth/Account/allowCookies
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

2.3.0.20 ogit/otherPhone

The number of an other phone.

- id: http://www.purl.org/ogit/otherPhone
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.21 ogit/webPage

A web page.

- id: http://www.purl.org/ogit/webPage
- valid-from: Mon Jul 27 00:00:00 UTC 2015
- creator: Philipp Pelchmann

used

- optional:
  - ogit/Person

2.3.0.22 ogit/Auth/Account/acceptedPrivacy

Flag about whether privacy terms were accepted

- id: http://www.purl.org/ogit/Auth/Account/acceptedPrivacy
- valid-from: Mon Jan 01 00:00:00 UTC 2018
- creator: arago GmbH

used

- optional:
  - ogit/Auth/Account

2.3.0.23 ogit/position

Indicates user's position. This field contains a string value.

- id: http://www.purl.org/ogit/position
- valid-from: Tue Oct 18 00:00:00 UTC 2016
- creator: Arthur Shoba

used

- optional:
  - ogit/Person