HUBS191 Lecture Material

This pre-lecture material is to help you prepare for the lecture and to assist your note-taking within the lecture, it is NOT a substitute for the lecture!



Please note that although every effort is made to ensure this pre-lecture material corresponds to the live-lecture there may be differences / additions.





HUBS 191

Human Movement and Sensation

Theme 2: Integrating and coordinating roles of the nervous system

Lecture 21: Meninges and ventricular system

Dr. Rob Munn, Director of Neuroscience Department of Anatomy

Lecture 20: Post-lecture Quiz


- The dorsal white columns are part of:
- (a) PNS; (b) spinal nerves; (c) sensory system; (d) efferent system.
- Spinal nerves contain all of the following except:
- (a) Myelinated axons; (b) Sensory axons; (c) Motor axons; (d) filum terminale
- Which of the following is true of the spinal cord
- (a) it is part of the PNS; (b) contains spinal nerves; (c) it contains sympathetic nerve fibers; (d) it contains perineurium.
- A peripheral nerve contains ______
- (a) Fascicles; (b) Conus medullaris; (c) Filum terminale; (d) Oligodendrocytes

Lecture 21: Learning objectives


After you have reviewed and studied this lecture, you should understand and be able to describe:

- 1. The meninges and their structural and functional properties in both the brain and spinal cord
- 2. The special features of the meninges and the locations of different special features within different parts of the brain
- 3. The ventricular system, including
 - a) the names of the ventricles
 - b) the anatomical location of ventricles within different parts of the brain
- 4. Flow and circulation path of cerebrospinal fluid (CSF)

Meninges - Protective covering for the brain (from Greek *meninx* = membrane)



Meninges: Three layers of protective tissue



From Marieb: Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480.

See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516


Dura mater = 'Tough mother'



(Dura like Durable, Mater like Maternal)

Five Features

- 1. Outer-most layer of meninges
- 2. Dense and fibrous tough
- 3. Two layers _____ 1. outer ____ 2. inner
- 4. Space between the layers forms **venous sinuses** only in some places
- 5. Inner layer forms the dural folds-




From: Marieb and Hoehn, Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480 See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516

Special features of Dura mater:

I. Dural folds

Three Features

- 1. Formed from inner layer of dura mater \
- 2. Separate major divisions of brain
- 3. Provide stability of the brain within cranium



From: Marieb and Hoehn, Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480 See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516



Special features of Dura mater:

I. Dural folds

Three of them:

1. Falx cerebri

separates cerebral hemispheres

median plane


2. Falx cerebelli

- separates cerebellar hemispheres
- median plane

3. Tentorium cerebelli

Falx is Latin for "sickle"





*

Special features of Dura mater:

I. Dural folds

Three of them:

1. Falx cerebri

separates cerebral hemispheres

median plane


2. Falx cerebelli

- separates cerebellar hemispheres

- median plane

3. Tentorium cerebelli


- separates the cerebrum from the cerebellum
- horizontal plane





Locations of Dural Folds


Posterior ("Back") view of the brain



Special features of Dura mater: II. Venous sinus

Three Features

- 1. Located where the two layers of dura mater separate
- 2. Collecting veins
- 3. They collect (2 things)
- a) Venous blood from the brain
- b) 'Old' CSF after it has cycled through the ventricular system [more on this in a few slides]




From: Marieb and Hoehn, Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480 See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516

Arachnoid ('spider-like') Layer [sometimes just called arachnoid]

• Layer beneath the dura mater

 Named because it has a spiderlike appearance






Arachnoid

Five Features

- 1. Layer **beneath** the *dura mater*
- 2. Layer **above** the *pia mater*
- 3. Does **not** extend into sulci ('valleys')
- 4. Contains 3 special features:
 - i. Subarachnoid space
 - ii. Arachnoid granulations
 - iii. Arachnoid Trabeculae
- 5. Contains **blood vessels** (within the subarachnoid space, lying **on top of** *pia mater*)




Arachnoid
= Layer
under dura
+ space
under that

From: Marieb and Hoehn, Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480


See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516

Special features of the Arachnoid: I. Subarachnoid space

Space *between* the arachnoid and the pia mater Outer layer of Arachnoid bound with **tight junctions** Filled with cerebrospinal fluid (CSF)



Trabeculae (dm from Latin, *Trabs*: beam, support)






*

Perforate the inner layer of dura mater

Transport "old" CSF from subarachnoid space into venous sinus

Dura mater (inner layer)

Subarachnoid space



Dura mater (outer layer)

From: Marieb and Hoehn, Human Anatomy and Physiology, 10th ed, Fig. 12.22, p480


See also: Martini et al., Visual Anatomy and Physiology (3rd ed), Module 13.3, p516 and 517

Pia mater = 'delicate mother'




Four Features

- 1. Inner layer of the meninges
- 2. Transparent and delicate
- 3. Blood vessels in arachnoid sit **on top of** pia mater
- 4. Adheres to brain and follows gyri and extends into sulci




The meninges of the spinal cord



The ventricular system

Four Features

- Network of interconnected "spaces"
 (= ventricles) within the brain
- Filled with *cerebrospinal fluid* (CSF)
- Spaces lined with ependymal cells, which circulate the CSF (waving cilia)
- 4. CSF is produced by the *choroid plexus*



The ventricular system

Lateral ventricles (2)

- Two of them
- One in each cerebral hemisphere

Third ventricle (1)-

Located in the diencephalon


Cerebral aqueduct (1)

- Connects 3rd ventricle to 4th ventricle
- Located in the midbrain

Fourth ventricle (1)-

Located at the level of the cerebellum

Central canal (spinal cord)



Anterior view (facing you)





Lateral ventricles (2)

- Two of them
- One in each cerebral hemisphere

Third ventricle (1)

• Located in the diencephalon

Cerebral aqueduct (1)

- Connects 3rd ventricle to 4th ventricle
- Located in the midbrain

Fourth ventricle (1)

Located at the level of the cerebellum

Central canal (spinal cord)

Lateral view (from the side)




Image/animation: C Jasoni, 1998, University of Washington Similar can be found at: https://radiopaedia.org/cases/brain-ventricle-anatomy-diagram?lang=gb

CerebroSpinal Fluid (CSF) and its circulation

Four Features


- Produced by *choroid plexus* within the ventricles
- 2. Surrounds the CNS, within subarachnoid space
- 3. Provides support and cushion
- 4. Transports nutrients and waste



Generation of CSF by the Choroid Plexus

Epithelial cells of the choroid plexus make up the blood/CSF barrier Many immune cells (Macrophage, Dendritic cells, Epiplexus cells)

Villi of these cells help "push" the CSF around








Circulation path

Start:

- > Lateral ventricles
- ➤ 3rd ventricle
- > cerebral aqueduct
- > 4th ventricle
- > subarachnoid space

Within subarachnoid space it flows around brain and spinal cord

Exit: through arachnoid granulations into venous sinus



MRI showing pulsation of CSF



By © Nevit Dilmen, CC BY-SA 3.0, https://commons.wikimedia.org/w/i ndex.php?curid=9388427



Function of Cerebrospinal Fluid

- Ultrafiltrate of plasma
- Provides protection and cushioning for brain
- Nourishment (vitamins, necessary ions)
- Hormones from blood (Leptin, Prolactin)
- Removal of metabolic waste (e.g. from neurotransmitter metabolism)
- Removal of foreign particles (drugs etc)
- Usually considered sterile, can contain microbes in infection








Blood flow (red) increases before a wave of CSF (blue) washes toxins away

Lumbar puncture





Lecture 21: Post-lecture quiz

- 1. Which of these is not a layer of meninges
- (a) dura mater; (b) epineurium; (c) pia mater; (d) arachnoid

- 2. Cerebrospinal fluid (CSF) circulates around the brain in which layer of the meninges?
- (a) arachnoid; (b) dura mater; (c) perineurium; (d) choroid plexus
- 3. Old/used CSF is transported into the venous circulation through which structure?
- (a) choroid plexus; (b) arachnoid granulations; (c) dural reflections; (d) pia mater

- 4. The third ventricle is located with which brain region?
- (a) cerebrum; (b) cerebellum; (c) diencephalon; (d) midbrain

HUBS191

Copyright Warning Notice

This coursepack may be used only for the University's educational purposes. It includes extracts of copyright works copied under copyright licences. You may not copy or distribute any part of this coursepack to any other person. Where this coursepack is provided to you in electronic format you may only print from it for your own use. You may not make a further copy for any other purpose. Failure to comply with the terms of this warning may expose you to legal action for copyright infringement and/or disciplinary action by the University

