Dashboard

index.html

```
<!DOCTYPE html>
<html>
<title>college admin</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
k rel="stylesheet" href="bootstrap-4.0.0-dist/css/bootstrap-grid.min.css">
<link rel="stylesheet" href="bootstrap-4.0.0-dist/css/bootstrap.min.css">
<link rel="stylesheet" href="style.css">
<body>
<!-- Sidebar -->
<div class="topnav">
<a class="active" href="#home">Home</a>
<a href="#news">News</a>
<a href="#contact">Contact</a>
 <a href="/aboutus.html">About</a>
</div>
<div class="sidebar" style="display:none" id="mySidebar">
 <button onclick="w3_close()" class="w3-bar-item w3-large">Close &times;</button>
 <a href="#" class="items">Professors</a>
 <div class="dropdown">
  <button class="btn btn-secondary dropdown-toggle" type="button" id="dropdownMenuButton"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
   Student
  </button>
  <div class="dropdown-menu" aria-labelledby="dropdownMenuButton">
```

```
<a class="dropdown-item" href="form.html">Student info</a>
  <a class="dropdown-item" href="#">student list</a>
  <a class="dropdown-item" href="#">Personal info</a>
  </div></br>
 </div>
<a href="#" class="items">Branches</a>
<a href="#" class="items">Staff</a>
<a href="#" class="items">Library</a>
</div>
<section id="interface">
<div class="navigation">
  <div class="n1">
   <div class="search">
    <i class="far fa-search"></i>
    <input type="text" placeholder="Search">
  </div>
  </div>
</div>
</section>
<!-- Page Content -->
<button class="buttonxlarge" onclick="w3_open()">=</button>
 <div class="content">
  <h1>Dashboard</h1>
  <div class="container">
   <div class="card-deck">
    <div class="card bg-primary">
     <div class="card-body text-center">
      Total Professors
```

```
89
  </div>
 </div>
 <div class="card bg-warning">
  <div class="card-body text-center">
   Students
   1000
  </div>
 </div>
 <div class="card bg-success">
  <div class="card-body text-center">
   Total Branches
   3
  </div>
 </div>
 <div class="card bg-danger">
  <div class="card-body text-center">
   Fees Collection
   1,00,000
  </div>
 </div>
</div>
</div>
<div class="report-container">
<div class="row">
 <div class="column">
  <img src="Student-attendance-record-comparison-graph.png" alt="Snow" style="width:150%">
 </div>
</div>
<div class="row">
```

```
<div class="column">
     <img src="Graph-of-the-survey-results-in-the-success-category.png" alt="Forest"</pre>
style="width:150%">
    </div>
   </div>
   <div class="row">
    <div class="column">
     <img src="Pie-chart-of-activities-in-education.png" alt="Mountains" style="width:180%">
    </div>
   </div>
 </div>
<script>
function w3_open() {
document.getElementById("mySidebar").style.display = "block";
}
function w3_close() {
document.getElementById("mySidebar").style.display = "none";
}
<!-- code for dropdown -->
var dropdown = document.getElementsByClassName("dropdown-btn");
var i;
for (i = 0; i < dropdown.length; i++) {
 dropdown[i].addEventListener("click", function() {
  this.classList.toggle("active");
  var dropdownContent = this.nextElementSibling;
  if (dropdownContent.style.display === "block") {
   dropdownContent.style.display = "none";
  } else {
```

```
dropdownContent.style.display = "block";
  }
 });
}
</script>
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"></script>
</body>
</html>
Style.css
/* Add a black background color to the top navigation */
.topnav {
 background-color: #333;
 overflow: hidden;
}
/* Style the links inside the navigation bar */
.topnav a {
 float: left;
 color: #f2f2f2;
 text-align: center;
 padding: 14px 16px;
 text-decoration: none;
 font-size: 17px;
}
/* Change the color of links on hover */
.topnav a:hover {
 background-color: #ddd;
 color: black;
```

```
}
/* Add a color to the active/current link */
.topnav a.active {
 background-color: #04AA6D;
 color: white;
}
.sidebar {
  margin: 0;
  padding: 0;
  width: 200px;
  background-color: #f1f1f1;
  position: fixed;
  height: 100%;
  overflow: auto;
 /* Sidebar links */
 .sidebar a {
  display: block;
  color: black;
  padding: 16px;
  text-decoration: none;
 /* Active/current link */
 .sidebar a.active {
  background-color: #046daa;
  color: white;
/* Links on mouse-over */
.sidebar a:hover:not(.active) {
  background-color: #555;
  color: white;
```

```
}
 /st Page content. The value of the margin-left property should match the value of the sidebar's
width property */
 div.content {
  margin-left: 200px;
  padding: 1px 16px;
  height: 1000px;
 }
 section{
  display: flex;
  margin-left: 10px;
 }
 .w3-container{
  align-content: center;
 }
 div.content {
  margin-left: 200px;
  padding: 1px 14px;
  height: 1000px;
 }
 div.box{
  margin-left: 100px;
  padding: 2px 10px;
 }
 .card {
  box-shadow: 0 4px 8px 0 rgba(0,0,0,0.2);
  margin-left: 200px;
  padding: 2px 10px;
  width: 40%;
 }
```

```
.card:hover {
 box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);
}
.container1 {
 padding: 2px 16px;
.card-group{
 margin-left: 100;
 padding: 10px;
}
.report-container {
 display: flex;
 min-height: 300px;
 max-width: 1400px;
 margin: 70px auto 0px auto;
 background-color: #ffffff;
 border-radius: 30px;
 box-shadow: 3px 3px 10px rgb(188, 188, 188);
 padding: 0px 20px 20px 20px;
 text-size-adjust: 10;
}
.column {
 float: left;
 width: 60.33%;
 padding: 5px;
/* Clearfix (clear floats) */
.row::after {
 content: "";
 clear: both;
 display: table;
```

```
#interface{
  display: flex;
  margin-left: 600px;
  width: 100px;
}
```

Output:

