p0.sql → database

```
drop database if exists kc_db;
create database if not exists kc_db;
use kc_db;
```

Run:

```
mysql> source C:\mysql_july26\L12\p0.sql
Query OK, 0 rows affected (0.01 sec)

Query OK, 1 row affected (0.00 sec)

Database changed
```

p1.sql → if else

```
use kc_db;
delimiter $$
drop procedure if exists p1 $$
create procedure p1(year int)
begin
	if year is null then
		select "year shud not be null" as ERR_MSG;
	else
		if year % 4 = 0 then
			select concat(year, " is a leap year") as MSG;
		else
			select concat(year, " is not a leap year") as MSG;
		end if;
	end if;
end $$
delimiter ;
```

Compile and Run:

```
mysql> source C:\mysql_july26\L12\p1.sql
Database changed
Query OK, 0 rows affected, 1 warning (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> call p1(2024);
+---------------------+
| MSG                 |
+---------------------+
| 2024 is a leap year |
+---------------------+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> call p1(2025);
+-------------------------+
| MSG                     |
+-------------------------+
| 2025 is not a leap year |
+-------------------------+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

p2.sql → simple case

```
use kc_db;
delimiter $$
drop procedure if exists p2 $$
create procedure p2(year int)
begin
	if year is null then
		select "year shud not be null" as ERR_MSG;
	else
		case year % 4
			when 0 then		select concat(year, " is a leap year") as MSG;
			when 1 then		select concat(year, " is not a leap year") as MSG;
			when 2 then		select concat(year, " is not a leap year") as MSG;
			when 3 then		select concat(year, " is not a leap year") as MSG;
		end case;
	end if;
end $$
delimiter ;
```

Compile and Run:

```
mysql> source C:\mysql_july26\L12\p2.sql
Database changed
Query OK, 0 rows affected, 1 warning (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> call p2(2028);
+---------------------+
| MSG                 |
+---------------------+
| 2028 is a leap year |
+---------------------+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

p3.sql → simple case → compact

```
use kc_db;
delimiter $$
drop procedure if exists p3 $$
create procedure p3(year int)
begin
	if year is null then
		select "year shud not be null" as ERR_MSG;
	else
		case year % 4
			when 0 then		select concat(year, " is a leap year") as MSG;
			else			select concat(year, " is not a leap year") as MSG;
		end case;
	end if;
end $$
delimiter ;
```

Compile and Run:

```
mysql> source C:\mysql_july26\L12\p3.sql
Database changed
Query OK, 0 rows affected, 1 warning (0.00 sec)

Query OK, 0 rows affected (0.01 sec)

mysql> call p3(2028);
+---------------------+
| MSG                 |
+---------------------+
| 2028 is a leap year |
+---------------------+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

p4.sql → searched case

```
use kc_db;
delimiter $$
drop procedure if exists p4 $$
create procedure p4(year int)
begin
	if year is null then
		select "year shud not be null" as ERR_MSG;
	else
		case
		when year % 4=  0	then	select concat(year, " is a leap year") as MSG;
		else				select concat(year, " is not a leap year") as MSG;
		end case;
	end if;
end $$
delimiter ;
```

Compile and Run:

```
mysql> source C:\mysql_july26\L12\p4.sql
Database changed
Query OK, 0 rows affected, 1 warning (0.00 sec)

Query OK, 0 rows affected (0.00 sec)

mysql> call p4(2040);
+---------------------+
| MSG                 |
+---------------------+
| 2040 is a leap year |
+---------------------+
1 row in set (0.00 sec)

Query OK, 0 rows affected (0.00 sec)
```

wamp to check if the current year is leap or not

P5 if else

P6 simple case

P7 searched case