

- create database **kamalclasses_db** with table student;
- create table **student** with following info:
 - rno int primary key
 - name varchar(30)

- Write a stored procedure
- **student_record(r, n)** that inserts a new student with roll number r and name n.
- The procedure must ensure data quality by applying the following rules:
 - **Roll number validation**
 - Must not be NULL.
 - Must be greater than or equal to 1.
 - Must not already exist in the table.
 - **Name validation**
 - Must not be empty or only blank spaces.
 - Must contain only alphabets and spaces (no digits or special characters).
 - **Error handling**
 - If a rule is broken, show a clear custom error message instead of MySQL's default error.
 - If all checks are passed, insert the record

Solution:

```
drop database if exists kamalclasses_db;
create database if not exists kamalclasses_db;
use kamalclasses_db;
```

```
create table if not exists student (
    rno int primary key,
    name varchar(30)
);
```

```
delimiter $$
drop procedure if exists student_record $$
create procedure student_record(r int, n varchar(40))
begin
    declare exit handler for 1048
        select "rno cannot be null" as ERR_MSG;
    declare exit handler for 1062
        select "rno already exists " as ERR_MSG;
    declare exit handler for SQLSTATE '12345'
        select "rno shud be min 1" as ERR_MSG;
```



```

declare exit handler for SQLSTATE '23456'
    select "name shud not be empty" as ERR_MSG;
declare exit handler for SQLSTATE '34567'
    select "name shud not be blank spaces" as ERR_MSG;
declare exit handler for SQLSTATE '45678'
    select "name shud only be alphabet" as ERR_MSG;

select "welcome" as MSG;

if r < 1 then
    signal SQLSTATE '12345';
end if ;
if length(n) = 0 then
    signal SQLSTATE '23456';
end if;
if length(trim(n)) = 0 then
    signal SQLSTATE '34567';
end if;

if not n regexp "^[A-Za-z ]+$" then
    signal SQLSTATE '45678';
end if;

insert into student values(r, n);

select "record saved" as MSG;
end $$
delimiter ;

```


- create database **tcs_db** with table student;
- create table **employee** with following info:
 - eid int primary key
 - name varchar(20)
 - salary double
- Write a stored procedure
 - **employee_record(i, n, s)** to insert a new employee record into the emp table.
 - The procedure must validate inputs carefully and display custom error messages if any rule is violated.
 - **Employee ID (eid)**
 - Cannot be NULL,
 - Cannot be 0.
 - Cannot be negative.
 - Must be unique (no duplicate eid).
 - **Employee Name (name)**
 - Cannot be empty ('').
 - Cannot be only blank spaces (' ').
 - Must contain only alphabets and spaces (no digits, no special characters).
 - Maximum allowed length = 20 characters.
 - **Salary (salary)**
 - Cannot be NULL.
 - Must be at least ₹12,000.