


NIPUN SINGAL
R171218069
500069052

CICD LAB FILE

EXPERIMENT-8

AIM: Implementing Master/Slave architecture in Jenkins



[Back to Dashboard](#)

[Manage Jenkins](#)

[New Node](#)

[Configure Clouds](#)

[Node Monitoring](#)

Node name

☒ Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

OK

Build Queue

No builds in the queue.

Build Executor Status

1 Idle
2 Idle

Applications ▾ Places ▾ Firefox ESR ▾ Sat Sep 12 3:26 PM

Jenkins 🔥 Firefox

Blackboard Learn x Continuous Integration x Jenkins x +

localhost:8080/computer/createItem

Most Visited Getting Started Kali Training Kali Tools Kali Docs Kali Forums NetHunter Offensive Security GHDB UWatchFree Worldfree4u.trade

Jenkins ▾ Nodes ▾

Back to Dashboard
Manage Jenkins
New Node
Configure Clouds
Node Monitoring

Build Queue
No builds in the queue.

Build Executor Status
1 Idle
2 Idle

Name slave1
Description slave1
of executors 1
Remote root directory /root/Documents/jenkins_slave/
Labels
Usage Use this node as much as possible
Launch method Launch agent by connecting it to the master
☐ Disable WorkDir
Custom WorkDir path /root/Documents/jenkins_slave/
Internal data directory remoting
☐ Fail if workspace is missing
☐ Use WebSocket
Advanced...

Applications ▾ Places ▾ Terminal ▾ Sat Sep 12 3:32 PM

root@anony Downloads

```
root@anonymous:~# service jenkins start
root@anonymous:~# cd Downloads
root@anonymous:~/Downloads# java -jar agent.jar -jnlpUrl http://localhost:8080/computer/slave1/slave-agent.jnlp -secret f470e8e224313dbf917cde787c18c76cafd3c52f47562c9a85df44426390ab15 -workDir "/root/Documents/jenkins_slave/"
Sep 12, 2020 3:31:33 PM org.jenkinsci.remoting.engine.WorkDirManager initializeWorkDir
INFO: Using /root/Documents/jenkins_slave/remoting as a remoting work directory
Sep 12, 2020 3:31:34 PM org.jenkinsci.remoting.engine.WorkDirManager setupLogging
INFO: Both error and output logs will be printed to /root/Documents/jenkins_slave/remoting
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main createEngine
INFO: Setting up agent: slave1
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener <init>
INFO: Jenkins agent is running in headless mode.
Sep 12, 2020 3:31:37 PM hudson.remoting.Engine startEngine
INFO: Using Remoting version: 4.3
Sep 12, 2020 3:31:37 PM org.jenkinsci.remoting.engine.WorkDirManager initializeWorkDir
INFO: Using /root/Documents/jenkins_slave/remoting as a remoting work directory
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Locating server among [http://localhost:8080/]
Sep 12, 2020 3:31:37 PM org.jenkinsci.remoting.engine.JnlpAgentEndpointResolver resolve
INFO: Remoting server accepts the following protocols: [JNLP4-connect, Ping]
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Agent discovery successful
Agent address: localhost
Agent port: 43955
Identity: 9b:e3:ac:e7:86:b6:e0:ba:95:aa:4d:72:f0:9b:e7:91
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Handshaking
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Connecting to localhost:43955
Sep 12, 2020 3:31:37 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Trying protocol: JNLP4-connect
Sep 12, 2020 3:31:38 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Remote identity confirmed: 9b:e3:ac:e7:86:b6:e0:ba:95:aa:4d:72:f0:9b:e7:91
Sep 12, 2020 3:31:38 PM hudson.remoting.jnlp.Main$CuiListener status
INFO: Connected
```

Applications ▾Places ▾Firefox ESR ▾

Sat Sep 12 3:32 PM

Nodes [Jenkins]

Nodes [Jenkins]

localhost:8080/computer/

Most VisitedGetting StartedKali TrainingKali ToolsKali DocsKali ForumsNetHunterOffensive SecurityGHDBUWatchFreeWorldfree4u.trade

Jenkins

Nodes

Back to Dashboard

Manage Jenkins

New Node

Configure Clouds

Node Monitoring

S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	master	Linux (amd64)	In sync	19.29 GB	9.92 GB	19.29 GB	0ms
	slave1	Linux (amd64)	In sync	19.29 GB	9.92 GB	19.29 GB	251ms
Data obtained		5.1 sec	4.9 sec	4.8 sec	4.8 sec	4.8 sec	4.9 sec

Refresh status

Build Queue

No builds in the queue.

Build Executor Status

master

1 Idle

2 Idle

slave1

1 Idle

Applications ▾Places ▾Firefox ESR ▾

Sat Sep 12 3:38 PM

CICD_lab5 Config

CICD_lab5 Config [Jenkins]

localhost:8080/job/CICD_lab5/configure

Most VisitedGetting StartedKali TrainingKali ToolsKali DocsKali ForumsNetHunterOffensive SecurityGHDBUWatchFreeWorldfree4u.trade

Jenkins

CICD_lab5

General

Source Code Management

Build Triggers

Build Environment

Pre Steps

Build

Post Steps

Build Settings

Post-build Actions

☒ Restrict where this project can be run

Label Expression

slave1

[Label slave1](#) is serviced by 1 node. Permissions or other restrictions provided by plugins may prevent this job from running on those nodes.

Advanced...

Source Code Management

None

☒ Git

Repositories

Repository URL

https://github.com/nipunsingal7/CI-CD-lab2.git

Credentials

- none -

Add

Advanced...

Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/master

Add Branch

Save

Apply

Applications ▾ Places ▾ Firefox ESR ▾ Sat Sep 12 3:40 PM

CICD_lab5 #1 Console [ns] - Mozilla Firefox

localhost:8080/job/CICD_lab5/1/console 90%

Most Visited Getting Started Kali Training Kali Tools Kali Docs Kali Forums NetHunter Offensive Security GHDB UWatchFree Worldfree4u.trade

Jenkins ▸ CICD_lab5 ▸ #1

```
[CI-CI-lab2] $ /usr/bin/java -cp /root/Documents/jenkins_slave/maven35-agent.jar:/usr/share/maven/boot/plexus-classworlds-2.x.jar:/usr/share/maven/conf/logging-jenkins-maven3-agent-Maven35Main:/usr/share/maven:/root/Downloads/agent.jar:/root/Documents/jenkins_slave/maven35-interceptor.jar:/root/Documents/jenkins_slave/maven3-interceptor-commons.jar 37763
<===[JENKINS REMOTING CAPACITY]===>channel started
Executing Maven: -B -f /root/Documents/jenkins_slave/workspace/CICD_lab5/CI-CI-lab2/pom.xml clean
WARNING: An illegal reflective access operation has occurred
WARNING: Illegal reflective access by com.google.inject.internal.cglib.core.$ReflectUtils$1 (file:/usr/share/maven/lib/guice.jar) to method java.lang.ClassLoader.defineClass(java.lang.String,byte[],int,int,java.security.ProtectionDomain)
WARNING: Please consider reporting this to the maintainers of com.google.inject.internal.cglib.core.$ReflectUtils$1
WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations
WARNING: All illegal access operations will be denied in a future release
[INFO] Scanning for projects...
[INFO]
[INFO] -----< devops:CI-CI-lab2 >-----
[INFO] Building CI-CI-lab2 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ CI-CI-lab2 ---
[INFO]
[INFO] BUILD SUCCESS
[INFO]
[INFO] Total time: 5.230 s
[INFO] Finished at: 2020-09-12T15:39:59+05:30
[INFO]
Waiting for Jenkins to finish collecting data
[JENKINS] Archiving /root/Documents/jenkins_slave/workspace/CICD_lab5/CI-CI-lab2/pom.xml to devops/CI-CI-lab2/0.0.1-SNAPSHOT/CI-CI-lab2-0.0.1-SNAPSHOT.pom
channel stopped
Finished: SUCCESS
```

Page generated: Sep 12, 2020, 3:38:44 PM IST REST API Jenkins 2.235.2

Applications ▾ Places ▾ Files ▾ Sat Sep 12 3:40 PM

< > Home Documents jenkins_slave 🔍

Recent Starred Home Desktop Documents Downloads Music Pictures Videos Trash Other Locations

JAR maven3-interceptor-commons.jar JAR maven35-agent.jar JAR maven35-interceptor.jar remoting workspace

