OUTPUT:

SQL> CREATE TABLE CSE(

- 1 RegNo NUMBER(5) PRIMARY KEY,
- 2 Name VARCHAR(20),
- 3 Mark NUMBER(3));

Table created.

SQL> INSERT INTO CSE VALUES(103,'ABISHEK',89);

1 row created.

SQL> INSERT INTO CSE VALUES(106,'JOHN',85);

1 row created.

SQL> INSERT INTO CSE VALUES(108,'DAVID',93);

1 row created.

SQL> INSERT INTO CSE VALUES(NULL,'RAJA',90); INSERT INTO CSE VALUES(NULL,'RAJA',90)

ERROR at line 1:

ORA-01400: cannot insert NULL into ("SCOTT"."CSE"."REGNO")

SQL> INSERT INTO CSE VALUES(106,'RAM',95); INSERT INTO CSE VALUES(106,'RAM',95)

..

ERROR at line 1:

ORA-00001: unique constraint (SCOTT.SYS_C0011078) violated

SQL> SELECT * FROM CSE;

REGNO	NAME	MARK
103	ABISHEK	89
106	JOHN	85
108	DAVID	93

SQL> CREATE TABLE DEPT(

- 2 DEPTNO NUMBER(3) PRIMARY KEY,
- 3 NAME VARCHAR(10),
- 4 LOCATION VARCHAR(20));

Table created.

SQL> DESC DEPT:

Name	Null?	Туре
DEPTNO	NOT NULL	NUMBER(3)
DNAME		VARCHAR2(10)
LOCATION		VARCHAR2(20)

SQL> INSERT INTO DEPT VALUES(103, 'DAVID', 'CHENNAI');

1 row created.

SQL> INSERT INTO DEPT VALUES(106,'ARJUN','GOA');

1 row created.

SQL> INSERT INTO DEPT VALUES(108, 'SANDY', 'OOTY');

1 row created.

SQL> CREATE TABLE EMPLO(EMPNO NUMBER(4),

- 2 DEPTNO NUMBER(3) REFERENCES DEPT(DEPTNO),
- 3 DESIGN VARCHAR(15)
- 4);

Table created.

SQL> INSERT INTO EMPLO VALUES(4068,106,'DEVELOPER');

1 row created.

SQL> INSERT INTO EMPLO VALUES(4069,108, 'TESTER');

1 row created.

SQL> INSERT INTO EMPLO VALUES(4073,109,'DESIGNER'); INSERT INTO EMPLO VALUES(4073,109,'DESIGNER')

ERROR at line 1:

ORA-02291: integrity constraint (SCOTT.SYS_C0011080) violated - parent key not found

SQL> CREATE TABLE CSE(

- 2 REGNO NUMBER(4) PRIMARY KEY,
- 3 NAME VARCHAR(20),
- 4 DEPT VARCHAR(3) CHECK (DEPT='CSE'));

Table created.

```
SQL> INSERT INTO CSE VALUES(4073, 'KARTHICK', 'CSE');
1 row created.
SQL> INSERT INTO CSE VALUES(4077, 'MUKESH', 'ECE');
INSERT INTO CSE VALUES(4077, 'MUKESH', 'ECE')
ERROR at line 1:
ORA-02290: check constraint (SCOTT.SYS_C0011081) violated
SQL> CREATE TABLE CONSTRAINT(
 2 REGNO NUMBER(3) NOT NULL UNIQUE,
 3 NAME VARCHAR(15),
 4 PHONE NUMBER(10) PRIMARY KEY,
 5 EMAIL VARCHAR(15) NULL,
 6 DEPT VARCHAR(3) DEFAULT 'CSE');
SQL> INSERT INTO CONSTRAINT VALUES (101, 'RAGU', 9716543210, 'ragu@yahoo.com'
,'EIE');
1 row created.
SQL> COMMIT;
Commit complete.
SQL> SAVEPOINT A;
Savepoint created.
SQL> INSERT INTO CONSTRAINT VALUES (102, 'KARTHI', 8765432129, 'bolt@yahoo.com'
,'ECE');
1 row created.
SQL> SAVEPOINT B;
Savepoint created.
SQL> INSERT INTO CONSTRAINT (REGNO, NAME, PHONE, EMAIL) VALUES (103,
'JEEVA', 7716543210, 'jeeva@yahoo.com' );
1 row created.
SQL> SELECT * FROM CONSTRAINT;
```

REGNO	NAME	PHONE	EMAIL	DEPT
101 102		9716543210 8765432129	ragu@yahoo.com	EIE ECE
103	JEEVA	7716543210	jeeva@yahoo.com	CSE
SQL> RO	LLBACK TO) B;		

Rollback complete.

SQL> SELECT * FROM CONSTRAINT;

REGNO	NAME	PHONE	EMAIL	DEPT
101	RAGU	9716543210	ragu@yahoo.com	EIE
102	KARTHI	8765432129		ECE

SQL> ROLLBACK TO A;

Rollback complete.

SQL> SELECT * FROM CONSTRAINT;

REGNO	NAME	PHONE	EMAIL	DEPT
101	RAGU	9716543210	ragu@yahoo.com	EIE

SQL> ROLLBACK;

Rollback complete.

SQL> SELECT * FROM CONSTRAINT;

REGNO	NAME	PHONE	EMAIL	DEPT
101	RAGU	9716543210	ragu@yahoo.com	EIE