

LabTask 1

Muhammad Aun Anis, 24P-3017

- Task 1:

```
LS(1) User Commands LS(1)
NAME
ls - list directory contents
SYNOPSIS
ls [OPTION]... [FILE]...
DESCRIPTION
List information about the FILES (the current directory by default). Sort entries alphabetically if none of -cftuvSUX nor --sort is specified.
Mandatory arguments to long options are mandatory for short options too.
-a, --all
do not ignore entries starting with .
-A, --almost-all
do not list implied . and ..
--author
with -l, print the author of each file
-b, --escape
print C-style escapes for nongraphic characters
--block-size=SIZE
with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below
-B, --ignore-backups
do not list implied entries ending with ~
-c
with -lt: sort by, and show, ctime (time of last modification of file status information); with -l: show ctime and sort by name; otherwise: sort by ctime, newest first
-C
list entries by columns
--color[=WHEN]
colorize the output; WHEN can be 'always' (default if omitted), 'auto', or 'never'; more info below
-d, --directory
list directories themselves, not their contents
-D, --dired
generate output designed for Emacs' dired mode
-f
do not sort, enable -aU, disable -ls --color
-F, --classify
append indicator (one of */=>@|) to entries
--file-type
likewise, except do not append '*'
--format=HOBQ
across -x, commas -n, horizontal -x, long -l, single-column -i, verbose -l, vertical -C
Manual page ls(1) line 1 (press h for help or q to quit)
```

```
lab@SRLAB-07:~$ screen cleared :) |
```

```
lab@SRLAB-07:~$ echo "hello, world!"
hello, world!
```

```
lab@SRLAB-07:~$ history
1 man ls
2 clear
3 echo "hello, world!"
4 exit
5 historu
6 clear
7 history
lab@SRLAB-07:~$ |
```

- Task 2:

```
lab@SRLAB-07:~$ alias c='clear'
lab@SRLAB-07:~$
```

```
lab@SRLAB-07:~$ cat /proc/cpuinfo | grep "vendor_id"
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
vendor_id      : GenuineIntel
lab@SRLAB-07:~$
```

```
lab@SRLAB-07:~$ ls | grep "Pictures" && cd Pictures/Screenshots
Pictures
lab@SRLAB-07:~/Pictures/Screenshots$
```

- Task 3:

```
lab@SRLAB-07:~/Pictures/Screenshots$ date
09:25:46 و 26 جنوري 2026 PKT
```

```

lab@SRLAB-07: ~/Pictures/Screenshots$ ps ux
USER      PID  %CPU  %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
lab       3427  0.0   0.0   18108  9984 ?        Ss   09:02   0:00 /lib/systemd/systemd --user
lab       3428  0.0   0.0   170272 5876 ?        S    09:02   0:00 (sd-pam)
lab       3434  0.0   0.0   40368  6336 ?        SsSl 09:02   0:00 /usr/bin/plpewire
lab       3435  0.0   0.0   23960  6336 ?        Ssl  09:02   0:00 /usr/bin/plpewire-media-session
lab       3436  0.0   0.1   1760828 28340 ?       S<sl 09:02   0:00 /usr/bin/pulseaudio --daemonize=no --log-target=journal
lab       3447  0.0   0.0   241272  6920 ?        Sl   09:02   0:00 /usr/bin/gnome-keyring-daemon --daemonize --login
lab       3453  0.0   0.0   9668  4224 ?        Ss   09:02   0:00 /usr/bin/dbus-daemon --session --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
lab       3460  0.0   0.0   241000  7872 ?        Ssl  09:02   0:00 /usr/libexec/gvfsd
lab       3465  0.0   0.0   380896  6144 ?        Sl   09:02   0:00 /usr/libexec/gvfsd-fuse /run/user/1016/gvfs -f
lab       3491  0.0   0.0   537260  7104 ?        Ssl  09:02   0:00 /usr/libexec/xdg-document-portal
lab       3494  0.0   0.0   236584  6144 ?        Ssl  09:02   0:00 /usr/libexec/xdg-permission-store
lab       3601  0.0   0.2   676808 35884 ?       Ssl  09:02   0:00 /usr/libexec/tracker-miner-fs-3
lab       3641  0.0   0.0   316396 10176 ?        Ssl  09:02   0:00 /usr/libexec/gvfs-udisks2-volume-monitor
lab       3643  0.0   0.0   162744  5760 tty3     Sl+  09:02   0:00 /usr/libexec/gdm-wayland-session env GNOME_SHELL_SESSION_MODE=ubuntu /usr/bin/gnome-session --session=ubuntu
lab       3648  0.0   0.0   223396 15936 tty3     Sl+  09:02   0:00 /usr/libexec/gnome-session-binary --session=ubuntu
lab       3675  0.0   0.0   236980  6336 ?        Ssl  09:02   0:00 /usr/libexec/gvfs-goa-volume-monitor
lab       3688  0.0   0.2   596680 40512 ?        Sl   09:02   0:00 /usr/libexec/goa-daemon
lab       3692  0.0   0.0   92264  5760 ?        Ssl  09:02   0:00 /usr/libexec/gnome-session-ctl --monitor
lab       3722  0.0   0.0   338756 14400 ?        Sl   09:02   0:00 /usr/libexec/goa-identity-service
lab       3724  0.0   0.0   236816  6528 ?        Ssl  09:02   0:00 /usr/libexec/gvfs-ntp-volume-monitor
lab       3736  0.0   0.0   237980  6912 ?        Ssl  09:02   0:00 /usr/libexec/gvfs-gphoto2-volume-monitor
lab       3740  0.0   0.0   315564  7872 ?        Ssl  09:02   0:00 /usr/libexec/gvfs-afc-volume-monitor
lab       3754  0.0   0.1   445888 16320 ?        Ssl  09:02   0:00 /usr/libexec/gnome-session-binary --systemd-service --session=ubuntu
lab       3767  0.0   0.0   26616  7296 ?        Sl   09:02   0:00 /usr/libexec/at-spi-bus-launcher --launch-immediately
lab       3774  0.0   0.0   8564  4032 ?        S    09:02   0:00 /usr/bin/dbus-daemon --config-file=/usr/share/defaults/at-spi2/accessibility.conf --nofork --pid-address 11 --address=unix:path=/run/ut
lab       3778  4.9  2.1   7084572 340520 ?       Ssl  09:02   1:12 /usr/bin/gnome-shell
lab       3826  0.0   0.1   582800 17280 ?        Sl   09:02   0:00 /usr/libexec/gnome-shell-calendar-server
lab       3832  0.0   0.1   392664 25728 ?        Ssl  09:02   0:00 /usr/libexec/evolution-source-registry
lab       3836  0.0   0.0   156980  5568 ?        Ssl  09:02   0:00 /usr/libexec/dconf-service
lab       3842  0.0   0.1   1315992 30144 ?       Ssl  09:02   0:00 /usr/libexec/evolution-calendar-factory
lab       3851  0.0   0.1   746484 28416 ?       Ssl  09:02   0:00 /usr/libexec/evolution-addressbook-factory
lab       3867  0.0   0.0   315208  8640 ?        Sl   09:02   0:00 /usr/libexec/gvfsd-trash --spawner :1.2 /org/gtk/gvfs/exec_spaw/0
lab       3877  0.0   0.1   2866088 27556 ?       Sl   09:02   0:00 /usr/bin/gjs /usr/share/gnome-shell/org.gnome.shell.Notifications
lab       3879  0.0   0.0   162688  7104 ?        Sl   09:02   0:00 /usr/libexec/at-spi2-registrid --use-gnome-session
lab       3903  0.0   0.0   2892  1536 ?        Ss   09:02   0:00 sh -c /usr/bin/lbus-daemon --panel disable S([ "SXDC_SESSION_TYPE" = "x11" ] && echo "--x11")
lab       3904  0.0   0.0   310784  6336 ?        Ssl  09:02   0:00 /usr/libexec/gsd-a11y-settings
lab       3905  0.0   0.1   464192 27864 ?       Ssl  09:02   0:00 /usr/libexec/gsd-color
lab       3908  0.0   0.1   375820 16128 ?       Ssl  09:02   0:00 /usr/libexec/gsd-datetime
lab       3909  0.2   0.0   316188 12280 ?       Sl   09:02   0:04 /usr/bin/lbus-daemon --panel disable
lab       3911  0.0   0.0   312272  7104 ?        Ssl  09:02   0:00 /usr/libexec/gsd-housekeeping
lab       3913  0.0   0.1   344116 23960 ?       Ssl  09:02   0:00 /usr/libexec/gsd-keyboard
lab       3914  0.0   0.1   794292 28944 ?       Ssl  09:02   0:00 /usr/libexec/gsd-media-keys
lab       3915  0.0   0.1   454340 27052 ?       Ssl  09:02   0:00 /usr/libexec/gsd-power
lab       3919  0.0   0.0   250380 11136 ?       Ssl  09:02   0:00 /usr/libexec/gsd-print-notifications
lab       3921  0.0   0.0   26212  6336 ?        Ssl  09:02   0:00 /usr/libexec/gsd-rfkill
lab       3925  0.0   0.0   236644  6336 ?        Ssl  09:02   0:00 /usr/libexec/gsd-screensaver-proxy
lab       3927  0.0   0.0   466304 10176 ?       Ssl  09:02   0:00 /usr/libexec/gsd-sharing
lab       3928  0.0   0.0   312664  7872 ?        Ssl  09:02   0:00 /usr/libexec/gsd-smartcard
lab       3929  0.0   0.0   310920  9024 ?        Ssl  09:02   0:00 /usr/libexec/gsd-sound

```

```

lab@SRLAB-07: ~/Pictures/Screenshots$ kill -9 9725
lab@SRLAB-07: ~/Pictures/Screenshots$

```

```

top - 09:31:08 up 30 min, 2 users, load average: 0.37, 0.29, 0.26
Tasks: 490 total, 1 running, 489 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.1 us, 0.1 sy, 0.0 ni, 99.8 id, 0.0 wa, 0.0 hi, 0.0 si, 0.0 st
MiB Mem : 15677.6 total, 9223.4 free, 2467.2 used, 3987.0 buff/cache
MiB Swap: 1907.0 total, 1907.0 free, 0.0 used, 12198.0 avail Mem

```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
3778	lab	20	0	7060800	339776	149096	S	1.3	2.1	1:24.23	gnome-shell
761	systemd+	20	0	14836	6720	5952	S	0.3	0.0	0:02.25	systemd-oomd
1039	root	20	0	2531664	41832	29568	S	0.3	0.3	0:02.60	containerd
6181	lab	20	0	12.9g	603372	280468	S	0.3	3.8	2:06.00	firefox
9469	lab	20	0	563412	58336	45380	S	0.3	0.4	0:08.59	gnome-terminal-
9527	root	20	0	0	0	0	I	0.3	0.0	0:00.25	kworker/u48:2-flush-259:0
1	root	20	0	168248	12032	7616	S	0.0	0.1	0:02.22	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.00	kthreadd
3	root	20	0	0	0	0	S	0.0	0.0	0:00.00	pool_workqueue_release
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/R-rcu_g
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/R-rcu_p
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/R-slab_
7	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/R-netns
9	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/0:0H-events_highpri
11	root	20	0	0	0	0	I	0.0	0.0	0:00.93	kworker/u48:0-flush-259:0
12	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/R-mm_pe
13	root	20	0	0	0	0	I	0.0	0.0	0:00.00	rcu_tasks_kthread
14	root	20	0	0	0	0	I	0.0	0.0	0:00.00	rcu_tasks_rude_kthread
15	root	20	0	0	0	0	I	0.0	0.0	0:00.00	rcu_tasks_trace_kthread
16	root	20	0	0	0	0	S	0.0	0.0	0:00.03	ksoftirqd/0
17	root	20	0	0	0	0	I	0.0	0.0	0:01.49	rcu_preempt
18	root	rt	0	0	0	0	S	0.0	0.0	0:00.05	migration/0
19	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/0
20	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/0
21	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/2
22	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/2
23	root	rt	0	0	0	0	S	0.0	0.0	0:00.15	migration/2
24	root	20	0	0	0	0	S	0.0	0.0	0:00.03	ksoftirqd/2
26	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/2:0H-events_highpri
27	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/4
28	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/4
29	root	rt	0	0	0	0	S	0.0	0.0	0:00.14	migration/4
30	root	20	0	0	0	0	S	0.0	0.0	0:00.00	ksoftirqd/4
32	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/4:0H-events_highpri
33	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/6
34	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/6
35	root	rt	0	0	0	0	S	0.0	0.0	0:00.15	migration/6
36	root	20	0	0	0	0	S	0.0	0.0	0:00.00	ksoftirqd/6
38	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/6:0H-events_highpri
39	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/8
40	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/8
41	root	rt	0	0	0	0	S	0.0	0.0	0:00.10	migration/8
42	root	20	0	0	0	0	S	0.0	0.0	0:00.00	ksoftirqd/8
43	root	20	0	0	0	0	I	0.0	0.0	0:00.15	kworker/8:0-events
44	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/8:0H-events_highpri
45	root	20	0	0	0	0	S	0.0	0.0	0:00.00	cpuhp/10
46	root	-51	0	0	0	0	S	0.0	0.0	0:00.00	idle_inject/10
47	root	rt	0	0	0	0	S	0.0	0.0	0:00.10	migration/10

```
lab@SRLAB-07:~/Pictures/Screenshots$ htop
Command 'htop' not found, but can be installed with:
snap install htop # version 3.4.1, or
apt install htop # version 3.0.5-7build2
See 'snap info htop' for additional versions.
lab@SRLAB-07:~/Pictures/Screenshots$ apt install htop
E: Could not open lock file /var/lib/dpkg/lock-frontent - open (13: Permission denied)
E: Unable to acquire the dpkg frontend lock (/var/lib/dpkg/lock-frontent), are you root?
lab@SRLAB-07:~/Pictures/Screenshots$ sudo apt install htop
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~/Pictures/Screenshots$
```

```
lab@SRLAB-07:~/Pictures/Screenshots$ uname
Linux
```

- Task 4:

```
lab@SRLAB-07:~$ df -h
Filesystem      Size  Used Avail Use% Mounted on
tmpfs           1.6G  2.6M  1.6G   1% /run
/dev/nvme0n1p8  85G   34G   47G  42% /
tmpfs           7.7G    0  7.7G   0% /dev/shm
tmpfs           5.0M  4.0K  5.0M   1% /run/lock
efivarfs        438K  245K  189K  57% /sys/firmware/efi/efivars
/dev/nvme0n1p1  846M  117M  730M  14% /boot/efi
tmpfs           1.6G  108K  1.6G   1% /run/user/1014
tmpfs           1.6G  188K  1.6G   1% /run/user/1016
lab@SRLAB-07:~$
```

```
lab@SRLAB-07:~/Pictures/Screenshots$ du
956      .
lab@SRLAB-07:~/Pictures/Screenshots$ du -m
1        .
lab@SRLAB-07:~/Pictures/Screenshots$
```

- Task 5:

```
lab@SRLAB-07:~$ sudo adduser task5
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~$ sudo addgroup Lab1
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~$ id task5
id: 'task5': no such user
lab@SRLAB-07:~$
```

```

lab@SRLAB-07:~$ sudo deluser --remove-home task5
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~$ sudo groupdel lab1
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~$

```

- Task 6:

```

lab@SRLAB-07:~$ ping yahoo.com
PING yahoo.com (98.137.11.163) 56(84) bytes of data.
64 bytes from media-router-fp74.prod.media.vip.gq1.yahoo.com (98.137.11.163): icmp_seq=1 ttl=50 time=287 ms
64 bytes from media-router-fp74.prod.media.vip.gq1.yahoo.com (98.137.11.163): icmp_seq=2 ttl=50 time=287 ms
64 bytes from media-router-fp74.prod.media.vip.gq1.yahoo.com (98.137.11.163): icmp_seq=3 ttl=50 time=288 ms
^C
--- yahoo.com ping statistics ---
4 packets transmitted, 3 received, 25% packet loss, time 3005ms
rtt min/avg/max/mdev = 286.781/287.221/287.634/0.348 ms
lab@SRLAB-07:~$

```

```

lab@SRLAB-07:~$ wget http://bit.ly/cli-files
--2026-01-26 09:48:28-- http://bit.ly/cli-files
Resolving bit.ly (bit.ly)... 67.199.248.11, 67.199.248.10
Connecting to bit.ly (bit.ly)|67.199.248.11|:80... connected.
HTTP request sent, awaiting response... 301 Moved Permanently
Location: https://github.com/recluze/cli-files/archive/0.0.zip [following]
--2026-01-26 09:48:29-- https://github.com/recluze/cli-files/archive/0.0.zip
Resolving github.com (github.com)... 20.207.73.82
Connecting to github.com (github.com)|20.207.73.82|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location: https://codeload.github.com/recluze/cli-files/zip/refs/tags/0.0 [following]
--2026-01-26 09:48:29-- https://codeload.github.com/recluze/cli-files/zip/refs/tags/0.0
Resolving codeload.github.com (codeload.github.com)... 20.207.73.88
Connecting to codeload.github.com (codeload.github.com)|20.207.73.88|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/zip]
Saving to: 'cli-files'

cli-files                                     [ <=> ] 126.75K  578KB/s  in 0.2s

2026-01-26 09:48:35 (570 KB/s) - 'cli-files' saved [129796]

```

```

lab@SRLAB-07:~$ ifconfig
Command 'ifconfig' not found, but can be installed with:
apt install net-tools
Please ask your administrator.
lab@SRLAB-07:~$ sudo apt install net-tools
[sudo] password for lab:
lab is not in the sudoers file. This incident will be reported.
lab@SRLAB-07:~$

```

```

lab@SRLAB-07:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host
        valid_lft forever preferred_lft forever
2: enp0s31f6: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 6c:3c:8c:57:4b:41 brd ff:ff:ff:ff:ff:ff
    inet 172.16.4.207/16 brd 172.16.255.255 scope global noprefixroute enp0s31f6
        valid_lft forever preferred_lft forever
    inet6 fe80::1bbf:3717:da65:59ae/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
3: wlp0s20f3: <BROADCAST,MULTICAST> mtu 1500 qdisc noop state DOWN group default qlen 1000
    link/ether 30:05:05:3a:79:9c brd ff:ff:ff:ff:ff:ff
4: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN group default
    link/ether d6:f0:c8:cc:9e:cd brd ff:ff:ff:ff:ff:ff
    inet 172.17.0.1/16 brd 172.17.255.255 scope global docker0
        valid_lft forever preferred_lft forever
lab@SRLAB-07:~$ ip addr show

```

- Task 7:

```
lab@SRLAB-07:~$ mkdir -p lab1/task7
lab@SRLAB-07:~$ rmdir lab1/task7
lab@SRLAB-07:~$ rmdir lab1
lab@SRLAB-07:~$
```

- Task 8:

```
lab@SRLAB-07:~/lab1$ cp task8/text.txt text.tt
lab@SRLAB-07:~/lab1$ ls
task8  text.tt
lab@SRLAB-07:~/lab1$
```

```
lab@SRLAB-07:~/lab1$ rm text.tt
lab@SRLAB-07:~/lab1$ ls
task8
lab@SRLAB-07:~/lab1$
```

```
lab@SRLAB-07:~/lab1$ rm task8/text.txt
lab@SRLAB-07:~/lab1$ rm -d task8
lab@SRLAB-07:~/lab1$ cd ..
```

- Task 9:

```
lab@SRLAB-07:~/lab1/task9$ touch file.txt
lab@SRLAB-07:~/lab1/task9$ echo "this is a string" >> file.txt
lab@SRLAB-07:~/lab1/task9$ cat file.txt
this is a string
lab@SRLAB-07:~/lab1/task9$
```

```
~
"file.txt" 1L, 17B
```

- Task 10:

```
lab@SRLAB-07:~/lab1$ locate file.txt
Command 'locate' not found, but can be installed with:
apt install plocate
Please ask your administrator.
```

```
lab@SRLAB-07:~/lab1$ echo "string" >> task10/file.txt
lab@SRLAB-07:~/lab1$ find task10
task10
task10/file.txt
lab@SRLAB-07:~/lab1$
```

```
lab@SRLAB-07:~/lab1$ cd task10
lab@SRLAB-07:~/lab1/task10$ cat file.txt | grep "string"
string
lab@SRLAB-07:~/lab1/task10$
```

- Task 11:

```
lab@SRLAB-07:~/lab1$ head task11/file.txt
woah
lab@SRLAB-07:~/lab1$ tail task11/file.txt
woah
lab@SRLAB-07:~/lab1$ tac task11/file.txt
woah
lab@SRLAB-07:~/lab1$
```

- Task 12:

```
lab@SRLAB-07:~/lab1$ mkdir task12
lab@SRLAB-07:~/lab1$ touch task12/file.cpp
lab@SRLAB-07:~/lab1$ chmod u+x task12/file.cpp
lab@SRLAB-07:~/lab1$ chmod u+w task12/file.cpp
lab@SRLAB-07:~/lab1$ chmod u+r task12/file.cpp
lab@SRLAB-07:~/lab1$
```

```
lab@SRLAB-07:~/lab1$ chown root task12
chown: changing ownership of 'task12': Operation not permitted
lab@SRLAB-07:~/lab1$
```

- Task 13: same as 12

- Task 14:

```
lab@SRLAB-07:~/lab1/task14$ ls *.py
file.py
lab@SRLAB-07:~/lab1/task14$ ls *.c
file.c
lab@SRLAB-07:~/lab1/task14$ ls *.cpp
file.cpp
lab@SRLAB-07:~/lab1/task14$ ls
file.c file.cpp file.py file.txt
lab@SRLAB-07:~/lab1/task14$
```

```
lab@SRLAB-07:~/lab1/task14$ ls file.?
file.c
lab@SRLAB-07:~/lab1/task14$
```

```
lab@SRLAB-07:~/lab1/task14$ ls file.[a-p][p-z]
file.py
lab@SRLAB-07:~/lab1/task14$
```