
En No:- 180020107085 Name:- Utsav Vekariya

Copyright © All Rights Reserved

Q.1 Create a replica of Ait Website



En No:- 180020107085 Name:- Utsav Vekariya



Code

Index.html

```
<link href="StyleSheet.css" type="text/css" rel="stylesheet" />
   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css">
   <link href="animate.css" type="text/css" rel="stylesheet" />
   <script src="http://ajax.googleapis.com/ajax/libs/jquery/1.7.1/jquery.min.js</pre>
"></script>
   <script src="mediajs.js"></script>
</head>
<body>
<div class="header">
               <a class="navbar-brand" href="#"><img class="logo-</pre>
custom" src="images/logo.png" alt=""/></a>
           <button onclick="toggle()" id="nav-hold" class="nav-holder">
           <div class="heyy"></div>
           <div class="heyy"></div>
           <div class="heyy"></div>
              </button>
       <div class="nav">
           <a id="hm" href="index.html">HOME</a> 
            <a id="um" href="course.html">COURSE</a> 
            <a href="gallery.html">GALLERY</a> 
            <a id="reg" onclick="document.getElementById('id01').style.disp</pre>
lay='block';"><span class="texts">REGISTRATION</span></a> 
            <a href="contact.html"><span class="contact">CONTACT</span></a></a>
</div>
                </div>
       <div id="id01" class="modal">
 <div class="modal-content animate" >
   <h3>Please View From Desktop</h3>
   <div class="imgcontainer">
     <span onclick="document.getElementById('id01').style.display='none'" class</pre>
="close" title="Close Modal">×</span>
     <h1 class="regme">Registration</h1>
   </div>
   <div class="container">
     <label for="fname"><b>First Name</b></label>
  <input type="text" id="fname" placeholder="Enter First Name" >
     <label id="lastname" for="lname"><b>Last Name</b></label>
       <input type="text" id="lname" placeholder="Enter Last Name">
```

```
</div>
   <div class="container2">
      <label for="mobile"><b>Mobile No.</b></label>
     <input type="text" id="mobile" TextMode="Phone" placeholder="Enter Mobile</pre>
   <b id="gender">Gender:</b><input type="radio" id="male" name="gander" />Male
<input type="radio" id="female" name="gander"/>Female
       </div>
   <div class="container3">
   <label for="email"><b>Email</b></label>
       <input type="email" id="email" TextMode="Email" placeholder="Enter Emai</pre>
1" >
   <label id="course" for="Course"><b>Course</b></label>
       <select id="DropDownList1" class="select"</pre>
           <option>-Select-</option>
           <option>MBA</option>
           <option>BCA</option>
           <option>BBA</option>
           <option>BCOM</option>
       </select>
       <div class="container4">
     <label for="state"><b>State</b></label>
      <input type="text" id="state" placeholder="Enter Your State">
     <label id="cityname" for="city"><b>City</b></label>
     <input type="text" id="city" placeholder="Enter Your City">
       </div>
       <input type="button" id="btnregister" value="Register" />
   </div>
 </div>
</div>
     <input type="checkbox" id="sidebartoggler" >
       <div class="page-wrap">
       <label for="sidebartoggler" class="toggle">ENQUIRY</label>
   <div class="sidebar">
       <label class="please">PLEASE LEAVE FEEDBACK</label><br><br>
       <label>Name</label><br>
      <input type="text" placeholder="Name" id="TextBox1" >
       <label>Email</label><br>
       <input type="email" placeholder="Email" id="TextBox2">
       <label>Mobile Number</label><br>
```

```
<input type="text" placeholder="Mobile" id="TextBox3" >
        <label>FeedBack:</label><br>
         <textarea placeholder="Tell us.." id="TextBox4" rows="10" cols="50"></t</pre>
extarea>
       <input type="submit" class="feedback" id="feedback">
    </div>
    <button class="animated fadeInDown" onclick="topFunction()" id="scrolltotop"</pre>
></button>
<div class="slides">
    <img class="mySlides" src="images/Ahmedabad-Institute-of-Technology.jpg" />
</div>
<div class="aboutandside">
    <div id="about">
       <h1 class="ab">About Us</h1>
        <div id="line"></div>
        Computer engineering and Information Technology is one of the most
in-
demand and versatile platform today. Computer/IT engineering is a discipline tha
t integrates several fields of electrical engineering and computer science requi
red to develop computer hardware and software. It incorporates various disciplin
es like networking, database handling, Automation, artificial intelligence, embe
dded systems etc. The students will be learning all aspects of computer includin
g various languages beginning from c, c++, Java, php, etc. Computer/IT engineers de
velop, design, and test software. Some software engineers design, construct, and
maintain computer programs for companies. Some set up networks such as "intrane
ts" for companies. Others make or install new software or upgrade computer syste
ms, and some also work in application design. Accomplished computer labs and exp
erienced faculties are provided for the facility of the students. Various presti
gious companies come for placements every year like Wipro, IBM, TCS etc. Time Pe
riod-4 years. 
        </div>
     <div class="holder">
    <div class="tab">
      <button type="button" class="tablinks" onclick="openCity(event, 'London')"</pre>
><b>News</b></button>
      <button type="button" class="tablinks" onclick="openCity(event, 'Paris')">
<b>Events</b></button>
    </div>
    <div id="London" class="tabcontent">
     <marquee direction="up" scrolldelay="200/500">
     Admissions open till July.
        New uniform will be arriving soon
        Farewell will take place on March 25th
        Exam results of 2020 are out 
        No uniform day on every saterday
        Parents Teachers meeting on coming monday
```

```
New ID card for students arriving soon
    </marquee>
   </div>
   <div id="Paris" class="tabcontent">
       <marquee direction="up" scrolldelay="200/500">
     Farewell taking place on 25th March
        Inter College competition
        Youth Fest on 21st June
        Graduation Ceremoney on 29th April
        Onam Celebration coming soon
        Diwali Celebration coming soon
        Gaming Competition for gamers 
   </div>
  </div>
</div>
   <div class="whyus">
         <h1 id="w"> <span><center>WHY US</center></span></h1>
       <div class="dash2"></div>
       <div class="circle">
         <div class="firstimage">
           <img class="round" draggable="false" src="images/computer_rough.png"</pre>
           We provide students with the latest and the best technology
         </div>
           <div class="secondimage">
               <img class="round" draggable="false" src="images/icon_rough.png"</pre>
               We have the best teachers with high degree of qualification
and teaching experience
           </div>
           <div class="thirdimage">
             <img class="round" draggable="false" src="images/edit-</pre>
rough.png" />
              We provide practical sessions to improve our students 
           </div>
           <div class="fourthimage">
           <img draggable="false" src="images/szuvmqsrqqjrwppvffvg.png" />
           We provide students with the latest and best technology
           </div>
       </div>
   </div>
   <div class="tutor">
       <h1 id="bestT">Best <span>Tutors</span> </h1>
```

```
<div class="dash"></div>
<div class="teachers">
                                  <div class="postBala">
                        <img src="images/Faculty/hod.PNG" />
                         <div class="post-s-bala">
                            <h2>DR. AJAY N. UPADHYAYA</h2>
                             <h3 id="years1">HOD CE & IT Department</h3>
                             <h3 id="quali1">Ph.D in Computer Engineering</h3>
                       </div>
                       </div>
                          <div class="post">
                    <img src="images/Faculty/neha.PNG" />
                      <div class="post-s">
                          <h2>PROF. NEHA PRAJAPATI</h2>
                          <h3 id="years">Assistant Professor Department</>
                          <h3 id="quali">M.E In Computer Engineering</h3>
                   </div>
                    </div>
                       <div class="postThanveer">
                 <img src="images/Faculty/dhaval.PNG" />
                 <div class="post-s-thanveer">
                    <h2>PROF.DHAVAL KHATRI</h2>
                      <h3 id="years2">Assistant Professor Department</h3>
                      <h3 id="quali2">Master in Computer Engineering</h3>
                       </div>
                       </div>
        </div>
    </div>
     <div class="topfooter">
        <div class="finalsection">
          <div class="establish">
            <h2>ABOUT US</h2>
            This is the institute that helps the students to enhance their sk
ills by theoretical knowledge as well as practical knowledge.
                The infrastructure combined with the lush green surrounding of t
he AIT campus are amongst the best facilities resulting into a peaceful atmosphe
re for the students to improve their focus on the learning.
            </div>
      <div class="community">
           <h2>COMMUNITY</h2>
          <l>
          <a href="#bestT">Best Tutors</a>
         <a href="#w">Why Us</a>
          <a href="#bestT">News And Events</a>
              </div>
```

```
<div class="others">
               <h2>OTHERS</h2>
         <l
         <a href="course.html">Course</a>
        <a href="gallery.html">Gallery</a>
         <a href="contact.html">Contact Us</a>
             </div>
           </div>
           </div>
   <!--======FOOTERBOTTOM=======-->
        <div class="footercontainer">
        <div class="footertext">
        Copyright &copy All Rights Reserved
        <div class="footertext2">Designed by Utsav
                                  ondorshalleni
Dredenieni
   Vekariya
        </div>
    </div>
   <script>
   var i;
   var myIndex = 0;
   carousel();
function carousel() {
   var i;
   var x = document.getElementsByClassName("mySlides");
   for (i = 0; i < x.length; i++) {
       x[i].style.display = "none";
   myIndex++;
   if (myIndex > x.length) {
       myIndex = 1;
   x[myIndex-1].style.display = "block";
   setTimeout(carousel, 3000); // Change image every 3 seconds
       function openCity(evt, cityName) {
           var i, tabcontent, tablinks;
           tabcontent = document.getElementsByClassName("tabcontent");
           for (i = 0; i < tabcontent.length; i++) {</pre>
               tabcontent[i].style.display = "none";
           tablinks = document.getElementsByClassName("tablinks");
           for (i = 0; i < tablinks.length; i++) {</pre>
```

```
tablinks[i].className = tablinks[i].className.replace(" active",
 "");
            document.getElementById(cityName).style.display = "block";
            evt.currentTarget.className += " active";
        }
      // Get the modal
var modal = document.getElementById('popup');
// When the user clicks anywhere outside of the modal, close it
window.onclick = function(event) {
    if (event.target == modal) {
        modal.style.display = "none";
      }
      $(document).ready(function () {
          $(window).scroll(function () {
              if ($(this).scrollTop() > 100) {
                  $('#scrolltotop').fadeIn();
              } else {
                  $('#scrolltotop').fadeOut()
          });
          $('#scrolltotop').click(function () {
              $("html, body").animate({ scrollTop: 0 }, 600);
              return false;
          });
      });
        </script>
</body>
```

Style.css

```
body, html {
    background-color: ghostwhite;
    width: 100%;
    margin:0;
    font-family: 'Merriweather', serif;
    z-index: 4;
}
@media(max-width: 426px){
body #scrolltotop {
    position: fixed;
```

```
right: 10px;
    width: 35px;
    height: 30px;
    background-size: 30px;
}
.logo-custom {
    max-height: 75px;
#scrolltotop {
    display: none;
    position: fixed;
    bottom: 30px;
    right: 25px;
    z-index: 19;
    font-size: 18px;
    border: none;
    outline: none;
    color: white;
    cursor: pointer;
    padding: 15px;
    border-radius: 4px;
    width: 50px;
    height: 50px;
    background-color: transparent;
    border-radius: 50px;
    background-image: url('images/NEWARROW.png');
    background-size: 45px;
    background-repeat: no-repeat;
    transition:all 1s ease;
    #scrolltotop:hover {
        background-image: url('images/NEWARROW2.png');
        transition: all 1s ease;
::-webkit-scrollbar {
    width: 12px;
    background-color: black;
::-webkit-scrollbar-thumb {
    background-color: #afbdd3;
    border-radius: 10px;
h1, h2, h3, h4, h5, h6 {
    font-family: 'Varela', sans-serif;
```

```
.header {
   background-color: black;
   min-height: 88px;
   width: 100%;
   position: fixed;
   top: 0;
   z-index: 5;
#uni {
   color: deepskyblue;
                             on look from
}
h1 a {
   text-decoration: none;
   padding: 20px;
   margin-left: 90px;
   color: whitesmoke;
@media(max-width: 1138px){
.header .nav ul{
   margin-left: -90px;
@media(max-width: 1070px){
   .header .nav .class2{
       display: none;
   .header #nav-hold{
       display: block;
   .header .nav li {
       display: inline;
@media(max-width: 600px){
    .header .nav li{
       display: block;
     .header .nav ul {
      margin-right: 26%;
```

```
text-align: center;
    .header h1{
       font-size: 25px;
       margin-left: -80px;
    .header .nav-holder{
       margin-top: -50px;
@media(max-width: 320px){
    .header{
       min-height: 60px;
                                  .header h1{
        font-size: 18px;
    .header .nav-holder{
       margin-top: -39px;
    .header .nav-holder .heyy{
       width: 25px;
       height: 3px;
@media(max-width: 289px){
     .header .nav ul {
       margin-right: 20%;
       text-align: center;
.nav-holder {
   margin-top: -58px;
   margin-right: 10px;
   float: right;
   width: 40px;
   border:black 1px solid;
   display: none;
   z-index: 200;
   background-color: black;
.heyy{
    z-index: 200;
    background-color: #709fea;
   margin: 5px 0;
   width: 27px;
   height: 5px;
```

```
.nav{
    margin-top:-63px;
    width:100%;
.nav ul{
    float: right;
    margin-right: 50px;
    .nav ul li {
        display: inline;
        padding: 12px;
.nav a {
    color: whitesmoke;
    text-decoration: none;
    transition: all 0.2s ease-in;
}
.nav #reg {
    color: white;
    background-color: #ff0000;
    border: #ff0000 4px solid;
    padding: 1.5px;
    border-bottom-left-radius: 9px;
    border-top-right-radius: 9px;
    transition: all 0.3s ease-in;
    .nav #reg:hover {
        color: black;
        background-color: #dd170d;
        border: #dd170d 3px solid;
.nav a:hover {
    color: deepskyblue; /* Add a hover color */
@media(max-width: 560px){
    .slides .mySlides{
      height: 250px;
    #line{
        display: none;
.slides .mySlides {
```

```
width: 100%;
   max-height: 640px;
.slides {
   max-width: 100%;
.aboutandside{
    width: 100%;
    height:400px;
#about{
   width: 50%;
                                float: left;
#about h1 {
   color: grey;
   padding: 10px;
   margin-left: 100px;
   margin-top: 40px;
#about p {
   margin-top: 2px;
   margin-left: 110px;
   margin-right: 5px;
   max-width: 500px;
   line-height: 25px;
@media (max-width: 665px){
   #about{
        width: 100%;
    .holder{
       width: 100%;
   .topfooter .establish {
          width: 100%;
     .topfooter .establish p{
       width: 90%;
```

```
.topfooter .community{
       width: 100%;
       margin-left: 2px;
    .topfooter .others{
       width: 100%;
     .topfooter .community h2{
       margin-left: 30px;
     .topfooter .others h2{
       margin-top:20px;
       margin-left: 32px;
}
@media(max-width:320px){
    .aboutandside .holder .tabcontent
       height: 200px;
           overflow:
                       hidden;
    .aboutandside .holder .tab button{
           width: 90px;
.holder{
margin-top: 45px;
width: 50%;
height: auto;
float: left;
margin-bottom: 50px;
overflow: hidden;
/* Style the tab */
.tab {
   margin-left: auto;
   margin-right: auto;
   overflow: hidden;
    border: 2px solid lightblue;
    background-color: darkturquoise;
```

```
width: 80%;
    border-top-right-radius: 50px;
    .tab button {
        background-color: inherit;
        float: left;
        border: none;
        outline: none;
        cursor: pointer;
        padding: 14px 16px;
        transition: 0.3s;
        font-size: 17px;
        color: white;
        width: 120px;
        margin-top: 0;
        margin-bottom: 0;
        /* Change background color of buttons on hover */
        .tab button:hover {
            background-color: #ddd;
        /* Create an active/current tablink class */
        .tab button.active {
            background-color: lightseagreen;
        }
/* Style the tab content */
.tabcontent {
    margin-left: auto;
    margin-right: auto;
    display: none;
    padding: 6px 12px;
    border: 2px solid lightblue;
    border-top: none;
    width: 76.5%;
    font-family: Arial;
    border-bottom-left-radius: 30px;
    background-color: ghostwhite;
    background-image: url("images/11.jpg");
#London {
    display: block;
.texts {
```

```
animation-name: blinker;
                 animation-duration: 1s;
                 animation-timing-function: linear;
                 animation-iteration-count: infinite;
                 color: white;
@keyframes blinker {
                 0% {
                                  opacity: 10;
                 50% {
                                   opacity: 10;
                 100% {
                                                                                                                                                            Sirio en la constitución de la c
                                   opacity: 0;
#line {
                 width: 40px;
                 background-color: dodgerblue;
                 padding: 2px;
                 position: absolute;
                 left: 110px;
                 top: 725px;
}
 .whyus {
                 background-color: black;
                 width: 100%;
                 min-height: 400px;
                 clear: both;
                 overflow: hidden;
                  .whyus .circle img {
                                   margin-left: 15px;
                                   height: 160px;
                                  transition: transform 0.9s;
                                   .whyus .circle img:hover {
                                                 transform: scale(0.9);
                  .whyus h1 {
                                  margin-top: 0;
                                   color: ghostwhite;
```

```
font-family: 'HoloLens MDL2 Assets';
                 .whyus .circle{
                                margin-left: 50px;
                 .dash2{
                                margin-left:48%;
                                margin-top:-15px;
                                width:50px;
                                height:5px;
                                 background-color:blue;
@media(max-width:1020px){
                 .whyus .circle{
                                 display: flex;
                                                                                                                                                   O Hololita de la constanta de 
                                 flex-direction: column;
                                margin-left: 15px;
                 .firstimage{
                                 display: grid;
                             justify-content: center;
                 .secondimage{
                                margin-left: 10px;
                                 display: grid;
                             justify-content: center;
                 .thirdimage{
                                 display: grid;
                             justify-content: center;
                 .fourthimage{
                                 display: grid;
                             justify-content: center;
                 }
                 .circle{
                                 display: flex;
                                 flex-direction: row;
                                 justify-content:space-between;
                                 padding: 50px;
                                 color: white;
                  .firstimage {
                                width: 100%;
```

```
}
   .secondimage{
       width: 100%;
   .thirdimage{
          width: 100%;
   .fourthimage {
       width: 100%;
   .firstimage p{
      width: 180px;
      max-height: 45px;
       text-align: center;
                              onderen long
   .secondimage p{
       width: 200px;
       text-align: center;
   .thirdimage p{
       width: 180px;
       text-align: center;
   .fourthimage p{
       width: 180px;;
       text-align: center;
input {
   border-radius: 5px;
   padding: 12px 20px;
   margin: 8px 0;
   display: inline-block;
   border: 1px solid #ccc;
   box-sizing: border-box;
}
.container #fname, #lname {
   width: 40%;
.container3 #email {
   width: 41.5%;
```

```
margin-left: -5px;
.container4 #city {
    width: 41%;
    margin-left: -5px;
.regme {
    background-color: #131419;
    margin-top: 0;
    padding: 25px;
    color: whitesmoke;
    text-decoration: underline;
    font-weight: bold;
                                    The official
/* Set a style for all buttons */
#btnregister {
    border-style: none;
    border-color: inherit;
    border-width: medium;
    background-color: black;
    color: whitesmoke;
    padding: 14px 20px;
    cursor: pointer;
    margin-top: 30px;
    margin-left: 10px;
    margin-bottom: 1px;
    width: 95%;
    #btnregister:hover {
        opacity: 1;
        box-shadow: 0 0 10px black;
/* Center the image and position the close button */
.imgcontainer {
    text-align: center;
    position: relative;
    width: 100%;
}
.container {
    padding: 16px;
span .lname {
    float: right;
    padding-top: 16px;
```

```
@media(max-width: 1056px){
    .modal h1{
        display: none;
    .modal .container,.container2,.container3,.container4{
        display:none;
    .modal .modal-content{
       height: 200px;
    .modal .modal-content h3{
        text-align:center;
        display: block;
    }
.modal h3{
   display: none;
/* The Modal (background) */
.modal {
    display:none; /*Hidden by default */
    position: fixed; /* Stay in place *;
   z-index: 100; /* Sit on top */
   left: 0;
   top: -10px;
   width: 100%; /* Full width */
   height: 158%; /* Full height */
   overflow: auto; /* Enable scroll if needed */
    background-color: rgb(0,0,0); /* Fallback color */
    background-color: rgba(0,0,0,0.9); /* Black w/ opacity */
    padding-top: 60px;
/* Modal Content/Box */
.modal-content {
   background-color: #f8f9f4;
   margin: 3% auto 15% 12%; /* 5% from the top, 15% from the bottom and centere
   border: 1px solid black;
   width: 80%; /* Could be more or less, depending on screen size */
   height: 500px;
   font-family: 'Sitka Banner';
}
/* The Close Button (x) */
.close {
    position: absolute;
   right: 25px;
   top: 20px;
```

```
color: red;
    font-size: 35px;
    font-weight: bold;
    width: 25px;
    .close:hover,
    .close:focus {
        color: red;
        cursor: pointer;
/* Add Zoom Animation */
.animate {
    -webkit-animation: animatezoom 0.6s;
    animation: animatezoom 0.6s
@-webkit-keyframes animatezoom {
    from {
        -webkit-transform: scale(0)
    to {
        -webkit-transform: scale(1)
@keyframes animatezoom {
    from {
        transform: scale(0)
    to {
        transform: scale(1)
/* Change styles for span and cancel button on extra small screens */
@media screen and (max-width: 300px) {
    span.psw {
        display: block;
        float: none;
    .cancelbtn {
        width: 100%;
.container2 {
    margin-left: 17px;
```

```
.container2 #mobile {
       width: 40%;
   .container2 #gender {
       margin-left: 23px;
    .container2 #male, #female {
       margin-left: 20px;
.container3 {
   margin-left: 58px;
   margin-top: 10px;
   height: 406px;
                                   onderen lenin
    .container3 .select {
       height: 45px;
       width: 41%;
   .container3 #course {
       margin-left: 29px;
.container4 {
   margin-top: 10px;
   .container4 #state {
       width: 41.5%;
    .container4 #cityname {
       margin-left: 52px;
       margin-right: 2px;
.modal button {
   margin-top: 30px;
   width: 96.5%;
.container #lastname {
   margin-left: 8px;
.tutor {
   background-color: #c1c1c1;
```

```
width: 100%;
    min-height: 485px;
    overflow: hidden;
.tutor span{
    color:aliceblue;
    text-shadow:5px 5px 5px black;
.dash{
    margin-left:48%;
    margin-top:-20px;
    width:50px;
    height:5px;
    background-color:cornflowerblue;
#bestT {
    background-color: rgb(1,5,1,0.1);
    text-align: center;
    font-family: 'HoloLens MDL2 Assets';
    text-shadow: 5px 5px 5px grey;
#Button1 {
    color: white;
.tutor .post {
    width: 280px;
    height: 260px;
    opacity: 1;
    transition: all 0.5s ease-in;
}
.postBala {
    width: 280px;
    height: 260px;
    opacity: 1;
    transition: all 0.5s ease-in;
.postThanveer {
    width: 250px;
    height: 200px;
    opacity: 1;
    transition: all 0.5s ease-in;
```

```
.tutor .teachers{
   margin-top: 50px;
   display: flex;
   flex-direction: row;
   justify-content: space-around;
@media(max-width: 1020px){
   .tutor .teachers{
    display: grid;
   grid-row-gap: 50px;
   .tutor .postThanveer{
       margin-bottom: 60px;
                               @media(max-width: 385px){
   .whyus h1{
       margin-left: 20px;
   .tutor .postBala img{
       margin-left: 40px;
       width: 200px;
       height: 200px;
   .tutor .post img{
        margin-left: 40px;
       width: 200px;
       height: 200px;
   .tutor .postThanveer img{
        margin-left: 40px;
       width: 200px;
       height: 200px;
  -------COURSES-------
@media(max-width: 400px){
  .page-wrap{
   display: none;
  }
.sidebar {
   width: 220px;
   height: 465px;
   padding: 30px;
```

```
background: black;
    position: fixed;
   top: 100px;
   right: -280px;
   z-index: 20;
   transition: 1s ease-in-out;
    border-top-left-radius: 45px;
    border-bottom-right-radius: 40px;
.toggle {
   font-family: 'Global Monospace';
    position: fixed;
   top: 325px;
   right: -52px;
   text-decoration: none;
   font-size: 25px;
   color:white;
   padding: 8px;
   border-top-right-radius: 20px;
   z-index: 20;
    background-color: black;
   transform: rotate(-90deg);
    border: 1px solid gray;
}
.sidebar .please {
    position: absolute;
   top: 15px;
    border-top-left-radius: 15px;
   border-bottom-right-radius: 15px;
    background-color: #bec3d1;
    padding: 10px;
   color: black;
   font-family:Ebrima;
    font-weight: bolder;
   font-size:17px;
.sidebar .feedback {
    font-family: Lato;
    background-color: lightgrey;
}
    .sidebar .feedback:hover {
        opacity:0.8;
.sidebar label{
    color:whitesmoke;
    font-weight:bold;
    font-family: Arial;
   min-height: auto;
```

```
.sidebar input{
    font-family:Arial;
    font-weight:bold;
    font-size:15px;
    width:230px;
    min-height:auto;
    padding:5px;
.sidebar textarea{
    min-height:
                    auto;
    margin-top:5px;
    font-family:Arial;
    font-weight:bold;
    resize:none;
                                  on do lo lino nit
    width:225px;
}
#sidebartoggler {
    display: none;
@keyframes sidebars {
    from {
        transform: translateX(180px);
    to {
        transform: translateX(-180);
@keyframes toggle {
    from {
        transform: translateX(500px);
    to {
        transform: translateX(800);
#sidebartoggler:checked + .page-wrap .sidebar {
    right: 0px;
    font-family: Arial;
    animation-name: sidebars;
    animation-duration: 2.5s;
```

```
#sidebartoggler:checked + .page-wrap .toggle {
    right: 230px;
    color: black;
    background-color: #bec3d1;
    animation-name: toggle;
    font-weight:bolder;
    font-family:Arial;
    animation-duration: 1.8s;
    animation-timing-function: ease-in-out;
.courseContainer img {
    width: 100%;
    max-height:300px;
    min-height: 200px;
    filter: blur(1px);
                                 .courseContainer {
    position: relative;
    margin-top: 80px;
    overflow:hidden;
    width: 100%;
    height: auto;
.coursetext{
    position: absolute;
    top:50%;
    left: 50%;
    transform: translate(-50%,-50%);
}
    .courseContainer h1 {
        font-size: 10vw;
        color: white;
        font-family: lobster, cursive;
.courseTypes {
    float: left;
    width: 50%;
    min-height: 410px;
    display: grid;
    grid-template-columns: repeat(2,1fr);
    grid-auto-rows: 50px;
    grid-row-gap: 180px;
    margin-top: 50px;
@media(max-width: 1116px){
    .courseTypes{
        width: 100%;
```

```
.courseTypes .BCA{
       margin-left: 100px;
        .courseTypes .MCA{
        margin-left: 100px;
    body .holder1{
        width: 100%;
    .holder1 .courseFoot{
        margin-bottom: 10px;
@media(max-width: 571px){
    .holder1 .tab1{
        width: 80vw;
                                  .holder1 .tabcontent1{
       width: 75vw;
        height: 50vw;
    .holder1 .courseFoot{
        width: 80vw;
    .holder1 .courseFoot p{
        font-size: 6vw;
@media(max-width: 304px){
    .holder1 .tab1 button{
        width: 80px;
@media(max-width: 760px){
        .courseTypes .BCA{
        margin-left: 50px;
        .courseTypes .MCA{
        margin-left:50px;
@media(max-width: 639px){
    .courseTypes{
        display: grid;
        grid-template-columns: repeat(1,1fr);
        min-height:900px;
        overflow: hidden;
    .courseTypes .BCA{
       margin:0;
```

```
}
         .courseTypes .MCA{
         margin-left:0px;
@media(max-width: 638px){
    .courseTypes .BCA,.BBA,.BCOM,.MCA{
         position: relative;
         left: 30%;
@media(max-width: 483px){
    .courseTypes .BCA,.BBA,.BCOM,.MCA{
         position: relative;
    ala(max-width: 440px){
    .courseTypes .BCA, .BBA, .BCOM, .MCA{
        position: relative;
        left: 20%;

         left: 25%;
@media(max-width: 440px){
@media(max-width: 380px){
    .courseTypes .BCA,.BBA,.BCOM,.MCA{
         position: relative;
         left: 18%;
    .courseTypes .BCA img{
         width: 200px;
         height: 120px;
    .courseTypes .BBA img{
         width: 200px;
         height: 120px;
    .courseTypes .BCOM img{
         width: 200px;
         height: 120px;
    .courseTypes .MCA img{
         width: 200px;
         height: 120px;
```

```
@media(max-width: 277px){
    .courseTypes .BCA img{
        width: 175px;
        height: 100px;
    .courseTypes .BBA img{
        width: 175px;
        height: 100px;
    .courseTypes .BCOM img{
        width: 175px;
        height: 100px;
    .courseTypes .MCA img{
        width: 175px;
                                  Olfololliolit
        height: 100px;
.holder1{
   margin-top: 45px;
   width: 50%;
   float: left;
   height: auto;
   overflow: hidden;
}
    .courseTypes img {
        width: 260px;
        height: 165px;
/* Style the tab */
.tab1 {
   margin-left: auto;
   margin-right: auto;
   overflow: hidden;
   border: 2px solid lightblue;
   background-color: darkturquoise;
   width: 79.5%;
    border-top-right-radius: 50px;
}
    /* Style the buttons inside the tab */
    .tab1 button {
        background-color: inherit;
        border: none;
        outline: none;
```

```
cursor: pointer;
        padding: 14px 16px;
        transition: 0.3s;
        font-size: 17px;
        color: white;
        width: 120px;
        /* Change background color of buttons on hover */
        .tab1 button:hover {
            background-color: #ddd;
        /* Create an active/current tablink class */
        .tab1 button.active {
            background-color: lightseagreen;
                                    /* Style the tab content */
.tabcontent1 {
    overflow: hidden;
    margin-left: auto;
    margin-right: auto;
    display: none;
    padding: 6px 12px;
    border: 2px solid lightblue;
    border-top: none;
    width: 76%;
    font-family: Arial;
    border-bottom-left-radius: 30px;
    background-color: ghostwhite;
    background-image: url("images/11.jpg");
#London {
    display: block;
.courseFoot {
    width: 540px;
    height: 50px;
    background-color: darkturquoise;
    border-radius: 50px;
    text-align: center;
    color: ghostwhite;
    font-weight: bold;
    font-size: 35px;
    font-family: Gabriola;
    align-items: center;
    margin-left: auto;
    margin-right: auto;
```

```
.facebook ul li {
      list-style: none;
      display: inline;
      padding: 10px;
   .facebook a {
      text-decoration: none;
      font-size: 20px;
.tabcontent2 {
   display: none;
                             .courseContainer h3 {
   text-align: center;
   font-weight: bold;
   margin-bottom: 0;
.courseContainer #BBA {
   position: absolute;
   top: 10%;
   left: 40%;
   font-size: 120px;
.BBABODY {
   width: 100%;
   height: 600px;
   margin: 0px;
   background-color: whitesmoke;
.BBACONTENT {
   width: 70%;
   height: auto;
   background-color: white;
   position: absolute;
   left: 16%;
   top: 85%;
   .BBACONTENT p {
      margin-left: 300px;
   .BBACONTENT h2 {
```

```
margin-left: 300px;
 .tab2 {
     overflow: hidden;
     border: 2px solid lightblue;
     background-color: darkturquoise;
     width: 25%;
     height: 450px;
     float: left;
     .tab2 button.active {
          color: lavender;
     }
.tab1 button.active {
     color: lavender;
/* Style the buttons inside the tab */
.tab2 button {
  background-color: inherit;
  border: none;
  outline: none;
  cursor: poi
  pad
     padding: 14px 16px;
     transition: 0.3s;
     font-size: 17px;
     color: white;
     width: 240px;
     margin-top: 0;
     margin-bottom: 0;
     display: block;
     border: 1px solid grey;
.tabcontent2 ul li {
     color: black;
     margin-left: 320px;
     margin-right: 50px;
 .tabcontent2 ul li {
     color: orange;
     font-size: 18px;
```

```
.tabcontent2 ul li:hover {
                                cursor: text;
.tabcontent2 span {
               color: black;
               font-size: 14px;
}
 .BCA a {
               color: whitesmoke;
               border: 5px solid #2e3b47;
               background-color: #34c5e2;
               text-decoration: none;
               padding: 8px;
               font-size: 25px;
               font-weight: bold;
                                                                                                                                          on of the original of the orig
               position: absolute;
               left: 50px;
               top: 50px;
               opacity: 0;
               transition: 1s;
 .BCA:hover img {
               transition: 1s;
               box-shadow: 0 0 20px blue;
 .BCA img {
               transition: 1s;
 .BCA:hover a {
               opacity: 1;
               transition: 1s;
 .BCA a:hover {
               color: black;
                border-bottom-color: white;
 .BBA a {
               color: black;
               border: 5px solid #2e3b47;
               background-color: #34c5e2;
               text-decoration: none;
               padding: 8px;
               font-size: 25px;
                font-weight: bold;
               position: absolute;
```

```
left: 50px;
    top: 50px;
    opacity: 0;
    transition: 1s;
.BBA:hover img {
    transition: 1s;
    box-shadow: 0 0 20px cyan;
.BBA img {
    transition: 1s;
.BBA:hover a {
    opacity: 1;
    transition: 1s;
}
.BBA a:hover {
    color: whitesmoke;
    border-bottom-color: white;
}
.MCA a {
    color: black;
    border: 5px solid #2e3b47;
    background-color: #34c5e2;
    text-decoration: none;
    padding: 8px;
    font-size: 25px;
    font-weight: bold;
    position: absolute;
    left: 50px;
    top: 50px;
    opacity: 0;
    transition: 1s;
.MCA:hover img {
    transition: 1s;
    box-shadow: 0 0 20px black;
.MCA img {
    transition: 1s;
.MCA:hover a {
    opacity: 1;
   transition: 1s;
```

```
.MCA a:hover {
   color: whitesmoke;
   border-bottom-color: white;
.BCOM a {
   font-family: Arial;
   color: whitesmoke;
   border: 5px solid #2e3b47;
   background-color: #34c5e2;
   text-decoration: none;
   padding: 8px;
   font-size: 25px;
   font-weight: bold;
   position: absolute;
   left: 50px;
   top: 50px;
   opacity: 0;
   transition: 1s;
.BCOM:hover img {
   transition: 1s;
   box-shadow: 0 0 20px blue;
.BCOM img {
   transition: 1s;
.BCOM:hover a {
   opacity: 1;
   transition: 1s;
.BCOM a:hover {
   color: black;
   border-bottom-color: white;
.BCA {
   margin-left: 10px;
   width: 19.5%;
.BBA {
   width: 19.5%;
```

```
.MCA {
   margin-left: 10px;
   width: 19.5%;
.BCOM {
   width: 19.5%;
        .courseContainer #MBA {
   font-size: 120px;
   margin-left: 70px;
   margin-top: 50px;
                           onderen north
.courseContainer #BCOM {
   margin-left: 60px;
.courseContainer #BCA {
   margin-left: 90px;
   font-size: 120px;
   margin-top: 50px;
.tabcontent2 p {
   line-height: 22px;
@media(max-width:547px ){
   body .contactImage img{
      height: 200px;
@media(max-width:335px ){
   body .contactImage img{
      height: 100px;
   body .contactImage{
      margin-top: 0;
.contactFill .Button1 {
```

```
height: 55px;
    font-weight: bold;
    font-family: 'Arial Unicode MS';
    color: black;
    transition: 0.5s ease;
}
    .contactFill .Button1:hover {
        box-shadow: 0 0 8px black;
        transition: 0.5s ease;
        opacity: 0.8;
#contactContainer {
   width: 100%;
   height: auto;
                                   background-color: whitesmoke;
    position: absolute;
   top: 88px;
.contactImage img {
   width: 100%;
    height: 300px;
}
.contactText {
   text-align: center;
    color: darkslategrey;
}
    .contactText h1 {
       margin-top: 60px;
        font-family: Britannic;
.contactFill input {
   padding: 18px;
    padding-left: 15px;
   width: 80%;
   height: 30px;
   margin-top: 20px;
   margin-left: 115px;
   border: transparent;
   font-size: 15px;
.contactFill textarea {
    padding: 10px;
    padding-left: 15px;
    width: 77%;
   margin-top: 20px;
```

```
margin-left: 115px;
    border: transparent;
   font-size: 15px;
   resize: none;
}
.contactFill {
   width:70%;
   float: left;
   background-color: whitesmoke;
.contactSide {
    background-color: whitesmoke;
   width: 30%;
   min-height: 563px;
                                  float: left;
}
.contactFill .Button1{
    background-color: black;
@media(max-width: 945px){
    .contactFill{
       width: 100%;
    body .contactSide{
       width: 100%;
        display: flex;
       flex-direction: column;
        justify-content: center;
       text-align: center;
       max-height: 5px;
@media(max-width: 700px){
    .contactFill input{
       width: 50%;
    .contactFill textarea{
       width: 50%;
    .contactSide p {
        margin-top: 0px;
        padding: 0px;
@media(max-width: 320px){
   .contactFill input{
```

```
margin-left: 50px;
       width: 70%;
    .contactFill textarea{
    margin-left: 50px;
       width: 65%;
}
.social a {
   color: dimgrey;
   text-decoration: none;
.social2 a {
   color: dimgrey;
   text-decoration: none;
.social3 a {
   color: dimgrey;
   text-decoration: none;
.social4 a {
   color: dimgrey;
   text-decoration: none;
.social ul li {
   position: absolute;
   display: inline;
   margin-left: 15px;
   margin-top:15px;
   font-size: 22px;
    color: dimgrey;
.social2 ul li {
   display: inline;
   position: absolute;
   bottom: 317px;
   margin-left: 50px;
   font-size: 22px;
   color: dimgrey;
.social3 ul li {
   display: inline;
    position: absolute;
   bottom: 317px;
   margin-left: 90px;
   font-size: 22px;
```

```
color: dimgrey;
.social4 ul li {
   display: block;
   margin-left: 140px;
   position: absolute;
   bottom: 317px;
   font-size: 22px;
    color: dimgrey;
}
.social .tooltiptext {
   visibility: hidden;
   width: 120px;
   background-color: #555;
   color: #fff;
   text-align: center;
   border-radius: 6px;
   padding: 5px 0;
   position: absolute;
   z-index: 1;
   bottom: 65%;
   left: 0.5%;
   opacity: 0;
   transition: opacity 0.3s;
    .social .tooltiptext::after {
        content: "";
        position: absolute;
        top: 100%;
        left: 50%;
        margin-left: -5px;
        border-width: 5px;
        border-style: solid;
        border-color: #555 transparent transparent transparent;
.social:hover .tooltiptext {
   visibility: visible;
   opacity: 1;
}
.social2 .tooltiptext2 {
   visibility: hidden;
   width: 120px;
   background-color: #555;
   color: #fff;
   text-align: center;
    border-radius: 6px;
   padding: 5px 0;
```

```
position: absolute;
   z-index: 1;
   bottom: 65%;
   left: 10%;
   opacity: 0;
   transition: opacity 0.3s;
   .social2 .tooltiptext2::after {
       content: "";
       position: absolute;
       top: 100%;
       left: 50%;
       margin-left: -5px;
       border-width: 5px;
       border-style: solid;
       border-color: #555 transparent transparent;
                                .social2:hover .tooltiptext2 {
   visibility: visible;
   opacity: 1;
.social3 .tooltiptext3 {
   visibility: hidden;
   width: 120px;
   background-color: #555;
   color: #fff;
   text-align: center;
   border-radius: 6px;
   padding: 5px 0;
   position: absolute;
   z-index: 1;
   bottom: 65%;
   left: 78px;
   opacity: 0;
   transition: opacity 0.3s;
   .social3 .tooltiptext3::after {
       content: "";
       position: absolute;
       top: 100%;
       left: 50%;
       margin-left: -5px;
       border-width: 5px;
       border-style: solid;
       border-color: #555 transparent transparent transparent;
```

```
.social3:hover .tooltiptext3 {
   visibility: visible;
   opacity: 1;
.social4 .tooltiptext4 {
   visibility: hidden;
   width: 120px;
   background-color: #555;
   color: #fff;
   text-align: center;
   border-radius: 6px;
   padding: 5px 0;
   position: absolute;
   z-index: 1;
   bottom: 65%;
   left: 128px;
   opacity: 0;
   transition: opacity 0.3s;
   .social4 .tooltiptext4::after {
       content: "";
       position: absolute;
       top: 100%;
       left: 50%;
       margin-left: -5px;
       border-width: 5px;
       border-style: solid;
       border-color: #555 transparent transparent transparent;
.social4:hover .tooltiptext4 {
   visibility: visible;
   opacity: 1;
.post {
   cursor: pointer;
   .post:hover .post-s {
       width: 300px;
   .post:hover img {
       filter: blur(2px);
```

```
.post img {
        display: block;
       width: 300px;
       height: 280px;
        border-radius: 10px;
        border: 1px solid black;
       box-shadow: 0 0 20px black;
.post-s {
   width: 0px;
   height: 280px;
   position: relative;
   bottom: 281px;
   background: rgb(6, 135, 221, 0.71);
   justify-content: center;
                                No Prototionit
   align-items: center;
   text-align: center;
   overflow: hidden;
   transition: 0.7s ease;
   border-radius: 10px;
}
    .post-s h2 {
        color: white;
        font-size: 50px;
        border: 6px solid white;
        position: absolute;
       bottom: 130px;
        left: 30px;
        padding: 5px;
        font-weight: bold;
    .post-s h3 {
       font-weight: bold;
        color: whitesmoke;
        margin-left: 10px;
       margin-top: 80px;
       padding-top: 50px;
    .post-s #quali {
        color: whitesmoke;
        position: absolute;
       top: 30px;
       left: 10px;
.postBala {
   cursor: pointer;
```

```
.postBala:hover .post-s-bala {
        width: 300px;
    .postBala img {
        display: block;
        width: 300px;
        height: 280px;
        border-radius: 10px;
        border: 1px solid black;
        box-shadow: 0 0 10px black;
.postBala:hover img {
   filter: blur(2px);
.post-s-bala {
   width: 0px;
   height: 280px;
   background: rgb(6, 135, 221, 0.71);
   display: flex;
   flex-direction: column;
   overflow: hidden;
   transition: 0.7s ease;
    border-radius: 10px;
    position: relative;
    bottom: 281px;
}
    .post-s-bala h2 {
        margin-top: 0px;
        color: white;
        font-size: 50px;
        border: 6px solid white;
        padding: 5px;
        font-weight: bold;
    .post-s-bala h3 {
        font-weight: bold;
        color: whitesmoke;
    .post-s-bala #quali1 {
        color: whitesmoke;
.postThanveer {
   cursor: pointer;
```

```
width:auto;
    .postThanveer:hover .post-s-thanveer {
        width: 300px;
    .postThanveer img {
        display: block;
        width: 300px;
        height: 280px;
        border-radius: 10px;
        border: 1px solid black;
        box-shadow:0 0 20px black;
                                  on to long the fit
@media(max-width: 500px){
    #about p{
        margin-left: 12px;
        padding: 10px;
    #about h1{
        margin-left: 20%;
@media(max-width: 665px){
    .holder{
        width: 100%;
.postThanveer:hover img {
    filter: blur(2px);
@media(max-width: 385px){
    .postBala .post-s-bala{
        display: none;
    .post-s-bala img:hover{
        filter: blur(0);
    .post-s{
        display:none;
```

```
.post img:hover{
       filter: blur(0);
   body .post-s-thanveer{
       display: none;
   .postThanveer img:hover{
       filter: blur(0);
.post-s-thanveer {
   width: 0px;
   height: 280px;
   background: rgb(6, 135, 221, 0.71);
                                  position: relative;
   bottom: 281px;
   display: flex;
   justify-content: center;
   align-items: center;
   overflow: hidden;
   transition: 0.7s ease;
   border-radius: 10px;
   .post-s-thanveer h2 {
       color: white;
       font-size: 42px;
       border: 6px solid white;
       position: absolute;
       bottom: 145px;
       left: 47px;
       padding: 5px;
       font-weight: bold;
   .post-s-thanveer h3 {
       font-weight: bold;
       color: whitesmoke;
       margin-left: 10px;
       margin-top: 60px;
       padding-top: 50px;
   .post-s-thanveer #quali2 {
       color: whitesmoke;
       position: absolute;
       top: 30px;
       left: 10px;
   }
```

```
.topfooter {
   width: 100%;
   min-height: 340px;
   background-color: #141516;
   overflow: hidden;
.establish{
   float: left;
   margin-top: 0;
   width: 35%;
   padding: 30px;
}
   .topfooter .establish h2 {
       color: white;
   .topfooter p {
       line-height: 22px;
       color: white;
.community ul li {
   padding:5px;
   list-style: none;
.community{
   margin-left: 100px;
   margin-top:30px;
   color: white;
   width: 30%;
     float: left;
.community a {
   color: Highlight;
   text-decoration: none;
   font-weight: bold;
.others h2 {
   margin-top: 0;
   color:ghostwhite;
}
.others a {
   color: Highlight;
   text-decoration: none;
```

```
font-weight: bold;
.others ul li {
   padding:5px;
   list-style: none;
.others a:hover {
   text-decoration: underline;
.community a:hover {
   text-decoration: underline;
.others {
                               onderen international
   margin-top: 50px;
   float: left;
   width: 30%;
@media(min-width:665px){
.topfooter .finalsection{
   display: flex;
   flex-direction:row;
}
.galleryheader img {
   width: 100%;
   height: 380px;
   filter: blur(1px);
.galleryheader h1 {
   color: ghostwhite;
   font-weight: bolder;
   font-family: 'Kristen ITC';
   font-size: 70px;
   position: absolute;
   top: 30%;
   left: 50%;
```

```
transform: translate(-50%, -50%);
.columnn {
   box-sizing: border-box;
   overflow: hidden;
.roww {
   display: -ms-flexbox; /* IE10 */
   display: flex;
   -ms-flex-wrap: wrap; /* IE10 */
   flex-wrap: wrap;
   padding: 0 4px;
   margin-bottom: 10px;
   overflow: hidden;
/* Create four equal columns that sits next to each other */
.columnn {
   -ms-flex: 25%; /* IE10 */
   flex: 25%;
   max-width: 25%;
   padding: 0 4px;
   .columnn img {
       margin-top: 8px;
       vertical-align: middle;
/* Responsive layout - makes a two column-layout instead of four columns */
@media screen and (max-width: 800px) {
    .columnn {
        -ms-flex: 50%;
       flex: 50%;
       max-width: 50%;
    }
/* Responsive layout -
makes the two columns stack on top of each other instead of next to each other
@media screen and (max-width: 600px) {
    .columnn {
        -ms-flex: 100%;
       flex: 100%;
       max-width: 100%;
```

```
.galleryheader h1{
       font-size: 12vw;
   .galleryheader img{
       height: 250px;
}
.columnn #idle {
   position: absolute;
   width: 24%;
   top: 765px;
.columnn #idle2 {
   position: absolute;
                                width: 25%;
   height: 40%;
   left: 665px;
   top: 1375px;
.columnn #idle3 {
   position: absolute;
   width: 25%;
   height: 25%;
   left: 665px;
   top: 1640px;
.facebook a {
   color: #d0daea;
   .facebook a:hover {
       color: red;
footer .container {
   background-color: Highlight;
   width: 100%;
  height:250px;
  position:absolute;
 *=========BOTTTTTOM F00000000000000T
.footercontainer {
```

```
background-color: black;
   min-height: 30px;
   width: 100%;
  overflow: hidden;
@media(max-width: 589px){
    .footertext2{
        display: none;
    .footertext{
        margin-left:-50px;
        display: flex;
        justify-content: center;
        text-align: center;
}
    .footercontainer .footertext p {
        color: whitesmoke;
        float: left;
       margin-top:7px;
       margin-left: 80px;
    .footercontainer .footertext2 p
        color: whitesmoke;
        float: right;
        margin-top: 7px;
        margin-right: 40px;
    .contactFill .eye{
        margin-top:30px;
        position:absolute;
        left:62%;
        font-size:20px;
    .contactFill .eye:hover{
        cursor:pointer;
    .contactFill .eye.active{
        color:blue;
   .pls{
       position:absolute;
```

```
top:205px;
                                                left:150px;
.one {
                           position: absolute;
                           top: 205px;
.two{
                           position:absolute;
                           top:205px;
                           left:760px;
.three{
                           position:absolute;
                                                                                                                                                                                                                                   louis 
                           top:285px;
.four{
                           position:absolute;
                           top:355px;
 .eight{
                           position:absolute;
                           top:350px;
                           left:770px;
}
.six {
                           position: absolute;
                           top: 420px;
.seven {
                           position: absolute;
                        top: 420px;
                           left:780px;
}
```