

# Test Data


Sunday, December 7, 2025 5:06 PM

# NO routes


|          |   |
|----------|---|
| Received | 2 |
| Sent     | 2 |


① BU sending file to partner via partner acct  
"ptPush"

SEND




② pt Pull  
NYL downloads a file from partner SFTP Server  
RECEIVE






- ③ "stInbound"  
partner uses ST account to send/upload file  
received/inbound by NYL



- ④ stOutbound  
partner uses ST account to download a file  
received/inbound by NYL

Partner uses ST account to connect -  
Send / outbound by NYL






## sample Routes - one destination


|          |   |
|----------|---|
| Received | 4 |
| Sent     | 2 |

- ① Internal site (could be an external application)  
sending files to partner  
SENT by IntSite1
- "Tpt Push" ?  
"pt Push Ph2-C1"




①.1 BU sending files to partner


"pt Push Ph2-C11"



② pt Pull  
NYL downloads a file from partner SFTP Server  
and file sent to BU1's subscription folder

RECEIVED by BU1. "pt Pull Ph2-C2"






(runs on a ...)

extended rout: 1-2-3-4  
files will end up in BU1s  
Subscription folder.


2.1

At Pull  
NYL downloads a file from partner SFTP Server  
and file is sent to a internal transfer site  
RECEIVED by IntSite1 "At Pull Ph2 - C 21"





③ st inbound "stInbounds"  
- account to send/upload file

- ③ ST inbound "stInboundS"
- partner uses ST account to send/upload file  
received/inbound by NYL
- files end up in BU1s subscription folder  
"stInbound Ph2-c3"




- ③.1 ST inbound "stInboundT"
- partner uses ST account to send/upload file  
received/inbound by NYL
- files end up in intsite1 "stInbound Ph2-c31"





④ Stoutbound  
 Partner uses ST account to download a file  
 Send / outbound by NYL  
 "stOutboundPh2-c4l"




(h1)

stoutbound

Partner uses ST account to download a file

send / outbound by NYL


"stOutboundPh2-C4"




Route - double destinations

|          |   |                        |   |
|----------|---|------------------------|---|
| Received | 4 | Received by BU or Site | 8 |
| Sent     | 0 |                        |   |


- ① Pt Pull  
NYL downloads a file from partner SFTP Server  
and file sent to BU1's subscription folder  
RECEIVED by BU1. "Pt Pull Ph3-C 1"



- ①.1 Pt Pull  
NYL downloads a file from partner SFTP Server  
and file is sent to a internal transfer site  
RECEIVED by IntSite1 "Pt Pull Ph3-C 11"




② **st inbound**  
 partner uses ST account to send/upload file  
 received/inbound by NYL  
 files end up in BU1's subscription folder  
 "st Inbound Ph3-C 2"





BW2




route for: 4

2.1

st inbound  
partner uses ST account to send/upload file  
received/inbound by NYL


files end up in IntSite1  
"stInbound Ph3-C21"




# Routes- mixed double destinations

|          |   |                        |   |
|----------|---|------------------------|---|
| Received | 2 | Received by BU or Site | 4 |
| Sent     | 0 |                        |   |

- ① pt Pull  
NYL downloads a file from partner SFTP Server  
and file sent to BU1's subscription folder  
RECEIVED by BU1. "ptPull Ph4-C1"




- ② st inbound "stInbounds"  
partner uses ST account to send/upload file  
received/inbound by NYL  
files end up in BU1's subscription folder  
"stInbound Ph4-C2"




## Error scenarios - Pt Push & Pt Pull

Note: for errors in St inb & St outb cases  
ST has to be down - not considering


- ① invalid username and/or password of partner SFTP account  
"ptPushPH5-C1"




- ② connection to partner SFTP server interrupted  
"ptPushPH5-C2"



③ Invalid username and/or password for Partner SFTP Server agent "ptPullPH5-c3"




④ connection interrupted while downloading file  
"At Pull PH5-CL"



## No downloads


BUs and partners do not download the files sent to them

- ① st inbound  
partner uses ST account to send/upload file  
received/inbound by NYL  
files end up in BU's subscription folder  
"stInboundPH6-C1"




file waiting in BU's folder  
for BU to download

- ② st outbound  
partner uses ST account to download a file  
send/outbound by NYL  
"stOutboundPH6-C2"



file from internal site is waiting for partner to download

- ③ St outbound  
 partner uses ST account to download a file  
 send / outbound by NYL  
 "stOutboundPh6-C3"




file from BU is waiting for partner to download



④

pt Pull

pt Pull P46-CH



file from partner is  
waiting for BU to  
download