
Fixed PGAM5/source labels | Restrict to author QC MT<=5% subset
NA = insufficient testable observations
MHC-II antigen presentation
Inflammatory myeloid RNA
CCL / CXCL8 chemokines
CXCR3 ligands
Checkpoint ligands
IL10 / TGFB1 / LGALS9
Costimulation ligands
Scavenger / LPL state
C1Q complement (gate overlap)
Uptake proxy (gate overlap)
SPP1 / MMP12 remodeling
Hypoxia response
Cycling
+0.06 -0.21 +0.04 +0.18
+0.06 -0.02 -0.21 -0.27
-0.11 +0.19 +0.46 -0.34
+0.11 +0.19 -0.30 +0.07
+0.003 +0.005 +0.14 -0.08
-0.01 +0.27 +0.15 -0.24
-0.03 -0.06 -0.11 -0.27
+0.02 -0.02 -0.51 +0.13
-0.008 +0.06 -0.25 +0.22
+0.07 -0.24 +0.31 -0.01
+0.06 -0.15 -0.28 +0.23
-0.08 +0.10 -0.15 +0.06
+0.03 -0.04 +0.28 +0.03
A009
B013
C004
C008
1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00
Adjusted coefficient / within-section outcome SD